

Xianzhen Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7272459/xianzhen-li-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

558
citations

11
h-index

22
g-index

44
ext. papers

676
ext. citations

3.5
avg, IF

3.57
L-index

#	Paper	IF	Citations
41	The biogenic amine-producing bacteria from craft beer and their kinetic analysis between growth characteristics and biogenic amine formation in beer. <i>Journal of Food Science</i> , 2021 , 86, 4991-5003	3.4	1
40	Simple and efficient preparation of high-purity trehalulose from the waste syrup of isomaltulose production using solid-phase extraction followed by hydrophilic interaction chromatography. <i>Journal of Separation Science</i> , 2021 , 44, 2334-2342	3.4	0
39	Comparative metagenomic discovery of the dynamic cellulose-degrading process from a synergistic cellulolytic microbiota. <i>Cellulose</i> , 2021 , 28, 2105-2123	5.5	4
38	Chitooligosaccharide as A Possible Replacement for Sulfur Dioxide in Winemaking. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 578	2.6	3
37	Novel caffeine degradation gene cluster is mega-plasmid encoded in Paraburkholderia caffenilytica CF1. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 3025-3036	5.7	4
36	Inulin catabolism in <i>Saccharomyces cerevisiae</i> is affected by some key glycosylation sequons of invertase Suc2. <i>Biotechnology Letters</i> , 2020 , 42, 471-479	3	
35	Improvement of barley (<i>Hordeum vulgare</i> L.) germination by application of biochar leacheate in steeping solution to upgrade malt quality. <i>Biotechnology Letters</i> , 2020 , 42, 305-311	3	
34	Strain-Specific Effects of Biochar and Its Water-Soluble Compounds on Bacterial Growth. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3209	2.6	6
33	Construction of a comprehensive beer proteome map using sequential filter-aided sample preparation coupled with liquid chromatography tandem mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 2835-2841	3.4	2
32	Prediction of Cellulose Crystallinity in Liquid Phase Using CBM-GFP Probe. <i>Macromolecular Research</i> , 2019 , 27, 377-385	1.9	0
31	Proteomic Analysis of the Xanthan-Degrading Pathway of sp. XT11. <i>ACS Omega</i> , 2019 , 4, 19096-19105	3.9	3
30	Beer-spoilage characteristics of newly isolated from craft beer and its potential to influence beer quality. <i>Food Science and Nutrition</i> , 2019 , 7, 3950-3957	3.2	4
29	Hop bitter acids inhibit carbohydrate metabolism, enhance biogenic amine metabolism and alter L-malic acid, glutamic acid and arginine metabolism of <i>Lactobacillus brevis</i> 49. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 361-367	3.8	1
28	Novel Endotype Xanthanase from Xanthan-Degrading sp. Strain XT11. <i>Applied and Environmental Microbiology</i> , 2019 , 85,	4.8	4
27	Enhancing the production of phenolic compounds during barley germination by using chitooligosaccharides to improve the antioxidant capacity of malt. <i>Biotechnology Letters</i> , 2018 , 40, 1335-1341	3.7	7
26	Isolation and Properties of <i>Enterobacter</i> sp. LX3 Capable of Producing Indoleacetic Acid. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2108	2.6	6
25	Influence of biochar application on potassium-solubilizing <i>Bacillus mucilaginosus</i> as potential biofertilizer. <i>Preparative Biochemistry and Biotechnology</i> , 2017 , 47, 32-37	2.4	19

24	Application of chitooligosaccharides as antioxidants in beer to improve the flavour stability by protecting against beer staling during storage. <i>Biotechnology Letters</i> , 2017 , 39, 305-310	3	22
23	Hop resistance and beer-spoilage features of foodborne <i>Bacillus cereus</i> newly isolated from filtration-sterilized draft beer. <i>Annals of Microbiology</i> , 2017 , 67, 17-23	3.2	8
22	Effect of added sulphur dioxide levels on the fermentation characteristics of strawberry wine. <i>Journal of the Institute of Brewing</i> , 2016 , 122, 446-451	2	6
21	Gelatinization and decrystallization of cellulose by newly isolated <i>Arthrotrrys</i> sp. CX1 to facilitate cellulose degradability. <i>Cellulose</i> , 2016 , 23, 3543-3554	5.5	0
20	Production of a single cyclic type of fructooligosaccharide structure by inulin-degrading <i>Paenibacillus</i> sp. LX16 newly isolated from Jerusalem artichoke root. <i>Microbial Biotechnology</i> , 2016 , 9, 419-29	6.3	2
19	Complete genome sequence of a xanthan-degrading <i>Microbacterium</i> sp. strain XT11 with the potential for xantho-oligosaccharides production. <i>Journal of Biotechnology</i> , 2016 , 222, 19-20	3.7	5
18	The use of chitooligosaccharide in beer brewing for protection against beer-spoilage bacteria and its influence on beer performance. <i>Biotechnology Letters</i> , 2016 , 38, 629-35	3	20
17	Isolation and properties of an endo- β -mannanase-producing <i>Bacillus</i> sp. LX114 capable of degrading guar gum. <i>Preparative Biochemistry and Biotechnology</i> , 2016 , 46, 495-500	2.4	
16	Identification of an active-site residue in invertase SUC2 by mass spectrometry-based proteomics and site-directed mutagenesis. <i>International Journal of Mass Spectrometry</i> , 2016 , 409, 9-15	1.9	2
15	Enhanced germination of barley (<i>Hordeum vulgare</i> L.) using chitooligosaccharide as an elicitor in seed priming to improve malt quality. <i>Biotechnology Letters</i> , 2016 , 38, 1935-1940	3	23
14	Elicitor activity of algino-oligosaccharide and its potential application in protection of rice plant (<i>Oryza saliva</i> L.) against <i>Magnaporthe grisea</i> . <i>Biotechnology and Biotechnological Equipment</i> , 2015 , 29, 646-652	1.6	27
13	Invertase Suc2-mediated inulin catabolism is regulated at the transcript level in <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2015 , 14, 59	6.4	9
12	Characteristics of Newly Isolated <i>Geobacillus</i> sp. ZY-10 Degrading Hydrocarbons in Crude Oil. <i>Polish Journal of Microbiology</i> , 2015 , 64, 253-263	1.8	7
11	Production and purification of a novel xanthan lyase from a xanthan-degrading <i>Microbacterium</i> sp. strain XT11. <i>Scientific World Journal, The</i> , 2014 , 2014, 368434	2.2	4
10	Isolation and characterization of xanthan-degrading <i>Enterobacter</i> sp. nov. LB37 for reducing the viscosity of xanthan in petroleum industry. <i>World Journal of Microbiology and Biotechnology</i> , 2014 , 30, 1549-57	4.4	7
9	Ethanol production using a newly isolated <i>Saccharomyces cerevisiae</i> strain directly assimilating intact inulin with a high degree of polymerization. <i>Biotechnology and Applied Biochemistry</i> , 2014 , 61, 418-25	2.8	8
8	Quorum quenching enzymes and their application in degrading signal molecules to block quorum sensing-dependent infection. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 17477-500	6.3	177
7	<i>Bacillus marcorestinctum</i> sp. nov., a novel soil acylhomoserine lactone quorum-sensing signal quenching bacterium. <i>International Journal of Molecular Sciences</i> , 2010 , 11, 507-20	6.3	20

6	Endoxanthanase, a novel beta-D-glucanase hydrolyzing backbone linkage of intact xanthan from newly isolated <i>Microbacterium</i> sp. XT11. <i>Applied Biochemistry and Biotechnology</i> , 2009 , 159, 24-32	3.2	10
5	Biodegradation of xanthan by newly isolated <i>Cellulomonas</i> sp. LX, releasing elicitor-active xantho-oligosaccharides-induced phytoalexin synthesis in soybean cotyledons. <i>Process Biochemistry</i> , 2005 , 40, 3701-3706	4.8	22
4	<i>Klebsiella singaporensis</i> sp. nov., a novel isomaltulose-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 2131-2136	2.2	48
3	Isolation and some properties of cellulose-degrading <i>Vibrio</i> sp. LX-3 with agar-liquefying ability from soil. <i>World Journal of Microbiology and Biotechnology</i> , 2003 , 19, 375-379	4.4	15
2	Isomaltulose synthase from <i>Klebsiella</i> sp. strain LX3: gene cloning and characterization and engineering of thermostability. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 2676-82	4.8	43
1	Cellobiose-oxidizing enzyme from a newly isolated cellulolytic bacterium <i>Cytophaga</i> sp. LX-7. <i>Biotechnology Letters</i> , 1996 , 18, 205-210	3	8