

James M Murphy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7274129/james-m-murphy-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153 papers	7,452 citations	48 h-index	82 g-index
167 ext. papers	9,566 ext. citations	10 avg, IF	6.24 L-index

#	Paper	IF	Citations
153	The pseudokinase MLKL mediates necroptosis via a molecular switch mechanism. <i>Immunity</i> , 2013 , 39, 443-53	32.3	717
152	RIPK1 regulates RIPK3-MLKL-driven systemic inflammation and emergency hematopoiesis. <i>Cell</i> , 2014 , 157, 1175-88	56.2	400
151	Activation of the pseudokinase MLKL unleashes the four-helix bundle domain to induce membrane localization and necroptotic cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 15072-7	11.5	357
150	Active MLKL triggers the NLRP3 inflammasome in a cell-intrinsic manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E961-E969	11.5	210
149	A robust methodology to subclassify pseudokinases based on their nucleotide-binding properties. <i>Biochemical Journal</i> , 2014 , 457, 323-34	3.8	192
148	TNFR1-dependent cell death drives inflammation in Sharpin-deficient mice. <i>ELife</i> , 2014 , 3,	8.9	187
147	Suppression of cytokine signaling by SOCS3: characterization of the mode of inhibition and the basis of its specificity. <i>Immunity</i> , 2012 , 36, 239-50	32.3	185
146	The molecular regulation of Janus kinase (JAK) activation. <i>Biochemical Journal</i> , 2014 , 462, 1-13	3.8	178
145	SOCS3 binds specific receptor-JAK complexes to control cytokine signaling by direct kinase inhibition. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 469-76	17.6	176
144	Necroptosis and ferroptosis are alternative cell death pathways that operate in acute kidney failure. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 3631-3645	10.3	167
143	MK2 Phosphorylates RIPK1 to Prevent TNF-Induced Cell Death. <i>Molecular Cell</i> , 2017 , 66, 698-710.e5	17.6	154
142	The molecular basis of JAK/STAT inhibition by SOCS1. <i>Nature Communications</i> , 2018 , 9, 1558	17.4	141
141	cIAPs and XIAP regulate myelopoiesis through cytokine production in an RIPK1- and RIPK3-dependent manner. <i>Blood</i> , 2014 , 123, 2562-72	2.2	121
140	RIPK1- and RIPK3-induced cell death mode is determined by target availability. <i>Cell Death and Differentiation</i> , 2014 , 21, 1600-12	12.7	112
139	TNF can activate RIPK3 and cause programmed necrosis in the absence of RIPK1. <i>Cell Death and Disease</i> , 2013 , 4, e465	9.8	110
138	EspL is a bacterial cysteine protease effector that cleaves RHIM proteins to block necroptosis and inflammation. <i>Nature Microbiology</i> , 2017 , 2, 16258	26.6	100
137	The pseudokinase MLKL mediates programmed hepatocellular necrosis independently of RIPK3 during hepatitis. <i>Journal of Clinical Investigation</i> , 2016 , 126, 4346-4360	15.9	98

136	Transferrin receptor 1 is a reticulocyte-specific receptor for. <i>Science</i> , 2018 , 359, 48-55	33.3	96
135	Structure of the complete extracellular domain of the common beta subunit of the human GM-CSF, IL-3, and IL-5 receptors reveals a novel dimer configuration. <i>Cell</i> , 2001 , 104, 291-300	56.2	91
134	The Structural Basis of Necroptotic Cell Death Signaling. <i>Trends in Biochemical Sciences</i> , 2019 , 44, 53-63	10.3	87
133	Conformational switching of the pseudokinase domain promotes human MLKL tetramerization and cell death by necroptosis. <i>Nature Communications</i> , 2018 , 9, 2422	17.4	85
132	Screening for PTB domain binding partners and ligand specificity using proteome-derived NPXY peptide arrays. <i>Molecular and Cellular Biology</i> , 2006 , 26, 8461-74	4.8	84
131	HSP90 activity is required for MLKL oligomerisation and membrane translocation and the induction of necroptotic cell death. <i>Cell Death and Disease</i> , 2016 , 7, e2051	9.8	83
130	Regulated necrosis in kidney ischemia-reperfusion injury. <i>Kidney International</i> , 2019 , 96, 291-301	9.9	82
129	Insights into the evolution of divergent nucleotide-binding mechanisms among pseudokinases revealed by crystal structures of human and mouse MLKL. <i>Biochemical Journal</i> , 2014 , 457, 369-77	3.8	79
128	Necroptosis signalling is tuned by phosphorylation of MLKL residues outside the pseudokinase domain activation loop. <i>Biochemical Journal</i> , 2015 , 471, 255-65	3.8	76
127	MLKL trafficking and accumulation at the plasma membrane control the kinetics and threshold for necroptosis. <i>Nature Communications</i> , 2020 , 11, 3151	17.4	75
126	Necroptosis induced by RIPK3 requires MLKL but not Drp1. <i>Cell Death and Disease</i> , 2014 , 5, e1086	9.8	75
125	A RIPK2 inhibitor delays NOD signalling events yet prevents inflammatory cytokine production. <i>Nature Communications</i> , 2015 , 6, 6442	17.4	74
124	Dawn of the dead: protein pseudokinases signal new adventures in cell biology. <i>Biochemical Society Transactions</i> , 2013 , 41, 969-74	5.1	72
123	Live and let die: insights into pseudoenzyme mechanisms from structure. <i>Current Opinion in Structural Biology</i> , 2017 , 47, 95-104	8.1	71
122	Evolutionary divergence of the necroptosis effector MLKL. <i>Cell Death and Differentiation</i> , 2016 , 23, 1185-1197	12.7	70
121	IL-3, IL-5, and GM-CSF signaling: crystal structure of the human beta-common receptor. <i>Vitamins and Hormones</i> , 2006 , 74, 1-30	2.5	66
120	Genome-wide binding and mechanistic analyses of Smchd1-mediated epigenetic regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3535-44	11.5	63
119	Molecular Mechanism of CCAAT-Enhancer Binding Protein Recruitment by the TRIB1 Pseudokinase. <i>Structure</i> , 2015 , 23, 2111-21	5.2	62

118	De novo mutations in SMCHD1 cause Bosma arhinia microphthalmia syndrome and abrogate nasal development. <i>Nature Genetics</i> , 2017 , 49, 249-255	36.3	60
117	More to life than death: molecular determinants of necroptotic and non-necroptotic RIP3 kinase signaling. <i>Current Opinion in Immunology</i> , 2014 , 26, 76-89	7.8	60
116	The evolving world of pseudoenzymes: proteins, prejudice and zombies. <i>BMC Biology</i> , 2016 , 14, 98	7.3	59
115	Bio-Zombie: the rise of pseudoenzymes in biology. <i>Biochemical Society Transactions</i> , 2017 , 45, 537-544	5.1	56
114	Monosodium Urate Crystals Generate Nuclease-Resistant Neutrophil Extracellular Traps via a Distinct Molecular Pathway. <i>Journal of Immunology</i> , 2018 , 200, 1802-1816	5.3	54
113	Ars Moriendi; the art of dying well - new insights into the molecular pathways of necroptotic cell death. <i>EMBO Reports</i> , 2014 , 15, 155-64	6.5	54
112	Regulation of Janus kinases by SOCS proteins. <i>Biochemical Society Transactions</i> , 2013 , 41, 1042-7	5.1	53
111	Critical roles for c-Myb in lymphoid priming and early B-cell development. <i>Blood</i> , 2010 , 115, 2796-805	2.2	52
110	Emerging concepts in pseudoenzyme classification, evolution, and signaling. <i>Science Signaling</i> , 2019 , 12,	8.8	51
109	Insane in the membrane: a structural perspective of MLKL function in necroptosis. <i>Immunology and Cell Biology</i> , 2017 , 95, 152-159	5	50
108	The secret life of kinases: insights into non-catalytic signalling functions from pseudokinases. <i>Biochemical Society Transactions</i> , 2017 , 45, 665-681	5.1	49
107	Viral MLKL Homologs Subvert Necroptotic Cell Death by Sequestering Cellular RIPK3. <i>Cell Reports</i> , 2019 , 28, 3309-3319.e5	10.6	48
106	Eph receptor signalling: from catalytic to non-catalytic functions. <i>Oncogene</i> , 2019 , 38, 6567-6584	9.2	48
105	Smchd1 regulates long-range chromatin interactions on the inactive X chromosome and at Hox clusters. <i>Nature Structural and Molecular Biology</i> , 2018 , 25, 766-777	17.6	47
104	The brace helices of MLKL mediate interdomain communication and oligomerisation to regulate cell death by necroptosis. <i>Cell Death and Differentiation</i> , 2018 , 25, 1567-1580	12.7	46
103	The Pyroptotic Cell Death Effector Gasdermin D Is Activated by Gout-Associated Uric Acid Crystals but Is Dispensable for Cell Death and IL-1 β Release. <i>Journal of Immunology</i> , 2019 , 203, 736-748	5.3	45
102	Regression of devil facial tumour disease following immunotherapy in immunised Tasmanian devils. <i>Scientific Reports</i> , 2017 , 7, 43827	4.9	42
101	A missense mutation in the MLKL brace region promotes lethal neonatal inflammation and hematopoietic dysfunction. <i>Nature Communications</i> , 2020 , 11, 3150	17.4	41

100	An optimized SEC-SAXS system enabling high X-ray dose for rapid SAXS assessment with correlated UV measurements for biomolecular structure analysis. <i>Journal of Applied Crystallography</i> , 2018 , 51, 97-111	11.8	41
99	Lymphotoxin α induces apoptosis, necroptosis and inflammatory signals with the same potency as tumour necrosis factor. <i>FEBS Journal</i> , 2013 , 280, 5283-97	5.7	41
98	Conformational instability of the MARK3 UBA domain compromises ubiquitin recognition and promotes interaction with the adjacent kinase domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14336-41	11.5	39
97	An efficient high-throughput screening method for MYST family acetyltransferases, a new class of epigenetic drug targets. <i>Journal of Biomolecular Screening</i> , 2011 , 16, 1196-205		37
96	The Epigenetic Regulator SMCHD1 in Development and Disease. <i>Trends in Genetics</i> , 2017 , 33, 233-243	8.5	36
95	Identification of MLKL membrane translocation as a checkpoint in necroptotic cell death using Monobodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 8468-8475	11.5	34
94	Structurally conserved erythrocyte-binding domain in Plasmodium provides a versatile scaffold for alternate receptor engagement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E191-200	11.5	34
93	The Killer Pseudokinase Mixed Lineage Kinase Domain-Like Protein (MLKL). <i>Cold Spring Harbor Perspectives in Biology</i> , 2020 , 12,	10.2	34
92	Suppressor of Cytokine Signaling (SOCS) 5 utilises distinct domains for regulation of JAK1 and interaction with the adaptor protein Shc-1. <i>PLoS ONE</i> , 2013 , 8, e70536	3.7	33
91	Epigenetic regulator Smchd1 functions as a tumor suppressor. <i>Cancer Research</i> , 2013 , 73, 1591-9	10.1	32
90	A new isoform of interleukin-3 receptor α with novel differentiation activity and high affinity binding mode. <i>Journal of Biological Chemistry</i> , 2009 , 284, 5763-73	5.4	32
89	Post-translational control of RIPK3 and MLKL mediated necroptotic cell death. <i>F1000Research</i> , 2015 , 4,	3.6	32
88	Point mutation in the gene encoding p300 suppresses thrombocytopenia in Mpl ^{-/-} mice. <i>Blood</i> , 2008 , 112, 3148-53	2.2	31
87	Distinct pseudokinase domain conformations underlie divergent activation mechanisms among vertebrate MLKL orthologues. <i>Nature Communications</i> , 2020 , 11, 3060	17.4	30
86	Necroptosis is dispensable for motor neuron degeneration in a mouse model of ALS. <i>Cell Death and Differentiation</i> , 2020 , 27, 1728-1739	12.7	30
85	PD-L1 Is Not Constitutively Expressed on Tasmanian Devil Facial Tumor Cells but Is Strongly Upregulated in Response to IFN- γ and Can Be Expressed in the Tumor Microenvironment. <i>Frontiers in Immunology</i> , 2016 , 7, 581	8.4	29
84	Smchd1 Targeting to the Inactive X Is Dependent on the Xist-HnnpK-PRC1 Pathway. <i>Cell Reports</i> , 2018 , 25, 1912-1923.e9	10.6	29
83	A novel functional epitope formed by domains 1 and 4 of the human common beta-subunit is involved in receptor activation by granulocyte macrophage colony-stimulating factor and interleukin 5. <i>Journal of Biological Chemistry</i> , 2003 , 278, 10572-7	5.4	28

82	Activated MLKL attenuates autophagy following its translocation to intracellular membranes. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	27
81	Mechanistic insights into activation and SOCS3-mediated inhibition of myeloproliferative neoplasm-associated JAK2 mutants from biochemical and structural analyses. <i>Biochemical Journal</i> , 2014 , 458, 395-405	3.8	27
80	The regulation of necroptosis by post-translational modifications. <i>Cell Death and Differentiation</i> , 2021 , 28, 861-883	12.7	27
79	Evolution of Protein Quaternary Structure in Response to Selective Pressure for Increased Thermostability. <i>Journal of Molecular Biology</i> , 2016 , 428, 2359-2371	6.5	26
78	Cryo-EM structure of an essential Plasmodium vivax invasion complex. <i>Nature</i> , 2018 , 559, 135-139	50.4	26
77	Down the rabbit hole: Is necroptosis truly an innate response to infection?. <i>Cellular Microbiology</i> , 2017 , 19, e12750	3.9	25
76	Structure of SgK223 pseudokinase reveals novel mechanisms of homotypic and heterotypic association. <i>Nature Communications</i> , 2017 , 8, 1157	17.4	25
75	Structural basis of autoregulatory scaffolding by apoptosis signal-regulating kinase 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E2096-E2105	11.5	24
74	SMCHD1 is involved in de novo methylation of the DUX4-encoding D4Z4 macrosatellite. <i>Nucleic Acids Research</i> , 2019 , 47, 2822-2839	20.1	23
73	BAK core dimers bind lipids and can be bridged by them. <i>Nature Structural and Molecular Biology</i> , 2020 , 27, 1024-1031	17.6	23
72	Determination of the Plk4/Sak consensus phosphorylation motif using peptide spots arrays. <i>FEBS Letters</i> , 2007 , 581, 77-83	3.8	22
71	Discovery of a Family of Mixed Lineage Kinase Domain-like Proteins in Plants and Their Role in Innate Immune Signaling. <i>Cell Host and Microbe</i> , 2020 , 28, 813-824.e6	23.4	21
70	Location, location, location: A compartmentalized view of TNF-induced necroptotic signaling. <i>Science Signaling</i> , 2021 , 14,	8.8	20
69	The epigenetic regulator Smchd1 contains a functional GHKL-type ATPase domain. <i>Biochemical Journal</i> , 2016 , 473, 1733-44	3.8	19
68	FSDH2- and BAMS-associated mutations confer opposing effects on SMCHD1 function. <i>Journal of Biological Chemistry</i> , 2018 , 293, 9841-9853	5.4	19
67	Synthesis of functionalized piperidinones. <i>Journal of Organic Chemistry</i> , 2003 , 68, 2432-6	4.2	19
66	Conformational interconversion of MLKL and disengagement from RIPK3 precede cell death by necroptosis. <i>Nature Communications</i> , 2021 , 12, 2211	17.4	19
65	The Highway to Hell: A RIP Kinase-Directed Shortcut to Inflammatory Cytokine Production. <i>Immunity</i> , 2016 , 45, 1-3	32.3	18

64	The Ig-like domain of human GM-CSF receptor alpha plays a critical role in cytokine binding and receptor activation. <i>Biochemical Journal</i> , 2010 , 426, 307-17	3.8	18
63	Interleukin-3 binding to the murine betaIL-3 and human betac receptors involves functional epitopes formed by domains 1 and 4 of different protein chains. <i>Journal of Biological Chemistry</i> , 2004 , 279, 26500-8	5.4	18
62	Mitogen-activated Tasmanian devil blood mononuclear cells kill devil facial tumour disease cells. <i>Immunology and Cell Biology</i> , 2016 , 94, 673-9	5	18
61	A tale of two domains - a structural perspective of the pseudokinase, MLKL. <i>FEBS Journal</i> , 2015 , 282, 4268-78	5.7	17
60	Murine interleukin-3: structure, dynamics, and conformational heterogeneity in solution. <i>Biochemistry</i> , 2011 , 50, 2464-77	3.2	16
59	There's more to death than life: Noncatalytic functions in kinase and pseudokinase signaling. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100705	5.4	16
58	In vitro JAK kinase activity and inhibition assays. <i>Methods in Molecular Biology</i> , 2013 , 967, 39-55	1.4	15
57	Necroptosis Signaling Promotes Inflammation, Airway Remodeling, and Emphysema in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 667-681	10.2	15
56	The hinge domain of the epigenetic repressor Smchd1 adopts an unconventional homodimeric configuration. <i>Biochemical Journal</i> , 2016 , 473, 733-42	3.8	14
55	Techniques to examine nucleotide binding by pseudokinases. <i>Biochemical Society Transactions</i> , 2013 , 41, 975-80	5.1	14
54	Analysis of the N-terminal region of human MLKL, as well as two distinct MLKL isoforms, reveals new insights into necroptotic cell death. <i>Bioscience Reports</i> , 2015 , 36, e00291	4.1	14
53	The anticonvulsive Phenhydan suppresses extrinsic cell death. <i>Cell Death and Differentiation</i> , 2019 , 26, 1631-1645	12.7	14
52	A bidentate Polycomb Repressive-Deubiquitinase complex is required for efficient activity on nucleosomes. <i>Nature Communications</i> , 2018 , 9, 3932	17.4	14
51	Laser-mediated rupture of chlamydial inclusions triggers pathogen egress and host cell necrosis. <i>Nature Communications</i> , 2017 , 8, 14729	17.4	12
50	Functional characterization of c-Mpl ectodomain mutations that underlie congenital amegakaryocytic thrombocytopenia. <i>Growth Factors</i> , 2014 , 32, 18-26	1.6	12
49	A convenient method for preparation of an engineered mouse interleukin-3 analog with high solubility and wild-type bioactivity. <i>Growth Factors</i> , 2010 , 28, 104-10	1.6	12
48	Characterization of kinase target phosphorylation consensus motifs using peptide SPOT arrays. <i>Methods in Molecular Biology</i> , 2009 , 570, 187-95	1.4	12
47	Characterization of Ligand Binding to Pseudokinases Using a Thermal Shift Assay. <i>Methods in Molecular Biology</i> , 2017 , 1636, 91-104	1.4	12

46	The ubiquitylation of IL-1 β limits its cleavage by caspase-1 and targets it for proteasomal degradation. <i>Nature Communications</i> , 2021 , 12, 2713	17.4	12
45	A toolbox for imaging RIPK1, RIPK3, and MLKL in mouse and human cells. <i>Cell Death and Differentiation</i> , 2021 , 28, 2126-2144	12.7	12
44	Structure and Functional Characterization of the Conserved JAK Interaction Region in the Intrinsically Disordered N-Terminus of SOCS5. <i>Biochemistry</i> , 2015 , 54, 4672-82	3.2	11
43	High yield production of a soluble human interleukin-3 variant from E. coli with wild-type bioactivity and improved radiolabeling properties. <i>PLoS ONE</i> , 2013 , 8, e74376	3.7	11
42	Exchange enhanced sensitivity gain for solvent-exchangeable protons in 2D 1H-15N heteronuclear correlation spectra acquired with band-selective pulses. <i>Journal of Magnetic Resonance</i> , 2011 , 211, 243-7	3.8	11
41	Clarification of the role of N-glycans on the common beta-subunit of the human IL-3, IL-5 and GM-CSF receptors and the murine IL-3 beta-receptor in ligand-binding and receptor activation. <i>Cytokine</i> , 2008 , 42, 234-242	4	11
40	Oligomerization-driven MLKL ubiquitylation antagonizes necroptosis. <i>EMBO Journal</i> , 2021 , 40, e103718	13	11
39	Potent Inhibition of Necroptosis by Simultaneously Targeting Multiple Effectors of the Pathway. <i>ACS Chemical Biology</i> , 2020 , 15, 2702-2713	4.9	11
38	Identification of a second binding site on the TRIM25 B30.2 domain. <i>Biochemical Journal</i> , 2018 , 475, 429-440	3.8	10
37	Human RIPK3 maintains MLKL in an inactive conformation prior to cell death by necroptosis. <i>Nature Communications</i> , 2021 , 12, 6783	17.4	10
36	Structure-based mechanism of preferential complex formation by apoptosis signal-regulating kinases. <i>Science Signaling</i> , 2020 , 13,	8.8	10
35	Necroptosis is dispensable for the development of inflammation-associated or sporadic colon cancer in mice. <i>Cell Death and Differentiation</i> , 2021 , 28, 1466-1476	12.7	10
34	Structural studies of FF domains of the transcription factor CA150 provide insights into the organization of FF domain tandem arrays. <i>Journal of Molecular Biology</i> , 2009 , 393, 409-24	6.5	9
33	Rapid identification of linear protein domain binding motifs using peptide SPOT arrays. <i>Methods in Molecular Biology</i> , 2009 , 570, 175-85	1.4	9
32	Ubiquitylation of MLKL at lysine 219 positively regulates necroptosis-induced tissue injury and pathogen clearance. <i>Nature Communications</i> , 2021 , 12, 3364	17.4	9
31	Phosphorylation by Aurora B kinase regulates caspase-2 activity and function. <i>Cell Death and Differentiation</i> , 2021 , 28, 349-366	12.7	9
30	Crystal structure of the hinge domain of Smchd1 reveals its dimerization mode and nucleic acid-binding residues. <i>Science Signaling</i> , 2020 , 13,	8.8	8
29	Two modes of beta-receptor recognition are mediated by distinct epitopes on mouse and human interleukin-3. <i>Journal of Biological Chemistry</i> , 2010 , 285, 22370-81	5.4	8

28	The PEAK family of pseudokinases, their role in cell signalling and cancer. <i>FEBS Journal</i> , 2020 , 287, 4183-4197	5.7	8
27	A family harboring an MLKL loss of function variant implicates impaired necroptosis in diabetes. <i>Cell Death and Disease</i> , 2021 , 12, 345	9.8	8
26	¹ H, ¹³ C and ¹⁵ N resonance assignments of a highly-soluble murine interleukin-3 analogue with wild-type bioactivity. <i>Biomolecular NMR Assignments</i> , 2010 , 4, 73-7	0.7	6
25	Plant mixed lineage kinase domain-like proteins limit biotrophic pathogen growth		6
24	Mechanism of NanR gene repression and allosteric induction of bacterial sialic acid metabolism. <i>Nature Communications</i> , 2021 , 12, 1988	17.4	6
23	Crystal structure of the mouse interleukin-3 receptor: insights into interleukin-3 binding and receptor activation. <i>Biochemical Journal</i> , 2014 , 463, 393-403	3.8	5
22	Relating SMCHD1 structure to its function in epigenetic silencing. <i>Biochemical Society Transactions</i> , 2020 , 48, 1751-1763	5.1	4
21	Missense mutations in the MLKL Brace region lead to lethal neonatal inflammation in mice and are present in high frequency in humans		4
20	Granulovirus PK-1 kinase activity relies on a side-to-side dimerization mode centered on the regulatory α helix. <i>Nature Communications</i> , 2021 , 12, 1002	17.4	4
19	Membrane permeabilization is mediated by distinct epitopes in mouse and human orthologs of the necroptosis effector, MLKL. <i>Cell Death and Differentiation</i> , 2022 ,	12.7	4
18	The long-awaited structure of HIPK2. <i>Journal of Biological Chemistry</i> , 2019 , 294, 13560-13561	5.4	3
17	CHAPTER 13:A Structural Perspective of the Pseudokinome: Defining the Targetable Space. <i>RSC Drug Discovery Series</i> , 2018 , 359-380	0.6	3
16	Long-range chromatin interactions on the inactive X and at Hox clusters are regulated by the non-canonical SMC protein Smchd1		3
15	The necroptotic cell death pathway operates in megakaryocytes, but not in platelet synthesis. <i>Cell Death and Disease</i> , 2021 , 12, 133	9.8	3
14	Flicking the molecular switch underlying MLKL-mediated necroptosis. <i>Molecular and Cellular Oncology</i> , 2015 , 2, e985550	1.2	2
13	The role of interchain heterodisulfide formation in activation of the human common beta and mouse betaL-3 receptors. <i>Journal of Biological Chemistry</i> , 2010 , 285, 24759-68	5.4	2
12	A toolbox for imaging RIPK1, RIPK3 and MLKL in mouse and human cells		2
11	The intracellular domains of the EphB6 and EphA10 receptor tyrosine pseudokinases function as dynamic signalling hubs. <i>Biochemical Journal</i> , 2021 , 478, 3351-3371	3.8	2

10	Mechanism of NanR gene repression and allosteric induction of bacterial sialic acid metabolism		1
9	For Whom the Bell Tolls: The Structure of the Dead Kinase, IRAK3. <i>Structure</i> , 2021 , 29, 197-199	5.2	1
8	Membrane permeabilization is mediated by distinct epitopes in mouse and human orthologs of the necroptosis effector, MLKL		1
7	The Lck inhibitor, AMG-47a, blocks necroptosis and implicates RIPK1 in signalling downstream of MLKL.. <i>Cell Death and Disease</i> , 2022 , 13, 291	9.8	1
6	Structural and functional analysis of target recognition by the lymphocyte adaptor protein LNK. <i>Nature Communications</i> , 2021 , 12, 6110	17.4	0
5	Co-expression of recombinant RIPK3:MLKL complexes using the baculovirus-insect cell system.. <i>Methods in Enzymology</i> , 2022 , 667, 183-227	1.7	0
4	Development of NanoLuc-targeting protein degraders and a universal reporter system to benchmark tag-targeted degradation platforms.. <i>Nature Communications</i> , 2022 , 13, 2073	17.4	0
3	Add necroptosis to your asthma action plan. <i>Immunology and Cell Biology</i> , 2021 , 99, 800-802	5	
2	SMCHD1's ubiquitin-like domain is required for N-terminal dimerization and chromatin localization. <i>Biochemical Journal</i> , 2021 , 478, 2555-2569	3.8	
1	CRISPR deletions in cell lines for reconstitution studies of pseudokinase function.. <i>Methods in Enzymology</i> , 2022 , 667, 229-273	1.7	