

Ivan Ferraz-Amaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7275142/publications.pdf>

Version: 2024-02-01

120
papers

7,612
citations

101543

36
h-index

54911

84
g-index

132
all docs

132
docs citations

132
times ranked

10978
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014, 506, 376-381. | 27.8 | 1,974 |
| 2 | Clinical and Molecular Genetic Spectrum of Congenital Deficiency of the Leptin Receptor. <i>New England Journal of Medicine</i> , 2007, 356, 237-247. | 27.0 | 610 |
| 3 | HLA-DRB1 and persistent chronic inflammation contribute to cardiovascular events and cardiovascular mortality in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 57, 125-132. | 6.7 | 312 |
| 4 | Rheumatoid Arthritis: A Disease Associated with Accelerated Atherogenesis. <i>Seminars in Arthritis and Rheumatism</i> , 2005, 35, 8-17. | 3.4 | 282 |
| 5 | Carotid Intima-Media Thickness Predicts the Development of Cardiovascular Events in Patients with Rheumatoid Arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2009, 38, 366-371. | 3.4 | 211 |
| 6 | Increased Prevalence of Severe Subclinical Atherosclerotic Findings in Long-Term Treated Rheumatoid Arthritis Patients Without Clinically Evident Atherosclerotic Disease. <i>Medicine (United States)</i> , 2003, 82, 407-413. | 1.0 | 207 |
| 7 | Impact of risk factors associated with cardiovascular outcomes in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 48-54. | 0.9 | 194 |
| 8 | Carotid ultrasound is useful for the cardiovascular risk stratification of patients with rheumatoid arthritis: results of a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 722-727. | 0.9 | 190 |
| 9 | High-grade C-reactive protein elevation correlates with accelerated atherogenesis in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005, 32, 1219-23. | 2.0 | 187 |
| 10 | Fine Mapping Seronegative and Seropositive Rheumatoid Arthritis to Shared and Distinct HLA Alleles by Adjusting for the Effects of Heterogeneity. <i>American Journal of Human Genetics</i> , 2014, 94, 522-532. | 6.2 | 156 |
| 11 | Rheumatoid arthritis and metabolic syndrome. <i>Nature Reviews Rheumatology</i> , 2014, 10, 691-696. | 8.0 | 154 |
| 12 | A Large-Scale Genetic Analysis Reveals a Strong Contribution of the HLA Class II Region to Giant Cell Arteritis Susceptibility. <i>American Journal of Human Genetics</i> , 2015, 96, 565-580. | 6.2 | 144 |
| 13 | Insulin resistance in rheumatoid arthritis: the impact of the anti-TNF therapy. <i>Annals of the New York Academy of Sciences</i> , 2010, 1193, 153-159. | 3.8 | 125 |
| 14 | Cardiovascular risk stratification in rheumatic diseases: carotid ultrasound is more sensitive than Coronary Artery Calcification Score to detect subclinical atherosclerosis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1764-1770. | 0.9 | 123 |
| 15 | Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter study of 63 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 48, 22-27. | 3.4 | 123 |
| 16 | Carotid Intima Media Thickness in Rheumatoid Arthritis as Compared to Control Subjects: A Meta-Analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2011, 40, 389-397. | 3.4 | 120 |
| 17 | Adipokines: Linking metabolic syndrome, the immune system, and arthritic diseases. <i>Biochemical Pharmacology</i> , 2019, 165, 196-206. | 4.4 | 119 |
| 18 | Validated methods for assessment of subclinical atherosclerosis in rheumatology. <i>Nature Reviews Rheumatology</i> , 2012, 8, 224-234. | 8.0 | 118 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cardiovascular risk assessment in patients with rheumatoid arthritis: The relevance of clinical, genetic and serological markers. <i>Autoimmunity Reviews</i> , 2016, 15, 1013-1030. | 5.8 | 107 |
| 20 | Rheumatoid arthritis-specific cardiovascular risk scores are not superior to general risk scores: a validation analysis of patients from seven countries. <i>Rheumatology</i> , 2017, 56, 1102-1110. | 1.9 | 100 |
| 21 | Endothelial Dysfunction, Carotid Intima-Media Thickness, and Accelerated Atherosclerosis in Rheumatoid Arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2008, 38, 67-70. | 3.4 | 96 |
| 22 | Cardiovascular disease in inflammatory rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 851-869. | 3.3 | 95 |
| 23 | Cardiovascular morbidity and associated risk factors in Spanish patients with chronic inflammatory rheumatic diseases attending rheumatology clinics: Baseline data of the CARMA Project. <i>Seminars in Arthritis and Rheumatism</i> , 2015, 44, 618-626. | 3.4 | 94 |
| 24 | Actualizaci3n 2014 del Documento de Consenso de la Sociedad Espa3ola de Reumatolog3a sobre el uso de terapias biol3gicas en la artritis reumatoide. <i>Reumatolog3a Cl3nica</i> , 2015, 11, 279-294. | 0.5 | 89 |
| 25 | Effect of anti-tumor necrosis factor β therapy on the progression of subclinical atherosclerosis in severe rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 55, 150-153. | 6.7 | 86 |
| 26 | Metabolic Syndrome in Rheumatoid Arthritis. <i>Mediators of Inflammation</i> , 2013, 2013, 1-11. | 3.0 | 77 |
| 27 | Influence of disease activity on the physical activity of rheumatoid arthritis patients. <i>Rheumatology</i> , 2014, 53, 722-731. | 1.9 | 73 |
| 28 | Inflammation and lipid profile in rheumatoid arthritis: bridging an apparent paradox. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1281-1283. | 0.9 | 73 |
| 29 | NFKB1-94ATTC ins/del polymorphism (rs28362491) is associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2012, 224, 426-429. | 0.8 | 72 |
| 30 | A1298C polymorphism in the MTHFR gene predisposes to cardiovascular risk in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R71. | 3.5 | 71 |
| 31 | Recommendations for the management of cardiovascular risk in patients with rheumatoid arthritis: Scientific evidence and expert opinion. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 1-8. | 3.4 | 66 |
| 32 | Abatacept in interstitial lung disease associated with rheumatoid arthritis: national multicenter study of 263 patients. <i>Rheumatology</i> , 2020, 59, 3906-3916. | 1.9 | 64 |
| 33 | Anti-TNF-Alpha-Adalimumab Therapy Is Associated with Persistent Improvement of Endothelial Function without Progression of Carotid Intima-Media Wall Thickness in Patients with Rheumatoid Arthritis Refractory to Conventional Therapy. <i>Mediators of Inflammation</i> , 2012, 2012, 1-8. | 3.0 | 50 |
| 34 | European multicentre pilot survey to assess vitamin D status in rheumatoid arthritis patients and early development of a new Patient Reported Outcome questionnaire (D-PRO). <i>Autoimmunity Reviews</i> , 2017, 16, 548-554. | 5.8 | 44 |
| 35 | A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017, 7, 5088. | 3.3 | 44 |
| 36 | IL-6: linking chronic inflammation and vascular calcification. <i>Nature Reviews Rheumatology</i> , 2019, 15, 457-459. | 8.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | HDL cholesterol efflux capacity in rheumatoid arthritis patients: contributing factors and relationship with subclinical atherosclerosis. <i>Arthritis Research and Therapy</i> , 2017, 19, 113. | 3.5 | 39 |
| 38 | Carotid ultrasound in the cardiovascular risk stratification of patients with rheumatoid arthritis: when and for whom?. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 796-798. | 0.9 | 34 |
| 39 | TNF-alpha antagonist therapy improves insulin sensitivity in non-diabetic ankylosing spondylitis patients. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, 850-5. | 0.8 | 32 |
| 40 | Carotid plaques as predictors of cardiovascular events in patients with Rheumatoid Arthritis. Results from a 5-year-prospective follow-up study. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 1333-1338. | 3.4 | 31 |
| 41 | Impaired HDL cholesterol efflux capacity in systemic lupus erythematosus patients is related to subclinical carotid atherosclerosis. <i>Rheumatology</i> , 2020, 59, 2847-2856. | 1.9 | 30 |
| 42 | Validity of the rheumatoid arthritis impact of disease (RAID) score and definition of cut-off points for disease activity states in a population-based European cohort of patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2018, 85, 317-322. | 1.6 | 29 |
| 43 | Effect of IL-6 Receptor Blockade on Proprotein Convertase Subtilisin/Kexin Type-9 and Cholesterol Efflux Capacity in Rheumatoid Arthritis Patients. <i>Hormone and Metabolic Research</i> , 2019, 51, 200-209. | 1.5 | 27 |
| 44 | Osteoprotegerin Concentrations Relate Independently to Established Cardiovascular Disease in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 39-45. | 2.0 | 26 |
| 45 | Identification of a 3' UTR untranslated Genetic Variant of <i>RARB</i> Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 351-360. | 5.6 | 26 |
| 46 | Influence of elevated-CRP level-related polymorphisms in non-rheumatic Caucasians on the risk of subclinical atherosclerosis and cardiovascular disease in rheumatoid arthritis. <i>Scientific Reports</i> , 2016, 6, 31979. | 3.3 | 23 |
| 47 | Protective Role of the Interleukin 33 rs3939286 Gene Polymorphism in the Development of Subclinical Atherosclerosis in Rheumatoid Arthritis Patients. <i>PLoS ONE</i> , 2015, 10, e0143153. | 2.5 | 21 |
| 48 | Obesity impairs efficacy of anti-TNF therapy in patients with RA. <i>Nature Reviews Rheumatology</i> , 2012, 8, 641-642. | 8.0 | 20 |
| 49 | Impaired beta cell function is present in nondiabetic rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2013, 15, R17. | 3.5 | 20 |
| 50 | Cholesteryl Ester Transfer Protein in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 1040-1047. | 2.0 | 18 |
| 51 | Angiotensin-2 serum levels correlate with severity, early onset and cardiovascular disease in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 761-6. | 0.8 | 18 |
| 52 | Unmet needs in the management of cardiovascular risk in inflammatory joint diseases. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 23-36. | 3.0 | 16 |
| 53 | Proprotein convertase subtilisin/kexin type 9 is related to disease activity and damage in patients with systemic erythematosus lupus. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2097590. | 2.7 | 16 |
| 54 | Cardiovascular risk stratification in axial spondyloarthritis: carotid ultrasound is more sensitive than coronary artery calcification score to detect high-cardiovascular risk axial spondyloarthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 73-80. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Rheumatoid Arthritis: Genetic Variants as Biomarkers of Cardiovascular Disease. <i>Current Pharmaceutical Design</i> , 2014, 21, 182-201. | 1.9 | 15 |
| 56 | Combined use of QRISK3 and SCORE as predictors of carotid plaques in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2021, 60, 2801-2807. | 1.9 | 14 |
| 57 | Subclinical atherosclerotic disease in ankylosing spondylitis and non-radiographic axial spondyloarthritis. A multicenter study on 806 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 395-403. | 3.4 | 14 |
| 58 | Insulin resistance in systemic lupus erythematosus patients: contributing factors and relationship with subclinical atherosclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 885-892. | 0.8 | 14 |
| 59 | Pattern of use and safety of non-steroidal anti-inflammatory drugs in rheumatoid arthritis patients. A prospective analysis from clinical practice. <i>Reumatología Clínica</i> , 2009, 5, 252-258. | 0.5 | 13 |
| 60 | Disease Damage Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2019, 46, 483-491. | 2.0 | 13 |
| 61 | Sex and Cardiovascular Involvement in Inflammatory Joint Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2019, 56, 278-292. | 6.5 | 13 |
| 62 | Abatacept in monotherapy vs combined in interstitial lung disease of rheumatoid arthritis: multicentre study of 263 Caucasian patients. <i>Rheumatology</i> , 2021, 61, 299-308. | 1.9 | 13 |
| 63 | Disease activity influences the reclassification of rheumatoid arthritis into very high cardiovascular risk. <i>Arthritis Research and Therapy</i> , 2021, 23, 162. | 3.5 | 13 |
| 64 | Undifferentiated connective tissue disease: predictors of evolution into definite disease. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 739-745. | 0.8 | 13 |
| 65 | Retinol-binding Protein 4 in Rheumatoid Arthritis-related Insulin Resistance and β -cell Function. <i>Journal of Rheumatology</i> , 2014, 41, 658-665. | 2.0 | 12 |
| 66 | Influence of coronary artery disease and subclinical atherosclerosis related polymorphisms on the risk of atherosclerosis in rheumatoid arthritis. <i>Scientific Reports</i> , 2017, 7, 40303. | 3.3 | 12 |
| 67 | Coronary Artery Calcification and Rheumatoid Arthritis: Lack of Relationship to Risk Alleles for Coronary Artery Disease in the General Population. <i>Arthritis and Rheumatology</i> , 2017, 69, 529-541. | 5.6 | 12 |
| 68 | Incretins in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 229. | 3.5 | 12 |
| 69 | Differences in Capacity of High-Density Lipoprotein Cholesterol Efflux Between Patients With Systemic Lupus Erythematosus and Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2021, 73, 1590-1596. | 3.4 | 12 |
| 70 | HLA-B*08 Identified as the Most Prominently Associated Major Histocompatibility Complex Locus for Anti-Carbamylated Protein Antibody-Positive/Anti-Cyclic Citrullinated Peptide-Negative Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 963-969. | 5.6 | 12 |
| 71 | Disease Activity Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2020, 47, 1344-1353. | 2.0 | 11 |
| 72 | Prediction of cardiovascular events in rheumatoid arthritis using risk age calculations: evaluation of concordance across risk age models. <i>Arthritis Research and Therapy</i> , 2020, 22, 90. | 3.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Body Mass Index and Disease Activity in Chronic Inflammatory Rheumatic Diseases: Results of the Cardiovascular in Rheumatology (Carma) Project. <i>Journal of Clinical Medicine</i> , 2021, 10, 382. | 2.4 | 11 |
| 74 | Relationship Between Insulin Sensitivity and β -Cell Secretion in Nondiabetic Subjects with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2019, 46, 229-236. | 2.0 | 10 |
| 75 | HDL cholesterol efflux capacity is related to disease activity in psoriatic arthritis patients. <i>Clinical Rheumatology</i> , 2020, 39, 1871-1880. | 2.2 | 10 |
| 76 | Higher Prevalence and Degree of Insulin Resistance in Patients With Rheumatoid Arthritis Than in Patients With Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2021, 48, 339-347. | 2.0 | 10 |
| 77 | Proprotein convertase subtilisin/kexin type 9 in the dyslipidaemia of patients with axial spondyloarthritis is related to disease activity. <i>Rheumatology</i> , 2021, 60, 2296-2306. | 1.9 | 10 |
| 78 | HDL cholesterol efflux capacity and lipid profile in patients with systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2021, 23, 62. | 3.5 | 10 |
| 79 | Cardiovascular risk factor assessment: still an unmet need in chronic inflammatory diseases. <i>Heart</i> , 2016, 102, 1937-1939. | 2.9 | 9 |
| 80 | Moderate and High Disease Activity Predicts the Development of Carotid Plaque in Rheumatoid Arthritis Patients without Classic Cardiovascular Risk Factors: Six Years Follow-Up Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4975. | 2.4 | 9 |
| 81 | Synthetic disease-modifying antirheumatic drug prescribing variability in rheumatoid arthritis: a multilevel analysis of a cross-sectional national study. <i>Rheumatology International</i> , 2015, 35, 1825-1836. | 3.0 | 8 |
| 82 | The validity of salivary gland scintigraphy in Sjögren's syndrome diagnosis: comparison of visual and excretion fraction analyses. <i>Clinical Rheumatology</i> , 2021, 40, 1923-1931. | 2.2 | 8 |
| 83 | Beta-cell function is disrupted in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2021, 60, 3826-3833. | 1.9 | 8 |
| 84 | Carotid Plaque Assessment Reclassifies Patients with Inflammatory Bowel Disease into Very-High Cardiovascular Risk. <i>Journal of Clinical Medicine</i> , 2021, 10, 1671. | 2.4 | 8 |
| 85 | QRISK3 relation to carotid plaque is higher than that of score in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2022, 61, 1408-1416. | 1.9 | 8 |
| 86 | The Number of Traditional Cardiovascular Risk Factors Is Independently Correlated with Disease Activity in Patients with Psoriatic Arthritis. <i>Medicina (Lithuania)</i> , 2020, 56, 415. | 2.0 | 7 |
| 87 | Relationship of abdominal adiposity and body composition with endothelial dysfunction in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 516-23. | 0.8 | 7 |
| 88 | Serum cathepsin S and cystatin C: relationship to subclinical carotid atherosclerosis in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 230-5. | 0.8 | 7 |
| 89 | The angiotensin-like protein 4, apolipoprotein C3, and lipoprotein lipase axis is disrupted in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, 99. | 3.5 | 7 |
| 90 | Insulin Resistance Is Not Increased in Inflammatory Bowel Disease Patients but Is Related to Non-Alcoholic Fatty Liver Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 3062. | 2.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Incidence of first cardiovascular event in Spanish patients with inflammatory rheumatic diseases: prospective data from the CARMA project. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 731-739. | 0.8 | 6 |
| 92 | Factors associated with atherosclerosis in radiographic and non-radiographic axial spondyloarthritis. A multicenter study on 838 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 55, 152037. | 3.4 | 6 |
| 93 | Impact of disease activity on physical activity in psoriatic arthritis patients.. <i>Arthritis Care and Research</i> , 2020, 73, 1834-1844. | 3.4 | 5 |
| 94 | Potential relation of cardiovascular risk factors to disease activity in patients with axial spondyloarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110337. | 2.7 | 5 |
| 95 | Reclassification into very-high cardiovascular risk after carotid ultrasound in patients with axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 724-731. | 0.8 | 5 |
| 96 | Eficacia y seguridad de la terapia combinada con fármacos modificadores de la enfermedad sintomáticos en la artritis reumatoide: revisión sistemática de la literatura. <i>Reumatología Clínica</i> , 2020, 16, 324-332. | 0.5 | 4 |
| 97 | Apolipoprotein C3 Is Downregulated in Patients With Inflammatory Bowel Disease. <i>Clinical and Translational Gastroenterology</i> , 2022, 13, e00500. | 2.5 | 4 |
| 98 | Apolipoprotein C-III is linked to the insulin resistance and beta-cell dysfunction that are present in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2022, 24, . | 3.5 | 4 |
| 99 | Management of Cardiovascular Disease Risk in Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2022, 11, 3487. | 2.4 | 4 |
| 100 | Terapias biológicas y manifestaciones neurológicas. ¿Qué sabemos?. <i>Reumatología Clínica</i> , 2017, 13, 102-106. | 0.5 | 3 |
| 101 | Cardiovascular disease in the QUEST-RA study, 10 years later. <i>Arthritis Research and Therapy</i> , 2019, 21, 242. | 3.5 | 3 |
| 102 | Protein convertase subtilisin/kexin type 9 in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 125, 18-24. | 0.8 | 3 |
| 103 | SCORE2 Assessment in the Calculation of Cardiovascular Risk in Patients with Rheumatoid Arthritis. <i>Diagnostics</i> , 2021, 11, 2363. | 2.6 | 3 |
| 104 | SCORE2 versus SCORE in patients with systemic lupus erythematosus. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2210923. | 2.7 | 3 |
| 105 | Apolipoprotein C-III in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2022, 24, 104. | 3.5 | 3 |
| 106 | AB0730...RECLASSIFICATION INTO VERY HIGH CARDIOVASCULAR RISK AFTER CAROTID ULTRASOUND IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS. , 2019, , . | | 2 |
| 107 | The Performance of Vascular Age in the Assessment of Cardiovascular Risk of Patients with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020, 9, 4065. | 2.4 | 2 |
| 108 | Amylin in the insulin resistance of patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 421-427. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Implication of CXCL5 (epithelial neutrophil-activating peptide 78) in the development of insulin resistance in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 373-379. | 0.8 | 2 |
| 110 | Alpha-Klotho protein in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 0, , . | 0.8 | 2 |
| 111 | QRISK3 Performance in the Assessment of Cardiovascular Risk in Patients with Inflammatory Bowel Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 4102. | 2.4 | 1 |
| 112 | Apolipoprotein C3 and beta-cell dysfunction are linked in patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 0, , . | 0.8 | 1 |
| 113 | Amylin serum levels are upregulated in patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 0, , . | 0.8 | 1 |
| 114 | Thematic stream: co-morbidity: BPP7. Effect of Anti Tnf-Alpha Therapies on Insulin Resistance, Body Composition and Adipokines in Rheumatoid Arthritis Patients. <i>Rheumatology</i> , 2011, 50, ii4-ii5. | 1.9 | 0 |
| 115 | Effect of cardiovascular disease on chronic inflammatory joint disease: reverse causality?. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 855-858. | 3.0 | 0 |
| 116 | Comment on: Proprotein convertase subtilisin/kexin type 9 in the dyslipidaemia of patients with axial spondyloarthritis is related to disease activity: reply. <i>Rheumatology</i> , 2021, 60, e268-e269. | 1.9 | 0 |
| 117 | Amylin serum levels are upregulated in patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2021, , . | 0.8 | 0 |
| 118 | Disease activity in patients with rheumatoid arthritis increases serum levels of apolipoprotein C-III. <i>Clinical and Experimental Rheumatology</i> , 2022, , . | 0.8 | 0 |
| 119 | Apolipoprotein C3 and beta-cell dysfunction are linked in patients with systemic lupus erythematosus.. <i>Clinical and Experimental Rheumatology</i> , 2021, , . | 0.8 | 0 |
| 120 | Alpha-Klotho protein in systemic lupus erythematosus.. <i>Clinical and Experimental Rheumatology</i> , 2022, , . | 0.8 | 0 |