

Philippe Valet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/727611/publications.pdf>

Version: 2024-02-01

157
papers

12,757
citations

20759

60
h-index

26548

107
g-index

166
all docs

166
docs citations

166
times ranked

16083
citing authors

#	ARTICLE	IF	CITATIONS
1	Nuclear HMGB1 protects from nonalcoholic fatty liver disease through negative regulation of liver X receptor. <i>Science Advances</i> , 2022, 8, eabg9055.	4.7	7
2	Periprostatic Adipose Tissue Displays a Chronic Hypoxic State that Limits Its Expandability. <i>American Journal of Pathology</i> , 2022, 192, 926-942.	1.9	9
3	Obesity of mice lacking VAP-1/SSAO by Aoc3 gene deletion is reproduced in mice expressing a mutated vascular adhesion protein-1 (VAP-1) devoid of amine oxidase activity. <i>Journal of Physiology and Biochemistry</i> , 2021, 77, 141-154.	1.3	14
4	The Chemokine Receptor CCR3 Is Potentially Involved in the Homing of Prostate Cancer Cells to Bone: Implication of Bone-Marrow Adipocytes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1994.	1.8	17
5	SHP2 drives inflammation-triggered insulin resistance by reshaping tissue macrophage populations. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	26
6	Apelin expression deficiency in mice contributes to vascular stiffening by extracellular matrix remodeling of the aortic wall. <i>Scientific Reports</i> , 2021, 11, 22278.	1.6	8
7	Adipocyte extracellular vesicles carry enzymes and fatty acids that stimulate mitochondrial metabolism and remodeling in tumor cells. <i>EMBO Journal</i> , 2020, 39, e102525.	3.5	175
8	Adipocyte Fatty Acid Transfer Supports Megakaryocyte Maturation. <i>Cell Reports</i> , 2020, 32, 107875.	2.9	29
9	Human Bone Marrow Is Comprised of Adipocytes with Specific Lipid Metabolism. <i>Cell Reports</i> , 2020, 30, 949-958.e6.	2.9	67
10	Plasma Apelin and Risk of Type 2 Diabetes in a Cohort From the Community. <i>Diabetes Care</i> , 2020, 43, e15-e16.	4.3	12
11	Apelin affects the mouse aging urinary peptidome with minimal effects on kidney. <i>Scientific Reports</i> , 2019, 9, 10647.	1.6	3
12	Catalytic dysregulation of SHP2 leading to Noonan syndromes affects platelet signaling and functions. <i>Blood</i> , 2019, 134, 2304-2317.	0.6	23
13	The apelin/APJ system as a therapeutic target in metabolic diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 215-225.	1.5	39
14	Periprostatic Adipose Tissue Favors Prostate Cancer Cell Invasion in an Obesity-Dependent Manner: Role of Oxidative Stress. <i>Molecular Cancer Research</i> , 2019, 17, 821-835.	1.5	76
15	Adipocytes promote breast cancer resistance to chemotherapy, a process amplified by obesity: role of the major vault protein (MVP). <i>Breast Cancer Research</i> , 2019, 21, 7.	2.2	93
16	Noonan syndrome-causing SHP2 mutants impair ERK-dependent chondrocyte differentiation during endochondral bone growth. <i>Human Molecular Genetics</i> , 2018, 27, 2276-2289.	1.4	31
17	Chronic apelin treatment improves hepatic lipid metabolism in obese and insulin-resistant mice by an indirect mechanism. <i>Endocrine</i> , 2018, 60, 112-121.	1.1	18
18	Galanin enhances systemic glucose metabolism through enteric Nitric Oxide Synthase-expressed neurons. <i>Molecular Metabolism</i> , 2018, 10, 100-108.	3.0	46

#	ARTICLE	IF	CITATIONS
19	Therapeutic Benefit and Gene Network Regulation by Combined Gene Transfer of Apelin, FGF2, and SERCA2a into Ischemic Heart. <i>Molecular Therapy</i> , 2018, 26, 902-916.	3.7	20
20	Apelin administration improves insulin sensitivity in overweight men during hyperinsulinaemic-euglycaemic clamp. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 157-164.	2.2	42
21	Diet-induced obesity and associated disorders are prevented by natural bioactive type 1 fish collagen peptides (Naticol [®]) treatment. <i>Journal of Physiology and Biochemistry</i> , 2018, 74, 647-654.	1.3	25
22	The exerkin apelin reverses age-associated sarcopenia. <i>Nature Medicine</i> , 2018, 24, 1360-1371.	15.2	226
23	Esophageal cancer cells resistant to T-DM1 display alterations in cell adhesion and the prostaglandin pathway. <i>Oncotarget</i> , 2018, 9, 21141-21155.	0.8	17
24	Apelin targets gut contraction to control glucose metabolism via the brain. <i>Gut</i> , 2017, 66, 258-269.	6.1	73
25	Cognitive deficit in hippocampal-dependent tasks in Werner syndrome mouse model. <i>Behavioural Brain Research</i> , 2017, 323, 68-77.	1.2	7
26	Protamine is an antagonist of apelin receptor, and its activity is reversed by heparin. <i>FASEB Journal</i> , 2017, 31, 2507-2519.	0.2	26
27	Improvement of cardiometabolic markers after fish oil intervention in young Mexican adults and the role of PPAR α L162V and PPAR β P12A. <i>Journal of Nutritional Biochemistry</i> , 2017, 43, 98-106.	1.9	14
28	A biomimetic hydrogel functionalized with adipose ECM components as a microenvironment for the 3D culture of human and murine adipocytes. <i>Biotechnology and Bioengineering</i> , 2017, 114, 1813-1824.	1.7	23
29	Inhibition of PIKfyve prevents myocardial apoptosis and hypertrophy through activation of SIRT3 in obese mice. <i>EMBO Molecular Medicine</i> , 2017, 9, 770-785.	3.3	30
30	Pharmacological targeting of apelin impairs glioblastoma growth. <i>Brain</i> , 2017, 140, 2939-2954.	3.7	70
31	Mammary adipocytes stimulate breast cancer invasion through metabolic remodeling of tumor cells. <i>JCI Insight</i> , 2017, 2, e87489.	2.3	304
32	The use of urinary proteomics in the assessment of suitability of mouse models for ageing. <i>PLoS ONE</i> , 2017, 12, e0166875.	1.1	17
33	Apelin modulates pathological remodeling of lymphatic endothelium after myocardial infarction. <i>JCI Insight</i> , 2017, 2, .	2.3	68
34	Apelin α 13 administration protects against ischaemia/reperfusion-mediated apoptosis through the FoxO1 pathway in high-fat diet-induced obesity. <i>British Journal of Pharmacology</i> , 2016, 173, 1850-1863.	2.7	53
35	Matrix metalloproteinase 11 protects from diabetes and promotes metabolic switch. <i>Scientific Reports</i> , 2016, 6, 25140.	1.6	22
36	Adipocyte Exosomes Promote Melanoma Aggressiveness through Fatty Acid Oxidation: A Novel Mechanism Linking Obesity and Cancer. <i>Cancer Research</i> , 2016, 76, 4051-4057.	0.4	246

#	ARTICLE	IF	CITATIONS
37	Triggering the adaptive immune system with commensal gut bacteria protects against insulin resistance and dysglycemia. <i>Molecular Metabolism</i> , 2016, 5, 392-403.	3.0	50
38	Apelin: an antithrombotic factor that inhibits platelet function. <i>Blood</i> , 2016, 127, 908-920.	0.6	45
39	Central chronic apelin infusion decreases energy expenditure and thermogenesis in mice. <i>Scientific Reports</i> , 2016, 6, 31849.	1.6	16
40	Periprostatic adipocytes act as a driving force for prostate cancer progression in obesity. <i>Nature Communications</i> , 2016, 7, 10230.	5.8	206
41	Simultaneous quantitative profiling of 20 isoprostanoids from omega-3 and omega-6 polyunsaturated fatty acids by LC-MS/MS in various biological samples. <i>Analytica Chimica Acta</i> , 2016, 921, 46-58.	2.6	66
42	Apelin regulates FoxO3 translocation to mediate cardioprotective responses to myocardial injury and obesity. <i>Scientific Reports</i> , 2015, 5, 16104.	1.6	36
43	Impact of hypothalamic reactive oxygen species in the regulation of energy metabolism and food intake. <i>Frontiers in Neuroscience</i> , 2015, 9, 56.	1.4	69
44	Apelin and energy metabolism. <i>Frontiers in Physiology</i> , 2015, 6, 115.	1.3	158
45	Structural apelin analogues: mitochondrial ROS inhibition and cardiometabolic protection in myocardial ischaemia reperfusion injury. <i>British Journal of Pharmacology</i> , 2015, 172, 2933-2945.	2.7	51
46	The Gut Microbiota Regulates Intestinal CD4 ⁺ T Cells Expressing ROR γ t and Controls Metabolic Disease. <i>Cell Metabolism</i> , 2015, 22, 100-112.	7.2	248
47	SHP2 sails from physiology to pathology. <i>European Journal of Medical Genetics</i> , 2015, 58, 509-525.	0.7	182
48	Hypoxia Inhibits Cavin-1 and Cavin-2 Expression and Down-Regulates Caveolae in Adipocytes. <i>Endocrinology</i> , 2015, 156, 789-801.	1.4	28
49	Regulation of SREBPs by Sphingomyelin in Adipocytes via a Caveolin and Ras-ERK-MAPK-CREB Signaling Pathway. <i>PLoS ONE</i> , 2015, 10, e0133181.	1.1	25
50	Hypothalamic Apelin/Reactive Oxygen Species Signaling Controls Hepatic Glucose Metabolism in the Onset of Diabetes. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 557-573.	2.5	44
51	Lipopolysaccharides-Mediated Increase in Glucose-Stimulated Insulin Secretion: Involvement of the GLP-1 Pathway. <i>Diabetes</i> , 2014, 63, 471-482.	0.3	109
52	Modifications of mesenteric adipose tissue during moderate experimental colitis in mice. <i>Life Sciences</i> , 2014, 94, 1-7.	2.0	9
53	The uterine and vascular actions of estetrol delineate a distinctive profile of estrogen receptor β modulation, uncoupling nuclear and membrane activation. <i>EMBO Molecular Medicine</i> , 2014, 6, 1328-1346.	3.3	96
54	Cancer-Associated Adipose Tissue Promotes Breast Cancer Progression by Paracrine Oncostatin M and Jak/STAT3 Signaling. <i>Cancer Research</i> , 2014, 74, 6806-6819.	0.4	105

#	ARTICLE	IF	CITATIONS
55	LEOPARD syndrome-associated SHP2 mutation confers leanness and protection from diet-induced obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4494-503.	3.3	52
56	Distinct Developmental Profile of Lower-Body Adipose Tissue Defines Resistance Against Obesity-Associated Metabolic Complications. <i>Diabetes</i> , 2014, 63, 3785-3797.	0.3	148
57	The miR-379/miR-410 cluster at the imprinted <i>Dlk1-Dio3</i> domain controls neonatal metabolic adaptation. <i>EMBO Journal</i> , 2014, 33, 2216-2230.	3.5	115
58	Pro-fibrotic activity of lysophosphatidic acid in adipose tissue: In vivo and in vitro evidence. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 88-96.	1.2	19
59	Influence of secreted factors from human adipose tissue on glucose utilization and proinflammatory reaction. <i>Journal of Physiology and Biochemistry</i> , 2013, 69, 625-632.	1.3	4
60	Metabolic endotoxemia directly increases the proliferation of adipocyte precursors at the onset of metabolic diseases through a CD14-dependent mechanism. <i>Molecular Metabolism</i> , 2013, 2, 281-291.	3.0	84
61	The apelinergic system: Sexual dimorphism and tissue-specific modulations by obesity and insulin resistance in female mice. <i>Peptides</i> , 2013, 46, 94-101.	1.2	21
62	The Intestinal Glucose-Apelin Cycle Controls Carbohydrate Absorption in Mice. <i>Gastroenterology</i> , 2013, 144, 771-780.	0.6	48
63	Adipocyte-Derived Fibroblasts Promote Tumor Progression and Contribute to the Desmoplastic Reaction in Breast Cancer. <i>Cancer Research</i> , 2013, 73, 5657-5668.	0.4	361
64	Apelin stimulates both cholecystokinin and glucagon-like peptide 1 secretions in vitro and in vivo in rodents. <i>Peptides</i> , 2013, 48, 134-136.	1.2	27
65	Apelin Metabolic Functions. , 2013, , 201-211.		0
66	p53-PGC-1 β Pathway Mediates Oxidative Mitochondrial Damage and Cardiomyocyte Necrosis Induced by Monoamine Oxidase-A Upregulation: Role in Chronic Left Ventricular Dysfunction in Mice. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 5-18.	2.5	117
67	Effects of Dietary Eicosapentaenoic Acid (EPA) Supplementation in High-Fat Fed Mice on Lipid Metabolism and Apelin/APJ System in Skeletal Muscle. <i>PLoS ONE</i> , 2013, 8, e78874.	1.1	46
68	Unraveling the Local Influence of Tumor-Surrounding Adipose Tissue on Tumor Progression: Cellular and Molecular Actors Involved. , 2013, , 121-146.		7
69	Metabolic adaptation to a high-fat diet is associated with a change in the gut microbiota. <i>Gut</i> , 2012, 61, 543-553.	6.1	511
70	Food Intake Adaptation to Dietary Fat Involves PSA-Dependent Rewiring of the Arcuate Melanocortin System in Mice. <i>Journal of Neuroscience</i> , 2012, 32, 11970-11979.	1.7	64
71	Circadian Feeding Drive of Metabolic Activity in Adipose Tissue and not Hyperphagia Triggers Overweight in Mice: Is There a Role of the Pentose-Phosphate Pathway?. <i>Endocrinology</i> , 2012, 153, 690-699.	1.4	33
72	Noonan syndrome-causing SHP2 mutants inhibit insulin-like growth factor 1 release via growth hormone-induced ERK hyperactivation, which contributes to short stature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4257-4262.	3.3	102

#	ARTICLE	IF	CITATIONS
73	Depot-specific regulation of autotaxin with obesity in human adipose tissue. <i>Journal of Physiology and Biochemistry</i> , 2012, 68, 635-644.	1.3	50
74	Apelin prevents cardiac fibroblast activation and collagen production through inhibition of sphingosine kinase 1. <i>European Heart Journal</i> , 2012, 33, 2360-2369.	1.0	130
75	Maternal hypertension induces tissue-specific modulations of the apelinergic system in the fetoplacental unit in rat. <i>Peptides</i> , 2012, 35, 136-138.	1.2	6
76	Apelin, a promising target for type 2 diabetes treatment?. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 234-241.	3.1	132
77	Adipose tissue and breast epithelial cells: A dangerous dynamic duo in breast cancer. <i>Cancer Letters</i> , 2012, 324, 142-151.	3.2	173
78	Apelin Treatment Increases Complete Fatty Acid Oxidation, Mitochondrial Oxidative Capacity, and Biogenesis in Muscle of Insulin-Resistant Mice. <i>Diabetes</i> , 2012, 61, 310-320.	0.3	173
79	Benzylamine antihyperglycemic effect is abolished by AOC3 gene invalidation in mice but not rescued by semicarbazide-sensitive amine oxidase expression under the control of aP2 promoter. <i>Journal of Physiology and Biochemistry</i> , 2012, 68, 651-662.	1.3	13
80	Prenatal fasudil exposure alleviates fetal growth but programs hyperphagia and overweight in the adult male rat. <i>European Journal of Pharmacology</i> , 2012, 689, 278-284.	1.7	5
81	Cancer-Associated Adipocytes Exhibit an Activated Phenotype and Contribute to Breast Cancer Invasion. <i>Cancer Research</i> , 2011, 71, 2455-2465.	0.4	831
82	Jejunum Inflammation in Obese and Diabetic Mice Impairs Enteric Glucose Detection and Modifies Nitric Oxide Release in the Hypothalamus. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 415-423.	2.5	39
83	Cancer-associated adipocytes promotes breast tumor radioresistance. <i>Biochemical and Biophysical Research Communications</i> , 2011, 411, 102-106.	1.0	107
84	Cathepsin-D, a Key Protease in Breast Cancer, Is Up-Regulated in Obese Mouse and Human Adipose Tissue, and Controls Adipogenesis. <i>PLoS ONE</i> , 2011, 6, e16452.	1.1	58
85	Apelin, diabetes, and obesity. <i>Endocrine</i> , 2011, 40, 1-9.	1.1	240
86	Is Crohn's creeping fat an adipose tissue?. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 747-757.	0.9	44
87	Lysophosphatidic acid-1-receptor targeting agents for fibrosis. <i>Expert Opinion on Investigational Drugs</i> , 2011, 20, 657-667.	1.9	72
88	Adipose-specific disruption of autotaxin enhances nutritional fattening and reduces plasma lysophosphatidic acid. <i>Journal of Lipid Research</i> , 2011, 52, 1247-1255.	2.0	153
89	Deletion of <i>Lkb1</i> in Pro-Opiomelanocortin Neurons Impairs Peripheral Glucose Homeostasis in Mice. <i>Diabetes</i> , 2011, 60, 735-745.	0.3	48
90	Altered Gut Microbiota and Endocannabinoid System Tone in Obese and Diabetic Leptin-Resistant Mice: Impact on Apelin Regulation in Adipose Tissue. <i>Frontiers in Microbiology</i> , 2011, 2, 149.	1.5	267

#	ARTICLE	IF	CITATIONS
91	Central Apelin Controls Glucose Homeostasis via a Nitric Oxide-Dependent Pathway in Mice. Antioxidants and Redox Signaling, 2011, 15, 1477-1496.	2.5	66
92	Apelin and the proopiomelanocortin system: a new regulatory pathway of hypothalamic $\hat{\pm}$ -MSH release. American Journal of Physiology - Endocrinology and Metabolism, 2011, 301, E955-E966.	1.8	63
93	Abstract 511: Adipocyte-derived fibroblasts contribute to the desmoplastic reaction in breast cancer: A new link between breast cancer and obesity. , 2011, , .		0
94	Activation of catalase by apelin prevents oxidative stress-linked cardiac hypertrophy. FEBS Letters, 2010, 584, 2363-2370.	1.3	125
95	Ventromedial Hypothalamic Nitric Oxide Production Is Necessary for Hypoglycemia Detection and Counterregulation. Diabetes, 2010, 59, 519-528.	0.3	95
96	Apelin and APJ regulation in adipose tissue and skeletal muscle of type 2 diabetic mice and humans. American Journal of Physiology - Endocrinology and Metabolism, 2010, 298, E1161-E1169.	1.8	126
97	Loss of ATM positively regulates the expression of hypoxia inducible factor 1 (HIF-1) through oxidative stress: Role in the physiopathology of the disease. Cell Cycle, 2010, 9, 2886-2894.	1.3	40
98	SSAO substrates exhibiting insulin-like effects in adipocytes as a promising treatment option for metabolic disorders. Future Medicinal Chemistry, 2010, 2, 1735-1749.	1.1	20
99	Sensitivity of Cardiac Carnitine Palmitoyltransferase to Malonyl-CoA Is Regulated by Leptin: Similarities with a Model of Endogenous Hyperleptinemia. Endocrinology, 2010, 151, 1010-1018.	1.4	18
100	Chronic benzylamine administration in the drinking water improves glucose tolerance, reduces body weight gain and circulating cholesterol in high-fat diet-fed mice. Pharmacological Research, 2010, 61, 355-363.	3.1	42
101	Apelin is a novel islet peptide. Regulatory Peptides, 2010, 162, 44-51.	1.9	64
102	Unraveling the Obesity and Breast Cancer Links: A Role for Cancer-Associated Adipocytes?. Endocrine Development, 2010, 19, 45-52.	1.3	90
103	LRP1 Receptor Controls Adipogenesis and Is Up-Regulated In Human and Mouse Obese Adipose Tissue. PLoS ONE, 2009, 4, e7422.	1.1	53
104	Semicarbazide-Sensitive Amine Oxidase/Vascular Adhesion Protein-1 Deficiency Reduces Leukocyte Infiltration into Adipose Tissue and Favors Fat Deposition. American Journal of Pathology, 2009, 174, 1075-1083.	1.9	41
105	L'apeline: de la fonction cardiaque au mtabolisme nergtique. Sang Thrombose Vaisseaux, 2009, 21, 297-305.	0.1	0
106	Brain Glucagon-Like Peptide 1 Signaling Controls the Onset of High-Fat Diet-Induced Insulin Resistance and Reduces Energy Expenditure. Endocrinology, 2008, 149, 4768-4777.	1.4	89
107	Obesity-Induced Lymphocyte Hyperresponsiveness to Chemokines: A New Mechanism of Fatty Liver Inflammation in Obese Mice. Gastroenterology, 2008, 134, 1459-1469.e2.	0.6	71
108	The transcriptional co-activator PGC-1 $\hat{\pm}$ up regulates apelin in human and mouse adipocytes. Regulatory Peptides, 2008, 150, 33-37.	1.9	29

#	ARTICLE	IF	CITATIONS
109	Apelin protects against oxidative stress and apoptosis in neonatal rat cardiac myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 783.	0.9	1
110	Lysophosphatidic acid and renal fibrosis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2008, 1781, 582-587.	1.2	78
111	Apelin Stimulates Glucose Utilization in Normal and Obese Insulin-Resistant Mice. <i>Cell Metabolism</i> , 2008, 8, 437-445.	7.2	417
112	Murine and Human Autotaxin $\hat{1}$, $\hat{2}$, and $\hat{3}$ Isoforms. <i>Journal of Biological Chemistry</i> , 2008, 283, 7776-7789.	1.6	109
113	Effect of hypocaloric diet-induced weight loss in obese women on plasma apelin and adipose tissue expression of apelin and APJ. <i>European Journal of Endocrinology</i> , 2008, 158, 905-910.	1.9	138
114	Positive Regulation of DNA Double Strand Break Repair Activity during Differentiation of Long Life Span Cells: The Example of Adipogenesis. <i>PLoS ONE</i> , 2008, 3, e3345.	1.1	40
115	LPA1 Receptor Activation Promotes Renal Interstitial Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 3110-3118.	3.0	185
116	Involvement of Cholecystokinin 2 Receptor in Food Intake Regulation: Hyperphagia and Increased Fat Deposition in Cholecystokinin 2 Receptor-Deficient Mice. <i>Endocrinology</i> , 2007, 148, 1039-1049.	1.4	73
117	Secretion and lysophospholipase D activity of autotaxin by adipocytes are controlled by N-glycosylation and signal peptidase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 93-102.	1.2	35
118	Adipogenesis-related increase of semicarbazide-sensitive amine oxidase and monoamine oxidase in human adipocytes. <i>Biochimie</i> , 2007, 89, 916-925.	1.3	63
119	Lipolysis is altered in MHC class I zinc- $\hat{2}$ -glycoprotein deficient mice. <i>FEBS Letters</i> , 2007, 581, 394-400.	1.3	114
120	TNF $\hat{1}$ up-regulates apelin expression in human and mouse adipose tissue. <i>FASEB Journal</i> , 2006, 20, 1528-1530.	0.2	197
121	Short- and long-term insulin-like effects of monoamine oxidases and semicarbazide-sensitive amine oxidase substrates in cultured adipocytes. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 1397-1405.	1.5	34
122	Regulation of Secreted Protein Acidic and Rich in Cysteine during Adipose Conversion and Adipose Tissue Hyperplasia. <i>Obesity</i> , 2006, 14, 1890-1897.	1.5	36
123	The imidazoline I2-site ligands BU 224 and 2-BFI inhibit MAO-A and MAO-B activities, hydrogen peroxide production, and lipolysis in rodent and human adipocytes. <i>European Journal of Pharmacology</i> , 2006, 552, 20-30.	1.7	25
124	Lysophosphatidic Acid Inhibits Adipocyte Differentiation via Lysophosphatidic Acid 1 Receptor-dependent Down-regulation of Peroxisome Proliferator-activated Receptor $\hat{3}$ 2. <i>Journal of Biological Chemistry</i> , 2005, 280, 14656-14662.	1.6	135
125	Apelin, a Newly Identified Adipokine Up-Regulated by Insulin and Obesity. <i>Endocrinology</i> , 2005, 146, 1764-1771.	1.4	761
126	Glucose handling in streptozotocin-induced diabetic rats is improved by tyramine but not by the amine oxidase inhibitor semicarbazide. <i>European Journal of Pharmacology</i> , 2005, 522, 139-146.	1.7	27

#	ARTICLE	IF	CITATIONS
127	Apelin, a novel adipokine over-produced in obesity: Friend or foe?. <i>Molecular and Cellular Endocrinology</i> , 2005, 245, 7-9.	1.6	58
128	Methylamine but not mafenide mimics insulin-like activity of the semicarbazide-sensitive amine oxidase-substrate benzylamine on glucose tolerance and on human adipocyte metabolism. <i>Pharmacological Research</i> , 2005, 52, 475-484.	3.1	28
129	Benzylamine Exhibits Insulin-Like Effects on Glucose Disposal, Glucose Transport, and Fat Cell Lipolysis in Rabbits and Diabetic Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 1020-1028.	1.3	27
130	Alteration of Amine Oxidase Activity in the Adipose Tissue of Obese Subjects. <i>Obesity</i> , 2004, 12, 547-555.	4.0	39
131	Autotaxin Is Released from Adipocytes, Catalyzes Lysophosphatidic Acid Synthesis, and Activates Preadipocyte Proliferation. <i>Journal of Biological Chemistry</i> , 2003, 278, 18162-18169.	1.6	207
132	Tyramine Stimulates Glucose Uptake in Insulin-Sensitive Tissues in Vitro and in Vivo via Its Oxidation by Amine Oxidases. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 303, 1238-1247.	1.3	56
133	Expression of Ectolipid Phosphate Phosphohydrolases in 3T3F442A Preadipocytes and Adipocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 23131-23136.	1.6	41
134	Understanding adipose tissue development from transgenic animal models. <i>Journal of Lipid Research</i> , 2002, 43, 835-860.	2.0	59
135	Secretion of a lysophospholipase D activity by adipocytes: involvement in lysophosphatidic acid synthesis. <i>Journal of Lipid Research</i> , 2002, 43, 904-910.	2.0	62
136	Secretion of a lysophospholipase D activity by adipocytes: involvement in lysophosphatidic acid synthesis. <i>Journal of Lipid Research</i> , 2002, 43, 904-10.	2.0	49
137	Understanding adipose tissue development from transgenic animal models. <i>Journal of Lipid Research</i> , 2002, 43, 835-60.	2.0	48
138	Decreased Resistin Expression in Mice with Different Sensitivities to a High-Fat Diet. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 564-567.	1.0	106
139	Down-regulation of peroxisome proliferator-activated receptor- β gene expression by sphingomyelins. <i>FEBS Letters</i> , 2001, 493, 75-79.	1.3	6
140	Lysophosphatidic acid synthesis and release. <i>Prostaglandins and Other Lipid Mediators</i> , 2001, 64, 1-10.	1.0	169
141	Endothelial Differentiation Gene-2 Receptor Is Involved in Lysophosphatidic Acid-dependent Control of 3T3F442A Preadipocyte Proliferation and Spreading. <i>Journal of Biological Chemistry</i> , 2001, 276, 11599-11605.	1.6	40
142	Expression of Human β -Adrenergic Receptors in Adipose Tissue of β -Adrenergic Receptor-deficient Mice Promotes Diet-induced Obesity. <i>Journal of Biological Chemistry</i> , 2000, 275, 34797-34802.	1.6	85
143	LPA as a Paracrine Mediator of Adipocyte Growth and Function. <i>Annals of the New York Academy of Sciences</i> , 2000, 905, 159-164.	1.8	29
144	A simple and highly sensitive radioenzymatic assay for lysophosphatidic acid quantification. <i>Journal of Lipid Research</i> , 2000, 41, 1947-1951.	2.0	77

#	ARTICLE	IF	CITATIONS
145	$\hat{I}\pm 2$ -adrenergic receptor-mediated release of lysophosphatidic acid by adipocytes: A paracrine signal for preadipocyte growth. <i>Lipids</i> , 1999, 34, S79-S79.	0.7	12
146	Ca ²⁺ -Independent Phospholipase A2 Is Required for $\hat{I}\pm 2$ -Adrenergic-Induced Preadipocyte Spreading. <i>Biochemical and Biophysical Research Communications</i> , 1999, 265, 572-576.	1.0	15
147	G $\hat{I}\pm 2$ -independent Coupling of $\hat{I}\pm 2$ -Adrenergic Receptor to p21 in Preadipocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 15804-15810.	1.6	21
148	Functional Consequences of Constitutively Active $\hat{I}\pm 2A$ -Adrenergic Receptor Expression in 3T3F442A Preadipocytes and Adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 765-773.	1.0	25
149	Mildly Oxidized LDL Evokes a Sustained Ca ²⁺ -Dependent Retraction of Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 1996, 79, 871-880.	2.0	22
150	Adrenergic Receptors and Fat Cells: Differential Recruitment by Physiological Amines and Homologous Regulation. <i>Obesity</i> , 1995, 3, 507S-514S.	4.0	43
151	Adipocyte $\hat{I}\pm 2A$ -adrenoceptor is the only $\hat{I}\pm 2$ -adrenoceptor regulated by testosterone. <i>European Journal of Pharmacology</i> , 1994, 269, 95-103.	2.7	7
152	Myocardial hypertrophy, cardiac $\hat{I}\pm 2A$ -adrenoceptors and adenylate cyclase activity during sinoaortic denervation in dogs. <i>British Journal of Pharmacology</i> , 1992, 105, 341-346.	2.7	11
153	Vasoactive intestinal peptide and forskolin regulate proliferation of the HT29 human colon adenocarcinoma cell line. <i>Journal of Cellular Physiology</i> , 1992, 150, 501-509.	2.0	31
154	Levodopa up-regulates platelet $\hat{I}\pm 2$ -adrenoceptors. <i>European Journal of Pharmacology</i> , 1990, 182, 597-601.	1.7	2
155	Recent advances in the pharmacology of rilmenidine. <i>American Journal of Medicine</i> , 1989, 87, S14-S17.	0.6	7
156	Lipomobilizing effects of procaterol and yohimbine in the conscious dog: comparison of endocrinological, metabolic and cardiovascular effects. <i>British Journal of Pharmacology</i> , 1989, 97, 229-239.	2.7	12
157	Nicardipine causes sympathetic activation that does not involve baroreceptor reflex tachycardia in conscious sinoaortic-denervated dogs. <i>European Journal of Pharmacology</i> , 1987, 142, 145-149.	1.7	29