

Chris Paul Ponting

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7277659/chris-paul-ponting-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228 papers	68,810 citations	100 h-index	262 g-index
264 ext. papers	78,936 ext. citations	14.8 avg, IF	7.33 L-index

#	Paper	IF	Citations
228	Refining the domain architecture model of the replication origin firing factor Treslin/TICRR.. <i>Life Science Alliance</i> , 2022 , 5,	5.8	1
227	Whole genome sequencing reveals host factors underlying critical Covid-19.. <i>Nature</i> , 2022 ,	50.4	8
226	Genome-Wide Analysis of Human Long Noncoding RNAs: A Provocative Review.. <i>Annual Review of Genomics and Human Genetics</i> , 2022 ,	9.7	7
225	Common, low-frequency, rare, and ultra-rare coding variants contribute to COVID-19 severity. <i>Human Genetics</i> , 2021 , 141, 147	6.3	3
224	Genetic mechanisms of critical illness in COVID-19. <i>Nature</i> , 2021 , 591, 92-98	50.4	451
223	Extending the Horizon of Homology Detection with Coevolution-based Structure Prediction. <i>Journal of Molecular Biology</i> , 2021 , 433, 167106	6.5	1
222	Hexa-Longin domain scaffolds for inter-Rab signalling. <i>Bioinformatics</i> , 2020 , 36, 990-993	7.2	1
221	Transcriptional dynamics of pluripotent stem cell-derived endothelial cell differentiation revealed by single-cell RNA sequencing. <i>European Heart Journal</i> , 2020 , 41, 1024-1036	9.5	15
220	Identification of region-specific astrocyte subtypes at single cell resolution. <i>Nature Communications</i> , 2020 , 11, 1220	17.4	168
219	Linking protein to phenotype with Mendelian Randomization detects 38 proteins with causal roles in human diseases and traits. <i>PLoS Genetics</i> , 2020 , 16, e1008785	6	12
218	Biologically indeterminate yet ordered promiscuous gene expression in single medullary thymic epithelial cells. <i>EMBO Journal</i> , 2020 , 39, e101828	13	29
217	Ageing compromises mouse thymus function and remodels epithelial cell differentiation. <i>ELife</i> , 2020 , 9,	8.9	29
216	Genetics Needs Non-geneticists. <i>Trends in Genetics</i> , 2020 , 36, 629-630	8.5	
215	Genetic risk factors of ME/CFS: a critical review. <i>Human Molecular Genetics</i> , 2020 , 29, R117-R124	5.6	11
214	Zebrafish MITF-Low Melanoma Subtype Models Reveal Transcriptional Subclusters and MITF-Independent Residual Disease. <i>Cancer Research</i> , 2019 , 79, 5769-5784	10.1	14
213	The Human Cell Atlas: making Cell space for disease. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	6
212	A gene expression signature in developing Purkinje cells predicts autism and intellectual disability co-morbidity status. <i>Scientific Reports</i> , 2019 , 9, 485	4.9	7

211	The Cdk8/19-cyclin C transcription regulator functions in genome replication through metazoan Sld7. <i>PLoS Biology</i> , 2019 , 17, e2006767	9.7	18
210	Single-Cell Transcriptomics Uncovers Zonation of Function in the Mesenchyme during Liver Fibrosis. <i>Cell Reports</i> , 2019 , 29, 1832-1847.e8	10.6	115
209	The long non-coding RNA is a post transcriptional regulator of mitochondrial complex I catalytic activity. <i>ELife</i> , 2019 , 8,	8.9	17
208	Identification of functional long non-coding RNAs in <i>C. elegans</i> . <i>BMC Biology</i> , 2019 , 17, 14	7.3	15
207	TMEM132: an ancient architecture of cohesin and immunoglobulin domains define a new family of neural adhesion molecules. <i>Bioinformatics</i> , 2018 , 34, 721-724	7.2	28
206	The long non-coding RNA promotes KAP1-dependent chromatin changes and regulates olfactory bulb neurogenesis. <i>EMBO Journal</i> , 2018 , 37,	13	33
205	The phenotypic spectrum of Xia-Gibbs syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2018 , 176, 1315-1326	2.5	25
204	Complexities of post-transcriptional regulation and the modeling of ceRNA crosstalk. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2018 , 53, 231-245	8.7	114
203	Comprehensively Profiling the Chromatin Architecture of Tissue Restricted Antigen Expression in Thymic Epithelial Cells Over Development. <i>Frontiers in Immunology</i> , 2018 , 9, 2120	8.4	10
202	Single cell RNA-seq reveals profound transcriptional similarity between Barrett's oesophagus and oesophageal submucosal glands. <i>Nature Communications</i> , 2018 , 9, 4261	17.4	37
201	Single-Cell Multiomics: Multiple Measurements from Single Cells. <i>Trends in Genetics</i> , 2017 , 33, 155-168	8.5	299
200	Identification of genetic variants affecting vitamin D receptor binding and associations with autoimmune disease. <i>Human Molecular Genetics</i> , 2017 , 26, 2164-2176	5.6	21
199	Functional RNA classes: a matter of time?. <i>Nature Structural and Molecular Biology</i> , 2017 , 24, 7-8	17.6	2
198	The Human Cell Atlas 2017 ,		41
197	Biological function in the twilight zone of sequence conservation. <i>BMC Biology</i> , 2017 , 15, 71	7.3	19
196	Big knowledge from big data in functional genomics. <i>Emerging Topics in Life Sciences</i> , 2017 , 1, 245-248	3.5	3
195	The Human Cell Atlas. <i>ELife</i> , 2017 , 6,	8.9	937
194	Author response: The Human Cell Atlas 2017 ,		10

193	Foxn1 regulates key target genes essential for T cell development in postnatal thymic epithelial cells. <i>Nature Immunology</i> , 2016 , 17, 1206-1215	19.1	98
192	The role of ADP-ribosylation in regulating DNA interstrand crosslink repair. <i>Journal of Cell Science</i> , 2016 , 129, 3845-3858	5.3	13
191	Identification of molecular signatures specific for distinct cranial sensory ganglia in the developing chick. <i>Neural Development</i> , 2016 , 11, 3	3.9	10
190	High incidence of unrecognized visceral/neurological late-onset Niemann-Pick disease, type C1, predicted by analysis of massively parallel sequencing data sets. <i>Genetics in Medicine</i> , 2016 , 18, 41-8	8.1	138
189	Parallel single-cell sequencing links transcriptional and epigenetic heterogeneity. <i>Nature Methods</i> , 2016 , 13, 229-232	21.6	430
188	Assessing similarity to primary tissue and cortical layer identity in induced pluripotent stem cell-derived cortical neurons through single-cell transcriptomics. <i>Human Molecular Genetics</i> , 2016 , 25, 989-1000	5.6	64
187	CGAT: a model for immersive personalized training in computational genomics. <i>Briefings in Functional Genomics</i> , 2016 , 15, 32-7	4.9	4
186	An open and transparent process to select ELIXIR Node Services as implemented by ELIXIR-UK. <i>F1000Research</i> , 2016 , 5,	3.6	4
185	Mutations in CDC45, Encoding an Essential Component of the Pre-initiation Complex, Cause Meier-Gorlin Syndrome and Craniosynostosis. <i>American Journal of Human Genetics</i> , 2016 , 99, 125-38	11	67
184	Insights into the post-transcriptional regulation of the mitochondrial electron transport chain. <i>Biochemical Society Transactions</i> , 2016 , 44, 1491-1498	5.1	16
183	Vasohibins: new transglutaminase-like cysteine proteases possessing a non-canonical Cys-His-Ser catalytic triad. <i>Bioinformatics</i> , 2016 , 32, 1441-5	7.2	25
182	Long noncoding RNAs in B-cell development and activation. <i>Blood</i> , 2016 , 128, e10-9	2.2	79
181	Tuning the Transcriptional Response to Hypoxia by Inhibiting Hypoxia-inducible Factor (HIF) Prolyl and Asparaginyl Hydroxylases. <i>Journal of Biological Chemistry</i> , 2016 , 291, 20661-73	5.4	50
180	Separation and parallel sequencing of the genomes and transcriptomes of single cells using G&T-seq. <i>Nature Protocols</i> , 2016 , 11, 2081-103	18.8	93
179	Dynamic spatio-temporal contribution of single Bt+ cortical epithelial precursors to the thymus medulla. <i>European Journal of Immunology</i> , 2016 , 46, 846-56	6.1	45
178	Microglia recapitulate a hematopoietic master regulator network in the aging human frontal cortex. <i>Neurobiology of Aging</i> , 2015 , 36, 2443.e9-2443.e20	5.6	32
177	G&T-seq: parallel sequencing of single-cell genomes and transcriptomes. <i>Nature Methods</i> , 2015 , 12, 519-22.6	22.6	443
176	Extensive microRNA-mediated crosstalk between lncRNAs and mRNAs in mouse embryonic stem cells. <i>Genome Research</i> , 2015 , 25, 655-66	9.7	82

175	Violation of the 12/23 rule of genomic V(D)J recombination is common in lymphocytes. <i>Genome Research</i> , 2015 , 25, 226-34	9.7	2
174	REC-1 and HIM-5 distribute meiotic crossovers and function redundantly in meiotic double-strand break formation in <i>Caenorhabditis elegans</i> . <i>Genes and Development</i> , 2015 , 29, 1969-79	12.6	10
173	Temporal transcriptomics suggest that twin-peaking genes reset the clock. <i>ELife</i> , 2015 , 4,	8.9	38
172	Unexpected selection to retain high GC content and splicing enhancers within exons of multiexonic lncRNA loci. <i>Rna</i> , 2015 , 21, 333-46	5.8	58
171	Combined Single-Cell Functional and Gene Expression Analysis Resolves Heterogeneity within Stem Cell Populations. <i>Cell Stem Cell</i> , 2015 , 16, 712-24	18	286
170	Disruption of Visc-2, a Brain-Expressed Conserved Long Noncoding RNA, Does Not Elicit an Overt Anatomical or Behavioral Phenotype. <i>Cerebral Cortex</i> , 2015 , 25, 3572-85	5.1	27
169	RBFOX and PTBP1 proteins regulate the alternative splicing of micro-exons in human brain transcripts. <i>Genome Research</i> , 2015 , 25, 1-13	9.7	137
168	No gene in the genome makes sense except in the light of evolution. <i>Annual Review of Genomics and Human Genetics</i> , 2014 , 15, 71-92	9.7	14
167	Sequencing depth and coverage: key considerations in genomic analyses. <i>Nature Reviews Genetics</i> , 2014 , 15, 121-32	30.1	799
166	Cross-talking noncoding RNAs contribute to cell-specific neurodegeneration in SCA7. <i>Nature Structural and Molecular Biology</i> , 2014 , 21, 955-961	17.6	64
165	Transcriptional regulatory functions of nuclear long noncoding RNAs. <i>Trends in Genetics</i> , 2014 , 30, 348-58.5	305	
164	The genomic substrate for adaptive radiation in African cichlid fish. <i>Nature</i> , 2014 , 513, 375-381	50.4	656
163	Next-generation sequencing of advanced prostate cancer treated with androgen-deprivation therapy. <i>European Urology</i> , 2014 , 66, 32-9	10.2	99
162	A code for RanGDP binding in ankyrin repeats defines a nuclear import pathway. <i>Cell</i> , 2014 , 157, 1130-45.6.2	52	
161	Monoallelic and biallelic mutations in MAB21L2 cause a spectrum of major eye malformations. <i>American Journal of Human Genetics</i> , 2014 , 94, 915-23	11	64
160	Intergenic lncRNAs and the evolution of gene expression. <i>Current Opinion in Genetics and Development</i> , 2014 , 27, 48-53	4.9	65
159	Considerations when investigating lncRNA function in vivo. <i>ELife</i> , 2014 , 3, e03058	8.9	252
158	The long non-coding RNA Dali is an epigenetic regulator of neural differentiation. <i>ELife</i> , 2014 , 3, e045308.9	116	

157	Diagnostically relevant facial gestalt information from ordinary photos. <i>ELife</i> , 2014 , 3, e02020	8.9	81
156	Brain-expressed 3'UTR extensions strengthen miRNA cross-talk between ion channel/transporter encoding mRNAs. <i>Frontiers in Genetics</i> , 2014 , 5, 41	4.5	11
155	TM6SF2 and MAC30, new enzyme homologs in sterol metabolism and common metabolic disease. <i>Frontiers in Genetics</i> , 2014 , 5, 439	4.5	42
154	8.2% of the Human genome is constrained: variation in rates of turnover across functional element classes in the human lineage. <i>PLoS Genetics</i> , 2014 , 10, e1004525	6	124
153	Population and single-cell genomics reveal the Aire dependency, relief from Polycomb silencing, and distribution of self-antigen expression in thymic epithelia. <i>Genome Research</i> , 2014 , 24, 1918-31	9.7	197
152	Understanding functional miRNA-target interactions in vivo by site-specific genome engineering. <i>Nature Communications</i> , 2014 , 5, 4640	17.4	63
151	The RNA-editing enzyme ADAR1 controls innate immune responses to RNA. <i>Cell Reports</i> , 2014 , 9, 1482-94	16.6	348
150	CGAT: computational genomics analysis toolkit. <i>Bioinformatics</i> , 2014 , 30, 1290-1	7.2	44
149	Two Antarctic penguin genomes reveal insights into their evolutionary history and molecular changes related to the Antarctic environment. <i>GigaScience</i> , 2014 , 3, 27	7.6	50
148	The long non-coding RNA Paupar regulates the expression of both local and distal genes. <i>EMBO Journal</i> , 2014 , 33, 296-311	13	154
147	The RFTS domain of Raf2 is required for Cul4 interaction and heterochromatin integrity in fission yeast. <i>PLoS ONE</i> , 2014 , 9, e104161	3.7	3
146	Ki-67 is a PP1-interacting protein that organises the mitotic chromosome periphery. <i>ELife</i> , 2014 , 3, e016419	4.9	110
145	Mutations within lncRNAs are effectively selected against in fruitfly but not in human. <i>Genome Biology</i> , 2013 , 14, R49	18.3	46
144	Insights into the evolution of Darwin's finches from comparative analysis of the <i>Geospiza magnirostris</i> genome sequence. <i>BMC Genomics</i> , 2013 , 14, 95	4.5	33
143	Chromatin signatures at transcriptional start sites separate two equally populated yet distinct classes of intergenic long noncoding RNAs. <i>Genome Biology</i> , 2013 , 14, R131	18.3	135
142	The African coelacanth genome provides insights into tetrapod evolution. <i>Nature</i> , 2013 , 496, 311-6	50.4	488
141	Predicting long non-coding RNAs using RNA sequencing. <i>Methods</i> , 2013 , 63, 50-9	4.6	82
140	Identification and function of long non-coding RNAs. <i>Essays in Biochemistry</i> , 2013 , 54, 113-26	7.6	39

139	GAT: a simulation framework for testing the association of genomic intervals. <i>Bioinformatics</i> , 2013 , 29, 2046-8	7.2	136
138	Adult pallium transcriptomes surprise in not reflecting predicted homologies across diverse chicken and mouse pallial sectors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 13150-5	11.5	68
137	Epigenetic conservation at gene regulatory elements revealed by non-methylated DNA profiling in seven vertebrates. <i>ELife</i> , 2013 , 2, e00348	8.9	148
136	Evidence for conserved post-transcriptional roles of unitary pseudogenes and for frequent bifunctionality of mRNAs. <i>Genome Biology</i> , 2012 , 13, R102	18.3	51
135	High levels of RNA-editing site conservation amongst 15 laboratory mouse strains. <i>Genome Biology</i> , 2012 , 13, 26	18.3	122
134	The genomic landscape shaped by selection on transposable elements across 18 mouse strains. <i>Genome Biology</i> , 2012 , 13, R45	18.3	124
133	Loaded dice for human genome mutation. <i>Cell</i> , 2012 , 151, 1399-400	56.2	2
132	Brain, know thy transcriptome, know thyself. <i>Neuron</i> , 2012 , 75, 543-5	13.9	3
131	The bonobo genome compared with the chimpanzee and human genomes. <i>Nature</i> , 2012 , 486, 527-31	50.4	350
130	Insights into hominid evolution from the gorilla genome sequence. <i>Nature</i> , 2012 , 483, 169-75	50.4	517
129	Cofilin-1: a modulator of anxiety in mice. <i>PLoS Genetics</i> , 2012 , 8, e1002970	6	25
128	Rapid turnover of long noncoding RNAs and the evolution of gene expression. <i>PLoS Genetics</i> , 2012 , 8, e1002841	6	238
127	Death of PRDM9 coincides with stabilization of the recombination landscape in the dog genome. <i>Genome Research</i> , 2012 , 22, 51-63	9.7	97
126	Identification and properties of 1,119 candidate lincRNA loci in the <i>Drosophila melanogaster</i> genome. <i>Genome Biology and Evolution</i> , 2012 , 4, 427-42	3.9	165
125	KDM2B links the Polycomb Repressive Complex 1 (PRC1) to recognition of CpG islands. <i>ELife</i> , 2012 , 1, e00205	8.9	318
124	Rapid turnover of functional sequence in human and other genomes. <i>Annual Review of Genomics and Human Genetics</i> , 2011 , 12, 275-99	9.7	17
123	Repo-Man coordinates chromosomal reorganization with nuclear envelope reassembly during mitotic exit. <i>Developmental Cell</i> , 2011 , 21, 328-42	10.2	139
122	A transcriptomic atlas of mouse neocortical layers. <i>Neuron</i> , 2011 , 71, 605-16	13.9	224

121	Mouse genomic variation and its effect on phenotypes and gene regulation. <i>Nature</i> , 2011 , 477, 289-94	50.4	1087
120	Comparative and demographic analysis of orang-utan genomes. <i>Nature</i> , 2011 , 469, 529-33	50.4	431
119	What are the genomic drivers of the rapid evolution of PRDM9?. <i>Trends in Genetics</i> , 2011 , 27, 165-71	8.5	61
118	Regulation of DNA replication through Sld3-Dpb11 interaction is conserved from yeast to humans. <i>Current Biology</i> , 2011 , 21, 1152-7	6.3	110
117	Wrangling for microRNAs provokes much crosstalk. <i>Genome Biology</i> , 2011 , 12, 132	18.3	21
116	The genome of the green anole lizard and a comparative analysis with birds and mammals. <i>Nature</i> , 2011 , 477, 587-91	50.4	478
115	What fraction of the human genome is functional?. <i>Genome Research</i> , 2011 , 21, 1769-76	9.7	104
114	Natural genetic variation caused by small insertions and deletions in the human genome. <i>Genome Research</i> , 2011 , 21, 830-9	9.7	178
113	The reality of pervasive transcription. <i>PLoS Biology</i> , 2011 , 9, e1000625; discussion e1001102	9.7	325
112	The genome of a songbird. <i>Nature</i> , 2010 , 464, 757-62	50.4	655
111	Functional impact of global rare copy number variation in autism spectrum disorders. <i>Nature</i> , 2010 , 466, 368-72	50.4	1499
110	Transcribed dark matter: meaning or myth?. <i>Human Molecular Genetics</i> , 2010 , 19, R162-8	5.6	220
109	A ChIP-seq defined genome-wide map of vitamin D receptor binding: associations with disease and evolution. <i>Genome Research</i> , 2010 , 20, 1352-60	9.7	606
108	Accelerated evolution of PAK3- and PIM1-like kinase gene families in the zebra finch, <i>Taeniopygia guttata</i> . <i>Molecular Biology and Evolution</i> , 2010 , 27, 1923-34	8.3	9
107	Genome assembly quality: assessment and improvement using the neutral indel model. <i>Genome Research</i> , 2010 , 20, 675-84	9.7	39
106	Massive turnover of functional sequence in human and other mammalian genomes. <i>Genome Research</i> , 2010 , 20, 1335-43	9.7	76
105	Stc1: a critical link between RNAi and chromatin modification required for heterochromatin integrity. <i>Cell</i> , 2010 , 140, 666-77	56.2	160
104	The protein composition of mitotic chromosomes determined using multiclassifier combinatorial proteomics. <i>Cell</i> , 2010 , 142, 810-21	56.2	217

103	Long noncoding RNA genes: conservation of sequence and brain expression among diverse amniotes. <i>Genome Biology</i> , 2010 , 11, R72	18.3	191
102	Homology explains the functional similarities of Treslin/Ticrr and Sld3. <i>Current Biology</i> , 2010 , 20, R509-10	10.3	58
101	Accurate estimation of gene evolutionary rates using XRATE, with an application to transmembrane proteins. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1715-21	8.3	7
100	Lineage-specific biology revealed by a finished genome assembly of the mouse. <i>PLoS Biology</i> , 2009 , 7, e1000112	9.7	354
99	Forging links between human mental retardation-associated CNVs and mouse gene knockout models. <i>PLoS Genetics</i> , 2009 , 5, e1000531	6	39
98	Accelerated evolution of the Prdm9 speciation gene across diverse metazoan taxa. <i>PLoS Genetics</i> , 2009 , 5, e1000753	6	203
97	Genomic and transcriptional co-localization of protein-coding and long non-coding RNA pairs in the developing brain. <i>PLoS Genetics</i> , 2009 , 5, e1000617	6	305
96	Evolution and functions of long noncoding RNAs. <i>Cell</i> , 2009 , 136, 629-41	56.2	3721
95	Coordination of structure-specific nucleases by human SLX4/BTBD12 is required for DNA repair. <i>Molecular Cell</i> , 2009 , 35, 116-27	17.6	259
94	Catalogues of mammalian long noncoding RNAs: modest conservation and incompleteness. <i>Genome Biology</i> , 2009 , 10, R124	18.3	208
93	Separating derived from ancestral features of mouse and human genomes. <i>Biochemical Society Transactions</i> , 2009 , 37, 734-9	5.1	11
92	Genome analysis of the platypus reveals unique signatures of evolution. <i>Nature</i> , 2008 , 453, 175-83	50.4	545
91	EYS, encoding an ortholog of Drosophila spacemaker, is mutated in autosomal recessive retinitis pigmentosa. <i>Nature Genetics</i> , 2008 , 40, 1285-7	36.3	151
90	The functional repertoires of metazoan genomes. <i>Nature Reviews Genetics</i> , 2008 , 9, 689-98	30.1	91
89	Rapid bursts of androgen-binding protein (Abp) gene duplication occurred independently in diverse mammals. <i>BMC Evolutionary Biology</i> , 2008 , 8, 46	3	38
88	Reduced purifying selection prevails over positive selection in human copy number variant evolution. <i>Genome Research</i> , 2008 , 18, 1711-23	9.7	64
87	Mutations in BMP4 cause eye, brain, and digit developmental anomalies: overlap between the BMP4 and hedgehog signaling pathways. <i>American Journal of Human Genetics</i> , 2008 , 82, 304-19	11	198
86	OPTIC: orthologous and paralogous transcripts in clades. <i>Nucleic Acids Research</i> , 2008 , 36, D267-70	20.1	22

85	The long and the short of RNA maps. <i>BioEssays</i> , 2007 , 29, 1077-80	4.1	25
84	Genome of the marsupial <i>Monodelphis domestica</i> reveals innovation in non-coding sequences. <i>Nature</i> , 2007 , 447, 167-77	50.4	577
83	Evolution of genes and genomes on the <i>Drosophila</i> phylogeny. <i>Nature</i> , 2007 , 450, 203-18	50.4	1586
82	Functionality or transcriptional noise? Evidence for selection within long noncoding RNAs. <i>Genome Research</i> , 2007 , 17, 556-65	9.7	530
81	An analysis of the gene complement of a marsupial, <i>Monodelphis domestica</i> : evolution of lineage-specific genes and giant chromosomes. <i>Genome Research</i> , 2007 , 17, 969-81	9.7	43
80	Evolutionary rate analyses of orthologs and paralogs from 12 <i>Drosophila</i> genomes. <i>Genome Research</i> , 2007 , 17, 1837-49	9.7	110
79	The obesity-associated FTO gene encodes a 2-oxoglutarate-dependent nucleic acid demethylase. <i>Science</i> , 2007 , 318, 1469-72	33.3	1119
78	A novel domain suggests a ciliary function for ASPM, a brain size determining gene. <i>Bioinformatics</i> , 2006 , 22, 1031-5	7.2	96
77	Meisetz and the birth of the KRAB motif. <i>Bioinformatics</i> , 2006 , 22, 2841-5	7.2	67
76	Genome-wide identification of human functional DNA using a neutral indel model. <i>PLoS Computational Biology</i> , 2006 , 2, e5	5	141
75	Bias of selection on human copy-number variants. <i>PLoS Genetics</i> , 2006 , 2, e20	6	205
74	Phylogenetic reconstruction of orthology, paralogy, and conserved synteny for dog and human. <i>PLoS Computational Biology</i> , 2006 , 2, e133	5	108
73	Signatures of adaptive evolution within human non-coding sequence. <i>Human Molecular Genetics</i> , 2006 , 15 Spec No 2, R170-5	5.6	35
72	Mutations in genes encoding ribonuclease H2 subunits cause Aicardi-Goutières syndrome and mimic congenital viral brain infection. <i>Nature Genetics</i> , 2006 , 38, 910-6	36.3	505
71	Evolution of primary microcephaly genes and the enlargement of primate brains. <i>Current Opinion in Genetics and Development</i> , 2005 , 15, 241-8	4.9	68
70	Protein Sequence Analysis and Domain Identification 2005 , 527-541		1
69	Genome sequence, comparative analysis and haplotype structure of the domestic dog. <i>Nature</i> , 2005 , 438, 803-19	50.4	1809
68	Diverse spatial, temporal, and sexual expression of recently duplicated androgen-binding protein genes in <i>Mus musculus</i> . <i>BMC Evolutionary Biology</i> , 2005 , 5, 40	3	25

67	Mammalian BEX, WEX and GASP genes: coding and non-coding chimaerism sustained by gene conversion events. <i>BMC Evolutionary Biology</i> , 2005 , 5, 54	3	25
66	Duplication and positive selection among hominin-specific PRAME genes. <i>BMC Genomics</i> , 2005 , 6, 120	4.5	54
65	Hotspots of mutation and breakage in dog and human chromosomes. <i>Genome Research</i> , 2005 , 15, 1787-97	9.7	40
64	Comparative evolutionary genomics of androgen-binding protein genes. <i>Genome Research</i> , 2004 , 14, 1516-29	9.7	46
63	Occurrence and consequences of coding sequence insertions and deletions in Mammalian genomes. <i>Genome Research</i> , 2004 , 14, 555-66	9.7	97
62	Evolution and comparative genomics of odorant- and pheromone-associated genes in rodents. <i>Genome Research</i> , 2004 , 14, 591-602	9.7	72
61	SMART 4.0: towards genomic data integration. <i>Nucleic Acids Research</i> , 2004 , 32, D142-4	20.1	764
60	Genome sequence of the Brown Norway rat yields insights into mammalian evolution. <i>Nature</i> , 2004 , 428, 493-521	50.4	1689
59	A genetic variation map for chicken with 2.8 million single-nucleotide polymorphisms. <i>Nature</i> , 2004 , 432, 717-22	50.4	341
58	Vitamin K epoxide reductase: homology, active site and catalytic mechanism. <i>Trends in Biochemical Sciences</i> , 2004 , 29, 289-92	10.3	125
57	Elevated rates of protein secretion, evolution, and disease among tissue-specific genes. <i>Genome Research</i> , 2004 , 14, 54-61	9.7	141
56	Evolutionary conservation and selection of human disease gene orthologs in the rat and mouse genomes. <i>Genome Biology</i> , 2004 , 5, R47	18.3	102
55	Comparison of the genomes of human and mouse lays the foundation of genome zoology. <i>Human Molecular Genetics</i> , 2003 , 12, 701-9	5.6	149
54	The Tudor domain @Royal Family@Tudor, plant Agenet, Chromo, PWWP and MBT domains. <i>Trends in Biochemical Sciences</i> , 2003 , 28, 69-74	10.3	397
53	Positional cloning of a quantitative trait locus on chromosome 13q14 that influences immunoglobulin E levels and asthma. <i>Nature Genetics</i> , 2003 , 34, 181-6	36.3	263
52	Positional cloning of a novel gene influencing asthma from chromosome 2q14. <i>Nature Genetics</i> , 2003 , 35, 258-63	36.3	283
51	Eukaryotic domain evolution inferred from genome comparisons. <i>Current Opinion in Genetics and Development</i> , 2003 , 13, 623-8	4.9	31
50	EMSY links the BRCA2 pathway to sporadic breast and ovarian cancer. <i>Cell</i> , 2003 , 115, 523-35	56.2	345

49	THoR: a tool for domain discovery and curation of multiple alignments. <i>Genome Biology</i> , 2003 , 4, R52	18.3	1
48	A coming of age for bioinformatics. <i>Journal of Cell Science</i> , 2003 , 116, 6-7	5.3	1
47	The InterPro Database, 2003 brings increased coverage and new features. <i>Nucleic Acids Research</i> , 2003 , 31, 315-8	20.1	556
46	Cadherin-like domains in alpha-dystroglycan, alpha/epsilon-sarcoglycan and yeast and bacterial proteins. <i>Current Biology</i> , 2002 , 12, R197-9	6.3	50
45	TRAM, LAG1 and CLN8: members of a novel family of lipid-sensing domains?. <i>Trends in Biochemical Sciences</i> , 2002 , 27, 381-3	10.3	139
44	Initial sequencing and comparative analysis of the mouse genome. <i>Nature</i> , 2002 , 420, 520-62	50.4	5376
43	Systematic identification of novel protein domain families associated with nuclear functions. <i>Genome Research</i> , 2002 , 12, 47-56	9.7	437
42	Novel domains and orthologues of eukaryotic transcription elongation factors. <i>Nucleic Acids Research</i> , 2002 , 30, 3643-52	20.1	93
41	Recent improvements to the SMART domain-based sequence annotation resource. <i>Nucleic Acids Research</i> , 2002 , 30, 242-4	20.1	535
40	InterPro: an integrated documentation resource for protein families, domains and functional sites. <i>Briefings in Bioinformatics</i> , 2002 , 3, 225-35	13.4	137
39	Identification of a novel family of presenilin homologues. <i>Human Molecular Genetics</i> , 2002 , 11, 1037-44	5.6	139
38	Predicting protein cellular localization using a domain projection method. <i>Genome Research</i> , 2002 , 12, 1168-74	9.7	81
37	Sequence analysis of multidomain proteins: past perspectives and future directions. <i>Advances in Protein Chemistry</i> , 2002 , 61, 75-98		10
36	The natural history of protein domains. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2002 , 31, 45-71		221
35	Sialidase-like Asp-boxes: sequence-similar structures within different protein folds. <i>Protein Science</i> , 2001 , 10, 285-92	6.3	66
34	Initial sequencing and analysis of the human genome. <i>Nature</i> , 2001 , 409, 860-921	50.4	17366
33	JmjC: cupin metalloenzyme-like domains in jumonji, hairless and phospholipase A2beta. <i>Trends in Biochemical Sciences</i> , 2001 , 26, 7-9	10.3	201
32	Sequence variation and disease in the wake of the draft human genome. <i>Human Molecular Genetics</i> , 2001 , 10, 2209-14	5.6	24

31	Domain homologues of dopamine beta-hydroxylase and ferric reductase: roles for iron metabolism in neurodegenerative disorders?. <i>Human Molecular Genetics</i> , 2001 , 10, 1853-8	5.6	46
30	Protein repeats: structures, functions, and evolution. <i>Journal of Structural Biology</i> , 2001 , 134, 117-31	3.4	471
29	Mutations in the fukutin-related protein gene (FKRP) cause a form of congenital muscular dystrophy with secondary laminin alpha2 deficiency and abnormal glycosylation of alpha-dystroglycan. <i>American Journal of Human Genetics</i> , 2001 , 69, 1198-209	11	498
28	On the evolution of protein folds: are similar motifs in different protein folds the result of convergence, insertion, or relics of an ancient peptide world?. <i>Journal of Structural Biology</i> , 2001 , 134, 191-203	3.4	225
27	More than 1,000 putative new human signalling proteins revealed by EST data mining. <i>Nature Genetics</i> , 2000 , 25, 201-4	36.3	38
26	Regulation of chromatin structure by site-specific histone H3 methyltransferases. <i>Nature</i> , 2000 , 406, 593-9	50.4	2193
25	PIN domains in nonsense-mediated mRNA decay and RNAi. <i>Current Biology</i> , 2000 , 10, R888-90	6.3	131
24	Novel eIF4G domain homologues linking mRNA translation with nonsense-mediated mRNA decay. <i>Trends in Biochemical Sciences</i> , 2000 , 25, 423-6	10.3	75
23	Proteins of the endoplasmic-reticulum-associated degradation pathway: domain detection and function prediction. <i>Biochemical Journal</i> , 2000 , 351, 527-535	3.8	108
22	SMART: a web-based tool for the study of genetically mobile domains. <i>Nucleic Acids Research</i> , 2000 , 28, 231-4	20.1	939
21	Evolution of domain families. <i>Advances in Protein Chemistry</i> , 2000 , 54, 185-244		57
20	Homology-based method for identification of protein repeats using statistical significance estimates. <i>Journal of Molecular Biology</i> , 2000 , 298, 521-37	6.5	167
19	Identification of distant homologues of fibroblast growth factors suggests a common ancestor for all beta-trefoil proteins. <i>Journal of Molecular Biology</i> , 2000 , 302, 1041-7	6.5	97
18	SMART: identification and annotation of domains from signalling and extracellular protein sequences. <i>Nucleic Acids Research</i> , 1999 , 27, 229-32	20.1	262
17	A beta-propeller domain within TolB. <i>Molecular Microbiology</i> , 1999 , 31, 739-40	4.1	20
16	beta-propeller repeats and a PDZ domain in the tricorn protease: predicted self-compartmentalisation and C-terminal polypeptide-binding strategies of substrate selection. <i>FEMS Microbiology Letters</i> , 1999 , 179, 447-51	2.9	15
15	The cytoplasmic helical linker domain of receptor histidine kinase and methyl-accepting proteins is common to many prokaryotic signalling proteins. <i>FEMS Microbiology Letters</i> , 1999 , 176, 111-6	2.9	326
14	Protein families in multicellular organisms. <i>Current Opinion in Structural Biology</i> , 1999 , 9, 408-15	8.1	48

13	Chlamydial homologues of the MACPF (MAC/perforin) domain. <i>Current Biology</i> , 1999 , 9, R911-3	6.3	73
12	START: a lipid-binding domain in StAR, HD-ZIP and signalling proteins. <i>Trends in Biochemical Sciences</i> , 1999 , 24, 130-2	10.3	337
11	No Sec7-homology domain in guanine-nucleotide-exchange factors that act on Ras and Rho. <i>Trends in Biochemical Sciences</i> , 1999 , 24, 177-8	10.3	2
10	Protein fold irregularities that hinder sequence analysis. <i>Current Opinion in Structural Biology</i> , 1998 , 8, 364-71	8.1	46
9	PAS: a multifunctional domain family comes to light. <i>Current Biology</i> , 1997 , 7, R674-7	6.3	278
8	Cytoplasmic signalling domains: the next generation. <i>Trends in Biochemical Sciences</i> , 1997 , 22, 296-8	10.3	56
7	Identification of functional long non-coding RNAs in <i>C. elegans</i>		1
6	A new sequence motif linking lissencephaly, Treacher Collins and oral-facial-digital type 1 syndromes, microtubule dynamics and cell migration		1
5	FAM111A regulates replication origin activation and cell fitness		1
4	Protein citrullination was introduced into animals by horizontal gene transfer from cyanobacteria		1
3	Genetic mechanisms of critical illness in Covid-19		51
2	Biologically indeterminate yet ordered promiscuous gene expression in single medullary thymic epithelial cells		3
1	Whole genome sequencing identifies multiple loci for critical illness caused by COVID-19		2