

Anna Nixon AndrÃ©asson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7278160/publications.pdf>

Version: 2024-02-01

88
papers

3,420
citations

147726

31
h-index

175177

52
g-index

95
all docs

95
docs citations

95
times ranked

4776
citing authors

#	ARTICLE	IF	CITATIONS
1	Large-scale association analyses identify host factors influencing human gut microbiome composition. <i>Nature Genetics</i> , 2021, 53, 156-165.	9.4	676
2	Ability of Noninvasive Scoring Systems to Identify Individuals in the Population at Risk for Severe Liver Disease. <i>Gastroenterology</i> , 2020, 158, 200-214.	0.6	121
3	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018, 67, 263-270.	6.1	120
4	Association of TNFSF15 polymorphism with irritable bowel syndrome. <i>Gut</i> , 2011, 60, 1671-1677.	6.1	109
5	Repeated FIB-4 measurements can help identify individuals at risk of severe liver disease. <i>Journal of Hepatology</i> , 2020, 73, 1023-1029.	1.8	108
6	Exploring the genetics of irritable bowel syndrome: a GWA study in the general population and replication in multinational case-control cohorts. <i>Gut</i> , 2015, 64, 1774-1782.	6.1	97
7	The gut microbiota and mental health in adults. <i>Current Opinion in Neurobiology</i> , 2020, 62, 102-114.	2.0	95
8	A putative role for cytokines in the impaired appetite in depression. <i>Brain, Behavior, and Immunity</i> , 2007, 21, 147-152.	2.0	90
9	Genome-wide association analysis of diverticular disease points towards neuromuscular, connective tissue and epithelial pathomechanisms. <i>Gut</i> , 2019, 68, 854-865.	6.1	84
10	Colonic spirochetosis is associated with colonic eosinophilia and irritable bowel syndrome in a general population in Sweden. <i>Human Pathology</i> , 2015, 46, 277-283.	1.1	81
11	Inflammatory cytokines, behaviour and age as determinants of self-rated health in women. <i>Clinical Science</i> , 2007, 112, 363-373.	1.8	78
12	Compositional and functional differences of the mucosal microbiota along the intestine of healthy individuals. <i>Scientific Reports</i> , 2020, 10, 14977.	1.6	78
13	No distinct microbiome signature of irritable bowel syndrome found in a Swedish random population. <i>Gut</i> , 2020, 69, 1076-1084.	6.1	76
14	Overweight in late adolescence predicts development of severe liver disease later in life: A 39years follow-up study. <i>Journal of Hepatology</i> , 2016, 65, 363-368.	1.8	68
15	Intrinsic functional connectivity of insular cortex and symptoms of sickness during acute experimental inflammation. <i>Brain, Behavior, and Immunity</i> , 2016, 56, 34-41.	2.0	61
16	Low-grade inflammation may moderate the effect of behavioral treatment for chronic pain in adults. <i>Journal of Behavioral Medicine</i> , 2016, 39, 916-924.	1.1	58
17	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018, 155, 168-179.	0.6	55
18	Alcohol consumption in late adolescence is associated with an increased risk of severe liver disease later in life. <i>Journal of Hepatology</i> , 2018, 68, 505-510.	1.8	52

#	ARTICLE	IF	CITATIONS
19	Dense genotyping of immune-related loci identifies HLA variants associated with increased risk of collagenous colitis. <i>Gut</i> , 2017, 66, 421-428.	6.1	50
20	A global measure of sickness behaviour: Development of the Sickness Questionnaire. <i>Journal of Health Psychology</i> , 2018, 23, 1452-1463.	1.3	49
21	miR-16 and miR-103 impact 5-HT4 receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017, 7, 14680.	1.6	46
22	Stool frequency is associated with gut microbiota composition. <i>Gut</i> , 2017, 66, 559-560.	6.1	45
23	Hill classification is superior to the axial length of a hiatal hernia for assessment of the mechanical anti-reflux barrier at the gastroesophageal junction. <i>Endoscopy International Open</i> , 2016, 04, E311-E317.	0.9	44
24	A randomly selected population sample undergoing colonoscopy. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 268-275.	0.8	42
25	High-Definition Chromoendoscopy Superior to High-Definition White-Light Endoscopy in Surveillance of Inflammatory Bowel Diseases in a Randomized Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2101-2107.	2.4	42
26	Inflammation and positive affect are associated with subjective health in women of the general population. <i>Journal of Health Psychology</i> , 2013, 18, 311-320.	1.3	38
27	HFpEF and HFrEF exhibit different phenotypes as assessed by leptin and adiponectin. <i>International Journal of Cardiology</i> , 2017, 228, 709-716.	0.8	38
28	Prevalence of colonic neoplasia and advanced lesions in the normal population: a prospective population-based colonoscopy study. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 184-190.	0.6	36
29	Leptin and adiponectin: Distribution and associations with cardiovascular risk factors in men and women of the general population. <i>American Journal of Human Biology</i> , 2012, 24, 595-601.	0.8	36
30	<i>TRPM8</i> polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017, 66, 1725-1727.	6.1	36
31	Waist/Hip Ratio Better Predicts Development of Severe Liver Disease Within 20 Years Than Body Mass Index: A Population-based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1294-1301.e2.	2.4	36
32	The Gut Microbiota in Collagenous Colitis Shares Characteristics With Inflammatory Bowel Disease-Associated Dysbiosis. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00065.	1.3	35
33	Is poor self-rated health associated with low-grade inflammation in 43â€¦110 late adolescent men of the general population? A cross-sectional study. <i>BMJ Open</i> , 2016, 6, e009440.	0.8	34
34	Towards a healthy stomach? <i>Helicobacter pylori</i> prevalence has dramatically decreased over 23 years in adults in a Swedish community. <i>United European Gastroenterology Journal</i> , 2016, 4, 686-696.	1.6	33
35	Fatigue and sleepiness responses to experimental inflammation and exploratory analysis of the effect of baseline inflammation in healthy humans. <i>Brain, Behavior, and Immunity</i> , 2020, 83, 309-314.	2.0	32
36	Subjective health perception in healthy young men changes in response to experimentally restricted sleep and subsequent recovery sleep. <i>Brain, Behavior, and Immunity</i> , 2013, 34, 43-46.	2.0	31

#	ARTICLE	IF	CITATIONS
37	Symptomatic Diverticulosis Is Characterized By Loose Stools. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1763-1770.e1.	2.4	30
38	Faecal microbiota composition associates with abdominal pain in the general population. <i>Gut</i> , 2018, 67, gutjnl-2017-314792.	6.1	29
39	Gastric Microbiota in a Low Helicobacter pylori Prevalence General Population and Their Associations With Gastric Lesions. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00191.	1.3	29
40	Diverticulosis, Symptoms and Colonic Inflammation: A Population-Based Colonoscopy Study. <i>American Journal of Gastroenterology</i> , 2019, 114, 500-510.	0.2	26
41	HFrEF and HFpEF Display Different Phenotypes as Assessed by IGF-1 and IGFBP-1. <i>Journal of Cardiac Failure</i> , 2017, 23, 293-303.	0.7	25
42	eSource for clinical trials: Implementation and evaluation of a standards-based approach in a real world trial. <i>International Journal of Medical Informatics</i> , 2017, 106, 17-24.	1.6	24
43	Genome-Wide Association Study Identifies Two Novel Genomic Regions in Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2014, 109, 770-772.	0.2	23
44	Differential clustering of fecal and mucosa-associated microbiota in "healthy" individuals. <i>Journal of Digestive Diseases</i> , 2018, 19, 745-752.	0.7	23
45	The prediction of colorectal cancer using anthropometric measures: A Swedish population-based cohort study with 22 years of follow-up. <i>United European Gastroenterology Journal</i> , 2019, 7, 1250-1260.	1.6	23
46	Discriminant and convergent validity of the GSRS-CBS symptom severity measure for irritable bowel syndrome: A population study. <i>United European Gastroenterology Journal</i> , 2020, 8, 284-292.	1.6	22
47	The role of low-grade inflammation in ME/CFS (Myalgic Encephalomyelitis/Chronic Fatigue Syndrome) - associations with symptoms. <i>Psychoneuroendocrinology</i> , 2020, 113, 104578.	1.3	21
48	Presence of Fermentable Oligo-, Di-, Monosaccharides, and Polyols (FODMAPs) in commonly eaten foods: extension of a database to indicate dietary FODMAP content and calculation of intake in the general population from food diary data. <i>BMC Nutrition</i> , 2020, 6, 47.	0.6	20
49	Poor sleep quality is associated with worse self-rated health in long sleep duration but not short sleep duration. <i>Sleep Medicine</i> , 2021, 88, 262-266.	0.8	19
50	Gastrointestinal recall questionnaires compare poorly with prospective patient diaries for gastrointestinal symptoms: data from population and primary health centre samples. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 163-169.	0.8	18
51	Role of smoking in functional dyspepsia and irritable bowel syndrome: three random population-based studies. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 32-42.	1.9	18
52	Acceptance & Commitment Therapy for ME/CFS (Chronic Fatigue Syndrome) - A feasibility study. <i>Journal of Contextual Behavioral Science</i> , 2019, 12, 89-97.	1.3	16
53	GWAS of stool frequency provides insights into gastrointestinal motility and irritable bowel syndrome. <i>Cell Genomics</i> , 2021, 1, 100069.	3.0	15
54	A GWAS meta-analysis suggests roles for xenobiotic metabolism and ion channel activity in the biology of stool frequency. <i>Gut</i> , 2017, 66, 756-758.	6.1	14

#	ARTICLE	IF	CITATIONS
55	The effect of a transient immune activation on subjective health perception in two placebo controlled randomised experiments. <i>PLoS ONE</i> , 2019, 14, e0212313.	1.1	14
56	Predictive Capacity for Mortality and Severe Liver Disease of the Relative Fat Mass Algorithm. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2619-2620.	2.4	13
57	Isolates from Colonic Spirochetosis in Humans Show High Genomic Divergence and Potential Pathogenic Features but Are Not Detected Using Standard Primers for the Human Microbiota. <i>Journal of Bacteriology</i> , 2019, 201, .	1.0	12
58	Feasibility and acceptability of TRANSFoRm to improve clinical trial recruitment in primary care. <i>Family Practice</i> , 2016, 33, 186-191.	0.8	11
59	Identifying clinically relevant sliding hiatal hernias: a population-based endoscopy study. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 657-660.	0.6	11
60	Body composition measurements and risk of hematological malignancies: A population-based cohort study during 20 years of follow-up. <i>PLoS ONE</i> , 2018, 13, e0202651.	1.1	11
61	Patients with ME/CFS (Myalgic Encephalomyelitis/Chronic Fatigue Syndrome) and chronic pain report similar level of sickness behavior as individuals injected with bacterial endotoxin at peak inflammation. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 2, 100028.	1.3	11
62	An Increasing Incidence of Upper Gastrointestinal Disorders Over 23 Years: A Prospective Population-Based Study in Sweden. <i>American Journal of Gastroenterology</i> , 2021, 116, 210-213.	0.2	11
63	How individuals with the irritable bowel syndrome describe their own symptoms before formal diagnosis. <i>Uppsala Journal of Medical Sciences</i> , 2015, 120, 276-279.	0.4	9
64	The impact of exposure-based cognitive behavior therapy for severe health anxiety on self-rated health: Results from a randomized trial. <i>Journal of Psychosomatic Research</i> , 2017, 103, 9-14.	1.2	9
65	Prospective Diary Evaluation of Unexplained Abdominal Pain and Bowel Dysfunction: A Population-Based Colonoscopy Study. <i>Digestive Diseases and Sciences</i> , 2011, 56, 1444-1451.	1.1	8
66	Longitudinal co-variations between inflammatory cytokines, lung function and patient reported outcomes in patients with asthma. <i>PLoS ONE</i> , 2017, 12, e0185019.	1.1	8
67	Lifestyle Factors in Late Adolescence Associate With Later Development of Diverticular Disease Requiring Hospitalization. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1474-1480.e1.	2.4	8
68	Associations between leptin and self-rated health in men and women. <i>Gender Medicine</i> , 2010, 7, 261-269.	1.4	7
69	Ileocolonic Histopathological and Microbial Alterations in the Irritable Bowel Syndrome: A Nested Community Case-Control Study. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00296.	1.3	7
70	Associations between self-rated health, sickness behaviour and inflammatory markers in primary care patients with allergic asthma: a longitudinal study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 67.	1.1	6
71	Cross-sectional associations between inflammation, sickness behaviour, health anxiety and self-rated health in a Swedish primary care population. <i>European Journal of Inflammation</i> , 2019, 17, 205873921984435.	0.2	6
72	Body mass index in early pregnancy and future risk of severe liver disease: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 789-796.	1.9	5

#	ARTICLE	IF	CITATIONS
73	Effects of Psychology and Extragastrointestinal Symptoms on Health Care Use by Subjects With and Without Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 847-854.e1.	2.4	5
74	Colonoscopy findings in high-risk individuals compared to an average-risk control population. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 866-874.	0.6	4
75	Brief report: Contemplate your symptoms and re-evaluate your health. A study on working adults. <i>Journal of Health Psychology</i> , 2019, 24, 1562-1567.	1.3	4
76	Neutrophils, eosinophils, and intraepithelial lymphocytes in the squamous esophagus in subjects with and without gastroesophageal reflux symptoms. <i>Human Pathology</i> , 2021, 115, 112-122.	1.1	4
77	Transform: Implementing a Learning Healthcare System in Europe through Embedding Clinical Research into Clinical Practice. , 2015, , .		3
78	Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 649-652.	0.8	3
79	Properties of the Sickness Questionnaire in an Australian sample with chronic medically unexplained symptoms. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 3, 100059.	1.3	3
80	Response to Tursi. <i>American Journal of Gastroenterology</i> , 2019, 114, 1350-1351.	0.2	2
81	TRANSFoRm eHealth solution for quality of life monitoring. <i>AMIA Summits on Translational Science Proceedings</i> , 2016, 2016, 231-9.	0.4	2
82	Reply to: "A measure of alcohol consumption in late adolescence associated with liver disease after 39 years of follow-up is insufficient to guide alcohol safe limits". <i>Journal of Hepatology</i> , 2018, 69, 252-253.	1.8	1
83	Evaluating the construct validity and internal consistency of the Sickness Questionnaire in a Swedish sample of adults with longstanding pain. <i>Scandinavian Journal of Pain</i> , 2022, 22, 88-96.	0.5	1
84	Z-line alterations and gastroesophageal reflux: an endoscopic population-based prospective cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1065-1069.	0.6	0
85	Response to Zidar et al. <i>American Journal of Gastroenterology</i> , 2019, 114, 1348-1349.	0.2	0
86	Editorial: tobacco use in functional dyspepsia"another smoking gun? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 79-79.	1.9	0
87	Measuring the impact of gastrointestinal inconvenience and symptoms on perceived health in the general population " validation of the Short Health Scale for gastrointestinal symptoms (SHS-GI). <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1-8.	0.6	0
88	Limited evidence of moderation of the association between gastrointestinal symptoms and prospective healthcare utilisation by quality of life. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, , .	1.9	0