

Anna Nixon AndrÃ©asson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7278160/publications.pdf>

Version: 2024-02-01

88
papers

3,420
citations

147726

31
h-index

175177

52
g-index

95
all docs

95
docs citations

95
times ranked

4776
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Evaluating the construct validity and internal consistency of the Sickness Questionnaire in a Swedish sample of adults with longstanding pain. <i>Scandinavian Journal of Pain</i> , 2022, 22, 88-96. | 0.5 | 1 |
| 2 | Large-scale association analyses identify host factors influencing human gut microbiome composition. <i>Nature Genetics</i> , 2021, 53, 156-165. | 9.4 | 676 |
| 3 | Role of smoking in functional dyspepsia and irritable bowel syndrome: three random population-based studies. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 32-42. | 1.9 | 18 |
| 4 | Editorial: tobacco use in functional dyspepsia—another smoking gun? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 79-79. | 1.9 | 0 |
| 5 | Measuring the impact of gastrointestinal inconvenience and symptoms on perceived health in the general population—validation of the Short Health Scale for gastrointestinal symptoms (SHS-GI). <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1-8. | 0.6 | 0 |
| 6 | Neutrophils, eosinophils, and intraepithelial lymphocytes in the squamous esophagus in subjects with and without gastroesophageal reflux symptoms. <i>Human Pathology</i> , 2021, 115, 112-122. | 1.1 | 4 |
| 7 | An Increasing Incidence of Upper Gastrointestinal Disorders Over 23 Years: A Prospective Population-Based Study in Sweden. <i>American Journal of Gastroenterology</i> , 2021, 116, 210-213. | 0.2 | 11 |
| 8 | Limited evidence of moderation of the association between gastrointestinal symptoms and prospective healthcare utilisation by quality of life. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, . . | 1.9 | 0 |
| 9 | Poor sleep quality is associated with worse self-rated health in long sleep duration but not short sleep duration. <i>Sleep Medicine</i> , 2021, 88, 262-266. | 0.8 | 19 |
| 10 | Ileocolonic Histopathological and Microbial Alterations in the Irritable Bowel Syndrome: A Nested Community Case-Control Study. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00296. | 1.3 | 7 |
| 11 | GWAS of stool frequency provides insights into gastrointestinal motility and irritable bowel syndrome. <i>Cell Genomics</i> , 2021, 1, 100069. | 3.0 | 15 |
| 12 | Ability of Noninvasive Scoring Systems to Identify Individuals in the Population at Risk for Severe Liver Disease. <i>Gastroenterology</i> , 2020, 158, 200-214. | 0.6 | 121 |
| 13 | Fatigue and sleepiness responses to experimental inflammation and exploratory analysis of the effect of baseline inflammation in healthy humans. <i>Brain, Behavior, and Immunity</i> , 2020, 83, 309-314. | 2.0 | 32 |
| 14 | Effects of Psychology and Extragastrintestinal Symptoms on Health Care Use by Subjects With and Without Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 847-854.e1. | 2.4 | 5 |
| 15 | The role of low-grade inflammation in ME/CFS (Myalgic Encephalomyelitis/Chronic Fatigue Syndrome) - associations with symptoms. <i>Psychoneuroendocrinology</i> , 2020, 113, 104578. | 1.3 | 21 |
| 16 | Patients with ME/CFS (Myalgic Encephalomyelitis/Chronic Fatigue Syndrome) and chronic pain report similar level of sickness behavior as individuals injected with bacterial endotoxin at peak inflammation. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 2, 100028. | 1.3 | 11 |
| 17 | Gastric Microbiota in a Low-Helicobacter pylori Prevalence General Population and Their Associations With Gastric Lesions. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00191. | 1.3 | 29 |
| 18 | Presence of Fermentable Oligo-, Di-, Monosaccharides, and Polyols (FODMAPs) in commonly eaten foods: extension of a database to indicate dietary FODMAP content and calculation of intake in the general population from food diary data. <i>BMC Nutrition</i> , 2020, 6, 47. | 0.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Compositional and functional differences of the mucosal microbiota along the intestine of healthy individuals. <i>Scientific Reports</i> , 2020, 10, 14977. | 1.6 | 78 |
| 20 | High-Definition Chromoendoscopy Superior to High-Definition White-Light Endoscopy in Surveillance of Inflammatory Bowel Diseases in a Randomized Trial. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2101-2107. | 2.4 | 42 |
| 21 | No distinct microbiome signature of irritable bowel syndrome found in a Swedish random population. <i>Gut</i> , 2020, 69, 1076-1084. | 6.1 | 76 |
| 22 | Properties of the Sickness Questionnaire in an Australian sample with chronic medically unexplained symptoms. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 3, 100059. | 1.3 | 3 |
| 23 | Discriminant and convergent validity of the GSRS-IBS symptom severity measure for irritable bowel syndrome: A population study. <i>United European Gastroenterology Journal</i> , 2020, 8, 284-292. | 1.6 | 22 |
| 24 | The gut microbiota and mental health in adults. <i>Current Opinion in Neurobiology</i> , 2020, 62, 102-114. | 2.0 | 95 |
| 25 | Repeated FIB-4 measurements can help identify individuals at risk of severe liver disease. <i>Journal of Hepatology</i> , 2020, 73, 1023-1029. | 1.8 | 108 |
| 26 | Isolates from Colonic Spirochetosis in Humans Show High Genomic Divergence and Potential Pathogenic Features but Are Not Detected Using Standard Primers for the Human Microbiota. <i>Journal of Bacteriology</i> , 2019, 201, . | 1.0 | 12 |
| 27 | The prediction of colorectal cancer using anthropometric measures: A Swedish population-based cohort study with 22 years of follow-up. <i>United European Gastroenterology Journal</i> , 2019, 7, 1250-1260. | 1.6 | 23 |
| 28 | Z-line alterations and gastroesophageal reflux: an endoscopic population-based prospective cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1065-1069. | 0.6 | 0 |
| 29 | Genome-wide association analysis of diverticular disease points towards neuromuscular, connective tissue and epithelial pathomechanisms. <i>Gut</i> , 2019, 68, 854-865. | 6.1 | 84 |
| 30 | Cross-sectional associations between inflammation, sickness behaviour, health anxiety and self-rated health in a Swedish primary care population. <i>European Journal of Inflammation</i> , 2019, 17, 205873921984435. | 0.2 | 6 |
| 31 | Acceptance & Commitment Therapy for ME/CFS (Chronic Fatigue Syndrome) – A feasibility study. <i>Journal of Contextual Behavioral Science</i> , 2019, 12, 89-97. | 1.3 | 16 |
| 32 | The effect of a transient immune activation on subjective health perception in two placebo controlled randomised experiments. <i>PLoS ONE</i> , 2019, 14, e0212313. | 1.1 | 14 |
| 33 | Body mass index in early pregnancy and future risk of severe liver disease: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 789-796. | 1.9 | 5 |
| 34 | Diverticulosis, Symptoms and Colonic Inflammation: A Population-Based Colonoscopy Study. <i>American Journal of Gastroenterology</i> , 2019, 114, 500-510. | 0.2 | 26 |
| 35 | Response to Tursi. <i>American Journal of Gastroenterology</i> , 2019, 114, 1350-1351. | 0.2 | 2 |
| 36 | Response to Zidar et al. <i>American Journal of Gastroenterology</i> , 2019, 114, 1348-1349. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Gastrointestinal recall questionnaires compare poorly with prospective patient diaries for gastrointestinal symptoms: data from population and primary health centre samples. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 163-169. | 0.8 | 18 |
| 38 | The Gut Microbiota in Collagenous Colitis Shares Characteristics With Inflammatory Bowel Disease-Associated Dysbiosis. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00065. | 1.3 | 35 |
| 39 | Predictive Capacity for Mortality and Severe Liver Disease of the Relative Fat Mass Algorithm. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2619-2620. | 2.4 | 13 |
| 40 | Brief report: Contemplate your symptoms and re-evaluate your health. A study on working adults. <i>Journal of Health Psychology</i> , 2019, 24, 1562-1567. | 1.3 | 4 |
| 41 | Faecal microbiota composition associates with abdominal pain in the general population. <i>Gut</i> , 2018, 67, gutjnl-2017-314792. | 6.1 | 29 |
| 42 | Lifestyle Factors in Late Adolescence Associate With Later Development of Diverticular Disease Requiring Hospitalization. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1474-1480.e1. | 2.4 | 8 |
| 43 | Identifying clinically relevant sliding hiatal hernias: a population-based endoscopy study. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 657-660. | 0.6 | 11 |
| 44 | Reply to: "A measure of alcohol consumption in late adolescence associated with liver disease after 39 years of follow-up is insufficient to guide alcohol safe limits". <i>Journal of Hepatology</i> , 2018, 69, 252-253. | 1.8 | 1 |
| 45 | Alcohol consumption in late adolescence is associated with an increased risk of severe liver disease later in life. <i>Journal of Hepatology</i> , 2018, 68, 505-510. | 1.8 | 52 |
| 46 | Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018, 155, 168-179. | 0.6 | 55 |
| 47 | Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018, 67, 263-270. | 6.1 | 120 |
| 48 | A global measure of sickness behaviour: Development of the Sickness Questionnaire. <i>Journal of Health Psychology</i> , 2018, 23, 1452-1463. | 1.3 | 49 |
| 49 | Differential clustering of fecal and mucosa-associated microbiota in "healthy" individuals. <i>Journal of Digestive Diseases</i> , 2018, 19, 745-752. | 0.7 | 23 |
| 50 | Body composition measurements and risk of hematological malignancies: A population-based cohort study during 20 years of follow-up. <i>PLoS ONE</i> , 2018, 13, e0202651. | 1.1 | 11 |
| 51 | Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 649-652. | 0.8 | 3 |
| 52 | Dense genotyping of immune-related loci identifies HLA variants associated with increased risk of collagenous colitis. <i>Gut</i> , 2017, 66, 421-428. | 6.1 | 50 |
| 53 | A GWAS meta-analysis suggests roles for xenobiotic metabolism and ion channel activity in the biology of stool frequency. <i>Gut</i> , 2017, 66, 756-758. | 6.1 | 14 |
| 54 | <i>TRPM8</i> polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017, 66, 1725-1727. | 6.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Stool frequency is associated with gut microbiota composition. <i>Gut</i> , 2017, 66, 559-560. | 6.1 | 45 |
| 56 | HFpEF and HFrEF exhibit different phenotypes as assessed by leptin and adiponectin. <i>International Journal of Cardiology</i> , 2017, 228, 709-716. | 0.8 | 38 |
| 57 | Waist/Hip Ratio Better Predicts Development of Severe Liver Disease Within 20 Years Than Body Mass Index: A Population-based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1294-1301.e2. | 2.4 | 36 |
| 58 | miR-16 and miR-103 impact 5-HT4 receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017, 7, 14680. | 1.6 | 46 |
| 59 | The impact of exposure-based cognitive behavior therapy for severe health anxiety on self-rated health: Results from a randomized trial. <i>Journal of Psychosomatic Research</i> , 2017, 103, 9-14. | 1.2 | 9 |
| 60 | eSource for clinical trials: Implementation and evaluation of a standards-based approach in a real world trial. <i>International Journal of Medical Informatics</i> , 2017, 106, 17-24. | 1.6 | 24 |
| 61 | HFpEF and HFrEF Display Different Phenotypes as Assessed by IGF-1 and IGF1R. <i>Journal of Cardiac Failure</i> , 2017, 23, 293-303. | 0.7 | 25 |
| 62 | Associations between self-rated health, sickness behaviour and inflammatory markers in primary care patients with allergic asthma: a longitudinal study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 67. | 1.1 | 6 |
| 63 | Longitudinal co-variations between inflammatory cytokines, lung function and patient reported outcomes in patients with asthma. <i>PLoS ONE</i> , 2017, 12, e0185019. | 1.1 | 8 |
| 64 | Hill classification is superior to the axial length of a hiatal hernia for assessment of the mechanical anti-reflux barrier at the gastroesophageal junction. <i>Endoscopy International Open</i> , 2016, 04, E311-E317. | 0.9 | 44 |
| 65 | Low-grade inflammation may moderate the effect of behavioral treatment for chronic pain in adults. <i>Journal of Behavioral Medicine</i> , 2016, 39, 916-924. | 1.1 | 58 |
| 66 | Symptomatic Diverticulosis Is Characterized By Loose Stools. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1763-1770.e1. | 2.4 | 30 |
| 67 | Is poor self-rated health associated with low-grade inflammation in 43- to 110 late adolescent men of the general population? A cross-sectional study. <i>BMJ Open</i> , 2016, 6, e009440. | 0.8 | 34 |
| 68 | Overweight in late adolescence predicts development of severe liver disease later in life: A 39years follow-up study. <i>Journal of Hepatology</i> , 2016, 65, 363-368. | 1.8 | 68 |
| 69 | Towards a healthy stomach? <i>Helicobacter pylori</i> prevalence has dramatically decreased over 23 years in adults in a Swedish community. <i>United European Gastroenterology Journal</i> , 2016, 4, 686-696. | 1.6 | 33 |
| 70 | Feasibility and acceptability of TRANSFoRm to improve clinical trial recruitment in primary care. <i>Family Practice</i> , 2016, 33, 186-191. | 0.8 | 11 |
| 71 | Intrinsic functional connectivity of insular cortex and symptoms of sickness during acute experimental inflammation. <i>Brain, Behavior, and Immunity</i> , 2016, 56, 34-41. | 2.0 | 61 |
| 72 | TRANSFoRm eHealth solution for quality of life monitoring. <i>AMIA Summits on Translational Science Proceedings</i> , 2016, 2016, 231-9. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | How individuals with the irritable bowel syndrome describe their own symptoms before formal diagnosis. <i>Uppsala Journal of Medical Sciences</i> , 2015, 120, 276-279. | 0.4 | 9 |
| 74 | Transform: Implementing a Learning Healthcare System in Europe through Embedding Clinical Research into Clinical Practice. , 2015, , . | | 3 |
| 75 | Colonic spirochetosis is associated with colonic eosinophilia and irritable bowel syndrome in a general population in Sweden. <i>Human Pathology</i> , 2015, 46, 277-283. | 1.1 | 81 |
| 76 | Colonoscopy findings in high-risk individuals compared to an average-risk control population. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 866-874. | 0.6 | 4 |
| 77 | Exploring the genetics of irritable bowel syndrome: a GWA study in the general population and replication in multinational case-control cohorts. <i>Gut</i> , 2015, 64, 1774-1782. | 6.1 | 97 |
| 78 | A randomly selected population sample undergoing colonoscopy. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 268-275. | 0.8 | 42 |
| 79 | Genome-Wide Association Study Identifies Two Novel Genomic Regions in Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2014, 109, 770-772. | 0.2 | 23 |
| 80 | Inflammation and positive affect are associated with subjective health in women of the general population. <i>Journal of Health Psychology</i> , 2013, 18, 311-320. | 1.3 | 38 |
| 81 | Subjective health perception in healthy young men changes in response to experimentally restricted sleep and subsequent recovery sleep. <i>Brain, Behavior, and Immunity</i> , 2013, 34, 43-46. | 2.0 | 31 |
| 82 | Prevalence of colonic neoplasia and advanced lesions in the normal population: a prospective population-based colonoscopy study. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 184-190. | 0.6 | 36 |
| 83 | Leptin and adiponectin: Distribution and associations with cardiovascular risk factors in men and women of the general population. <i>American Journal of Human Biology</i> , 2012, 24, 595-601. | 0.8 | 36 |
| 84 | Association of TNFSF15 polymorphism with irritable bowel syndrome. <i>Gut</i> , 2011, 60, 1671-1677. | 6.1 | 109 |
| 85 | Prospective Diary Evaluation of Unexplained Abdominal Pain and Bowel Dysfunction: A Population-Based Colonoscopy Study. <i>Digestive Diseases and Sciences</i> , 2011, 56, 1444-1451. | 1.1 | 8 |
| 86 | Associations between leptin and self-rated health in men and women. <i>Gender Medicine</i> , 2010, 7, 261-269. | 1.4 | 7 |
| 87 | Inflammatory cytokines, behaviour and age as determinants of self-rated health in women. <i>Clinical Science</i> , 2007, 112, 363-373. | 1.8 | 78 |
| 88 | A putative role for cytokines in the impaired appetite in depression. <i>Brain, Behavior, and Immunity</i> , 2007, 21, 147-152. | 2.0 | 90 |