

Yoshiki Horikawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7278285/publications.pdf>

Version: 2024-02-01

34
papers

586
citations

623734

14
h-index

610901

24
g-index

35
all docs

35
docs citations

35
times ranked

712
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of Lignin Contents from Infrared Spectroscopy: Chemical Digestion and Lignin/Biomass Ratios of <i>Cryptomeria japonica</i> . <i>Applied Biochemistry and Biotechnology</i> , 2019, 188, 1066-1076.	2.9	100
2	Visualization of cellulase interactions with cellulose microfibril by transmission electron microscopy. <i>Cellulose</i> , 2017, 24, 1-9.	4.9	80
3	Accessibility and size of <i>Valonia</i> cellulose microfibril studied by combined deuteration/rehydrogenation and FTIR technique. <i>Cellulose</i> , 2008, 15, 419-424.	4.9	46
4	Near-infrared spectroscopy as a potential method for identification of anatomically similar Japanese diploxyloids. <i>Journal of Wood Science</i> , 2015, 61, 251-261.	1.9	31
5	Preferential Uniplanar Orientation of Cellulose Microfibrils Reinvestigated by the FTIR Technique. <i>Cellulose</i> , 2006, 13, 309-316.	4.9	30
6	The structural changes in crystalline cellulose and effects on enzymatic digestibility. <i>Polymer Degradation and Stability</i> , 2013, 98, 2351-2356.	5.8	29
7	Near-Infrared Chemometric Approach to Exhaustive Analysis of Rice Straw Pretreated for Bioethanol Conversion. <i>Applied Biochemistry and Biotechnology</i> , 2011, 164, 194-203.	2.9	21
8	Influence of drying of chara cellulose on length/length distribution of microfibrils after acid hydrolysis. <i>International Journal of Biological Macromolecules</i> , 2018, 109, 569-575.	7.5	21
9	Changes in the degree of polymerization of wood celluloses during dilute acid hydrolysis and TEMPO-mediated oxidation: Formation mechanism of disordered regions along each cellulose microfibril. <i>International Journal of Biological Macromolecules</i> , 2018, 109, 914-920.	7.5	21
10	The crystalline phase of cellulose changes under developmental control in a marine chordate. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 1623-1631.	5.4	19
11	Transport Properties of Commercial Cellulose Nanocrystals in Aqueous Suspension Prepared from Chemical Pulp via Sulfuric Acid Hydrolysis. <i>ACS Omega</i> , 2018, 3, 13944-13951.	3.5	17
12	Cellulose β investigated by IR-spectroscopy at low temperatures. <i>Cellulose</i> , 2014, 21, 3171-3179.	4.9	16
13	Assessment of cellulose structural variety from different origins using near infrared spectroscopy. <i>Cellulose</i> , 2017, 24, 5313-5325.	4.9	16
14	Chemometric Analysis with Near-Infrared Spectroscopy for Chemically Pretreated <i>Erianthus</i> toward Efficient Bioethanol Production. <i>Applied Biochemistry and Biotechnology</i> , 2012, 166, 711-721.	2.9	15
15	Reconsideration of the conformation of methyl cellulose and hydroxypropyl methyl cellulose ethers in aqueous solution. <i>RSC Advances</i> , 2020, 10, 19059-19066.	3.6	15
16	Terahertz time-domain spectroscopy as a novel tool for crystallographic analysis in cellulose. <i>Cellulose</i> , 2020, 27, 9767-9777.	4.9	14
17	Cellulose Nanocrystals as a Model Substance for Rigid Rod Particle Suspension Rheology. <i>Macromolecules</i> , 2020, 53, 2677-2685.	4.8	14
18	Development of colorless wood via two-step delignification involving alcoholysis and bleaching with maintaining natural hierarchical structure. <i>Journal of Wood Science</i> , 2020, 66, .	1.9	14

#	ARTICLE	IF	CITATIONS
19	Assessment of endoglucanase activity by analyzing the degree of cellulose polymerization and high-throughput analysis by near-infrared spectroscopy. <i>Cellulose</i> , 2016, 23, 1565-1572.	4.9	8
20	Linear and branched structures present in high-molar-mass fractions in holocelluloses prepared from chara, haircap moss, adiantum, ginkgo, Japanese cedar, and eucalyptus. <i>Cellulose</i> , 2021, 28, 3935-3949.	4.9	8
21	Improving the macroscopic uniformity of nanopaper by multi-step coating of cellulose nanofibre dispersion. <i>Micro and Nano Letters</i> , 2017, 12, 516-519.	1.3	7
22	Effects of orientation and degree of polymerization on tensile properties in the cellulose sheets using hierarchical structure of wood. <i>Cellulose</i> , 2022, 29, 2885-2898.	4.9	7
23	Creation and structural evaluation of the three-dimensional cellulosic material "White-Colored Bamboo". <i>Holzforchung</i> , 2021, 75, 180-186.	1.9	7
24	Artificially lignified cell wall catalyzed by peroxidase selectively localized on a network of microfibrils from cultured cells. <i>Planta</i> , 2020, 251, 104.	3.2	6
25	Line monitoring by near-infrared chemometric technique for potential ethanol production from hydrothermally treated <i>Eucalyptus globulus</i> . <i>Biochemical Engineering Journal</i> , 2015, 97, 65-72.	3.6	5
26	Crystal Orientation of Poly(L-Lactic Acid) Induced by Magnetic Alignment of a Nucleating Agent. <i>Polymers</i> , 2018, 10, 653.	4.5	5
27	Structural changes in sugarcane bagasse cellulose caused by enzymatic hydrolysis. <i>Journal of Wood Science</i> , 2020, 66, .	1.9	5
28	Polymerization and Characterization of a Bio-Based Vinyl Polymer Based on 5-Hydroxymethylfurfural Including a Benzoyl Group as a Side Chain. <i>Journal of Fiber Science and Technology</i> , 2017, 73, 270-275.	0.4	4
29	A combination of scanning electron microscopy and broad argon ion beam milling provides intact structure of secondary tissues in woody plants. <i>Scientific Reports</i> , 2022, 12, .	3.3	3
30	Viscoelastic Behavior of Cellulose Nano-Fiber Suspension Possessing Effectively Controlled Inter-Particle Interactions. <i>Nihon Reoroji Gakkaishi</i> , 2021, 49, 179-187.	1.0	2
31	X-ray diffraction and Fourier transform infrared spectroscopic analyses of wood blocks decayed by wood rotting fungi classified into Polyporales. <i>MOKUZAI HOZON (Wood Protection)</i> , 2019, 45, 268-279.	0.0	0
32	Development of "Colorless Wood Block" and Its Natural Hierarchical Structure. <i>Kami Pa Gikyoshi/Japan Tappi Journal</i> , 2020, 74, 1071-1075.	0.1	0
33	Morphology and color change of pulp fiber sheet in seawater and soil. <i>BioResources</i> , 2021, 16, 6943-6953.	1.0	0
34	Iron-reducing capacity of wood decayed by wood rotting basidiomycetes. <i>MOKUZAI HOZON (Wood)</i> 1071-1075	0.0	0