

Davide De Caro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7278311/publications.pdf>

Version: 2024-02-01

78
papers

1,908
citations

279798

23
h-index

276875

41
g-index

79
all docs

79
docs citations

79
times ranked

1016
citing authors

#	ARTICLE	IF	CITATIONS
1	Approximate Multipliers Based on New Approximate Compressors. IEEE Transactions on Circuits and Systems I: Regular Papers, 2018, 65, 4169-4182.	5.4	171
2	Comparison and Extension of Approximate 4-2 Compressors for Low-Power Approximate Multipliers. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 3021-3034.	5.4	141
3	A 1.27 GHz, All-Digital Spread Spectrum Clock Generator/Synthesizer in 65 nm CMOS. IEEE Journal of Solid-State Circuits, 2010, 45, 1048-1060.	5.4	128
4	Truncated Binary Multipliers With Variable Correction and Minimum Mean Square Error. IEEE Transactions on Circuits and Systems I: Regular Papers, 2010, 57, 1312-1325.	5.4	96
5	A novel high-speed sense-amplifier-based flip-flop. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2005, 13, 1266-1274.	3.1	71
6	High-performance direct digital frequency synthesizers using piecewise-polynomial approximation. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 2005, 52, 324-337.	0.1	67
7	Dual-tree error compensation for high performance fixed-width multipliers. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2005, 52, 501-507.	2.2	62
8	Design of Fixed-Width Multipliers With Linear Compensation Function. IEEE Transactions on Circuits and Systems I: Regular Papers, 2011, 58, 947-960.	5.4	57
9	Direct Digital Frequency Synthesizers With Polynomial Hyperfolding Technique. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2004, 51, 337-344.	2.2	48
10	Elementary Functions Hardware Implementation Using Constrained Piecewise-Polynomial Approximations. IEEE Transactions on Computers, 2011, 60, 418-432.	3.4	47
11	Variable Latency Speculative Parallel Prefix Adders for Unsigned and Signed Operands. IEEE Transactions on Circuits and Systems I: Regular Papers, 2016, 63, 1200-1209.	5.4	47
12	Efficient Logarithmic Converters for Digital Signal Processing Applications. IEEE Transactions on Circuits and Systems II: Express Briefs, 2011, 58, 667-671.	3.0	44
13	Fixed-Width Multipliers and Multipliers-Accumulators With Min-Max Approximation Error. IEEE Transactions on Circuits and Systems I: Regular Papers, 2013, 60, 2375-2388.	5.4	44
14	A 630 MHz, 76 mW Direct Digital Frequency Synthesizer Using Enhanced ROM Compression Technique. IEEE Journal of Solid-State Circuits, 2007, 42, 350-360.	5.4	43
15	High Speed Speculative Multipliers Based on Speculative Carry-Save Tree. IEEE Transactions on Circuits and Systems I: Regular Papers, 2014, 61, 3426-3435.	5.4	42
16	A 380 MHz Direct Digital Synthesizer/Mixer With Hybrid CORDIC Architecture in 0.25 μm CMOS. IEEE Journal of Solid-State Circuits, 2007, 42, 151-160.	5.4	40
17	Reducing Lookup-Table Size in Direct Digital Frequency Synthesizers Using Optimized Multipartite Table Method. IEEE Transactions on Circuits and Systems I: Regular Papers, 2008, 55, 2116-2127.	5.4	40
18	High-Performance Special Function Unit for Programmable 3-D Graphics Processors. IEEE Transactions on Circuits and Systems I: Regular Papers, 2009, 56, 1968-1978.	5.4	40

#	ARTICLE	IF	CITATIONS
19	Booth folding encoding for high performance squarer circuits. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2003, 50, 250-254.	2.2	38
20	Variable Latency Speculative Han-Carlson Adder. IEEE Transactions on Circuits and Systems I: Regular Papers, 2015, 62, 1353-1361.	5.4	37
21	Low power flip-flop with clock gating on master and slave latches. Electronics Letters, 2000, 36, 294.	1.0	36
22	High-performance direct digital frequency synthesizers in 0.25 μm CMOS using dual-slope approximation. IEEE Journal of Solid-State Circuits, 2005, 40, 2220-2227.	5.4	34
23	Glitch-Free NAND-Based Digitally Controlled Delay-Lines. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2013, 21, 55-66.	3.1	29
24	Direct Digital Frequency Synthesizer Using Nonuniform Piecewise-Linear Approximation. IEEE Transactions on Circuits and Systems I: Regular Papers, 2011, 58, 2409-2419.	5.4	25
25	Minimizing Coefficients Wordlength for Piecewise-Polynomial Hardware Function Evaluation With Exact or Faithful Rounding. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 1187-1200.	5.4	25
26	Parallel squarer using Booth-folding technique. Electronics Letters, 2001, 37, 346.	1.0	23
27	A 2.5-GHz DDFS-PLL With 1.8-MHz Bandwidth in 0.35- μm CMOS. IEEE Journal of Solid-State Circuits, 2008, 43, 1403-1413.	5.4	21
28	Accurate Fixed-Point Logarithmic Converter. IEEE Transactions on Circuits and Systems II: Express Briefs, 2014, 61, 526-530.	3.0	20
29	A Novel Architecture for Galois Fields $GF(2^m)$ Multipliers Based on Mastrovito Scheme. IEEE Transactions on Computers, 2007, 56, 1470-1483.	3.4	19
30	On the use of approximate adders in carry-save multiplier-accumulators. , 2017, , .		19
31	Approximate Multipliers Using Static Segmentation: Error Analysis and Improvements. IEEE Transactions on Circuits and Systems I: Regular Papers, 2022, 69, 2449-2462.	5.4	19
32	A 430 MHz, 280 mW Processor for the Conversion of Cartesian to Polar Coordinates in 0.25 μm CMOS. IEEE Journal of Solid-State Circuits, 2008, 43, 2503-2513.	5.4	18
33	An FDD Wireless Diversity Receiver With Transmitter Leakage Cancellation in Transmit and Receive Bands. IEEE Journal of Solid-State Circuits, 2018, 53, 1945-1959.	5.4	18
34	A Standard-Cell-Based All-Digital PWM Modulator With High Resolution and Spread-Spectrum Capability. IEEE Transactions on Circuits and Systems I: Regular Papers, 2018, 65, 3885-3896.	5.4	18
35	Digital Synthesizer/Mixer With Hybrid CORDIC Multiplier Architecture: Error Analysis and Optimization. IEEE Transactions on Circuits and Systems I: Regular Papers, 2009, 56, 364-373.	5.4	17
36	Low-power flip-flops with reliable clock gating. Microelectronics Journal, 2001, 32, 21-28.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Low-Power Approximate Multiplier with Error Recovery using a New Approximate 4-2 Compressor. , 2020, , .		16
38	A novel truncated squarer with linear compensation function. , 2010, , .		15
39	A 3.3 GHz Spread-Spectrum Clock Generator Supporting Discontinuous Frequency Modulations in 28 nm CMOS. IEEE Journal of Solid-State Circuits, 2015, 50, 2074-2089.	5.4	15
40	Approximate adder with output correction for error tolerant applications and Gaussian distributed inputs. , 2016, , .		15
41	Optimal Discontinuous Frequency Modulation for Spread-Spectrum Clocking. IEEE Transactions on Electromagnetic Compatibility, 2013, 55, 891-900.	2.2	14
42	Analysis and comparison of Direct Digital Frequency Synthesizers implemented on FPGA. The Integration VLSI Journal, 2014, 47, 261-271.	2.1	13
43	Design of fixed-width multipliers with minimum mean square error. , 2007, , .		11
44	Hardware implementation of a spatio-temporal average filter for real-time denoising of fluoroscopic images. The Integration VLSI Journal, 2015, 49, 114-124.	2.1	11
45	A 41ps ASIC time-to-digital converter for physics experiments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 659, 422-427.	1.6	10
46	Truncated squarer with minimum mean-square error. Microelectronics Journal, 2014, 45, 799-804.	2.0	10
47	An FPGA-Oriented Algorithm for Real-Time Filtering of Poisson Noise in Video Streams, with Application to X-Ray Fluoroscopy. Circuits, Systems, and Signal Processing, 2019, 38, 3269-3294.	2.0	10
48	ROM-less direct digital frequency synthesizers exploiting polynomial approximation. , 0, , .		9
49	On the Use of Approximate Multipliers in LMS Adaptive Filters. , 2018, , .		9
50	Efficient implementation of pseudochaotic piecewise linear maps with high digitization accuracies. International Journal of Circuit Theory and Applications, 2012, 40, 1-14.	2.0	8
51	FPGA Implementation of Gaussian Mixture Model Algorithm for 47â€œfps Segmentation of 1080p Video. Journal of Electrical and Computer Engineering, 2013, 2013, 1-8.	0.9	8
52	Direct digital frequency synthesis with dual-slope approach. , 0, , .		7
53	Low-Power Hardware Implementation of Least-Mean-Square Adaptive Filters Using Approximate Arithmetic. Circuits, Systems, and Signal Processing, 2019, 38, 5606-5622.	2.0	7
54	Variable latency speculative Han-Carlson adders topologies. , 2015, , .		6

#	ARTICLE	IF	CITATIONS
55	Quality-Scalable Approximate LMS Filter. , 2018, , .		6
56	A Novel Module-Sign Low-Power Implementation for the DLMS Adaptive Filter With Low Steady-State Error. IEEE Transactions on Circuits and Systems I: Regular Papers, 2022, 69, 297-308.	5.4	6
57	Direct digital frequency synthesizers exploiting piecewise linear Chebyshev approximation. Microelectronics Journal, 2003, 34, 1099-1106.	2.0	5
58	A high performance floating-point special function unit using constrained piecewise quadratic approximation. , 2008, , .		5
59	NORA based TDC in 90nm CMOS. Microelectronics Journal, 2013, 44, 489-495.	2.0	4
60	An Efficient Digital Background Control for Hybrid Transformer-Based Receivers. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 3068-3080.	5.4	4
61	A 1.45 GHz All-Digital Spread Spectrum Clock Generator in 65nm CMOS for Synchronization-Free SoC Applications. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 3839-3852.	5.4	4
62	A high-speed sense-amplifier based flip-flop. , 0, , .		3
63	Single Flip-Flop Driving Circuit for Glitch-Free NAND-Based Digitally Controlled Delay-Lines. Circuits, Systems, and Signal Processing, 2017, 36, 1341-1360.	2.0	3
64	Constrained piecewise polynomial approximation for hardware implementation of elementary functions. , 2008, , .		2
65	Design of Low-Power Approximate LMS Filters with Precision-Scalability. Lecture Notes in Electrical Engineering, 2019, , 237-243.	0.4	2
66	High-speed differential resistor ladder for A/D converters. , 2010, , .		1
67	A high-speed differential resistor ladder. Microelectronics Journal, 2012, 43, 433-438.	2.0	1
68	A SISO Register Circuit Tailored for Input Data with Low Transition Probability. IEEE Transactions on Computers, 2017, 66, 45-51.	3.4	1
69	Single Bit Filtering Circuit Implemented in a System for the Generation of Colored Noise. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 1040-1050.	5.4	1
70	Stall-Aware Fixed-Point Implementation of LMS Filters. , 2018, , .		1
71	Variable-Rounded LMS Filter for Low-Power Applications. Lecture Notes in Electrical Engineering, 2020, , 155-161.	0.4	1
72	Low-power Implementation of LMS Adaptive Filters Using Scalable Rounding. , 2020, , .		1

#	ARTICLE	IF	CITATIONS
73	A Novel Low-Power High-Precision Implementation for Sign-Magnitude DLMS Adaptive Filters. Electronics (Switzerland), 2022, 11, 1007.	3.1	1
74	Shuffled serial adder: an area-latency effective serial adder. , 0, , .		0
75	High Speed Galois Fields $GF(2^k)$ Multipliers. , 2007, , .		0
76	An Experimental Power-Lines Model for Digital ASICs Based on Transmission Lines. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2012, 20, 162-166.	3.1	0
77	A Binary Line Buffer Circuit Featuring Lossy Data Compression at Fixed Maximum Data Rate. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 121-134.	5.4	0
78	A novel low-power DLMS adaptive filter with sign-magnitude learning and approximated FIR section. , 2022, , .		0