

# Tao Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7278425/publications.pdf>

Version: 2024-02-01

78  
papers

16,869  
citations

23544

58  
h-index

69214

77  
g-index

81  
all docs

81  
docs citations

81  
times ranked

12306  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Nonaqueous Mg Flow Battery with a Polymer Catholyte. ACS Applied Energy Materials, 2022, 5, 2675-2678.   | 2.5  | 6         |
| 2  | Mitigating irreversible capacity loss for higher-energy lithium batteries. Energy Storage Materials, 2022, 48, 44-73.  | 9.5  | 25        |
| 3  | Acid-Clay Electrolyte for Wide-Temperature-Range and Long-Cycle Proton Batteries. Advanced Materials, 2022, 34, e2202063.  | 11.1 | 16        |
| 4  | Aqueous Electrolytes Reinforced by Mg and Ca Ions for Highly Reversible Fe Metal Batteries. ACS Central Science, 2022, 8, 729-740.   | 5.3  | 7         |
| 5  | Self-Healable, Highly Stretchable, Ionic Conducting Polymers as Efficient Protecting Layers for Stable Lithium-Metal Electrodes. ACS Applied Materials & Interfaces, 2022, 14, 26014-26023.    | 4.0  | 23        |
| 6  | Enhancing Li-Ion Transport in Solid Electrolytes by Confined Water. Small, 2022, 18, .   | 5.2  | 2         |
| 7  | Enhancing the Charging Performance of Lithium-Ion Batteries by Reducing SEI and Charge Transfer Resistances. ACS Applied Materials & Interfaces, 2022, 14, 33004-33012.                        | 4.0  | 12        |
| 8  | Interplay of Lithium Intercalation and Plating on a Single Graphite Particle. Joule, 2021, 5, 393-414.   | 11.7 | 168       |
| 9  | The Mechanism of Li Plating on Graphite Particles. ECS Meeting Abstracts, 2021, MA2021-01, 159-159.  | 0.0  | 0         |
| 10 | End-of-life or second-life options for retired electric vehicle batteries. Cell Reports Physical Science, 2021, 2, 100537.   | 2.8  | 77        |
| 11 | Lithium Deposition on Graphite and Silicon: Mechanism, Morphology and Reversibility. ECS Meeting Abstracts, 2021, MA2021-02, 378-378.  | 0.0  | 0         |
| 12 | Operando probing ion and electron transport in porous electrodes. Nano Energy, 2020, 67, 104254.   | 8.2  | 13        |
| 13 | Small-scale desalination of seawater by shock electrodialysis. Desalination, 2020, 476, 114219.  | 4.0  | 52        |
| 14 | A chemically stabilized sulfur cathode for lean electrolyte lithium sulfur batteries. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 14712-14720. | 3.3  | 102       |
| 15 | Spatial dynamics of lithiation and lithium plating during high-rate operation of graphite electrodes. Energy and Environmental Science, 2020, 13, 2570-2584.                                   | 15.6 | 124       |
| 16 | A scaling law to determine phase morphologies during ion intercalation. Energy and Environmental Science, 2020, 13, 2142-2152.   | 15.6 | 43        |
| 17 | Modeling the Metal-Insulator Phase Transition in $\text{Li}_x\text{CoO}_2$ for Energy and Information Storage. Advanced Functional Materials, 2019, 29, 1902821.                               | 7.8  | 40        |
| 18 | High-Energy-Density Rechargeable Mg Battery Enabled by a Displacement Reaction. Nano Letters, 2019, 19, 6665-6672.   | 4.5  | 59        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17820-17826.   | 7.2  | 173       |
| 20 | A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17984-17990.  | 1.6  | 19        |
| 21 | Active control of viscous fingering using electric fields. <i>Nature Communications</i> , 2019, 10, 4002.   | 5.8  | 40        |
| 22 | Tuning Anionic Chemistry To Improve Kinetics of Mg Intercalation. <i>Chemistry of Materials</i> , 2019, 31, 3183-3191.  | 3.2  | 91        |
| 23 | Continuous Separation of Radionuclides from Contaminated Water by Shock Electrodialysis. <i>Environmental Science &amp; Technology</i> , 2019, 54, 527-536.                                       | 4.6  | 39        |
| 24 | Interphase Engineering Enabled All-Ceramic Lithium Battery. <i>Joule</i> , 2018, 2, 497-508.  | 11.7 | 378       |
| 25 | Highly reversible zinc metal anode for aqueous batteries. <i>Nature Materials</i> , 2018, 17, 543-549.  | 13.3 | 2,080     |
| 26 | Existence of Solid Electrolyte Interphase in Mg Batteries: Mg/S Chemistry as an Example. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 14767-14776.                                   | 4.0  | 99        |
| 27 | Flexible ReS <sub>2</sub> nanosheets/N-doped carbon nanofibers-based paper as a universal anode for alkali (Li, Na). <i>TJ ETQq1</i> 1,0784314, 288 BT / C  | 8.2  | 288       |
| 28 | A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7264-7268.   | 1.6  | 51        |
| 29 | A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7146-7150.  | 7.2  | 177       |
| 30 | An artificial interphase enables reversible magnesium chemistry in carbonate electrolytes. <i>Nature Chemistry</i> , 2018, 10, 532-539.   | 6.6  | 347       |
| 31 | Intercalation of Bi nanoparticles into graphite results in an ultra-fast and ultra-stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 1218-1225. | 15.6 | 212       |
| 32 | Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , 2018, 2, 927-937.  | 11.7 | 303       |
| 33 | Reducing Mg Anode Overpotential via Ion Conductive Surface Layer Formation by Iodine Additive. <i>Advanced Energy Materials</i> , 2018, 8, 1701728.   | 10.2 | 107       |
| 34 | Thermodynamics and Kinetics of Sulfur Cathode during Discharge in MgTFSI <sub>2</sub> -DME Electrolyte. <i>Advanced Materials</i> , 2018, 30, 1704313.  | 11.1 | 122       |
| 35 | A critical review of cathodes for rechargeable Mg batteries. <i>Chemical Society Reviews</i> , 2018, 47, 8804-8841.   | 18.7 | 420       |
| 36 | A rechargeable aqueous Zn <sup>2+</sup> -battery with high power density and a long cycle-life. <i>Energy and Environmental Science</i> , 2018, 11, 3168-3175.                                    | 15.6 | 258       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11978-11981.  | 7.2  | 123       |
| 38 | How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie</i> , 2018, 130, 12154-12157.   | 1.6  | 17        |
| 39 | High energy-density and reversibility of iron fluoride cathode enabled via an intercalation-extrusion reaction. <i>Nature Communications</i> , 2018, 9, 2324.   | 5.8  | 136       |
| 40 | High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , 2017, 8, 14083.  | 5.8  | 251       |
| 41 | Superior reversible tin phosphide-carbon spheres for sodium ion battery anode. <i>Nano Energy</i> , 2017, 38, 350-357.  | 8.2  | 122       |
| 42 | Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6197-6202.                         | 3.3  | 151       |
| 43 | Electrochemical Techniques for Intercalation Electrode Materials in Rechargeable Batteries. <i>Accounts of Chemical Research</i> , 2017, 50, 1022-1031.   | 7.6  | 105       |
| 44 | Spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ Cathode for High-Energy Aqueous Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1600922.   | 10.2 | 103       |
| 45 | High-Voltage Aqueous Magnesium Ion Batteries. <i>ACS Central Science</i> , 2017, 3, 1121-1128.  | 5.3  | 256       |
| 46 | Self-Healing Chemistry between Organic Material and Binder for Stable Sodium-Ion Batteries. <i>Chem</i> , 2017, 3, 1050-1062.   | 5.8  | 99        |
| 47 | Flexible Aqueous Li-Ion Battery with High Energy and Power Densities. <i>Advanced Materials</i> , 2017, 29, 1701972.  | 11.1 | 175       |
| 48 | Reversible $\text{S}^0/\text{MgS}$ Redox Chemistry in a $\text{MgTFSI}_2/\text{MgCl}_2/\text{DME}$ Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13526-13530. | 7.2  | 149       |
| 49 | Reversible $\text{S}^0/\text{MgS}$ Redox Chemistry in a $\text{MgTFSI}_2/\text{MgCl}_2/\text{DME}$ Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie</i> , 2017, 129, 13711-13715.                        | 1.6  | 58        |
| 50 | Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. <i>ACS Nano</i> , 2017, 11, 9048-9056.   | 7.3  | 73        |
| 51 | Water-in-Salt electrolyte enabled $\text{LiMn}_2\text{O}_4/\text{TiS}_2$ Lithium-ion batteries. <i>Electrochemistry Communications</i> , 2017, 82, 71-74.   | 2.3  | 99        |
| 52 | How Solid-Electrolyte Interphase Forms in Aqueous Electrolytes. <i>Journal of the American Chemical Society</i> , 2017, 139, 18670-18680.   | 6.6  | 365       |
| 53 | $\text{Zn}/\text{MnO}_2$ Battery Chemistry With $\text{H}^+$ and $\text{Zn}^{2+}$ Coinsertion. <i>Journal of the American Chemical Society</i> , 2017, 139, 9775-9778.  | 6.6  | 1,375     |
| 54 | Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by Water-in-Salt Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 7252-7257.  | 1.6  | 459       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Pomegranate-Structured Conversion-Reaction Cathode with a Built-in Li Source for High-Energy Li-Ion Batteries. ACS Nano, 2016, 10, 5567-5577.                              | 7.3  | 88        |
| 56 | Tailoring Surface Acidity of Metal Oxide for Better Polysulfide Entrapment in Li-S Batteries. Advanced Functional Materials, 2016, 26, 7164-7169.                          | 7.8  | 95        |
| 57 | A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. Angewandte Chemie, 2016, 128, 10052-10055.   | 1.6  | 64        |
| 58 | A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. Angewandte Chemie - International Edition, 2016, 55, 9898-9901.  | 7.2  | 215       |
| 59 | Stabilizing high sulfur loading Li-S batteries by chemisorption of polysulfide on three-dimensional current collector. Nano Energy, 2016, 30, 700-708.                     | 8.2  | 90        |
| 60 | Stabilizing high voltage LiCoO <sub>2</sub> cathode in aqueous electrolyte with interphase-forming additive. Energy and Environmental Science, 2016, 9, 3666-3673.         | 15.6 | 190       |
| 61 | Activation of Oxygen-Stabilized Sulfur for Li and Na Batteries. Advanced Functional Materials, 2016, 26, 745-752.  | 7.8  | 80        |
| 62 | Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by a Water-in-Bisalt-Electrolyte. Angewandte Chemie - International Edition, 2016, 55, 7136-7141.                | 7.2  | 571       |
| 63 | High-Performance All-Solid-State Lithium-Sulfur Battery Enabled by a Mixed-Conductive Li <sub>2</sub> S Nanocomposite. Nano Letters, 2016, 16, 4521-4527.                  | 4.5  | 333       |
| 64 | In situ lithiated FeF <sub>3</sub> /C nanocomposite as high energy conversion-reaction cathode for lithium-ion batteries. Journal of Power Sources, 2016, 307, 435-442.    | 4.0  | 64        |
| 65 | Electrospun FeS <sub>2</sub> @Carbon Fiber Electrode as a High Energy Density Cathode for Rechargeable Lithium Batteries. ACS Nano, 2016, 10, 1529-1538.                   | 7.3  | 199       |
| 66 | Superior Stable Self-Healing SnP <sub>3</sub> Anode for Sodium-Ion Batteries. Advanced Energy Materials, 2015, 5, 1500174.   | 10.2 | 197       |
| 67 | Solid-State Fabrication of SnS <sub>2</sub> /C Nanospheres for High-Performance Sodium Ion Battery Anode. ACS Applied Materials & Interfaces, 2015, 7, 11476-11481.        | 4.0  | 176       |
| 68 | Sodium-Ion Batteries: An Advanced MoS <sub>2</sub> /Carbon Anode for High-Performance Sodium-Ion Batteries (Small 4/2015). Small, 2015, 11, 472-472.                       | 5.2  | 11        |
| 69 | Red Phosphorus-Single-Walled Carbon Nanotube Composite as a Superior Anode for Sodium Ion Batteries. ACS Nano, 2015, 9, 3254-3264.   | 7.3  | 359       |
| 70 | Carbon cage encapsulating nano-cluster Li <sub>2</sub> S by ionic liquid polymerization and pyrolysis for high performance Li-S batteries. Nano Energy, 2015, 13, 467-473. | 8.2  | 76        |
| 71 | A Battery Made from a Single Material. Advanced Materials, 2015, 27, 3473-3483.  | 11.1 | 291       |
| 72 | Ether-based electrolyte enabled Na/FeS <sub>2</sub> rechargeable batteries. Electrochemistry Communications, 2015, 54, 18-22.  | 2.3  | 121       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Scalable synthesis of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C porous hollow spheres as a cathode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10378-10385. | 5.2  | 109       |
| 74 | Enhancing the Reversibility of Mg/S Battery Chemistry through Li <sup>+</sup> Mediation. <i>Journal of the American Chemical Society</i> , 2015, 137, 12388-12393.   | 6.6  | 225       |
| 75 | “Water-in-salt” electrolyte enables high-voltage aqueous lithium-ion chemistries. <i>Science</i> , 2015, 350, 938-943.   | 6.0  | 2,553     |
| 76 | Hybrid Mg <sup>2+</sup> /Li <sup>+</sup> Battery with Long Cycle Life and High Rate Capability. <i>Advanced Energy Materials</i> , 2015, 5, 1401507.   | 10.2 | 155       |
| 77 | An Advanced MoS <sub>2</sub> /Carbon Anode for High-Performance Sodium-Ion Batteries. <i>Small</i> , 2015, 11, 473-481.  | 5.2  | 390       |
| 78 | Graphene oxide wrapped croconic acid disodium salt for sodium ion battery electrodes. <i>Journal of Power Sources</i> , 2014, 250, 372-378.  | 4.0  | 134       |