

Loc Vu-Quoc

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/727992/loc-vu-quoc-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

4,407
citations

29
h-index

66
g-index

84
ext. papers

4,838
ext. citations

3.4
avg. IF

5.39
L-index

#	Paper	IF	Citations
80	A co-rotational triangular finite element for large deformation analysis of smooth, folded and multi-shells. <i>Acta Mechanica</i> , 2021 , 232, 1515-1542	2.1	4
79	General sliding-beam formulation: A non-material description for analysis of sliding structures and axially moving beams. <i>Journal of Sound and Vibration</i> , 2020 , 480, 115341	3.9	8
78	A generalized Characteristic-Based Split projection method for Navier-Stokes with real fluids. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 124, 1045-1058	4.9	5
77	A nine-node corotational curved quadrilateral shell element for smooth, folded, and multishell structures. <i>International Journal for Numerical Methods in Engineering</i> , 2018 , 116, 570-600	2.4	10
76	On the numerical modeling of sliding beams: A comparison of different approaches. <i>Journal of Sound and Vibration</i> , 2017 , 408, 270-290	3.9	15
75	A 4-Node Co-Rotational Quadrilateral Composite Shell Element. <i>International Journal of Structural Stability and Dynamics</i> , 2016 , 16, 1550053	1.9	3
74	A 6-node co-rotational triangular elasto-plastic shell element. <i>Computational Mechanics</i> , 2015 , 55, 837-859	4.1	7
73	A four-node corotational quadrilateral elastoplastic shell element using vectorial rotational variables. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 181-211	2.4	13
72	Efficient Hybrid-EAS solid element for accurate stress prediction in thick laminated beams, plates, and shells. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2013 , 253, 337-355	5.7	38
71	A stabilized co-rotational curved quadrilateral composite shell element. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 975-999	2.4	11
70	Multiple-time-scale analysis of nonlinear modes in ferroelectric LiNbO3. <i>Physical Review B</i> , 2010 , 81,	3.3	18
69	On the vein-stiffening membrane structure of a dragonfly hind wing. <i>Journal of Zhejiang University: Science A</i> , 2009 , 10, 72-81	2.1	12
68	A 9-node co-rotational quadrilateral shell element. <i>Computational Mechanics</i> , 2008 , 42, 873-884	4	21
67	An efficient co-rotational formulation for curved triangular shell element. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 1029-1062	2.4	18
66	An accurate elasto-plastic frictional tangential force-displacement model for granular-flow simulations: Displacement-driven formulation. <i>Journal of Computational Physics</i> , 2007 , 225, 730-752	4.1	33
65	Analysis of Power Magnetic Components With Nonlinear Static Hysteresis: Proper Orthogonal Decomposition and Model Reduction. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 1888-1897	2	20
64	Unintended impact of author impact factor. <i>Physics Today</i> , 2006 , 59, 16-16	0.9	1

63	Singularity analysis and fracture energy-release rate for composites: Piecewise homogeneous-anisotropic materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006 , 195, 5162-5197	5.7	12
62	Thermal behavior of a dynamic domain-wall motion model for hysteresis in power ferrites. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 140-143	2	3
61	Publish-or-Perish Postscripts. <i>Physics Today</i> , 2005 , 58, 14-14	0.9	
60	On the physical meaning of the dynamical equations governing geometrically-exact multilayer shells. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2005 , 194, 2363-2384	5.7	7
59	Analysis of power magnetic components with nonlinear static hysteresis: finite-element formulation. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 2243-2256	2	9
58	Effective parameters for toroidal cores based on nonlinear magnetization. <i>IEEE Transactions on Magnetics</i> , 2005 , 41, 2432-2435	2	2
57	Efficient and accurate multilayer solid-shell element: non-linear materials at finite strain. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 2124-2170	2.4	49
56	Optimal solid shell element for large deformable composite structures with piezoelectric layers and active vibration control. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 1981-2013	2.4	52
55	An accurate tangential force-displacement model for granular-flow simulations: Contacting spheres with plastic deformation, force-driven formulation. <i>Journal of Computational Physics</i> , 2004 , 196, 298-326	4.1	44
54	A behavioral model for frequency-dependent hysteresis in power ferrites. <i>IEEE Transactions on Magnetics</i> , 2004 , 40, 1784-1790	2	10
53	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2004 , 40, 1100-1105	3.7	4
52	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2004 , 23, 1209-1219	2.5	11
51	Finite element analysis of advanced multilayer capacitors. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 397-461	2.4	7
50	Optimal solid shells for non-linear analyses of multilayer composites. II. Dynamics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2003 , 192, 1017-1059	5.7	65
49	Optimal solid shells for non-linear analyses of multilayer composites. I. Statics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2003 , 192, 975-1016	5.7	202
48	Nonlinear numerical dissipative elastodynamics of an optimal solid shell element 2003 , 678-682		
47	A Generalized Unit System for Concise Electromagnetic Formulation and Accurate Numerical Solutions. <i>Journal of Computational Physics</i> , 2002 , 181, 407-429	4.1	4
46	Modeling the dependence of the coefficient of restitution on the impact velocity in elasto-plastic collisions. <i>International Journal of Impact Engineering</i> , 2002 , 27, 317-341	4	111

45	A method to extract the mechanical properties of particles in collision based on a new elasto-plastic normal force-displacement model. <i>Mechanics of Materials</i> , 2002 , 34, 779-794	3-3	22
44	A static hysteresis model for power ferrites. <i>IEEE Transactions on Power Electronics</i> , 2002 , 17, 453-460	7-2	27
43	Geometrically exact sandwich shells: The dynamic case. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2001 , 190, 2825-2873	5-7	35
42	Normal and tangential force-displacement relations for frictional elasto-plastic contact of spheres. <i>International Journal of Solids and Structures</i> , 2001 , 38, 6455-6489	3-1	91
41	General Multilayer Geometrically-Exact Beams/1-D Plates with Deformable Layer Thickness: Equations of Motion. <i>ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik</i> , 2000 , 80, 113-135	1	11
40	Multilayer shells: Geometrically-exact formulation of equations of motion. <i>International Journal of Solids and Structures</i> , 2000 , 37, 6705-6737	3-1	17
39	Geometrically-exact sandwich shells: The static case. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2000 , 189, 167-203	5-7	39
38	A 3-D discrete-element method for dry granular flows of ellipsoidal particles. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2000 , 187, 483-528	5-7	128
37	Simulation of chute flow of soybeans using an improved tangential force-displacement model. <i>Mechanics of Materials</i> , 2000 , 32, 115-129	3-3	43
36	A Normal Force-Displacement Model for Contacting Spheres Accounting for Plastic Deformation: Force-Driven Formulation. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2000 , 67, 363-371	2-7	121
35	An accurate and efficient tangential force-displacement model for elastic frictional contact in particle-flow simulations. <i>Mechanics of Materials</i> , 1999 , 31, 235-269	3-3	93
34	An elastoplastic contact force-displacement model in the normal direction: displacement-driven version. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 1999 , 455, 4013-4044	2-4	113
33	Dynamics of geometrically exact sandwich structures. <i>International Journal of Mechanical Sciences</i> , 1998 , 40, 421-441	5-5	6
32	Efficient and Accurate Collision Detection for Granular Flow Simulation. <i>Graphical Models</i> , 1998 , 60, 403-422		28
31	SOYBEAN IMPACTS: EXPERIMENTS AND DYNAMIC SIMULATIONS. <i>Transactions of the American Society of Agricultural Engineers</i> , 1997 , 40, 789-794		25
30	Dynamics of geometrically-exact sandwich beams/1-D plates: computational aspects. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1997 , 146, 135-172	5-7	14
29	Dynamic formulation for geometrically-exact sandwich shells. <i>International Journal of Solids and Structures</i> , 1997 , 34, 2517-2548	3-1	11
28	A rational formulation of thermal circuit models for electrothermal simulation. II. Model reduction techniques [power electronic systems]. <i>IEEE Transactions on Circuits and Systems Part 1: Regular Papers</i> , 1996 , 43, 733-744		30

27	Semi-infinite optimization formulation to obtain accurate phenomenological models for all phases of ferroelectric-ferroelastic crystals. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 1996 , 43, 176-190	3.2	1
26	Multilayer beams: A geometrically exact formulation. <i>Journal of Nonlinear Science</i> , 1996 , 6, 239-270	2.8	8
25	A rational formulation of thermal circuit models for electrothermal simulation. I. Finite element method [power electronic systems]. <i>IEEE Transactions on Circuits and Systems Part 1: Regular Papers</i> , 1996 , 43, 721-732		78
24	Dynamics of sliding geometrically-exact beams: large angle maneuver and parametric resonance. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1995 , 120, 65-118	5.7	54
23	Accurate phenomenological models for all four phases of BaTiO ₃ via semi-infinite optimization. <i>Ferroelectrics</i> , 1995 , 163, 29-57	0.6	8
22	Finite Difference Calculus Invariant Structure of a Class of Algorithms for the Nonlinear Klein-Gordon Equation. <i>SIAM Journal on Numerical Analysis</i> , 1995 , 32, 1839-1875	2.4	179
21	Galerkin Projection for Geometrically Exact Sandwich Beams Allowing for Ply Drop-off. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1995 , 62, 479-488	2.7	20
20	Dynamic Formulation for Geometrically Exact Sandwich Beams and One-Dimensional Plates. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1995 , 62, 756-763	2.7	15
19	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 1994 , 1, 196-212	2.3	3
18	High-Speed Vehicle Models Based on a New Concept of Vehicle/Structure Interaction Component: Part II Algorithmic Treatment and Results for Multispan Guideways. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1993 , 115, 148-155	1.6	4
17	High-Speed Vehicle Models Based on a New Concept of Vehicle/Structure Interaction Component: Part I Formulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1993 , 115, 140-147	1.6	8
16	Invariant-conserving finite difference algorithms for the nonlinear Klein-Gordon equation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1993 , 107, 341-391	5.7	41
15	Efficient evaluation of the flexibility of tapered I-beams accounting for shear deformations. <i>International Journal for Numerical Methods in Engineering</i> , 1992 , 33, 553-566	2.4	23
14	On a highly robust spurious-mode filtering method for uniformly reduced-integrated shell elements. <i>International Journal for Numerical Methods in Engineering</i> , 1992 , 34, 209-220	2.4	12
13	A Geometrically-exact rod model incorporating shear and torsion-warping deformation. <i>International Journal of Solids and Structures</i> , 1991 , 27, 371-393	3.1	230
12	New predictor/corrector algorithms with improved energy balance for a recent formulation of dynamic vehicle/structure interaction. <i>International Journal for Numerical Methods in Engineering</i> , 1991 , 32, 223-253	2.4	6
11	A perturbation method for dynamic analyses using under-integrated shell elements. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1990 , 79, 129-172	5.7	14
10	A computational procedure for interaction of high-speed vehicles on flexible structures without assuming known vehicle nominal motion. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1989 , 76, 207-244	5.7	26

9	A class of simple and efficient degenerated shell elements. Analysis of global spurious-mode filtering. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1989 , 74, 117-175	5.7	29
8	Formulation of a Basic Building Block Model for Interaction of High Speed Vehicles on Flexible Structures. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1989 , 56, 451-458	2.7	15
7	On the dynamics in space of rods undergoing large motions [A geometrically exact approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1988 , 66, 125-161	5.7	457
6	Dynamics of earth-orbiting flexible satellites with multibody components. <i>Journal of Guidance, Control, and Dynamics</i> , 1987 , 10, 549-558	2.1	51
5	The role of non-linear theories in transient dynamic analysis of flexible structures. <i>Journal of Sound and Vibration</i> , 1987 , 119, 487-508	3.9	156
4	A three-dimensional finite-strain rod model. part II: Computational aspects. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1986 , 58, 79-116	5.7	836
3	On the Dynamics of Flexible Beams Under Large Overall Motions [The Plane Case: Part II. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1986 , 53, 855-863	2.7	135
2	On the Dynamics of Flexible Beams Under Large Overall Motions [The Plane Case: Part I. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1986 , 53, 849-854	2.7	312
1	Automatic node resequencing with constraints. <i>Computers and Structures</i> , 1984 , 18, 55-69	4.5	3