
## Olga Sinelshchikova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7280061/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Glass-ceramic ferroelectric composite material BaTiO3/KFeSi for microwave applications. Composite Structures, 2022, 281, 114992.	5.8	4

## 2 Combustion synthesis and electrophysical properties of hollandites of the system K2O $\hat{a}$ $\in$ "MeO $\hat{a}$ $\in$ "TiO2 (Me) Tj ETQqQ 0 0 rggT /Overloc $\mathcal{A}_{4.8}$ $\mathcal{A}_{4.8$

3	Structural and Electrical Properties of Glass-Ceramic Ferroelectric Composite Materials. Journal of the Russian Universities Radioelectronics, 2022, 25, 86-95.	0.2	0
4	Citrate-Nitrate Synthesis and the Electrophysical Properties of Ceramics in the K2O–TiO2–Fe2O3 System. Glass Physics and Chemistry, 2021, 47, 481-488.	0.7	5
5	Synthesis and study of the electrical conductive properties of Cs <sub>2</sub> Fe <sub>2</sub> TiO <sub>16</sub> in various gas atmospheres. Journal of Physics: Conference Series, 2021, 2103, 012193.	0.4	0
6	Synthesis by the Method of Pyrolysis and Electrophysical Properties of Ceramics Based on the K2O–TiO2–Al2O3 System. Glass Physics and Chemistry, 2021, 47, 642-645.	0.7	1
7	Synthesis and Research of the Phase Formation of Solid Solutions of Bismuth Chromates in the Triple Systems MeO–Cr2O3–Bi2O3 (Me = Sr, Ca). Class Physics and Chemistry, 2021, 47, 684-691.	0.7	1
8	Effect of the Method of Synthesis on the Photocatalytic and Sorption Properties for Potassium Polytitanates Doped with Di- and Trivalent Metal Ions. Russian Journal of Inorganic Chemistry, 2020, 65, 1127-1134.	1.3	7
9	Synthesis and Physicochemical Properties of Complex Oxides K2MexTi8–xO16 (Me = Mg, Ni, Al) of Hollandite Structure. Russian Journal of Applied Chemistry, 2020, 93, 1132-1138.	0.5	4
10	Photocatalytic Properties of Composites Based on SrO–Bi2O3–Fe2O3 Obtained by Different Methods. Glass Physics and Chemistry, 2020, 46, 329-334.	0.7	4
11	Barium-Strontium Titanate/Porous Glass Structures for Microwave Applications. Materials, 2020, 13, 5639.	2.9	5
12	On the electrical conductivity of YCrO <sub>3</sub> porous ceramics. Journal of Physics: Conference Series, 2020, 1697, 012196.	0.4	2
13	Sorption of Strontium Ions on Potassium-Titanate Nanoparticles of Various Morphology Obtained under Hydrothermal Conditions. Russian Journal of Applied Chemistry, 2019, 92, 549-554.	0.5	3
14	Glycine–Nitrate Synthesis of Solid Solutions of Barium–Strontium Metatitanate. Physics of the Solid State, 2019, 61, 2371-2375.	0.6	5
15	SrO-Bi2O3-Fe2O3-Based Composites: Synthesis and Electrophysical Properties. Russian Journal of General Chemistry, 2019, 89, 2458-2462.	0.8	2
16	Crystal structure and thermal properties of the Li Na1–KZnP2O7 solid solutions and its relation to the MM′ZnP2O7 diphosphate family. Journal of Solid State Chemistry, 2019, 269, 486-493.	2.9	6
17	Synthesis and Investigation of Novel Composite Materials Based on the CaO–Bi2O3–Fe2O3 System. Glass Physics and Chemistry, 2018, 44, 641-646.	0.7	1
18	Synthesis and Investigation of the Catalytic Activity of Nanostructured Potassium Titanates Doped by Ni, Mg, Al, Fe, and Cr. Glass Physics and Chemistry, 2018, 44, 329-332.	0.7	1

#	Article	IF	CITATIONS
19	Hydrothermal synthesis of potassium titanate nanotubes doped with magnesium, nickel, and aluminum. Russian Journal of Applied Chemistry, 2017, 90, 193-197.	0.5	1
20	Electroconductivity of alkali-zinc diphosphates in partial sections of the Zn2P2O7–Li2ZnP2O7–Na2ZnP2O7–K2ZnP2O7 system. Glass Physics and Chemistry, 2015, 41, 528-532.	0.7	2
21	Sol-gel synthesis and leaching of potassium hollandites. Russian Journal of Applied Chemistry, 2015, 88, 192-196.	0.5	2
22	Features of sol–gel synthesis of new functional materials based on complex oxides with tunnel structure. Journal of Sol-Gel Science and Technology, 2013, 68, 495-499.	2.4	4
23	Synthesis and study of novel catalysts based on hollandite K2Ga2Ti6O16. Glass Physics and Chemistry, 2011, 37, 433-440.	0.7	4
24	Investigation of the mechanism of formation of BaTi4O9 from initial mixtures of different dispersion. Glass Physics and Chemistry, 2009, 35, 327-331.	0.7	1
25	Physicochemical prerequisites of the synthesis of new ionic conductors based on complex oxides with a ramsdellite-type structure. Glass Physics and Chemistry, 2008, 34, 449-460.	0.7	2
26	Investigation into the formation of phases with a Ba2Ti9O20-type structure in the BaO-TiO2 and BaO-SrO-TiO2 systems. Glass Physics and Chemistry, 2007, 33, 72-79.	0.7	1
27	Kinetics and mechanism of the formation of hollandites in the BaO(Cs2O)-Al2O3-TiO2 system from initial mixtures prepared by different methods. Glass Physics and Chemistry, 2007, 33, 613-619.	0.7	2
28	Synthesis of Titanates with a Ramsdellite-Type Tunnel Structure Crystallizing in the Li2O-Fe2O3-TiO2 System in Different Gaseous Media. Glass Physics and Chemistry, 2005, 31, 803-807.	0.7	0
29	Design of New Functional Materials Based on Complex Oxides with a Tunnel Structure of the Ramsdellite, Hollandite, and Ba2Ti9O2OTypes. Glass Physics and Chemistry, 2004, 30, 257-269.	0.7	1
30	Influence of the Synthesis Method on the Mechanism of Formation and Dielectric Properties of Ba2Ti9O2O. Glass Physics and Chemistry, 2004, 30, 270-273.	0.7	0
31	Title is missing!. Glass Physics and Chemistry, 2003, 29, 188-193.	0.7	4
32	Title is missing!. Glass Physics and Chemistry, 2003, 29, 316-321.	0.7	3