

Esther M Berrocoso

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7280491/esther-m-berrocoso-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

3,021
citations

32
h-index

53
g-index

102
ext. papers

3,599
ext. citations

5.3
avg, IF

5.3
L-index

#	Paper	IF	Citations
85	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 105-117	1.2	
84	Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with Poly:I:C. <i>European Neuropsychopharmacology</i> , 2021 , 46, 14-27	1.2	3
83	Selective deletion of Caspase-3 gene in the dopaminergic system exhibits autistic-like behaviour. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 104, 110030	5.5	4
82	Neuropathic pain increases spontaneous and noxious-evoked activity of locus coeruleus neurons. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110121	5.5	5
81	Olfactory Neuroepithelium Cells from Cannabis Users Display Alterations to the Cytoskeleton and to Markers of Adhesion, Proliferation and Apoptosis. <i>Molecular Neurobiology</i> , 2021 , 58, 1695-1710	6.2	1
80	Pain and depression comorbidity causes asymmetric plasticity in the locus coeruleus neurons. <i>Brain</i> , 2021 ,	11.2	3
79	Nerve injury induces transient locus coeruleus activation over time: role of the locus coeruleus-dorsal reticular nucleus pathway.. <i>Pain</i> , 2021 ,	8	1
78	Induced Dipoles and Possible Modulation of Wireless Effects in Implanted Electrodes. Effects of Implanting Insulated Electrodes on an Animal Test to Screen Antidepressant Activity. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
77	The Role of the Locus Coeruleus in Pain and Associated Stress-Related Disorders.. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
76	Pain in neuropsychiatry: Insights from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 115, 96-115	9	12
75	Opioid receptors mRNAs expression and opioids agonist-dependent G-protein activation in the rat brain following neuropathy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109857	5.5	7
74	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. <i>European Neuropsychopharmacology</i> , 2019 , 29, 880-896	1.2	13
73	Chemogenetic Silencing of the Locus Coeruleus-Basolateral Amygdala Pathway Abolishes Pain-Induced Anxiety and Enhanced Aversive Learning in Rats. <i>Biological Psychiatry</i> , 2019 , 85, 1021-1035	7.9	33
72	Ketamine promotes rapid and transient activation of AMPA receptor-mediated synaptic transmission in the dorsal raphe nucleus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 243-252	5.5	18
71	Monoaminergic system and depression. <i>Cell and Tissue Research</i> , 2019 , 377, 107-113	4.2	47
70	Deep Brain Stimulation: Mechanisms Underpinning Antidepressant Effects 2019 , 375-382		
69	Monoamines as Drug Targets in Chronic Pain: Focusing on Neuropathic Pain. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1268	5.1	27

68	Opioid Activity in the Locus Coeruleus Is Modulated by Chronic Neuropathic Pain. <i>Molecular Neurobiology</i> , 2019 , 56, 4135-4150	6.2	7
67	Serotonin 5-HT receptor antagonism potentiates the antidepressant activity of citalopram. <i>Neuropharmacology</i> , 2018 , 133, 491-502	5.5	9
66	Opioid and noradrenergic contributions of tapentadol to the inhibition of locus coeruleus neurons in the streptozotocin rat model of polyneuropathic pain. <i>Neuropharmacology</i> , 2018 , 135, 202-210	5.5	6
65	Behavioral effects of combined morphine and MK-801 administration to the locus coeruleus of a rat neuropathic pain model. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 84, 257-266	5.5	15
64	Effect of Deep Brain Stimulation of the ventromedial prefrontal cortex on the noradrenergic system in rats. <i>Brain Stimulation</i> , 2018 , 11, 222-230	5.1	20
63	Effects of S 38093, an antagonist/inverse agonist of histamine H3 receptors, in models of neuropathic pain in rats. <i>European Journal of Pain</i> , 2018 , 22, 127-141	3.7	14
62	Deep brain stimulation electrode insertion and depression: Patterns of activity and modulation by analgesics. <i>Brain Stimulation</i> , 2018 , 11, 1348-1355	5.1	7
61	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018 , 13, e0194685	3.7	4
60	The onset of treatment with the antidepressant desipramine is critical for the emotional consequences of neuropathic pain. <i>Pain</i> , 2018 , 159, 2606-2619	8	11
59	Activation of Extracellular Signal-Regulated Kinases (ERK 1/2) in the Locus Coeruleus Contributes to Pain-Related Anxiety in Arthritic Male Rats. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 463	5.8	13
58	Discovery and development of tramadol for the treatment of pain. <i>Expert Opinion on Drug Discovery</i> , 2017 , 12, 1281-1291	6.2	72
57	Single oral dose of cannabinoid derivate loaded PLGA nanocarriers relieves neuropathic pain for eleven days. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017 , 13, 2623-2632	6	26
56	Cellular and molecular mechanisms triggered by Deep Brain Stimulation in depression: A preclinical and clinical approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 73, 1-10	5.5	23
55	Deep Brain Stimulation: A Promising Therapeutic Approach to the Treatment of Severe Depressed Patients [Current Evidence and Intrinsic Mechanisms 2017 , 251-264		
54	Activation of AMPA Receptors Mediates the Antidepressant Action of Deep Brain Stimulation of the Infralimbic Prefrontal Cortex. <i>Cerebral Cortex</i> , 2016 , 26, 2778-2789	5.1	49
53	Noradrenergic Locus Coeruleus pathways in pain modulation. <i>Neuroscience</i> , 2016 , 338, 93-113	3.9	93
52	Comorbid anxiety-like behavior and locus coeruleus impairment in diabetic peripheral neuropathy: A comparative study with the chronic constriction injury model. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 45-56	5.5	24
51	BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. <i>Schizophrenia Bulletin</i> , 2016 , 42, 142-51	1.3	37

50	Effect of DSP4 and desipramine in the sensorial and affective component of neuropathic pain in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 70, 57-67	5.5	12
49	Central vascular disease and exacerbated pathology in a mixed model of type 2 diabetes and Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 2015 , 62, 69-79	5	42
48	ERK1/2: Function, signaling and implication in pain and pain-related anxio-depressive disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 60, 77-92	5.5	24
47	Stress Increases the Negative Effects of Chronic Pain on Hippocampal Neurogenesis. <i>Anesthesia and Analgesia</i> , 2015 , 121, 1078-1088	3.9	22
46	Corticotropin-Releasing Factor Mediates Pain-Induced Anxiety through the ERK1/2 Signaling Cascade in Locus Coeruleus Neurons. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18,	5.8	12
45	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatria Y Salud Mental</i> , 2015 , 8, 65-74	2.7	5
44	Gabapentin, a double-agent acting on cognition in pain?. <i>Pain</i> , 2014 , 155, 1909-1910	8	1
43	Pain exacerbates chronic mild stress-induced changes in noradrenergic transmission in rats. <i>European Neuropsychopharmacology</i> , 2014 , 24, 996-1003	1.2	29
42	Fluoxetine: a case history of its discovery and preclinical development. <i>Expert Opinion on Drug Discovery</i> , 2014 , 9, 567-78	6.2	77
41	Early responses to deep brain stimulation in depression are modulated by anti-inflammatory drugs. <i>Molecular Psychiatry</i> , 2014 , 19, 607-14	15.1	45
40	Reversal of monoarthritis-induced affective disorders by diclofenac in rats. <i>Anesthesiology</i> , 2014 , 120, 1476-90	4.3	30
39	Pro-/antiinflammatory dysregulation in early psychosis: results from a 1-year follow-up study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	18
38	L-DOPA modifies the antidepressant-like effects of reboxetine and fluoxetine in rats. <i>Neuropharmacology</i> , 2013 , 67, 349-58	5.5	18
37	Behavioral, neurochemical and morphological changes induced by the overexpression of munc18-1a in brain of mice: relevance to schizophrenia. <i>Translational Psychiatry</i> , 2013 , 3, e221	8.6	20
36	Extracellular signal-regulated kinase activation in the chronic constriction injury model of neuropathic pain in anaesthetized rats. <i>European Journal of Pain</i> , 2013 , 17, 35-45	3.7	14
35	Social stress exacerbates the aversion to painful experiences in rats exposed to chronic pain: the role of the locus coeruleus. <i>Pain</i> , 2013 , 154, 2014-2023	8	35
34	Effect of tapentadol on neurons in the locus coeruleus. <i>Neuropharmacology</i> , 2013 , 72, 250-8	5.5	13
33	The plasticity of the association between mu-opioid receptor and glutamate ionotropic receptor N in opioid analgesic tolerance and neuropathic pain. <i>European Journal of Pharmacology</i> , 2013 , 716, 94-105	5.3	41

32	Chronic pain leads to concomitant noradrenergic impairment and mood disorders. <i>Biological Psychiatry</i> , 2013 , 73, 54-62	7.9	119
31	Differential central pathology and cognitive impairment in pre-diabetic and diabetic mice. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2462-75	5	94
30	Active behaviours produced by antidepressants and opioids in the mouse tail suspension test. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 151-62	5.8	51
29	Rapid amyloid deposition and cognitive impairment after cholinergic denervation in APP/PS1 mice. <i>Journal of Neuro pathology and Experimental Neurology</i> , 2013 , 72, 272-85	3.1	58
28	Specific serotonergic denervation affects tau pathology and cognition without altering senile plaques deposition in APP/PS1 mice. <i>PLoS ONE</i> , 2013 , 8, e79947	3.7	23
27	Analgesic antidepressants promote the responsiveness of locus coeruleus neurons to noxious stimulation: implications for neuropathic pain. <i>Pain</i> , 2012 , 153, 1438-1449	8	39
26	Comparison of the antinociceptive effects of ibuprofen arginate and ibuprofen in rat models of inflammatory and neuropathic pain. <i>Life Sciences</i> , 2012 , 90, 13-20	6.8	14
25	Preclinical discovery of duloxetine for the treatment of depression. <i>Expert Opinion on Drug Discovery</i> , 2012 , 7, 745-55	6.2	7
24	Depressive-like states heighten the aversion to painful stimuli in a rat model of comorbid chronic pain and depression. <i>Anesthesiology</i> , 2012 , 117, 613-25	4.3	75
23	The function of alpha-2-adrenoceptors in the rat locus coeruleus is preserved in the chronic constriction injury model of neuropathic pain. <i>Psychopharmacology</i> , 2012 , 221, 53-65	4.7	35
22	The mu-opioid receptor and the NMDA receptor associate in PAG neurons: implications in pain control. <i>Neuropsychopharmacology</i> , 2012 , 37, 338-49	8.7	111
21	P.2.d.024 Effect of antidepressants on depression, anxiety and cognition in relation with pain models. <i>European Neuropsychopharmacology</i> , 2011 , 21, S415	1.2	
20	Effects of milnacipran, duloxetine and indomethacin, in polyarthritic rats using the Randall-Selitto model. <i>Behavioural Pharmacology</i> , 2011 , 22, 599-606	2.4	9
19	Evaluation of milnacipran, in comparison with amitriptyline, on cold and mechanical allodynia in a rat model of neuropathic pain. <i>European Journal of Pharmacology</i> , 2011 , 655, 46-51	5.3	44
18	Origin and consequences of brain Toll-like receptor 4 pathway stimulation in an experimental model of depression. <i>Journal of Neuroinflammation</i> , 2011 , 8, 151	10.1	109
17	HCN2 ion channels play a central role in inflammatory and neuropathic pain. <i>Science</i> , 2011 , 333, 1462-6	33.3	231
16	Neurotrophins role in depression neurobiology: a review of basic and clinical evidence. <i>Current Neuropharmacology</i> , 2011 , 9, 530-52	7.6	109
15	E.02.01 Psychotropic drugs and pain mechanisms. <i>European Neuropsychopharmacology</i> , 2010 , 20, S209-S210		

14	Cooperative opioid and serotonergic mechanisms generate superior antidepressant-like effects in a mice model of depression. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 1033-44	5.8	35
13	Role of serotonin 5-HT _{1A} receptors in the antidepressant-like effect and the antinociceptive effect of venlafaxine in mice. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 61-71	5.8	36
12	Opiates as antidepressants. <i>Current Pharmaceutical Design</i> , 2009 , 15, 1612-22	3.3	82
11	Role of serotonin 5-HT _{1A} and opioid receptors in the antiallodynic effect of tramadol in the chronic constriction injury model of neuropathic pain in rats. <i>Psychopharmacology</i> , 2007 , 193, 97-105	4.7	48
10	In vivo effect of venlafaxine on locus coeruleus neurons: role of opioid, alpha(2)-adrenergic, and 5-hydroxytryptamine(1A) receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 322, 101-7	4.7	23
9	Differential role of 5-HT _{1A} and 5-HT _{1B} receptors on the antinociceptive and antidepressant effect of tramadol in mice. <i>Psychopharmacology</i> , 2006 , 188, 111-8	4.7	27
8	The role of 5-HT _{1A} receptors in research strategy for extensive pain treatment. <i>Current Topics in Medicinal Chemistry</i> , 2006 , 6, 1997-2003	3	38
7	P.2.d.022 The modified Tail Suspension Test (mTST): a new paradigm to categorize antidepressants. Effects of classical and atypical opiates. <i>European Neuropsychopharmacology</i> , 2006 , 16, S344-S345	1.2	4
6	In vivo effect of tramadol on locus coeruleus neurons is mediated by alpha2-adrenoceptors and modulated by serotonin. <i>Neuropharmacology</i> , 2006 , 51, 146-53	5.5	29
5	Antidepressants and pain. <i>Trends in Pharmacological Sciences</i> , 2006 , 27, 348-54	13.2	320
4	Role of 5-HT _{1A} and 5-HT _{1B} receptors in the antinociceptive effect of tramadol. <i>European Journal of Pharmacology</i> , 2005 , 511, 21-6	5.3	30
3	Antidepressant-like effect of tramadol and its enantiomers in reserpinized mice: comparative study with desipramine, fluvoxamine, venlafaxine and opiates. <i>Journal of Psychopharmacology</i> , 2004 , 18, 404-14.6	4.6	46
2	Non-selective opioid receptor antagonism of the antidepressant-like effect of venlafaxine in the forced swimming test in mice. <i>Neuroscience Letters</i> , 2004 , 363, 25-8	3.3	33
1	Antidepressant-like effects of tramadol and other central analgesics with activity on monoamines reuptake, in helpless rats. <i>Life Sciences</i> , 2002 , 72, 143-52	6.8	74