
Louise A Robinson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7280721/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A two-decade comparison of prevalence of dementia in individuals aged 65 years and older from three geographical areas of England: results of the Cognitive Function and Ageing Study I and II. Lancet, The, 2013, 382, 1405-1412.	6.3	828
2	Projections of multi-morbidity in the older population in England to 2035: estimates from the Population Ageing and Care Simulation (PACSim) model. Age and Ageing, 2018, 47, 374-380.	0.7	470
3	Health and disease in 85 year olds: baseline findings from the Newcastle 85+ cohort study. BMJ: British Medical Journal, 2009, 339, b4904-b4904.	2.4	324
4	Dementia: timely diagnosis and early intervention. BMJ, The, 2015, 350, h3029-h3029.	3.0	315
5	Anticholinergic drugs and risk of dementia: case-control study. BMJ: British Medical Journal, 2018, 361, k1315.	2.4	314
6	Comorbidity and dementia: a scoping review of the literature. BMC Medicine, 2014, 12, 192.	2.3	294
7	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	1.3	244
8	Technologies to Support Community-Dwelling Persons With Dementia: A Position Paper on Issues Regarding Development, Usability, Effectiveness and Cost-Effectiveness, Deployment, and Ethics. JMIR Rehabilitation and Assistive Technologies, 2017, 4, e1.	1.1	228
9	Disclosing a diagnosis of dementia: a systematic review. International Journal of Geriatric Psychiatry, 2004, 19, 151-169.	1.3	224
10	Keeping In Touch Everyday (KITE) project: developing assistive technologies with people with dementia and their carers to promote independence. International Psychogeriatrics, 2009, 21, 494.	0.6	204
11	Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2017, 31, 147-168.	2.0	198
12	A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia. Age and Ageing, 2012, 41, 263-269.	0.7	190
13	Balancing rights and risks: Conflicting perspectives in the management of wandering in dementia. Health, Risk and Society, 2007, 9, 389-406.	0.9	185
14	Psychosocial Factors That Shape Patient and Carer Experiences of Dementia Diagnosis and Treatment: A Systematic Review of Qualitative Studies. PLoS Medicine, 2012, 9, e1001331.	3.9	181
15	A qualitative study: Professionals' experiences of advance care planning in dementia and palliative care, â€~ <i>a good idea in theory but … </i> '. Palliative Medicine, 2013, 27, 401-408.	1.3	175
16	Primary care and dementia: 1. diagnosis, screening and disclosure. International Journal of Geriatric Psychiatry, 2009, 24, 895-901.	1.3	165
17	The Newcastle 85+ study: biological, clinical and psychosocial factors associated with healthy ageing: study protocol. BMC Geriatrics, 2007, 7, 14.	1.1	136
18	A comparison of health expectancies over two decades in England: results of the Cognitive Function and Ageing Study I and II. Lancet. The. 2016. 387. 779-786.	6.3	136

#	Article	IF	CITATIONS
19	Current Developments in Dementia Risk Prediction Modelling: An Updated Systematic Review. PLoS ONE, 2015, 10, e0136181.	1.1	129
20	Ageing in place and technologies of place: the lived experience of people with dementia in changing social, physical and technological environments. Sociology of Health and Illness, 2010, 32, 272-287.	1.1	127
21	Is late-life dependency increasing or not? A comparison of the Cognitive Function and Ageing Studies (CFAS). Lancet, The, 2017, 390, 1676-1684.	6.3	121
22	Effectiveness and acceptability of non-pharmacological interventions to reduce wandering in dementia: a systematic review. International Journal of Geriatric Psychiatry, 2007, 22, 9-22.	1.3	117
23	The everyday use of assistive technology by people with dementia and their family carers: a qualitative study. BMC Geriatrics, 2015, 15, 89.	1.1	115
24	The transition to dementia – individual and family experiences of receiving a diagnosis: a review. International Psychogeriatrics, 2011, 23, 1026-1043.	0.6	113
25	Longitudinal Effect of Stroke on Cognition: A Systematic Review. Journal of the American Heart Association, 2018, 7, .	1.6	113
26	Specialist palliative care in dementia. BMJ: British Medical Journal, 2005, 330, 57-58.	2.4	109
27	The provision of assistive technology products and services for people with dementia in the United Kingdom. Dementia, 2016, 15, 681-701.	1.0	109
28	Assessment of a large panel of candidate biomarkers of ageing in the Newcastle 85+ study. Mechanisms of Ageing and Development, 2011, 132, 496-502.	2.2	104
29	Planning for tomorrow whilst living for today: the views of people with dementia and their families on advance care planning. International Psychogeriatrics, 2013, 25, 2011-2021.	0.6	100
30	Losing the Ability in Activities of Daily Living in the Oldest Old: A Hierarchic Disability Scale from the Newcastle 85+ Study. PLoS ONE, 2012, 7, e31665.	1.1	95
31	Systematic review of the perceptions and experiences of accessing health services by adult victims of domestic violence. Health and Social Care in the Community, 2008, 16, 16-30.	0.7	92
32	Metabolic Syndrome and Longitudinal Changes in Cognitive Function: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2014, 41, 151-161.	1.2	86
33	A roadmap to advance dementia research in prevention, diagnosis, intervention, and care by 2025. International Journal of Geriatric Psychiatry, 2018, 33, 900-906.	1.3	83
34	Engaging the oldest old in research: lessons from the Newcastle 85+ study. BMC Geriatrics, 2010, 10, 64.	1.1	77
35	Secular Trends in Dementia Prevalence and Incidence Worldwide: A Systematic Review. Journal of Alzheimer's Disease, 2018, 66, 653-680.	1.2	74
36	End-of-life care: A qualitative study comparing the views of people with dementia and family carers. Palliative Medicine, 2018, 32, 631-642.	1.3	73

#	Article	IF	CITATIONS
37	"We're all thrown in the same boat … â€ŧ A qualitative analysis of peer support in dementia c Dementia, 2016, 15, 560-577.	are. 1.0	72
38	Medication usage change in older people (65+) in England over 20 years: findings from CFAS I and CFAS II. Age and Ageing, 2018, 47, 220-225.	0.7	72
39	Primary care and dementia: 2. longâ€ŧerm care at home: psychosocial interventions, information provision, carer support and case management. International Journal of Geriatric Psychiatry, 2010, 25, 657-664.	1.3	68
40	Cardiovascular Disease Risk Models and Longitudinal Changes in Cognition: A Systematic Review. PLoS ONE, 2014, 9, e114431.	1.1	66
41	What enables good end of life care for people with dementia? A multi-method qualitative study with key stakeholders. BMC Geriatrics, 2018, 18, 302.	1.1	66
42	Personalisation, customisation and bricolage: how people with dementia and their families make assistive technology work for them. Ageing and Society, 2019, 39, 2502-2519.	1.2	60
43	Life under lockdown and social restrictions - the experiences of people living with dementia and their carers during the COVID-19 pandemic in England. BMC Geriatrics, 2021, 21, 301.	1.1	59
44	Negotiating a Labyrinth: experiences of assessment and diagnostic journey in cognitive impairment and dementia. International Journal of Geriatric Psychiatry, 2014, 29, 58-67.	1.3	55
45	Going home? An ethnographic study of assessment of capacity and best interests in people with dementia being discharged from hospital. BMC Geriatrics, 2014, 14, 56.	1.1	55
46	Cardiovascular Disease, the Nitric Oxide Pathway and Risk of Cognitive Impairment and Dementia. Current Cardiology Reports, 2017, 19, 87.	1.3	53
47	Recurrent delirium over 12 months predicts dementia: results of the Delirium and Cognitive Impact in Dementia (DECIDE) study. Age and Ageing, 2021, 50, 914-920.	0.7	52
48	Dementia wellbeing and COVIDâ€19: Review and expert consensus on current research and knowledge gaps. International Journal of Geriatric Psychiatry, 2021, 36, 1597-1639.	1.3	52
49	Can primary care record review facilitate earlier diagnosis of dementia?. Family Practice, 2007, 24, 108-116.	0.8	51
50	Healthcare organisation and delivery for people with dementia and comorbidity: a qualitative study exploring the views of patients, carers and professionals. BMJ Open, 2017, 7, e013067.	0.8	50
51	End-of-life care and dementia. Reviews in Clinical Gerontology, 2005, 15, 135-148.	0.5	49
52	Capability and dependency in the Newcastle 85+ cohort study. Projections of future care needs. BMC Geriatrics, 2011, 11, 21.	1.1	48
53	The Contribution of Diseases to the Male-Female Disability-Survival Paradox in the Very Old: Results from the Newcastle 85+ Study. PLoS ONE, 2014, 9, e88016.	1.1	48
54	Comorbidity and dementia: a mixed-method study on improving health care for people with dementia (CoDem). Health Services and Delivery Research, 2016, 4, 1-156.	1.4	47

#	Article	IF	CITATIONS
55	Prediction of dementia risk in low-income and middle-income countries (the 10/66 Study): an independent external validation of existing models. The Lancet Global Health, 2020, 8, e524-e535.	2.9	45
56	Caring for carers of people with stroke: developing a complex intervention following the Medical Research Council framework. Clinical Rehabilitation, 2005, 19, 560-571.	1.0	44
57	Deconstructing Complex Multimorbidity in the Very Old: Findings from the Newcastle 85+ Study. BioMed Research International, 2016, 2016, 1-15.	0.9	44
58	The impact of dementia on service use by individuals with a comorbid health condition: a comparison of two cross-sectional analyses conducted approximately 10 years apart. BMC Medicine, 2018, 16, 114.	2.3	44
59	The economic burden of dementia in low- and middle-income countries (LMICs): a systematic review. BMJ Global Health, 2022, 7, e007409.	2.0	44
60	Student-selected components in the undergraduate medical curriculum: a multi-institutional consensus on purpose. Medical Teacher, 2004, 26, 33-38.	1.0	41
61	A systematic review of the diagnostic accuracy of automated tests for cognitive impairment. International Journal of Geriatric Psychiatry, 2018, 33, 561-575.	1.3	41
62	An investigation into the patterns of loneliness and loss in the oldest old – Newcastle 85+ Study. Ageing and Society, 2017, 37, 39-62.	1.2	40
63	From forgetfulness to dementia: clinical and commissioning implications of diagnostic experiences. British Journal of General Practice, 2013, 63, e69-e75.	0.7	39
64	Living with uncertainty: Mapping the transition from pre-diagnosis to a diagnosis of dementia. Journal of Aging Studies, 2016, 37, 40-47.	0.7	39
65	Anticholinergic and benzodiazepine medication use and risk of incident dementia: a UK cohort study. BMC Geriatrics, 2019, 19, 276.	1.1	39
66	Two-decade change in prevalence of cognitive impairment in the UK. European Journal of Epidemiology, 2019, 34, 1085-1092.	2.5	39
67	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. BMC Health Services Research, 2014, 14, 549.	0.9	38
68	The enduring effect of education-socioeconomic differences in disability trajectories from age 85 years in the Newcastle 85+ Study. Archives of Gerontology and Geriatrics, 2015, 60, 405-411.	1.4	38
69	Is There a Link Between Cognitive Reserve and Cognitive Function in the Oldest-Old?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 499-505.	1.7	38
70	Improving Retention of Very Old Participants in Longitudinal Research: Experiences from the Newcastle 85+ Study. PLoS ONE, 2014, 9, e108370.	1.1	37
71	ls There an Association Between Metabolic Syndrome and Cognitive Function in Very Old Adults? The Newcastle 85+ Study. Journal of the American Geriatrics Society, 2015, 63, 667-675.	1.3	37
72	Family involvement in timely detection of changes in health of nursing homes residents: A qualitative exploratory study. Journal of Clinical Nursing, 2018, 27, 317-327.	1.4	37

#	Article	IF	CITATIONS
73	Increasing prevalence of anticholinergic medication use in older people in England over 20 years: cognitive function and ageing study I and II. BMC Geriatrics, 2020, 20, 267.	1.1	37
74	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. Health Technology Assessment, 2017, 21, 1-192.	1.3	37
75	Changing non-participation in epidemiological studies of older people: evidence from the Cognitive Function and Ageing Study I and II. Age and Ageing, 2015, 44, 867-873.	0.7	34
76	Predicting Risk of Cognitive Decline in Very Old Adults Using Three Models: The Framingham Stroke Risk Profile; the Cardiovascular Risk Factors, Aging, and Dementia Model; and Oxiâ€Inflammatory Biomarkers. Journal of the American Geriatrics Society, 2017, 65, 381-389.	1.3	34
77	End of life care for people with dementia: The views of health professionals, social care service managers and frontline staff on key requirements for good practice. PLoS ONE, 2017, 12, e0179355.	1.1	34
78	What is important at the end of life for people with dementia? The views of people with dementia and their carers. International Journal of Geriatric Psychiatry, 2017, 32, 1037-1045.	1.3	33
79	No association between common <i>POLG1</i> variants and sporadic idiopathic Parkinson's disease. Movement Disorders, 2009, 24, 1092-1094.	2.2	32
80	Research governance: impeding both research and teaching? A survey of impact on undergraduate research opportunities. Medical Education, 2007, 41, 729-736.	1.1	31
81	What works in managing complex conditions in older people in primary and community care? A stateâ€ofâ€theâ€art review. Health and Social Care in the Community, 2020, 28, 1915-1927.	0.7	31
82	Gaps in care for patients with memory deficits after stroke: views of healthcare providers. BMC Health Services Research, 2017, 17, 634.	0.9	30
83	No evidence of substantia nigra telomere shortening in Parkinson's disease. Neurobiology of Aging, 2011, 32, 2107.e3-2107.e5.	1.5	29
84	Prevalence of arthritis and joint pain in the oldest old: findings from the Newcastle 85+ Study. Age and Ageing, 2011, 40, 752-755.	0.7	29
85	Exploring the views of GPs, people with dementia and their carers on assistive technology: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e011132.	0.8	29
86	Link Between Dietary Sodium Intake, Cognitive Function, and Dementia Risk in Middle-Aged and Older Adults: A Systematic Review. Journal of Alzheimer's Disease, 2020, 76, 1347-1373.	1.2	28
87	Prevalence of left ventricular dysfunction in a UK community sample of very old people: the Newcastle 85+ study. Heart, 2012, 98, 1418-1423.	1.2	27
88	Patients' and carers' views on communication and information provision when undergoing assessments in memory services. Journal of Health Services Research and Policy, 2013, 18, 167-173.	0.8	27
89	Evaluating the effectiveness and cost-effectiveness of Dementia Care Mappingâ,,¢ to enable person-centred care for people with dementia and their carers (DCM-EPIC) in care homes: study protocol for a randomised controlled trial. Trials, 2016, 17, 300.	0.7	27
90	Empowerment, environment and person-centred care: A qualitative study exploring the hospital experience for adults with cognitive impairment. Dementia, 2019, 18, 2710-2730.	1.0	27

#	Article	IF	CITATIONS
91	Key components of post-diagnostic support for people with dementia and their carers: A qualitative study. PLoS ONE, 2021, 16, e0260506.	1.1	27
92	Improving patient-centered care for people with dementia in medical encounters: an educational intervention for old age psychiatrists. International Psychogeriatrics, 2010, 22, 129-138.	0.6	26
93	Attitudes to diagnosis and management in dementia care: views of future general practitioners. International Psychogeriatrics, 2018, 30, 425-430.	0.6	26
94	Effects of inorganic nitrate and nitrite consumption on cognitive function and cerebral blood flow: A systematic review and meta-analysis of randomized clinical trials. Critical Reviews in Food Science and Nutrition, 2019, 59, 2400-2410.	5.4	26
95	Undiagnosed dementia in primary care: a record linkage study. Health Services and Delivery Research, 2020, 8, 1-108.	1.4	26
96	Improving interprofessional practice for vulnerable older people: gaining a better understanding of vulnerability. Journal of Interprofessional Care, 2011, 25, 359-365.	0.8	25
97	Associations of poor oral health with frailty and physical functioning in the oldest old: results from two studies in England and Japan. BMC Geriatrics, 2021, 21, 187.	1.1	25
98	When walking becomes wandering: representing the fear of the fourth age. Sociology of Health and Illness, 2017, 39, 270-284.	1.1	24
99	Cognitive stimulation therapy in dementia care: exploring the views and experiences of service providers on the barriers and facilitators to implementation in practice using Normalization Process Theory. International Psychogeriatrics, 2017, 29, 1869-1878.	0.6	24
100	Changing prevalence and treatment of depression among older people over two decades. British Journal of Psychiatry, 2020, 216, 49-54.	1.7	24
101	Current approaches to dementia screening and case finding in low―and middleâ€income countries: Research update and recommendations. International Journal of Geriatric Psychiatry, 2019, 34, 3-7.	1.3	23
102	Healthy ageing for all? Comparisons of socioeconomic inequalities in health expectancies over two decades in the Cognitive Function and Ageing Studies I and II. International Journal of Epidemiology, 2021, 50, 841-851.	0.9	23
103	Mapping post-diagnostic dementia care in England: an e-survey. Journal of Integrated Care, 2020, 29, 22-36.	0.2	21
104	Prevalence and Risk of Mild Cognitive Impairment in Low and Middle-Income Countries: A Systematic Review. Journal of Alzheimer's Disease, 2021, 79, 743-762.	1.2	20
105	Dementia Care Mappingâ"¢ to reduce agitation in care home residents with dementia: the EPIC cluster RCT. Health Technology Assessment, 2020, 24, 1-172.	1.3	20
106	Assistive technologies in caring for the oldest old: a review of current practice and future directions. Aging Health, 2013, 9, 365-375.	0.3	19
107	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	0.7	19
108	Patient preferences for future care - how can Advance Care Planning become embedded into dementia care: a study protocol. BMC Geriatrics, 2010, 10, 2.	1.1	18

#	Article	IF	CITATIONS
109	Student-selected components in the undergraduate medical curriculum: a multi-institutional consensus on assessable key tasks. Medical Teacher, 2005, 27, 720-725.	1.0	17
110	Clinical practice patterns of generalists and specialists in Alzheimer's disease: What are the differences, and what difference do they make?. Journal of Nutrition, Health and Aging, 2010, 14, 545-552.	1.5	17
111	Designing a complex intervention for dementia case management in primary care. BMC Family Practice, 2013, 14, 101.	2.9	17
112	Contextualizing the findings of a systematic review on patient and carer experiences of dementia diagnosis and treatment: a qualitative study. Health Expectations, 2015, 18, 740-753.	1.1	17
113	DETERMinants of quality of life, care and costs, and consequences of INequalities in people with Dementia and their carers (DETERMIND): A protocol paper. International Journal of Geriatric Psychiatry, 2020, 35, 290-301.	1.3	17
114	Effectiveness of different post-diagnostic dementia care models delivered by primary care: a systematic review. British Journal of General Practice, 2020, 70, e434-e441.	0.7	17
115	Transitions between frailty states in the very old: the influence of socioeconomic status and multi-morbidity in the Newcastle 85+ cohort study. Age and Ageing, 2020, 49, 974-981.	0.7	17
116	Expert views on the factors enabling good end of life care for people with dementia: a qualitative study. BMC Palliative Care, 2015, 14, 32.	0.8	16
117	Proactive approaches to identifying dementia and dementia risk; a qualitative study of public attitudes and preferences. BMJ Open, 2018, 8, e018677.	0.8	16
118	Impact of Memory Problems Post-stroke on Patients and Their Family Carers: A Qualitative Study. Frontiers in Medicine, 2020, 7, 267.	1.2	16
119	A systematic review and critical appraisal of quality indicators to assess optimal palliative care for older people with dementia. Palliative Medicine, 2019, 33, 415-429.	1.3	15
120	Cost-Effectiveness of Dementia Care Mapping in Care-Home Settings: Evaluation of a Randomised Controlled Trial. Applied Health Economics and Health Policy, 2020, 18, 237-247.	1.0	15
121	Effectiveness of App-Based Cognitive Screening for Dementia by Lay Health Workers in Low Resource Settings. A Validation and Feasibility Study in Rural Tanzania. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 613-621.	1.2	13
122	Implementing post diagnostic dementia care in primary care: a mixed-methods systematic review. Aging and Mental Health, 2020, 25, 1-14.	1.5	13
123	Hospitalisation without delirium is not associated with cognitive decline in a population-based sample of older people—results from a nested, longitudinal cohort study. Age and Ageing, 2021, 50, 1675-1681.	0.7	13
124	NHS research ethics committees. BMJ: British Medical Journal, 2007, 335, 6-6.	2.4	12
125	Organisational space for partnership and sustainability: lessons from the implementation of the National Dementia Strategy for England. Health and Social Care in the Community, 2014, 22, 634-645.	0.7	12
126	Care home services at the vanguard: a qualitative study exploring stakeholder views on the development and evaluation of novel, integrated approaches to enhancing healthcare in care homes. BMJ Open, 2018, 8, e017419.	0.8	12

#	Article	IF	CITATIONS
127	Evidence-based intervention to reduce avoidable hospital admissions in care home residents (the) Tj ETQq1 1 trial. BMJ Open, 2019, 9, e026510.	0.784314 rg 0.8	BT /Overlock 12
128	Post-stroke memory deficits and barriers to seeking help: views of patients and carers. Family Practice, 2019, 36, 506-510.	0.8	12
129	Task-shifted approaches to postdiagnostic dementia support: a qualitative study exploring professional views and experiences. BMJ Open, 2020, 10, e040348.	0.8	12
130	Nutritional interventions for the prevention of cognitive impairment and dementia in developing economies in East-Asia: a systematic review and meta-analysis. Critical Reviews in Food Science and Nutrition, 2020, , 1-18.	5.4	12
131	Anaemia and physical and mental health in the very old: An individual participant data meta-analysis of four longitudinal studies of ageing. Age and Ageing, 2021, 50, 113-119.	0.7	12
132	Why is dementia different? Medical students' views about deceiving people with dementia. Aging and Mental Health, 2015, 19, 731-738.	1.5	11
133	Can we influence the epidemiology of dementia? Perspectives from population-based studies. Postgraduate Medical Journal, 2015, 91, 651-654.	0.9	11
134	Implementing post-diagnostic support for people living with dementia in England: a qualitative study of barriers and strategies used to address these in practice. Age and Ageing, 2021, 50, 2230-2237.	0.7	11
135	Taking stock: A multistakeholder perspective on improving the delivery of care and the development of treatments for Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 455-461.	0.4	9
136	The views of public and clinician stakeholders on risk assessment tools for post-stroke dementia: a qualitative study. BMJ Open, 2019, 9, e025586.	0.8	9
137	Massive Open Online Courses: enhancing caregiver education and support about dementia care towards and at end of life. Age and Ageing, 2020, 49, 171-174.	0.7	9
138	Pilot cluster randomised trial of an evidence-based intervention to reduce avoidable hospital admissions in nursing home residents (Better Health in Residents of Care Homes with) Tj ETQq0 0 0 rgBT /Ov	erlockol® Tf 5	50 297 Td (Nu
139	Changes to postdiagnostic dementia support in England and Wales during the COVID-19 pandemic: a qualitative study. BMJ Open, 2022, 12, e059437.	0.8	9
140	Utility of NT-proBNP as a rule-out test for left ventricular dysfunction in very old people with limiting dyspnoea: the Newcastle 85+ Study. BMC Cardiovascular Disorders, 2014, 14, 128.	0.7	8
141	Effectiveness of Dementia Care Mappingâ,,¢ to reduce agitation in care home residents with dementia: an open-cohort cluster randomised controlled trial. Aging and Mental Health, 2021, 25, 1410-1423.	1.5	8
142	Assessing the Predictive Validity of Simple Dementia Risk Models in Harmonized Stroke Cohorts. Stroke, 2020, 51, 2095-2102.	1.0	8
143	Delirium and Delirium Severity Predict the Trajectory of the Hierarchical Assessment of Balance and Mobility in Hospitalized Older People: Findings From the DECIDE Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 531-535.	1.7	8
144	A cohort study of the impact of COVIDâ€19 on the quality of life of people newly diagnosed with dementia and their family carers. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, e12236.	1.8	8

#	Article	IF	CITATIONS
145	Risk Prediction Models for Post-Stroke Dementia. Geriatrics (Switzerland), 2017, 2, 19.	0.6	7
146	UK end-of-life care services in dementia, initiatives and sustainability: results of a national online survey. BMJ Supportive and Palliative Care, 2018, 8, 424-427.	0.8	7
147	â€l just want to get on with my life': a mixed-methods study of active management of quality of life in living with dementia. Ageing and Society, 2018, 38, 378-402.	1.2	7
148	Immunosenescence profiles are not associated with muscle strength, physical performance and sarcopenia risk in very old adults: The Newcastle 85+ Study. Mechanisms of Ageing and Development, 2020, 190, 111321.	2.2	7
149	Prevalence estimates of dementia in older adults in rural Kilimanjaro 2009–2010 and 2018–2019: is there evidence of changing prevalence?. International Journal of Geriatric Psychiatry, 2021, 36, 950-959.	1.3	7
150	A Qualitative Study on Formal and Informal Carers' Perceptions of Dementia Care Provision and Management in Malaysia. Frontiers in Public Health, 2021, 9, 637484.	1.3	7
151	Predictors of loneliness during the Covid-19 pandemic in people with dementia and their carers in England: findings from the DETERMIND-C19 study. Aging and Mental Health, 2023, 27, 521-532.	1.5	7
152	Genetic variation of CHRNA4 does not modulate attention in Parkinson's disease. Neuroscience Letters, 2010, 479, 123-125.	1.0	6
153	Commissioning care for people with dementia at the end of life: a mixed - methods study. BMJ Open, 2016, 6, e013554.	0.8	6
154	Use of primary care and other healthcare services between age 85 and 90 years: longitudinal analysis of a single-year birth cohort, the Newcastle 85+ study. BMJ Open, 2018, 8, e019218.	0.8	6
155	Developing an Intervention for Fall-Related Injuries in Dementia (DIFRID): an integrated, mixed-methods approach. BMC Geriatrics, 2019, 19, 57.	1.1	6
156	Working with Assistive Technologies and People Living with Dementia. , 2019, , 213-227.		6
157	The contribution of multiple long-term conditions to widening inequalities in disability-free life expectancy over two decades: Longitudinal analysis of two cohorts using the Cognitive Function and Ageing Studies. EClinicalMedicine, 2021, 39, 101041.	3.2	6
158	Automated tests for diagnosing and monitoring cognitive impairment: a diagnostic accuracy review. Health Technology Assessment, 2016, 20, 1-74.	1.3	6
159	Dementia risk assessment tools: an update. Neurodegenerative Disease Management, 2017, 7, 345-347.	1.2	5
160	Is it feasible to deliver a complex intervention to improve the outcome of falls in people with dementia? A protocol for the DIFRID feasibility study. Pilot and Feasibility Studies, 2018, 4, 170.	0.5	5
161	The value of dementia care towards the end of life—A contingent valuation study. International Journal of Geriatric Psychiatry, 2020, 35, 489-497.	1.3	5
162	Dietary Protein Intake and Transition between Frailty States in Octogenarians Living in New Zealand. Nutrients, 2021, 13, 2843.	1.7	5

#	Article	IF	CITATIONS
163	An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. Health Technology Assessment, 2019, 23, 1-208.	1.3	5
164	Independent and interactive associations of dietary nitrate and salt intake with blood pressure and cognitive function: a cross-sectional analysis in the InCHIANTI study. International Journal of Food Sciences and Nutrition, 2022, 73, 491-502.	1.3	5
165	A Longitudinal Study of Functional Unmet Need Among People with Dementia. Journal of Alzheimer's Disease, 2021, 84, 705-716.	1.2	4
166	Supporting good quality, community-based end-of-life care for people living with dementia: the SEED research programme including feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-254.	0.4	4
167	211 - Changes to post-diagnostic dementia support in England and Wales during the COVID-19 pandemic. International Psychogeriatrics, 2021, 33, 13-13.	0.6	4
168	Declining daily functioning as a prelude to a hip fracture in older persons—an individual patient data meta-analysis. Age and Ageing, 2022, 51, .	0.7	4
169	Socioeconomic inequality of long-term care for older people with and without dementia in England. Ageing and Society, 0, , 1-21.	1.2	4
170	Feasibility and acceptability of a dietary intervention study to reduce salt intake and increase high-nitrate vegetable consumption among middle-aged and older Malaysian adults with elevated blood pressure: a study protocol. BMJ Open, 2020, 10, e035453.	0.8	3
171	A complex intervention to reduce avoidable hospital admissions in nursing homes: a research programme including the BHiRCH-NH pilot cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-200.	0.4	3
172	Understanding how people with Parkinson's disease and their relatives approach advance care planning. European Geriatric Medicine, 2022, 13, 109-117.	1.2	3
173	Population normative data for three cognitive screening tools for older adults in sub-Saharan Africa. Dementia E Neuropsychologia, 2021, 15, 339-349.	0.3	3
174	Proposed shared care protocol between primary and secondary care for the ongoing management of those on anti-dementia medication. Primary Care and Community Psychiatry, 2001, 7, 111-113.	0.4	3
175	The Association between 25-Hydroxyvitamin D Concentration and Telomere Length in the Very-Old: The Newcastle 85+ Study. Nutrients, 2021, 13, 4341.	1.7	3
176	Feasibility and Acceptability of a Dietary Intervention to Reduce Salt Intake and Increase High-Nitrate Vegetable Consumption in Malaysian Middle-Aged and Older Adults with Elevated Blood Pressure: Findings from the DePEC-Nutrition Trial. Nutrients, 2022, 14, 430.	1.7	3
177	Describing transitions in residential status over 10Âyears in the very old: results from the Newcastle 85+ Study. Age and Ageing, 2022, 51, .	0.7	3
178	Secular Trends in Dementia Free Cognitive Function in Older Adults: A Systematic Review. Journal of Alzheimer's Disease, 2022, 88, 417-428.	1.2	3
179	Are national guidelines for health behaviour appropriate for older Australians?. Australasian Journal on Ageing, 2011, 30, 4-5.	0.4	2
180	Dementia with Lewy bodies: The emerging role of primary care. European Journal of General Practice, 2016, 22, 53-57.	0.9	2

#	Article	IF	CITATIONS
181	Natural History of Social Participation in the Very Old: Findings from the Newcastle 85+ Study. Journal of Aging and Health, 2020, 32, 1552-1561.	0.9	2
182	How Do Patients With Parkinson's Disease Approach Advance Care Planning? A UK-Based Mixed Methods Study. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 168-175.	1.2	2
183	The Active Brains Digital Intervention to Reduce Cognitive Decline in Older Adults: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e18929.	0.5	2
184	A comparison over 2 decades of disability-free life expectancy at age 65 years for those with long-term conditions in England: Analysis of the 2 longitudinal Cognitive Function and Ageing Studies. PLoS Medicine, 2022, 19, e1003936.	3.9	2
185	No Evidence That Genetic Variation at the Klotho Locus Is Associated With Longevity in Caucasians from the Newcastle 85+ Study and the UK Biobank. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 457-461.	1.7	2
186	Disentangling the varying associations between systolic blood pressure and health outcomes in the very old: an individual patient data meta-analysis. Journal of Hypertension, 2022, 40, 1786-1794.	0.3	2
187	General practice perspectives: Coordinating end-of-life care. Nursing and Residential Care, 2004, 6, 601-604.	0.1	1
188	How to recognise the early signs of dementia. Practice Nursing, 2009, 20, S7-S10.	0.1	1
189	Helping people to live well with dementia. InnovAiT, 2013, 6, 754-762.	0.0	1
190	Home visits and the housebound. InnovAiT, 2015, 8, 540-546.	0.0	1
191	Nutritional Interventions for the Prevention of Cognitive Impairment and Dementia in Developing Economies of East Asia: Systematic Review and Meta-analysis – CORRIGENDUM. Proceedings of the Nutrition Society, 2020, 79, 1.	0.4	1
192	Stroke: time to address cognition. British Journal of General Practice, 2021, 71, 104-105.	0.7	1
193	Proportions of Dementia Subtypes in Rural Tanzania. American Journal of Geriatric Psychiatry, 2022, 30, 424-425.	0.6	1
194	Overcoming barriers to a diagnosis of dementia: can we do it?. International Psychogeriatrics, 2020, 32, 555-557.	0.6	1
195	More testing needed. BMJ: British Medical Journal, 2009, 339, b2825-b2825.	2.4	1
196	Editorial: End of life care in dementia. Dementia, 2009, 8, 417-419.	1.0	0
197	Assistive technologies to maximise independence in people with dementia. InnovAiT, 2013, 6, 763-771.	0.0	0
198	P2-300: RISK PREDICTION MODELS FOR DEMENTIA: A SYSTEMATIC REVIEW. , 2014, 10, P587-P587.		0

P2-300: RISK PREDICTION MODELS FOR DEMENTIA: A SYSTEMATIC REVIEW. , 2014, 10, P587-P587. 198

#	Article	IF	CITATIONS
199	Opportunities in academic primary care. InnovAiT, 2015, 8, 441-443.	0.0	Ο
200	Care priorities for stroke patients developing cognitive difficulties: a Delphi survey of UK professional views. BMC Health Services Research, 2020, 20, 717.	0.9	0
201	Outcomes valued by people living with dementia and their care partners: protocol for a qualitative systematic review and synthesis. BMJ Open, 2021, 11, e050909.	0.8	Ο
202	The role of the family doctor in supportive care for people with dementia. , 2009, , 139-148.		0
203	Identification and Primary Care Management. , 2016, , 229-240.		Ο
204	Caring for People with Dementia Towards, and at, the End of Life. , 2016, , 319-327.		0
205	Evaluation of Bedside Tests of Attention and Arousal Assessing Delirium in Parkinson's Disease, Dementia, and Older Adults. Journal of Parkinson's Disease, 2022, 12, 655-665.	1.5	0
206	Coâ€designing toolkits to improve postâ€diagnostic support for people living with dementia, care partners and health and social care professionals (COGNISANCE). Alzheimer's and Dementia, 2021, 17, e054415.	0.4	0
207	Assessments of instrumental activities of daily living in lowâ€middle income countries: A systematic review. Alzheimer's and Dementia, 2021, 17, .	0.4	0
208	Outcomes valued by people living with dementia and their carers: A qualitative systematic review with a qualitative synthesis. Alzheimer's and Dementia, 2021, 17, e053795.	0.4	0
209	Economic burden of dementia studies in low―and middle―income countries (LMICs): A systematic review. Alzheimer's and Dementia, 2021, 17, .	0.4	0
210	Evidence exclusive labels in cognitive research cause unstable prevalence estimates over time. Alzheimer's and Dementia, 2021, 17, .	0.4	0
211	Equity and balance in applied dementia research: A Charter of Conduct and checklist for global collaborations. International Journal of Geriatric Psychiatry, 0, , .	1.3	0