

Mohammad Gholinejad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7280822/publications.pdf>

Version: 2024-02-01

80
papers

2,534
citations

147801

31
h-index

214800

47
g-index

97
all docs

97
docs citations

97
times ranked

2176
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of imidazole modified clinochlore for adsorption of ibuprofen residues from polluted water: preparation, characterization, kinetic and thermodynamic studies. <i>Journal of the Iranian Chemical Society</i> , 2022, 19, 109-120.	2.2	3
2	Theranostic mesoporous silica nanoparticles made of multi-nuclear gold or carbon quantum dots particles serving as pH responsive drug delivery system. <i>Microporous and Mesoporous Materials</i> , 2022, 329, 111512.	4.4	31
3	Zeolitic imidazolate frameworks-67 (ZIF-67) supported PdCu nanoparticles for enhanced catalytic activity in Sonogashira-Hagihara and nitro group reduction under mild conditions. <i>Molecular Catalysis</i> , 2022, 518, 112093.	2.0	12
4	Ionic liquid modified carbon nanotube supported palladium nanoparticles for efficient Sonogashira-Hagihara reaction. <i>Journal of Organometallic Chemistry</i> , 2022, 963, 122295.	1.8	10
5	Low-amount palladium supported on Fe-Cu MOF: Synergetic effect between Pd, Cu and Fe in Sonogashira-Hagihara coupling reaction and reduction of organic dyes. <i>Molecular Catalysis</i> , 2022, 522, 112199.	2.0	8
6	Visible photosensitized sonogashira-hagihara coupling through in situ prepared palladium catalyst in N,N-dimethylformamide under copper and amine-free additives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 431, 114002.	3.9	2
7	Hyperbranched polymer immobilized palladium nanoparticles as an efficient and reusable catalyst for cyanation of aryl halides and reduction of nitroarenes. <i>Journal of Organometallic Chemistry</i> , 2022, 970-971, 122359.	1.8	2
8	Bimetallic Fe-Cu metal organic frameworks for room temperature catalysis. <i>Applied Organometallic Chemistry</i> , 2022, 36, .	3.5	15
9	Applications of bimetallic PdCu catalysts. <i>Catalysis Science and Technology</i> , 2021, 11, 2652-2702.	4.1	47
10	Heterocyclic thiolates and phosphine ligands in copper-catalyzed synthesis of propargylamines in water. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6180.	3.5	2
11	Suzuki coupling reactions catalyzed by Schiff base supported palladium complexes bearing the vitamin B6 cofactor. <i>Molecular Catalysis</i> , 2021, 505, 111528.	2.0	11
12	Exploring Unusual Effects of the Ring Substituents in the Type α - β Reaction with TD-DFT and DFT. <i>Photochemistry and Photobiology</i> , 2021, 97, 947-954.	2.5	0
13	Photocatalytic activity enhancement of carbon-doped Ag_3N_4 by synthesis of nanocomposite with Ag_2O and Fe_2O_3 . <i>Journal of the Chinese Chemical Society</i> , 2021, 68, 2118-2131.	1.4	5
14	Novel Water Dispersible and Magnetically Recoverable Palladium Nano Catalyst for Room-Temperature Suzuki-Miyaura Coupling Reaction. <i>ChemistrySelect</i> , 2021, 6, 13906-13917.	1.5	10
15	Enhanced catalytic activity of natural hematite-supported ppm levels of Pd in nitroarenes reduction. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 2033-2043.	2.2	4
16	Human hair catalyzed selective reduction of nitroarenes to amines. <i>Canadian Journal of Chemistry</i> , 2020, 98, 244-249.	1.1	9
17	Co/Cu bimetallic ZIF as New heterogeneous catalyst for reduction of nitroarenes and dyes. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5522.	3.5	28
18	Synthesis of 5-heptadecyl- and 5-heptadec-8-enyl substituted 4-amino-1,2,4-triazole-3-thiol and 1,3,4-oxadiazole-2-thione from (Z)-octadec-9-enoic acid: preparation of Palladium(II) complexes and evaluation of their antimicrobial activity. <i>Monatshefte für Chemie</i> , 2020, 151, 173-180.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Synergistic Effects of ppm Levels of Palladium on Natural Clinochlore for Reduction of Nitroarenes. <i>ChemSusChem</i> , 2019, 12, 4240-4248.	6.8	22
20	Palladium Nanoparticles on a Creatine-Modified Bentonite Support: An Efficient and Sustainable Catalyst for Nitroarene Reduction. <i>ChemPlusChem</i> , 2019, 84, 1122-1129.	2.8	11
21	An Efficient A^{3+} Coupling Catalyst Based on a Silver Complex Bearing N-Heterocyclic Carbene and Homoscorpionate Bis(3-methylmercaptoimidazolyl)borate Ligands. <i>ChemistrySelect</i> , 2019, 4, 9268-9273.	1.5	14
22	1-Butyl-3-methyl-2-(diphenylphosphino)imidazolium hexafluorophosphate as an efficient ligand for recoverable palladium-catalyzed Suzuki-Miyaura reaction in neat water. <i>Journal of Organometallic Chemistry</i> , 2019, 901, 120941.	1.8	12
23	Carbon-Derived Supports for Palladium Nanoparticles as Catalysts for Carbon-Carbon Bonds Formation. <i>ChemCatChem</i> , 2019, 11, 1792-1823.	3.7	54
24	Starch functionalized creatine for stabilization of gold nanoparticles: Efficient heterogeneous catalyst for the reduction of nitroarenes. <i>Inorganica Chimica Acta</i> , 2019, 495, 118965.	2.4	23
25	Clinochlore-Supported Copper Nanoparticles as Green and Efficient Catalyst for Room-Temperature Synthesis of 1,2,3-triazoles in Water. <i>ChemistrySelect</i> , 2019, 4, 3151-3160.	1.5	15
26	Caffeine gold complex supported on magnetic nanoparticles as a green and high turnover frequency catalyst for room temperature A^{3+} coupling reaction in water. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4760.	3.5	44
27	Gold Nanoparticles Supported on Imidazole-Modified Bentonite: Environmentally Benign Heterogeneous Catalyst for the Three-Component Synthesis of Propargylamines in Water. <i>ChemPlusChem</i> , 2018, 83, 431-438.	2.8	31
28	Copper ferrite nanoparticle modified starch as a highly recoverable catalyst for room temperature click chemistry: multicomponent synthesis of 1,2,3-triazoles in water. <i>New Journal of Chemistry</i> , 2018, 42, 3078-3086.	2.8	57
29	Magnesium oxide supported bimetallic Pd/Cu nanoparticles as an efficient catalyst for Sonogashira reaction. <i>Journal of Catalysis</i> , 2018, 363, 81-91.	6.2	44
30	Nitro group reduction and Suzuki reaction catalysed by palladium supported on magnetic nanoparticles modified with carbon quantum dots generated from glycerol and urea. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3984.	3.5	66
31	Magnetic crosslinked copoly(ionic liquid) nanohydrogel supported palladium nanoparticles as efficient catalysts for the selective aerobic oxidation of alcohols. <i>Applied Catalysis A: General</i> , 2018, 563, 185-195.	4.3	27
32	Novel oxime-palladacycle supported on clay composite as an efficient heterogeneous catalyst for Sonogashira reaction. <i>Inorganica Chimica Acta</i> , 2018, 483, 262-270.	2.4	13
33	Iron oxide modified with pyridyl-triazole ligand for stabilization of gold nanoparticles: An efficient heterogeneous catalyst for A^{3+} coupling reaction in water. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4454.	3.5	25
34	Efficient Method for the Synthesis of Propargylamines Using a Biomaterial Containing Copper Nanoparticles as Impressive and Reusable Nanocatalyst. <i>Letters in Organic Chemistry</i> , 2018, 15, .	0.5	6
35	Graphene Quantum Dot Modified Fe_3O_4 Nanoparticles Stabilize PdCu Nanoparticles for Enhanced Catalytic Activity in the Sonogashira Reaction. <i>ChemCatChem</i> , 2017, 9, 1442-1449.	3.7	59
36	A fluorescence active catalyst support comprising carbon quantum dots and magnesium oxide doping for stabilization of palladium nanoparticles: Application as a recoverable catalyst for Suzuki reaction in water. <i>Molecular Catalysis</i> , 2017, 433, 12-19.	2.0	47

#	ARTICLE	IF	CITATIONS
37	Copper-Catalyzed C-S Bond Formation via the Cleavage of C-O Bonds in the Presence of S8 as the Sulfur Source. <i>Synthesis</i> , 2017, 49, 5025-5038.	2.3	22
38	Green synthesis of carbon quantum dots from vanillin for modification of magnetite nanoparticles and formation of palladium nanoparticles: Efficient catalyst for Suzuki reaction. <i>Tetrahedron</i> , 2017, 73, 5585-5592.	1.9	34
39	Palladium supported on bis(indolyl)methane functionalized magnetite nanoparticles as an efficient catalyst for copper-free Sonogashira-Hagihara reaction. <i>Applied Catalysis A: General</i> , 2016, 525, 31-40.	4.3	29
40	Gold Nanoparticles Supported on Polyacrylamide Containing a Phosphorus Ligand as an Efficient Heterogeneous Catalyst for Three-Component Synthesis of Propargylamines in Water. <i>Synlett</i> , 2016, 27, e7-e7.	1.8	1
41	Tandem oxidation-Wittig reaction using nanocrystalline barium manganate (BaMnO ₄); an improved one-pot protocol. <i>Tetrahedron Letters</i> , 2016, 57, 3773-3775.	1.4	9
42	Iron Oxide Nanoparticles Modified with Carbon Quantum Nanodots for the Stabilization of Palladium Nanoparticles: An Efficient Catalyst for the Suzuki Reaction in Aqueous Media under Mild Conditions. <i>ChemCatChem</i> , 2016, 8, 441-447.	3.7	52
43	Gold Nanoparticles Supported on Polyacrylamide Containing a Phosphorus Ligand as an Efficient Heterogeneous Catalyst for Three-Component Synthesis of Propargylamines in Water. <i>Synlett</i> , 2016, 27, 1193-1201.	1.8	25
44	Silica Microparticles Supported Gold and Copper Ferrite Nanoparticles: A Magnetically Recyclable Bimetallic Catalyst for Sonogashira Reaction. <i>ChemistrySelect</i> , 2016, 1, 384-390.	1.5	22
45	Agarose functionalized phosphorus ligand for stabilization of small-sized palladium and copper nanoparticles: efficient heterogeneous catalyst for Sonogashira reaction. <i>Tetrahedron</i> , 2016, 72, 2491-2500.	1.9	34
46	Copper nanoparticles supported on starch micro particles as a degradable heterogeneous catalyst for three-component coupling synthesis of propargylamines. <i>RSC Advances</i> , 2016, 6, 4983-4991.	3.6	73
47	Palladium supported on phosphinite functionalized Fe ₃ O ₄ nanoparticles as a new magnetically separable catalyst for Suzuki-Miyaura coupling reactions in aqueous media. <i>Catalysis Science and Technology</i> , 2016, 6, 3117-3127.	4.1	36
48	One-Pot Copper-Catalysed Thioetherification of Aryl Halides Using Alcohols and Lawesson's Reagent in Diglyme. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 4162-4167.	2.4	14
49	One-Pot Preparation of Propargylamines Catalyzed by Heterogeneous Copper Catalyst Supported on Periodic Mesoporous Organosilica with Ionic Liquid Framework. <i>ChemPlusChem</i> , 2015, 80, 1573-1579.	2.8	30
50	2-(diphenylphosphino)pyridine platinum (II) and palladium (II) complex as an efficient binuclear catalyst for Suzuki-Miyaura coupling reaction in water under mild reaction conditions. <i>Journal of Organometallic Chemistry</i> , 2015, 796, 3-10.	1.8	12
51	Magnetic nanoparticles supported oxime palladacycle as a highly efficient and separable catalyst for room temperature Suzuki-Miyaura coupling reaction in aqueous media. <i>RSC Advances</i> , 2015, 5, 49568-49576.	3.6	44
52	One-pot odorless thia-Michael reaction by copper ferrite nanoparticle-catalyzed reaction of elemental sulfur, aryl halides and electron-deficient alkenes. <i>New Journal of Chemistry</i> , 2015, 39, 5953-5959.	2.8	17
53	Synthesis, characterization, crystal structure and theoretical studies of new chiral Schiff base (E)-4-hydroxy[(1-phenylethyl)iminomethyl]benzyl. <i>Research on Chemical Intermediates</i> , 2015, 41, 1635-1645.	2.7	2
54	Assemblies of Copper Ferrite and Palladium Nanoparticles on Silica Microparticles as a Magnetically Recoverable Catalyst for Sonogashira Reaction under Mild Conditions. <i>ChemPlusChem</i> , 2015, 80, 973-979.	2.8	37

#	ARTICLE	IF	CITATIONS
55	Palladium nanoparticles supported on magnetic copper ferrite nanoparticles: The synergistic effect of palladium and copper for cyanation of aryl halides with $K_4[Fe(CN)_6]$. <i>Journal of Molecular Catalysis A</i> , 2015, 397, 106-113.	4.8	56
56	Palladium Deposited on Naturally Occurring Supports as a Powerful Catalyst for Carbon-Carbon Bond Formation Reactions. <i>Current Organic Chemistry</i> , 2015, 20, 327-348.	1.6	40
57	Synthesis and characterization of magnetic copper ferrite nanoparticles and their catalytic performance in one-pot odorless carbon-sulfur bond formation reactions. <i>Journal of Molecular Catalysis A</i> , 2014, 386, 20-27.	4.8	76
58	Active palladium catalyst supported by bulky diimine ligand catalyzed Suzuki-Miyaura coupling reaction in water under phosphane-free and low catalyst loading conditions. <i>Applied Organometallic Chemistry</i> , 2014, 28, 221-224.	3.5	23
59	Copper Nanoparticles Supported on Agarose as a Bioorganic and Degradable Polymer for Multicomponent Click Synthesis of 1,2,3-Triazoles under Low Copper Loading in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 2658-2665.	6.7	71
60	N, N-bis(2-pyridinecarboxamide)-1,2-benzene palladium complex as a new efficient catalyst for Suzuki-Miyaura coupling reaction under phosphane free conditions. <i>Inorganica Chimica Acta</i> , 2014, 421, 433-438.	2.4	33
61	Palladium nanoparticles supported on agarose-functionalized magnetic nanoparticles of Fe_3O_4 as a recyclable catalyst for C-C bond formation via Suzuki-Miyaura, Heck-Mizoroki and Sonogashira-Hagihara coupling reactions. <i>RSC Advances</i> , 2014, 4, 17060-17070.	3.6	65
62	Design and synthesis of a new phosphinite-functionalized clay composite for the stabilization of palladium nanoparticles. Application as a recoverable catalyst for C-C bond formation reactions. <i>RSC Advances</i> , 2014, 4, 27674-27682.	3.6	23
63	The copper(II) complexes with tetradentate Schiff base ligands: Synthesis, crystal structures, and computational studies. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2013, 39, 209-213.	1.0	6
64	Synthesis, characterization and computational studies of zinc(II)-halide complexes with a bidentate schiff base ligand (2,5-MeO-ba)2En: The crystal structure of (2,5-MeO-ba)2En. <i>Journal of Structural Chemistry</i> , 2013, 54, 766-773.	1.0	1
65	Palladium nanoparticles supported on agarose-catalyzed Heck-Matsuda and Suzuki-Miyaura coupling reactions using aryl diazonium salts. <i>Applied Organometallic Chemistry</i> , 2013, 27, 19-22.	3.5	40
66	One-Pot Synthesis of Symmetrical Diaryl Trithiocarbonates through Copper-Catalyzed Coupling of Aryl Compounds, Sodium Sulfide, and Carbon Disulfide. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 257-259.	2.4	22
67	Copper(I) iodide catalyzes odorless thioarylation of phenolic esters with alkyl derivatives using thiourea in wet polyethylene glycol (PEG 200). <i>Journal of Molecular Catalysis A</i> , 2013, 377, 190-196.	4.8	44
68	Highly efficient three-component coupling reaction catalyzed by gold nanoparticles supported on periodic mesoporous organosilica with ionic liquid framework. <i>Chemical Communications</i> , 2012, 48, 8961.	4.1	129
69	Palladium nano-particles supported on agarose as efficient catalyst and bioorganic ligand for CC bond formation via solventless Mizoroki-Heck reaction and Sonogashira-Hagihara reaction in polyethylene glycol (PEG 400). <i>Journal of Molecular Catalysis A</i> , 2012, 357, 154-161.	4.8	89
70	Agarose hydrogel as an effective bioorganic ligand and support for the stabilization of palladium nanoparticles. Application as a recyclable catalyst for Suzuki-Miyaura reaction in aqueous media. <i>RSC Advances</i> , 2011, 1, 1013.	3.6	48
71	Phosphane-free Suzuki-Miyaura Coupling of Aryl Imidazolesulfonates with Arylboronic Acids and Potassium Aryltrifluoroborates under Aqueous Conditions. <i>Chemistry Letters</i> , 2011, 40, 907-909.	1.3	27
72	Recyclable nickel catalysed Suzuki-Miyaura reaction in the presence of polyethyleneimine under phosphine-free conditions in ethylene glycol. <i>Journal of Chemical Sciences</i> , 2011, 123, 485-489.	1.5	4

#	ARTICLE	IF	CITATIONS
73	Magnetite (Fe ₃ O ₄) Nanoparticlesâ€Catalyzed Sonogashiraâ€Hagihara Reactions in Ethylene Glycol under Ligandâ€Free Conditions. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 125-132.	4.3	135
74	Oneâ€Pot Thioetherification of Aryl Halides Using Thiourea and Alkyl Bromides Catalyzed by Copper(I) Iodide Free from Foulâ€Smelling Thiols in Wet Polyethylene Glycol (PEG 200). <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 119-124.	4.3	132
75	2-Aminophenyl diphenylphosphinite as an easily accessible ligand for heterogeneous palladium-catalyzed Suzukiâ€Miyaura reaction in water in the absence of any organic co-solvent. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 2093-2097.	1.8	39
76	Recyclable palladium-catalyzed Sonogashiraâ€Hagihara coupling of aryl halides using 2-aminophenyl diphenylphosphinite ligand in neat water under copper-free condition. <i>Journal of Molecular Catalysis A</i> , 2010, 321, 110-116.	4.8	60
77	2-Aminophenyl diphenylphosphinite as a new ligand for heterogeneous palladium-catalyzed Heckâ€Mizoroki reactions in water in the absence of any organic co-solvent. <i>Tetrahedron</i> , 2009, 65, 7079-7084.	1.9	75
78	4-Aminophenyl Diphenylphosphinite (APDPP) as a Heterogeneous and Acid Scavenger Reagent for Thiocyanation or Isothiocyanation of Alcohols and Protected Alcohols. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2009, 184, 2010-2019.	1.6	10
79	4-Aminophenyldiphenylphosphinite (APDPP), a new heterogeneous and acid scavenger phosphinite â€” Conversion of alcohols, trimethylsilyl, and tetrahydropyranyl ethers to alkyl halides with halogens or N-halosuccinimides. <i>Canadian Journal of Chemistry</i> , 2006, 84, 1006-1012.	1.1	17
80	DABCO-based ionic liquid-modified magnetic nanoparticles supported gold as an efficient catalyst for A3 coupling reaction in water. <i>Journal of the Iranian Chemical Society</i> , 0, , 1.	2.2	1