

Haiyan Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7282205/haiyan-zhang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

3,553
citations

34
h-index

51
g-index

170
ext. papers

4,346
ext. citations

6.7
avg, IF

5.83
L-index

#	Paper	IF	Citations
157	Facile preparation of La ₂ (MoO ₄) ₃ @C nanosheets as superior anodes for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2022 , 26, 897	2.6	0
156	A Novel Dendrite-Free Lithium Metal Anode via Oxygen and Boron Codoped Honeycomb Carbon Skeleton.. <i>Small</i> , 2022 , e2104876	11	3
155	A Novel Dendrite-Free Lithium Metal Anode via Oxygen and Boron Codoped Honeycomb Carbon Skeleton (Small 11/2022). <i>Small</i> , 2022 , 18, 2270055	11	0
154	Reinforce effect with carbon interphase for high performance multi-phase V-based anode on sodium ion batteries. <i>Journal of Physics and Chemistry of Solids</i> , 2022 , 168, 110796	3.9	
153	Amorphous phosphorus chalcogenide as an anode material for lithium-ion batteries with high capacity and long cycle life. <i>Journal of Energy Chemistry</i> , 2021 , 68, 658-658	12	0
152	Optical Temperature Sensing of YbNbO ₄ :Er ³⁺ Phosphors Synthesized by Hydrothermal Method. <i>Coatings</i> , 2021 , 11, 383	2.9	1
151	Study on preparation, stability, thermal conductivity, and viscosity of silver nanoparticles-decorated three-dimensional graphene-like porous carbon hybrid nanofluids. <i>Nanotechnology</i> , 2021 ,	3.4	4
150	Hydrothermal intercalation for the synthesis of novel three-dimensional hierarchically superstructured carbons composed of graphene-like ultrathin nanosheets. <i>Carbon</i> , 2021 , 176, 1-10	10.4	11
149	Confined growth of Fe ₂ O ₃ nanoparticles by holey graphene for enhanced sodium-ion storage. <i>Carbon</i> , 2021 , 176, 31-38	10.4	4
148	Fe ₂ O ₃ nanowire arrays on Ni-coated yarns as excellent electrodes for high performance wearable yarn-supercapacitor. <i>Journal of Alloys and Compounds</i> , 2021 , 866, 158156	5.7	15
147	Recent discovery of a multifunctional metallo-organic precursor for fabricating Co ₃ O ₄ /N-doped porous carbon by one-step in situ pyrolysis as an anode material for Li-ion batteries. <i>Journal of Materials Science</i> , 2021 , 56, 1590-1599	4.3	3
146	Facile fabrication of highly catalytic-active AgCO/AgBr/graphene oxide ternary composites towards the photocatalytic wastewater treatment. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 4173-4183	5.1	3
145	A novel amorphous P ₄ Se ₂ compound as an advanced anode for sodium-ion batteries in ether-based electrolytes. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 12029-12040	13	6
144	A Co-intercalation enhanced V-based cathode material for fast charge aqueous zinc ion batteries. <i>Chemical Communications</i> , 2021 , 57, 10339-10342	5.8	2
143	One-step large-scale fabrication of Bi@N-doped carbon for ultrahigh-rate and long-life sodium-ion battery anodes. <i>Journal of Materials Science</i> , 2021 , 56, 11000-11010	4.3	4
142	Facile preparation of MoP/TiO ₂ composite by electrospinning method for sodium ion battery anode. <i>Materials Research Letters</i> , 2021 , 9, 382-390	7.4	2
141	Scalable Preparation of Cellulose Nanofibers from Office Waste Paper by an Environment-Friendly Method. <i>Polymers</i> , 2021 , 13,	4.5	1

140	Investigation on hybrid nanofluids based on carbon nanotubes filled with metal nanoparticles: Stability, thermal conductivity, and viscosity. <i>Powder Technology</i> , 2021 , 389, 1-10	5.2	21
139	Electrochemical storage mechanism of sodium in carbon materials: A study from soft carbon to hard carbon. <i>Carbon</i> , 2021 , 182, 758-769	10.4	11
138	Application of iron/barium ferrite/carbon-coated iron nanocrystal composites in transcatheter arterial chemoembolization of hepatocellular carcinoma. <i>Journal of Colloid and Interface Science</i> , 2021 , 601, 30-41	9.3	1
137	Three-dimensional flower-like FeCoNi/reduced graphene oxide nanosheets with enhanced impedance matching for high-performance electromagnetic wave absorption. <i>Journal of Alloys and Compounds</i> , 2021 , 883, 160877	5.7	10
136	High performance anode for sodium-ion batteries: Calcium pre-intercalated layered vanadium oxide/carbon composite. <i>Chemical Engineering Journal</i> , 2021 , 424, 130378	14.7	4
135	Electrochemical activation strategies of a novel high entropy amorphous V-based cathode material for high-performance aqueous zinc-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 18488-18497 ¹³	3.5	4
134	Green, Template-Less Synthesis of Honeycomb-like Porous Micron-Sized Red Phosphorus for High-Performance Lithium Storage. <i>ACS Nano</i> , 2021 , 15, 1880-1892	16.7	14
133	Design and construction of nickel-cobalt-sulfide nanoparticles in-situ grown on graphene with enhanced performance for asymmetric supercapacitors. <i>Diamond and Related Materials</i> , 2020 , 108, 107925	2.5	9
132	Enhanced Microwave Absorption Bandwidth in Graphene-Encapsulated Iron Nanoparticles with Core-Shell Structure. <i>Nanomaterials</i> , 2020 , 10,	5.4	6
131	Facile fabrication of carbon nanosheets with hierarchically porous structure for high-performance supercapacitor. <i>Microporous and Mesoporous Materials</i> , 2020 , 306, 110440	5.3	9
130	Few-layer MoS ₂ embedded in N-doped carbon fibers with interconnected macropores for ultrafast sodium storage. <i>Carbon</i> , 2020 , 168, 691-700	10.4	27
129	A novel and facile-to-synthesize three-dimensional honeycomb-like nano-Fe ₃ O ₄ @C composite: Electromagnetic wave absorption with wide bandwidth. <i>Carbon</i> , 2020 , 169, 118-128	10.4	35
128	Ultrahigh and Durable Volumetric Lithium/Sodium Storage Enabled by a Highly Dense Graphene-Encapsulated Nitrogen-Doped Carbon@Sn Compact Monolith. <i>Nano Letters</i> , 2020 , 20, 2034-2046	11.5	42
127	Ultrafine FeNi Nanocrystals Embedded in 3D Honeycomb-Like Carbon Matrix for High-Performance Microwave Absorption. <i>Nanomaterials</i> , 2020 , 10,	5.4	8
126	Ultrasmall metal oxide nanocrystals embedded in nitrogen-doped carbon networks based on one-step pyrolysis of bi-functional metallo-organic molecules for high-performance lithium-ion batteries. <i>Electrochimica Acta</i> , 2020 , 331, 135430	6.7	3
125	Stabilizing the cationic/anionic redox chemistry of Li-rich layered cathodes by tuning the upper cut-off voltage for high energy-density lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 14214-14222	13	9
124	Thermodynamically Metal Atom Trapping in Van der Waals Layers Enabling Multifunctional 3D Carbon Network. <i>Advanced Functional Materials</i> , 2020 , 30, 2002626	15.6	8
123	Callistemon-like Zn and S codoped CoP nanorod clusters as highly efficient electrocatalysts for neutral-pH overall water splitting. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 22453-22462	13	51

122	Quantitatively Characterizing the Chemical Composition of Tailored Bagasse Fiber and Its Effect on the Thermal and Mechanical Properties of Polylactic Acid-Based Composites. <i>Polymers</i> , 2019 , 11,	4.5	17
121	Hierarchical cobalt phosphide hollow nanoboxes as high performance bifunctional electrocatalysts for overall water splitting. <i>Materials Today Energy</i> , 2019 , 12, 443-452	7	21
120	Chestnut-like copper cobalt phosphide catalyst for all-pH hydrogen evolution reaction and alkaline water electrolysis. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 14271-14279	13	46
119	A self-healing layered GeP anode for high-performance Li-ion batteries enabled by low formation energy. <i>Nano Energy</i> , 2019 , 61, 594-603	17.1	46
118	Enhanced electrochemical properties of single-layer MoS ₂ embedded in carbon nanofibers by electrospinning as anode materials for sodium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 843, 31-36	4.1	17
117	Miniaturised CP wideband antenna with split elliptical patch and LRH cells. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 420-424	1.6	1
116	General Strategy To Synthesize Highly Dense Metal Oxide Quantum Dots-Anchored Nitrogen-Rich Graphene Compact Monoliths To Enable Fast and High-Stability Volumetric Lithium/Sodium Storage. <i>ACS Applied Energy Materials</i> , 2019 , 2, 3500-3512	6.1	14
115	Super-Stretchable Zinc-Air Batteries Based on an Alkaline-Tolerant Dual-Network Hydrogel Electrolyte. <i>Advanced Energy Materials</i> , 2019 , 9, 1803046	21.8	185
114	A physically crosslinked, self-healing hydrogel electrolyte for nano-wire PANI flexible supercapacitors. <i>Chemical Engineering Journal</i> , 2019 , 367, 139-148	14.7	75
113	(Yb ³⁺ ,Er ³⁺) co-doped TiO ₂ /Ag ₃ PO ₄ hybrid photocatalyst with enhanced activity for photodegradation of phenol. <i>Applied Surface Science</i> , 2019 , 463, 159-168	6.7	24
112	Cl/SO-Codoped Poly(3,4-ethylenedioxythiophene) That Interpenetrates and Encapsulates Porous FeO To Form Composite Nanoframeworks for Stable Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30801-30809	9.5	10
111	An amorphous ZnO/graphite composite with chemical bonding for ultra-reversible lithium storage. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 16785-16792	13	19
110	N-Doped Modified Graphene/FeO Nanocomposites as High-Performance Anode Material for Sodium Ion Storage. <i>Nanomaterials</i> , 2019 , 9,	5.4	6
109	Controllable synthesis of SnO ₂ @carbon hollow sphere based on bi-functional metallo-organic molecule for high-performance anode in Li-ion batteries. <i>Applied Surface Science</i> , 2018 , 442, 65-70	6.7	12
108	Coplanar waveguide fed multiple input multiple output antenna with higher isolation and multi-sense circular polarization. <i>Journal of Electromagnetic Waves and Applications</i> , 2018 , 32, 685-694	1.3	3
107	One-step synthesis of 3D sulfur-doped porous carbon with multilevel pore structure for high-rate supercapacitors. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 1596-1605	6.7	38
106	Graphene / V ₂ O ₅ hybrid electrode for an asymmetric supercapacitor with high energy density in an organic electrolyte. <i>Electrochimica Acta</i> , 2018 , 287, 149-157	6.7	42
105	Flame retarded polyethylene/wood flour composites with high performances: Satisfying both sides with intumescent flame retardants and synergistic compatibilizers, respectively. <i>Polymer Composites</i> , 2018 , 39, 569-579	3	7

104	Enhanced dual-band circularly polarised broadband antenna by using the parasitic patch. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 2085-2088	1.6	3
103	Hybridization of Binary Non-Precious-Metal Nanoparticles with d-Ti3C2 MXene for Catalyzing the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2018 , 5, 3307-3314	4.3	18
102	Preparation, Lithium Storage Performance and Thermal Stability of Nickel-Rich Layered LiNi0.815Co0.15Al0.035O2/RGO Composites. <i>ChemElectroChem</i> , 2018 , 5, 3176-3182	4.3	10
101	Critical SiO2 nanolayers for improving corrosion resistance and lithium storage performances of core-shell nano-Si/C composites. <i>Journal of Alloys and Compounds</i> , 2018 , 769, 1072-1079	5.7	13
100	Synthesis of Double-Layer Nitrogen-Doped Microporous Hollow Carbon@MoS/MoO Nanospheres for Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 29511-29520	9.5	63
99	Enhanced capability and cyclability of flexible TiO2-reduced graphene oxide hybrid paper electrode by incorporating monodisperse anatase TiO2 quantum dots. <i>Electrochimica Acta</i> , 2018 , 259, 474-484	6.7	12
98	Influence of the phase composition and microstructure of plasma cladding Fe-Cr-Ni-C alloy coating on residual stress and crack formation. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 96, 1607-1613	3.2	2
97	Carbon Cloth-supported MoS2/Ag2S/Ag3PO4 Composite with High Photocatalytic Activity and Recyclability. <i>ChemCatChem</i> , 2018 , 11, 1017	5.2	5
96	Preparation and Thermal Conductivity of Alumina/Reduced Graphene Oxide Composite Dispersed Aqueous Nanofluids. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 381, 012071	0.4	0
95	Highly Compressible Cross-Linked Polyacrylamide Hydrogel-Enabled Compressible Zn-MnO Battery and a Flexible Battery-Sensor System. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 44527-44534	9.5	75
94	Tunable and high performance electromagnetic absorber based on ultralight 3D graphene foams with aligned structure. <i>Carbon</i> , 2018 , 140, 494-503	10.4	21
93	Novel hyper-crosslinked polymer anode for lithium-ion batteries with highly reversible capacity and long cycling stability. <i>Electrochimica Acta</i> , 2018 , 281, 162-169	6.7	13
92	Simple and efficient fabrication of pomegranate-like Fe2O3@C on carbon cloth as an anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 766, 253-260	5.7	9
91	Hierarchical S-doped porous carbon derived from by-product lignin for high-performance supercapacitors. <i>RSC Advances</i> , 2017 , 7, 12089-12097	3.7	38
90	Transparent and Self-Supporting Graphene Films with Wrinkled- Graphene-Wall-Assembled Opening Polyhedron Building Blocks for High Performance Flexible/Transparent Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 9763-9771	9.5	40
89	Fabrication of C/SiO1.5 nanospheres by emulsion polymerization of twin monomer for high-performance lithium-ion battery anode. <i>Journal of Alloys and Compounds</i> , 2017 , 701, 487-493	5.7	3
88	Facile synthesis of ultrasmall Si particles embedded in carbon framework using Si-carbon integration strategy with superior lithium ion storage performance. <i>Chemical Engineering Journal</i> , 2017 , 319, 1-8	14.7	28
87	Structure and properties of microwave transparent crosslinked polystyrene prepared through 3D printing bulk polymerization. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 44865	2.9	5

86	Construction of Hierarchically One-Dimensional Core-Shell CNT@Microporous Carbon by Covalent Bond-Induced Surface-Confined Cross-Linking for High-Performance Supercapacitor. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 15557-15565	9.5	28
85	A macro-porous graphene oxide-based membrane as a separator with enhanced thermal stability for high-safety lithium-ion batteries. <i>RSC Advances</i> , 2017 , 7, 22112-22120	3.7	23
84	High energy density transparent and flexible asymmetric supercapacitor based on a transparent metal hydroxides@graphene micro-structured film via a scalable gas-liquid diffusion method. <i>Journal of Alloys and Compounds</i> , 2017 , 712, 194-203	5.7	16
83	Investigation of the improved performance with ferrites in TiO ₂ dye-sensitized solar cell. <i>Applied Surface Science</i> , 2017 , 424, 245-250	6.7	11
82	Novel graphene nanosheet-wrapped polyaniline rectangular-like nanotubes for flexible all-solid-state supercapacitors. <i>Journal of Materials Science</i> , 2017 , 52, 10981-10992	4.3	12
81	NaCl multistage-recrystallization-induced formation of 3D micro-structured ribbon-like graphene based films for high performance flexible/transparent supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 14595-14603	13	19
80	A new kind of water-based nanofluid with a low loading of three-dimensional porous graphene. <i>Journal of Materials Science</i> , 2017 , 52, 10485-10496	4.3	4
79	Enhancement of upconversion emission in Er:LiNbO ₃ by codoping with HfO ₂ under 1550nm excitation. <i>Optical Materials</i> , 2017 , 70, 116-119	3.3	6
78	Tunable upconversion luminescence of monodisperse Y ₂ O ₃ : Er ³⁺ /Yb ³⁺ /Tm ³⁺ nanoparticles. <i>Applied Surface Science</i> , 2017 , 424, 164-169	6.7	17
77	Stability, thermal conductivity, and rheological properties of controlled reduced graphene oxide dispersed nanofluids. <i>Applied Thermal Engineering</i> , 2017 , 119, 132-139	5.8	55
76	Investigation on Synthesis, Stability, and Thermal Conductivity Properties of Water-Based SnO ₂ /Reduced Graphene Oxide Nanofluids. <i>Materials</i> , 2017 , 11,	3.5	20
75	Novel Core-Shell PS-co-PBA@SiO ₂ Nanoparticles Coated on PP Separator as Thermal Shutdown Switch for High Safety Lithium-Ion Batteries. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700241	3.9	21
74	Recent Progress on Flexible and Wearable Supercapacitors. <i>Small</i> , 2017 , 13, 1701827	11	260
73	Mn ₃ O ₄ nanoparticles on layer-structured Ti ₃ C ₂ MXene towards the oxygen reduction reaction and zinc-air batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 20818-20823	13	166
72	Multicolor tunable yellow-red emission in Eu/Er:LiNbO ₃ under ultraviolet and blue excitation. <i>Optics and Laser Technology</i> , 2017 , 97, 111-115	4.2	3
71	Rapid preparation of SnO ₂ /C nanospheres by using organotin as building blocks and their application in lithium-ion batteries. <i>RSC Advances</i> , 2017 , 7, 34442-34447	3.7	7
70	Graphene-hollow-cubes with network-faces assembled a 3D micro-structured transparent and free-standing film for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 16803-16812	13	16812
69	Fabrication of Fe ⁰ Dots Embedded in 3D Honeycomb-Like Carbon Based on Metallo-Organic Molecule with Superior Lithium Storage Performance. <i>Small</i> , 2017 , 13, 1701351	11	40

68	Controllable synthesis of unique Ni/mesoporous carbon composites with lightweight and high EM wave absorption performance. <i>RSC Advances</i> , 2017 , 7, 38549-38556	3.7	9
67	Controllable Synthesis of Tunable Microstructures of Self-Supporting Graphene Films from Opened Bubble to Cube via in Situ Template-Modulating. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42093-42101	9.5	7
66	Towards fast and ultralong-life Li-ion battery anodes: embedding ultradispersed TiO ₂ quantum dots into three-dimensional porous graphene-like networks. <i>Electrochimica Acta</i> , 2017 , 246, 1183-1192	6.7	14
65	Re-investigation on reduced graphene oxide/Ag ₂ CO ₃ composite photocatalyst: An insight into the double-edged sword role of RGO. <i>Applied Surface Science</i> , 2017 , 396, 102-109	6.7	22
64	Electrochemical performance of Li ₄ Ti ₅ O ₁₂ /carbon nanotubes/graphene composite as an anode material in lithium-ion batteries. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 7195-7201	6.7	20
63	Ag-encapsulated Single-Crystalline Anatase TiO ₂ Nanoparticle photoanodes for enhanced dye-sensitized solar cell performance. <i>Journal of Alloys and Compounds</i> , 2017 , 695, 1104-1111	5.7	25
62	Effects of oxygen-containing functional groups on the supercapacitor performance of incompletely reduced graphene oxides. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 7186-7194	6.7	35
61	Ultrasmall Fe ₂ O ₃ Nanoparticles Anchored on Three-Dimensional Hierarchical Porous Graphene-like Networks for High Rate Capability Supercapacitors. <i>ChemElectroChem</i> , 2016 , 3, 1820-1826	4.3	12
60	Improved performance of dye-sensitized solar cell based on TiO ₂ photoanode with FTO glass and film both treated by TiCl ₄ . <i>Physica B: Condensed Matter</i> , 2016 , 500, 48-52	2.8	13
59	Ultrathin carbon gauze for high-rate supercapacitor. <i>Electrochimica Acta</i> , 2016 , 222, 990-998	6.7	28
58	High-performance Transparent and Flexible Asymmetric Supercapacitor based on Graphene-wrapped Amorphous FeOOH Nanowire and Co(OH) ₂ Nanosheet Transparent Films Produced at air-water interface. <i>Electrochimica Acta</i> , 2016 , 220, 618-627	6.7	41
57	Fabrication and thermal conductivity improvement of novel composite adsorbents adding with nanoparticles. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2016 , 29, 1114-1119	2.5	13
56	Nitrogen-Doped Carbon-Encapsulated SnO ₂ @Sn Nanoparticles Uniformly Grafted on Three-Dimensional Graphene-like Networks as Anode for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 197-207	9.5	73
55	Facile synthesis of graphitic porous carbons with three-dimensional nanonetwork for high-rate supercapacitive energy storage. <i>Journal of Materials Science</i> , 2016 , 51, 5676-5684	4.3	5
54	Synthesis of Fe ₂ O ₃ /Ni(OH) ₂ /graphene nanocomposite by one-step hydrothermal method for high-performance supercapacitor. <i>Journal of Materials Science</i> , 2016 , 51, 2877-2885	4.3	14
53	Preparation of hydrophilic polyethylene/methylcellulose blend microporous membranes for separator of lithium-ion batteries. <i>Journal of Membrane Science</i> , 2016 , 498, 147-157	9.6	59
52	Enhanced performance of dye-sensitized solar cells based on TiO ₂ /MnTiO ₃ /MgTiO ₃ composite photoanode. <i>Journal of Alloys and Compounds</i> , 2016 , 657, 53-58	5.7	12
51	Transform Rice Husk and Recycled Polyethylene into High Performance Composites: Using a Novel Compatibilizer to Infiltratively Enhance the Interfacial Interactions. <i>Progress in Rubber, Plastics and Recycling Technology</i> , 2016 , 32, 253-268	1.7	3

50	Facile low-temperature synthesis of hematite quantum dots anchored on a three-dimensional ultra-porous graphene-like framework as advanced anode materials for asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11247-11255	13	29
49	The microwave absorption properties of carbon-encapsulated nickel nanoparticles/silicone resin flexible absorbing material. <i>Journal of Alloys and Compounds</i> , 2016 , 682, 138-143	5.7	49
48	SiO ₂ @SnO ₂ /graphene composite with a coating and hierarchical structure as high performance anode material for lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2016 , 677, 237-244	5.7	32
47	Novel cellulose aerogel coated on polypropylene separators as gel polymer electrolyte with high ionic conductivity for lithium-ion batteries. <i>Journal of Membrane Science</i> , 2016 , 514, 332-339	9.6	67
46	Pseudocapacitive Transparent/Flexible Supercapacitor based on Graphene wrapped Ni(OH) ₂ Nanosheet Transparent Film Produced using Scalable Bio-inspired Methods. <i>Electrochimica Acta</i> , 2016 , 219, 61-69	6.7	25
45	Graphene nanosheet/silicone composite with enhanced thermal conductivity and its application in heat dissipation of high-power light-emitting diodes. <i>Current Applied Physics</i> , 2016 , 16, 1695-1702	2.6	22
44	The electromagnetic property and microwave absorption of wormhole-like mesoporous carbons with different surface areas. <i>Journal of Materials Science</i> , 2016 , 51, 9723-9731	4.3	16
43	Enhancement of thermal conductivity in water-based nanofluids employing TiO ₂ /reduced graphene oxide composites. <i>Journal of Materials Science</i> , 2016 , 51, 10104-10115	4.3	26
42	Facile fabrication of graphene/nickel oxide composite with superior supercapacitance performance by using alcohols-reduced graphene as substrate. <i>Journal of Alloys and Compounds</i> , 2015 , 644, 165-171	5.7	16
41	Efficient 1.54 μ m laser property in near- stoichiometric Er:LiNbO ₃ crystal. <i>Optics and Laser Technology</i> , 2015 , 74, 173-177	4.2	10
40	Influences of neodymium doping on magnetic and electrochemical properties of Li ₃ V ₂ (PO ₄) ₃ /C synthesized via a sol-gel method. <i>Journal of Power Sources</i> , 2015 , 295, 246-253	8.9	17
39	Ultrasmall metal oxide nanoparticles anchored on three-dimensional hierarchical porous graphene-like networks as anode for high-performance lithium ion batteries. <i>Nano Energy</i> , 2015 , 13, 563-572	17.1	70
38	Enhancement of the electrochemical performance of LiFePO ₄ /carbon nanotubes composite electrode for Li-ion batteries. <i>Ionics</i> , 2015 , 21, 1813-1818	2.7	17
37	Improved Thermal Property of a Multilayered Graphite Nanoplatelets Filled Silicone Resin Composite. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 920-929	1.6	11
36	Microwave-assisted in situ synthesis of reduced graphene oxide/Mn ₃ O ₄ composites for supercapacitor applications. <i>RSC Advances</i> , 2015 , 5, 45061-45067	3.7	15
35	Energy conversion in Er/Eu:LiNbO ₃ for enhanced near-infrared and ultra-violet light harvesting. <i>Materials Letters</i> , 2015 , 160, 555-557	3.3	1
34	Improving the performances of polyethylene/sisal fiber composites by infiltratively compatibilizing the multi-scale interfaces. <i>Composite Interfaces</i> , 2015 , 22, 489-502	2.3	4
33	A three-dimensional LiFePO ₄ /carbon nanotubes/graphene composite as a cathode material for lithium-ion batteries with superior high-rate performance. <i>Journal of Alloys and Compounds</i> , 2015 , 626, 280-286	5.7	76

32	Influences of La doping on magnetic and electrochemical properties of $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ cathode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , 2015 , 151, 378-385	6.7	38
31	TiO ₂ -reduced graphene oxide nanocomposite for high-rate application of lithium ion batteries. <i>Ionics</i> , 2015 , 21, 51-58	2.7	15
30	Preparation of carbon-coated iron nanofluid and its application in radiofrequency ablation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2015 , 103, 908-14	3.5	10
29	Synthesis of the graphene/nickel oxide composite and its electrochemical performance for supercapacitors. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 16171-16178	6.7	51
28	Design of a TiO ₂ nanosheet/nanoparticle gradient film photoanode and its improved performance for dye-sensitized solar cells. <i>Nanoscale</i> , 2014 , 6, 2390-6	7.7	69
27	Effects of hydrazine hydrate treatment on the performance of reduced graphene oxide film as counter electrode in dye-sensitized solar cells. <i>Applied Surface Science</i> , 2014 , 319, 339-343	6.7	47
26	A Thermally Conductive Composite with a Silica Gel Matrix and Carbon-Encapsulated Copper Nanoparticles as Filler. <i>Journal of Electronic Materials</i> , 2014 , 43, 2759-2769	1.9	13
25	The effect of acid treatment on thermally exfoliated graphite oxide as electrode for supercapacitors. <i>Electrochimica Acta</i> , 2014 , 138, 311-317	6.7	9
24	Effects of TiO ₂ film thickness on photovoltaic properties of dye-sensitized solar cell and its enhanced performance by graphene combination. <i>Materials Research Bulletin</i> , 2014 , 49, 126-131	5.1	51
23	Li ₄ Ti ₅ O ₁₂ /CNTs composite anode material for large capacity and high-rate lithium ion batteries. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 16096-16102	6.7	25
22	Facile method to prepare self-healable PVA hydrogels with high water stability. <i>Materials Letters</i> , 2014 , 122, 227-229	3.3	16
21	Electromagnetic shielding of multiwalled, bamboo-like carbon nanotube/methyl vinyl silicone composite prepared by liquid blending. <i>Composite Interfaces</i> , 2014 , 21, 553-569	2.3	11
20	Region-specific growth of TiO ₂ nanotube arrays by anodization. <i>Materials Letters</i> , 2013 , 109, 5-7	3.3	1
19	Microwave-assisted synthesis of functionalized graphene on Ni foam as electrodes for supercapacitor application. <i>Electrochimica Acta</i> , 2013 , 108, 421-428	6.7	50
18	Supercapacitors based on low-temperature partially exfoliated and reduced graphite oxide. <i>Journal of Power Sources</i> , 2012 , 212, 105-110	8.9	58
17	Structural and electrical properties of Ta ₂ O ₅ thin films prepared by photo-induced CVD. <i>Bulletin of Materials Science</i> , 2011 , 34, 443-446	1.7	6
16	Investigation on the Preparation of Silver Coated Carbon Nanotubes (SCCNT) and SCCNT/Polyacrylate Composite Coatings for Electromagnetic Interference Shielding. <i>Integrated Ferroelectrics</i> , 2011 , 128, 21-29	0.8	6
15	Effect of Wood Flour on the Curing Behavior, Mechanical Properties, and Water Absorption of Natural Rubber/Wood Flour Composites. <i>Journal of Macromolecular Science - Physics</i> , 2011 , 50, 1625-1636	1.4	5

14	Thermal conductivity of polyethylene glycol nanofluids containing carbon coated metal nanoparticles. <i>Journal of Applied Physics</i> , 2010 , 108, 124304	2.5	35
13	A new kind of magnetic targeting induction heating drug carrier and its physical and biological properties. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 3076-3081		3
12	Electromagnetic characteristic and microwave absorption properties of carbon nanotubes/epoxy composites in the frequency range from 2 to 6 GHz. <i>Journal of Applied Physics</i> , 2009 , 105, 054314	2.5	31
11	The Mossbauer spectra of carbon nanotubes synthesized using ferrite catalyst. <i>Journal of Physics: Conference Series</i> , 2009 , 188, 012041	0.3	1
10	The thermal properties of controllable diameter carbon nanotubes synthesized by using AB5 alloy of micrometer magnitude as catalyst. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 464, 17-22	5.3	10
9	Synthesis of fullerene by pyrolysis of acetylene in thermal HF-Plasma. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2007 , 22, 94-97	1	2
8	The effect of laser power on the formation of carbon nanotubes prepared in CO2 continuous wave laser ablation at room temperature. <i>Physica B: Condensed Matter</i> , 2003 , 325, 224-229	2.8	40
7	Electron spin resonance of carbon nanotubes prepared under two kinds of inert gas ambient. <i>Journal of Physics and Chemistry of Solids</i> , 2000 , 61, 1123-1125	3.9	12
6	The Mossbauer spectra of carbon-coated iron and iron compound nanocrystals produced by arc discharge. <i>Journal of Materials Science Letters</i> , 1999 , 18, 919-920		2
5	The effect of helium gas pressure on the formation and yield of nanotubes in arc discharge. <i>Journal Physics D: Applied Physics</i> , 1997 , 30, L1-L4	3	15
4	Design and construction of hollow nanocube NiMoO4 electrode with high performance for asymmetric supercapacitor. <i>Journal of Nanostructure in Chemistry</i> , 1	7.6	0
3	Near-Unity Quantum Yield and Superior Stable Indium-Doped CsPbBrxI3-x Perovskite Quantum Dots for Pure Red Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2101517	8.1	2
2	Pyrolysis-controlled FeCoNi@hard carbon composites with facilitated impedance matching for strong electromagnetic wave response. <i>Journal of Materials Chemistry C</i> ,	7.1	2
1	Atomic-Scale Design of Anode Materials for Alkali Metal (Li/Na/K)-Ion Batteries: Progress and Perspectives. <i>Advanced Energy Materials</i> , 2200662	21.8	6