Raquel Caballero

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7283886/raquel-caballero-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105 2,726 31 48 g-index

107 2,999 4.6 4.71 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------|
| 105 | The effect of annealing temperature on Cu2ZnGeSe4 thin films and solar cells grown on transparent substrates. <i>JPhys Materials</i> , 2021 , 4, 034009 | 4.2 | 1 |
| 104 | Routes to develop a [S]/([S]+[Se]) gradient in wide band-gap Cu2ZnGe(S,Se)4 thin-film solar cells. <i>Journal of Alloys and Compounds</i> , 2021 , 868, 159253 | 5.7 | 5 |
| 103 | Wide band gap Cu2ZnGe(S,Se)4 thin films and solar cells: Influence of Na content and incorporation method. <i>Solar Energy</i> , 2021 , 226, 251-259 | 6.8 | O |
| 102 | Influence of hydrogen plasma treatment on secondary phases in CZTS thin films for energy harvesting. <i>Materials Today Communications</i> , 2021 , 28, 102664 | 2.5 | 4 |
| 101 | Raman mapping of MoS2 at Cu2ZnSnS4/Mo interface in thin film. <i>Solar Energy</i> , 2020 , 205, 154-160 | 6.8 | 15 |
| 100 | Effect of Na and the back contact on Cu2Zn(Sn,Ge)Se4 thin-film solar cells: Towards semi-transparent solar cells. <i>Solar Energy</i> , 2020 , 206, 555-563 | 6.8 | 7 |
| 99 | Influence of Zn excess on compositional, structural and vibrational properties of Cu2ZnSn0.5Ge0.5Se4 thin films and their effect on solar cell efficiency. <i>Solar Energy</i> , 2020 , 199, 864-87 | 1 ^{6.8} | 7 |
| 98 | Spectroscopic ellipsometry study of Cu2ZnSn(SxSe1-x)4 bulk polycrystals. <i>Journal of Alloys and Compounds</i> , 2020 , 843, 156013 | 5.7 | 1 |
| 97 | Physical routes for the synthesis of kesterite. <i>JPhys Energy</i> , 2019 , 1, 042003 | 4.9 | 19 |
| 96 | Control of secondary phases and disorder degree in Cu2ZnSnS4 films by sulfurization at varied subatmospheric pressures. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 200, 109915 | 6.4 | 21 |
| 95 | Spectroscopic ellipsometry study of Cu2ZnSnS4 bulk poly-crystals. <i>Applied Physics Letters</i> , 2018 , 112, 161901 | 3.4 | 6 |
| 94 | Decoupling of optoelectronic properties from morphological changes in sodium treated kesterite thin film solar cells. <i>Solar Energy</i> , 2018 , 175, 94-100 | 6.8 | 16 |
| 93 | Annealing study and thermal investigation on bismuth sulfide thin films prepared by chemical bath deposition in basic medium. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1 | 2.6 | 3 |
| 92 | Thickness-dependent structural parameters of kesterite Cu 2 ZnSnSe 4 thin films for solar cell absorbers. <i>Materials Letters</i> , 2018 , 225, 82-84 | 3.3 | 7 |
| 91 | Sulfurization of co-evaporated Cu2ZnSnSe4 thin film solar cells: The role of Na. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 186, 115-123 | 6.4 | 14 |
| 90 | Effect of Magnesium Incorporation on Solution-Processed Kesterite Solar Cells. <i>Frontiers in Chemistry</i> , 2018 , 6, 5 | 5 | 19 |
| 89 | High-Efficiency (LixCu1⊠)2ZnSn(S,Se)4 Kesterite Solar Cells with Lithium Alloying. <i>Advanced Energy Materials</i> , 2018 , 8, 1801191 | 21.8 | 58 |

(2014-2018)

| 88 | Advanced characterization and in-situ growth monitoring of Cu(In,Ga)Se2 thin films and solar cells. <i>Solar Energy</i> , 2018 , 170, 102-112 | 6.8 | 7 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----|
| 87 | Raman characterization and modelling of Cu 2 ZnSn 1-X Ge X S 4 single crystals grown using chemical vapor transport. <i>Optical Materials</i> , 2017 , 66, 671-677 | 3.3 | 6 |
| 86 | Cu2ZnSnS4 thin film solar cells grown by fast thermal evaporation and thermal treatment. <i>Solar Energy</i> , 2017 , 141, 236-241 | 6.8 | 22 |
| 85 | RF Electromagnetic Field Treatment of Tetragonal Kesterite CZTSSe Light Absorbers. <i>Nanoscale Research Letters</i> , 2017 , 12, 408 | 5 | 14 |
| 84 | Multiwavelength excitation Raman scattering of Cu2ZnSn1-xGex(S,Se)4 single crystals for earth abundant photovoltaic applications. <i>Journal of Alloys and Compounds</i> , 2017 , 692, 249-256 | 5.7 | 24 |
| 83 | Accessing Elemental Distributions in Thin Films for Solar Cells 2016 , 523-567 | | |
| 82 | The importance of back contact modification in Cu2ZnSnSe4 solar cells: The role of a thin MoO2 layer. <i>Nano Energy</i> , 2016 , 26, 708-721 | 17.1 | 62 |
| 81 | SnS thin films grown by sulfurization of evaporated Sn layers: Effect of sulfurization temperature and pressure. <i>Thin Solid Films</i> , 2016 , 612, 202-207 | 2.2 | 17 |
| 80 | Wide band-gap tuning Cu2ZnSn1⊠GexS4 single crystals: Optical and vibrational properties. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 158, 147-153 | 6.4 | 35 |
| 79 | Towards the growth of Cu2ZnSn1\(\text{QexS4}\) thin films by a single-stage process: Effect of substrate temperature and composition. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 139, 1-9 | 6.4 | 27 |
| 78 | Comprehensive Comparison of Various Techniques for the Analysis of Elemental Distributions in Thin Films: Additional Techniques. <i>Microscopy and Microanalysis</i> , 2015 , 21, 1644-1648 | 0.5 | 5 |
| 77 | Preparation and optical characterization of Cu2ZnGeSe4 thin films. <i>Optical Materials</i> , 2015 , 40, 76-80 | 3.3 | 15 |
| 76 | Deviations from Rutherford elastic scattering cross sections for Cu and Zn with He ions. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2014 , 332, 191-194 | 1.2 | 1 |
| 75 | Electron-beam-induced current at absorber back surfaces of Cu(In,Ga)Se2 thin-film solar cells. <i>Journal of Applied Physics</i> , 2014 , 115, 014504 | 2.5 | 21 |
| 74 | Impact of Na on MoSe2 formation at the CIGSe/Mo interface in thin-film solar cells on polyimide foil at low process temperatures. <i>Acta Materialia</i> , 2014 , 63, 54-62 | 8.4 | 32 |
| 73 | Non-stoichiometry effect and disorder in Cu2ZnSnS4 thin films obtained by flash evaporation: Raman scattering investigation. <i>Acta Materialia</i> , 2014 , 65, 412-417 | 8.4 | 83 |
| 72 | Spectroscopic ellipsometry study of Cu2ZnSnSe4 bulk crystals. <i>Applied Physics Letters</i> , 2014 , 105, 06190 | 3 .4 | 24 |
| 71 | Band-gap engineering of Cu 2 ZnSn 1lk Ge x S 4 single crystals and influence of the surface properties. <i>Acta Materialia</i> , 2014 , 79, 181-187 | 8.4 | 30 |

| 70 | Disorder and variable-range hopping conductivity in Cu2ZnSnS4 thin films prepared by flash evaporation and post-thermal treatment. <i>Journal of Alloys and Compounds</i> , 2014 , 596, 140-144 | 5.7 | 34 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 69 | In-depth elemental characterization of Cu(In,Ga)Se2 thin film solar cells by means of RBS and PIXE techniques. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2014 , 331, 93-95 | 1.2 | 7 |
| 68 | Determination of the structural and optical characteristics of Cu2ZnSnS4 semiconductor thin films. <i>Semiconductors</i> , 2014 , 48, 1296-1302 | 0.7 | 11 |
| 67 | Heat Induced Passivation of CuInSe2 Surfaces: A Strategy to Optimize the Efficiency of Chalcopyrite Thin Film Solar Cells?. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300040 | 4.6 | 14 |
| 66 | Investigation of Cu(In,Ga)Se2 thin-film formation during the multi-stage co-evaporation process. <i>Progress in Photovoltaics: Research and Applications</i> , 2013 , 21, 30-46 | 6.8 | 95 |
| 65 | Real-time study of Ga diffusion processes during the formation of Cu(In,Ga)Se2: The role of Cu and Na content. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 116, 102-109 | 6.4 | 22 |
| 64 | Generation-dependent charge carrier transport in Cu(In,Ga)Se2/CdS/ZnO thin-film solar-cells. <i>Journal of Applied Physics</i> , 2013 , 113, 044515 | 2.5 | 40 |
| 63 | Cu2ZnSnS4 thin films grown by flash evaporation and subsequent annealing in Ar atmosphere. <i>Thin Solid Films</i> , 2013 , 535, 62-66 | 2.2 | 15 |
| 62 | Chemical compositional non-uniformity and its effects on CIGS solar cell performance at the nm-scale. <i>Solar Energy Materials and Solar Cells</i> , 2012 , 98, 78-82 | 6.4 | 10 |
| 61 | Direct insight into grain boundary reconstruction in polycrystalline Cu(In,Ga)SE2 with atomic resolution. <i>Physical Review Letters</i> , 2012 , 108, 075502 | 7.4 | 83 |
| 60 | Na incorporation into Cu(In,Ga)Se2 thin-film solar cell absorbers deposited on polyimide: Impact on the chemical and electronic surface structure. <i>Journal of Applied Physics</i> , 2012 , 111, 034903 | 2.5 | 25 |
| 59 | Influence of iron on defect concentrations and device performance for Cu(In,Ga)Se2 solar cells on stainless steel substrates. <i>Progress in Photovoltaics: Research and Applications</i> , 2012 , 20, 568-574 | 6.8 | 44 |
| 58 | Hard x-ray photoelectron spectroscopy of chalcopyrite solar cell components. <i>Applied Physics Letters</i> , 2012 , 100, 092108 | 3.4 | 4 |
| 57 | Confined and Chemically Flexible Grain Boundaries in Polycrystalline Compound Semiconductors. <i>Advanced Energy Materials</i> , 2012 , 2, 992-998 | 21.8 | 76 |
| 56 | Influence of Mo Back-Contact Oxidation on Properties of CIGSe\$_{2}\$ Thin Film Solar Cells on Glass Substrates. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 10NC02 | 1.4 | 4 |
| 55 | Atom Probe Tomography of Compound Semiconductors for Photovoltaic and Light-Emitting Device Applications. <i>Microscopy Today</i> , 2012 , 20, 18-24 | 0.4 | 24 |
| 54 | Influence of Mo Back-Contact Oxidation on Properties of CIGSe2Thin Film Solar Cells on Glass Substrates. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 10NC02 | 1.4 | |
| 53 | Comprehensive comparison of various techniques for the analysis of elemental distributions in thin films. <i>Microscopy and Microanalysis</i> , 2011 , 17, 728-51 | 0.5 | 62 |

(2010-2011)

| 52 | Characterization of metastabilities in Cu(In,Ga)Se2 thin-film solar cells by capacitance and current-voltage spectroscopy. <i>Journal of Applied Physics</i> , 2011 , 110, 094506 | 2.5 | 51 | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|--|
| 51 | Application of PLD to the production of plasmonic structures containing Ag nanoparticles based on chalcopyrite solar cells. <i>Energy Procedia</i> , 2011 , 10, 38-42 | 2.3 | 6 | |
| 50 | Characterization of Grain Boundaries in Cu(In,Ga)Se\$_{bf 2}\$ Films Using Atom-Probe Tomography. <i>IEEE Journal of Photovoltaics</i> , 2011 , 1, 207-212 | 3.7 | 79 | |
| 49 | Raman scattering analysis of Cu-poor Cu(In,Ga)Se2 cells fabricated on polyimide substrates: Effect of Na content on microstructure and phase structure. <i>Thin Solid Films</i> , 2011 , 519, 7300-7303 | 2.2 | 27 | |
| 48 | Sub-bandgap photoconductivity and photocapacitance in CIGS thin films and devices. <i>Thin Solid Films</i> , 2011 , 519, 7489-7492 | 2.2 | 6 | |
| 47 | Reactive sputtering of ZnO/ZnO:Al contacts for chalcopyrite solar modules. <i>Thin Solid Films</i> , 2011 , 520, 1295-1298 | 2.2 | | |
| 46 | The role of the spray pyrolysed Al2O3 barrier layer in achieving high efficiency solar cells on flexible steel substrates. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 104, 407-413 | 2.6 | 4 | |
| 45 | High efficiency low temperature grown Cu(In,Ga)Se2 thin film solar cells on flexible substrates using NaF precursor layers. <i>Progress in Photovoltaics: Research and Applications</i> , 2011 , 19, 547-551 | 6.8 | 50 | |
| 44 | Elemental Distribution Profiling of Thin Films for Solar Cells 2011 , 411-448 | | 1 | |
| 43 | Evaluating different Na-incorporation methods for low temperature grown CIGSe thin film on polyimide foils 2011 , | | 1 | |
| 42 | Examination of growth kinetics of copper rich Cu(In,Ga)Se2-films using synchrotron energy dispersive X-ray diffractometry. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 250-253 | 6.4 | 10 | |
| 41 | Analysis of Cu(In,Ga)(S,Se)2 thin-film solar cells by means of electron microscopy. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 1452-1462 | 6.4 | 30 | |
| 40 | Nanoscale investigations of the electronic surface properties of Cu(In,Ga)Se2 thin films by scanning tunneling spectroscopy. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 1537-1543 | 6.4 | 16 | |
| 39 | Gallium gradients in chalcopyrite thin films: Depth profile analyses of films grown at different temperatures. <i>Journal of Applied Physics</i> , 2011 , 110, 093509 | 2.5 | 12 | |
| 38 | Experimental verification of optically optimized CuGaSe2top cell for improving chalcopyrite tandems. <i>EPJ Photovoltaics</i> , 2010 , 1, 10601 | 0.7 | 5 | |
| 37 | Direct evidence for a reduced density of deep level defects at grain boundaries of Cu(In,Ga)Se2 thin films. <i>Physical Review Letters</i> , 2010 , 105, 116802 | 7.4 | 59 | |
| 36 | Surface Cu-depletion of Cu(In,Ga)Se2 thin films: Further experimental evidence for a defect-induced surface reconstruction. <i>Journal of Applied Physics</i> , 2010 , 107, 113540 | 2.5 | 21 | |
| 35 | Interpretation of admittance, capacitance-voltage, and current-voltage signatures in Cu(In,Ga)Se2 thin film solar cells. <i>Journal of Applied Physics</i> , 2010 , 107, 034509 | 2.5 | 215 | |

| 34 | Latest results of the German joint project fl exible CIGSe thin film solar cells for space applications 2010 , | | 1 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 33 | Influence of Na on Cu(In,Ga)Se2 solar cells grown on polyimide substrates at low temperature: Impact on the Cu(In,Ga)Se2/Mo interface. <i>Applied Physics Letters</i> , 2010 , 96, 092104 | 3.4 | 61 |
| 32 | Electron backscatter diffraction: Exploring the microstructure in Cu(In,Ga)(S,Se)2 and CdTe thin-film solar cells 2010 , | | 1 |
| 31 | Experimental verification of optically optimized CuGaSe2top cell for improving chalcopyrite tandems. <i>EPJ Photovoltaics</i> , 2010 , 1, 10601 | 0.7 | 6 |
| 30 | Cu deficiency in multi-stage co-evaporated Cu(In,Ga)Se2 for solar cells applications: Microstructure and Ga in-depth alloying. <i>Acta Materialia</i> , 2010 , 58, 3468-3476 | 8.4 | 60 |
| 29 | Tandem solar cells with Cu(In,Ga)S2 top cells on ZnO coated substrates. <i>Solar Energy Materials and Solar Cells</i> , 2010 , 94, 1880-1883 | 6.4 | 34 |
| 28 | Characterization of flexible thin film CIGSe solar cells grown on different metallic foil substrates. <i>Energy Procedia</i> , 2010 , 2, 109-117 | 2.3 | 18 |
| 27 | New findings of the German joint project flexible CIGSe thin film solar cells for space flight[2009, | | 1 |
| 26 | Aspects for the optimization of CIGSe growth at low temperatures for application in thin film solar cells on polyimide foil 2009 , | | 3 |
| 25 | Enhanced Efficiency of CIGS Thin Film Solar Cells on Polyimide Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1165, 1 | | 7 |
| 24 | Incorporation of Na in Low-Temperature Deposition of CIGS Flexible Solar Cells. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1210, 1 | | 3 |
| 23 | Grain-boundary types in chalcopyrite-type thin films and their correlations with film texture and electrical properties. <i>Thin Solid Films</i> , 2009 , 517, 2545-2549 | 2.2 | 45 |
| 22 | The effect of NaF precursors on low temperature growth of CIGS thin film solar cells on polyimide substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009 , 206, 1049-1053 | 1.6 | 49 |
| 21 | Cu in In2S3: interdiffusion phenomena analysed by high kinetic energy X-ray photoelectron spectroscopy. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009 , 206, 1059-1062 | 1.6 | 30 |
| 20 | Structural investigations of copper incorporation into In-Ga-Se precursor layers for Cu(In,Ga)Se2 thin films. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2009 , 6, 1249-1252 | | 2 |
| 19 | The influence of Na on low temperature growth of CIGS thin film solar cells on polyimide substrates. <i>Thin Solid Films</i> , 2009 , 517, 2187-2190 | 2.2 | 106 |
| 18 | Origin of defects in CuIn1NGaxSe2 solar cells with varied Ga content. <i>Thin Solid Films</i> , 2009 , 517, 2244-2 | 224.7 | 37 |
| 17 | Quality and stability of compound indium sulphide as source material for buffer layers in Cu(In,Ga)Se2 solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2009 , 93, 148-152 | 6.4 | 40 |

LIST OF PUBLICATIONS

| 16 | Depth profiling of Cu(In,Ga)Se2 thin films grown at low temperatures. <i>Solar Energy Materials and Solar Cells</i> , 2009 , 93, 859-863 | 6.4 | 76 | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|--|
| 15 | Surface Cu depletion of Cu(In,Ga)Se2 films: An investigation by hard X-ray photoelectron spectroscopy. <i>Acta Materialia</i> , 2009 , 57, 3645-3651 | 8.4 | 60 | |
| 14 | Impact of the Ga concentration on the microstructure of CuIn1 Gax Se2. <i>Physica Status Solidi - Rapid Research Letters</i> , 2008 , 2, 135-137 | 2.5 | 48 | |
| 13 | Effect of Cu excess on three-stage CuGaSe2 thin films using in-situ process controls. <i>Thin Solid Films</i> , 2007 , 515, 5862-5866 | 2.2 | 17 | |
| 12 | The role of the CdS buffer layer in CuGaSe2-based solar cells. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 356222 | 1.8 | 19 | |
| 11 | CuGaSe2-Based Solar Cells with High Open Circuit Voltage. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1012, 1 | | 5 | |
| 10 | A reliable optical method for in situ process control for deposition of Cu(In,Ga)Se 2 thin layers for photovoltaics 2007 , | | 3 | |
| 9 | CGS-Thin Films Solar Cells on Transparent Back Contact 2006, | | 4 | |
| 8 | CuIn1\(\text{GaxSe2-based thin-film solar cells by the selenization of sequentially evaporated metallic layers. \(\text{Progress in Photovoltaics: Research and Applications, 2006, 14, 145-153} \) | 6.8 | 53 | |
| 7 | Preparation and characterization of CuIn1\(\text{GaxSe2} \) thin films obtained by sequential evaporations and different selenization processes. <i>Thin Solid Films</i> , 2005 , 474, 70-76 | 2.2 | 22 | |
| 6 | CuInSe2 Formation by selenization of sequentially evaporated metallic layers. <i>Solar Energy Materials and Solar Cells</i> , 2005 , 86, 1-10 | 6.4 | 55 | |
| 5 | Application of ICP-OES to the determination of CuIn(1-x)Ga(x)Se2 thin films used as absorber materials in solar cell devices. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 466-70 | 4.4 | 4 | |
| 4 | Structural and morphological properties of Cu(In, Ga)Se2 thin films on Mo substrate. <i>Applied Surface Science</i> , 2004 , 238, 180-183 | 6.7 | 7 | |
| 3 | Optical and electrical properties of CuIn1\(\text{QaxSe2} \) thin films obtained by selenization of sequentially evaporated metallic layers. <i>Thin Solid Films</i> , 2003 , 431-432, 200-204 | 2.2 | 31 | |
| 2 | Comparative studies between Cu?Ga?Se and Cu?In?Se thin film systems. <i>Thin Solid Films</i> , 2002 , 403-404, 107-111 | 2.2 | 26 | |
| 1 | Alloying and selenization of Cu-In stacked layers evaporated onto large areas. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 668, 1 | | 1 | |