

# Indranil Chatteraj

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7286165/publications.pdf>

Version: 2024-02-01

63  
papers

632  
citations

759233

12  
h-index

677142

22  
g-index

64  
all docs

64  
docs citations

64  
times ranked

464  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Hydrogen on Fatigue Crack Growth in 7075 Aluminum Alloy. Journal of Materials Engineering and Performance, 2023, 32, 782-792.	2.5	4
2	Anomalies in hydrogen enhanced fatigue of a high strength steel. International Journal of Fatigue, 2014, 59, 14-22.	5.7	7
3	Hydrogen enhanced fatigue crack growth in an HSLA steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 588, 86-96.	5.6	5
4	Hydrogen interactions with overload in modifying fatigue crack growth rate recovery in an HSLA steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 579, 9-17.	5.6	1
5	Intergranular Corrosion Behavior of 304LN Stainless Steel Heat Treated at 623ÅK (350ÅÅ°C). Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 173-187.	2.2	1
6	Stress Corrosion Cracking of Duplex Stainless Steels. Advanced Materials Research, 2013, 794, 552-563.	0.3	2
7	Low Temperature Sensitization on the Orthogonal Surfaces of Prior Deformed AISI 304LN and Aged at 673ÅK to 873ÅK (400ÅÅ°C to 600ÅÅ°C). Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2012, 43, 986-1003.	2.2	5
8	Investigations on high temperature corrosion of wire enameling oven. Engineering Failure Analysis, 2011, 18, 1375-1387.	4.0	2
9	Stress corrosion cracking (SCC) and hydrogen-assisted cracking in titanium alloys. , 2011, , 381-408.		11
10	The Effect of Pitting on Fatigue Lives of Peak-Aged and Overaged 7075 Aluminum Alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2010, 41, 3297-3307.	2.2	15
11	Fractal-based quantification of crack paths for determination of effective microstructural length scales and fracture toughness. Scripta Materialia, 2010, 62, 109-112.	5.2	4
12	Quantification of pitting in two tempers of 7075 aluminium alloy by non-destructive evaluation. Corrosion Science, 2010, 52, 1818-1823.	6.6	7
13	Fractal Analysis to Determine Self-Similar Characteristics in the Microstructure of HSLA Steel. Materials and Manufacturing Processes, 2009, 24, 145-149.	4.7	2
14	HYDROGEN EMBRITTLEMENT: RECENT INDIAN RESEARCH AND PERSPECTIVES. Corrosion Reviews, 2009, 27, 181-211.	2.0	0
15	Electrochemical response of amorphous and devitrified Al-Ni-La-X (X=Ag, Cu) alloys. Materials and Corrosion - Werkstoffe Und Korrosion, 2009, 60, 431-437.	1.5	5
16	Low-Temperature Sensitization Behavior of Base, Heat-Affected Zone, and Weld Pool in AISI 304LN. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2009, 40, 1219-1234.	2.2	19
17	Magnetic characterization of HSLA steel by power-law decay exponents of Barkhausen emission signal. Journal of Magnetism and Magnetic Materials, 2009, 321, 1034-1038.	2.3	1
18	Failure analysis of air pre-heater tubes of a petrochemicals plant. Engineering Failure Analysis, 2009, 16, 2371-2381.	4.0	9

#	ARTICLE	IF	CITATIONS
19	Self-similar and self-affine characteristics of microstructural images of HSLA steel. <i>Materials Science and Technology</i> , 2009, 25, 542-548.	1.6	5
20	Modification of Sensitization Resistance of AISI 304L Stainless Steel through Changes in Grain Size and Grain Boundary Character Distributions. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2008, 39, 2504-2512.	2.2	19
21	Effect of temper on the distribution of pits in AA7075 alloys. <i>Corrosion Science</i> , 2008, 50, 2895-2901.	6.6	42
22	Electrochemical response of AlNiLa amorphous and devitrified alloys. <i>Corrosion Science</i> , 2007, 49, 2486-2496.	6.6	12
23	Fatigue crack growth retardation in an HSLA steel in benign environments. <i>International Journal of Fatigue</i> , 2007, 29, 254-260.	5.7	5
24	Electron transport properties of Co <sub>71</sub> Fe <sub>x</sub> Cr <sub>7</sub> Si <sub>8</sub> B <sub>14</sub> (x=0, 2, 3.2, 4, 6, 8 and 12at%) amorphous alloys during devitrification. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 308, 65-70.	2.3	9
25	The importance of grain size relative to grain boundary character on the sensitization of metastable austenitic stainless steel. <i>Scripta Materialia</i> , 2007, 57, 185-188.	5.2	58
26	Study of Giant Magneto-Impedance Behavior in Co-Fe Based Amorphous/Nanocrystalline Materials. <i>Materials and Manufacturing Processes</i> , 2006, 21, 683-686.	4.7	1
27	Hydrogen entry into pipeline steel under freely corroding conditions in two corroding media. <i>Corrosion Science</i> , 2006, 48, 2676-2688.	6.6	39
28	Effect of hydrogen on the magnetic behavior of CoFeCrSiB amorphous alloys. <i>Journal of Materials Science</i> , 2006, 41, 5510-5513.	3.7	0
29	Effect of Fe addition on the magnetic and giant magneto-impedance behaviour of CoCrSiB rapidly solidified alloys. <i>Journal Physics D: Applied Physics</i> , 2006, 39, 2001-2006.	2.8	3
30	Effects of Cold Deformation Prior to Sensitization on Intergranular Stress Corrosion Cracking of Stainless Steel. <i>Corrosion</i> , 2005, 61, 907-916.	1.1	9
31	Effect of structural evolution and surface morphological changes on the electrochemical response of an FeNbAlMnCuSiB alloy. <i>Journal of Materials Science</i> , 2005, 40, 4579-4584.	3.7	1
32	Effect of Fe addition on the crystallization behaviour and Curie temperature of CoCrSiB-based amorphous alloys. <i>Philosophical Magazine</i> , 2005, 85, 1835-1845.	1.6	8
33	Alteration in hydrogen absorption by and hydrogen permeation through a high-strength low-alloy steel due to plasma source ion implantation of nitrogen. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2004, 35, 1123-1128.	2.1	3
34	Studies on low-energy nitrogen plasma immersion ion implantation on austenitic stainless steel and Cu-strengthened HSLA-100 steel. <i>Surface and Coatings Technology</i> , 2004, 186, 282-286.	4.8	11
35	Effect of plasma ion implantation on the hydrogen embrittlement of Cu strengthened HSLA-100 steel. <i>Journal of Materials Science</i> , 2003, 38, 2667-2671.	3.7	5
36	The effects of cold working on sensitization and intergranular corrosion behavior of AISI 304 stainless steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2003, 34, 2441-2447.	2.2	62

#	ARTICLE	IF	CITATIONS
37	Reversible magnetic and mechanical response in hydrogenated amorphous Fe <sub>73.5</sub> Nb <sub>3</sub> Cu <sub>1</sub> Si <sub>13.5</sub> B <sub>9</sub> alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 2003, 266, 296-301.	2.3	7
38	Hydrogen induced brittle crack growth in Cu-strengthened HSLA-100 steels. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 339, 136-149.	5.6	7
39	Effect of quenching rate on the properties of melt-spun FeNbCuSiB ribbons. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 457-461.	5.6	10
40	Crystallization and magnetic properties of rapidly solidified Fe-Nb-M-Si-B (M=Cu, Mn, Pt). <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 950-953.	5.6	3
41	Stress corrosion cracking in an Al-bronze chlorine gas regulating valve. <i>Engineering Failure Analysis</i> , 2000, 7, 229-237.	4.0	5
42	Structural and soft magnetic properties of Fe <sub>73.5</sub> Nb <sub>3</sub> M <sub>1</sub> Si <sub>13.5</sub> B <sub>9</sub> (M=Cu,Mn,Pt). <i>Journal of Magnetism and Magnetic Materials</i> , 2000, 222, 263-270.	2.3	10
43	The generation of magnetic bistability in annealed Fe-Si-B fibre by hydrogenation. <i>Journal Physics D: Applied Physics</i> , 1999, 32, 541-545.	2.8	0
44	Anodic reactions of amorphous and devitrified Fe <sub>73.5</sub> Nb <sub>3</sub> M <sub>1</sub> Si <sub>13.5</sub> B <sub>9</sub> Cu alloys in buffered chloride and fluoride. <i>Corrosion Science</i> , 1999, 41, 1-16.	6.6	10
45	Changes in electrochemical responses of some Fe-B-Si-Cu-Nb alloys before and after devitrification. <i>Scripta Materialia</i> , 1998, 39, 755-761.	5.2	6
46	An investigation of the failure of low pressure steam turbine blades. <i>Engineering Failure Analysis</i> , 1998, 5, 181-193.	4.0	60
47	Crystallization and magnetic behaviour of Fe-Nb-Cu-Si-B alloys. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 1998, 77, 1681-1691.	0.6	10
48	Influence of hydrogen on the magnetic properties of amorphous Fe <sub>73.5</sub> Si <sub>13.5</sub> B <sub>9</sub> fibres. <i>Journal of Magnetism and Magnetic Materials</i> , 1997, 166, 186-192.	2.3	9
49	Corrosive degradation and failure of vertical furnace wall tubes of a boiler. <i>Engineering Failure Analysis</i> , 1997, 4, 279-286.	4.0	17
50	Crevice attack of a boiler steam drum. <i>Canadian Metallurgical Quarterly</i> , 1997, 36, 143-148.	1.2	2
51	The association of potentiokinetic reactivation and electrochemical pitting tests on a nitrogen bearing 19 Cr-17 Mn steel with its thermal history. <i>Corrosion Science</i> , 1996, 38, 957-969.	6.6	12
52	Passivity breakdown due to discontinuous precipitation during ageing of 21Cr-10Mn-5Ni stainless steel. <i>Journal of Materials Science</i> , 1995, 30, 5313-5320.	3.7	4
53	The effect of hydrogen induced cracking on the integrity of steel components. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 1995, 20, 199-211.	1.3	14
54	Identification of the corrosion mechanism in a boiler drum by corrosion product analysis. <i>Anti-Corrosion Methods and Materials</i> , 1995, 42, 4-6.	1.5	1

#	ARTICLE	IF	CITATIONS
55	The effect of near-crystallization temperature annealing on the electrochemical behavior of amorphous Fe <sub>77.5</sub> B <sub>15</sub> Si <sub>7.5</sub> fibres in borate buffer. Scripta Metallurgica Et Materialia, 1993, 29, 611-616.	1.0	0
56	Magnetic properties of hydrogenated amorphous Fe-Si-B fiber. Journal of Applied Physics, 1993, 73, 2443-2446.	2.5	4
57	The effect of corrosion on the magnetic properties of rapidly solidified Fe-Si-B amorphous fibres. Scripta Metallurgica Et Materialia, 1992, 26, 1013-1017.	1.0	5
58	The effect of shot peening on hydrogen absorption by and hydrogen permeation through AISI 4130 steels. Scripta Metallurgica Et Materialia, 1992, 26, 627-632.	1.0	19
59	The effect of shot peening on calculated hydrogen surface coverage of AISI 4130 steels. Scripta Metallurgica Et Materialia, 1992, 26, 89-94.	1.0	2
60	The influence of palladium on the resistance of low alloy steels to hydrogen embrittlement. Scripta Metallurgica, 1987, 21, 1369-1373.	1.2	13
61	Pitting Enhanced Fatigue in 7075 Aluminium Alloy. Advanced Materials Research, 0, 117, 43-48.	0.3	2
62	Study on Sensitization Susceptibility and Texture of Cold Rolled AISI 304LN Stainless Steel. Materials Science Forum, 0, 702-703, 677-680.	0.3	0
63	Study of Electrochemical Behavior, Hydrogen Permeation and Diffusion in Pipeline Steel. Materials Science Forum, 0, 1019, 145-156.	0.3	7