Xin-Jun Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7286323/publications.pdf

Version: 2024-02-01

186265 243625 2,529 106 28 44 h-index citations g-index papers 106 106 106 3623 times ranked docs citations citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 1 | Cation deviated stoichiometry Ca1.1ZrO3 perovskite as an efficient ozonation catalyst for m-cresol wastewater degradation. Chemical Engineering Journal, 2022, 429, 132218. | 12.7 | 14 |
| 2 | Cu-Y2O3 Catalyst Derived from Cu2Y2O5 Perovskite for Water Gas Shift Reaction: The Effect of Reduction Temperature. Catalysts, 2022, 12, 481. | 3.5 | 0 |
| 3 | Perovskite CaZrO ₃ for efficient ozonation treatment of organic pollutants in wastewater. Catalysis Science and Technology, 2021, 11, 3697-3705. | 4.1 | 12 |
| 4 | Cu nanoparticles confined in TiO ₂ nanotubes to enhance the water-gas shift reaction activity. International Journal of Green Energy, 2021, 18, 595-601. | 3.8 | 3 |
| 5 | Promotion of TiO ₂ Nanotube-Confined Pt Nanoparticles via Surface Modification with Fe ₂ O ₃ for Ethylene Oxidation at Low Temperature. ACS Omega, 2021, 6, 11529-11536. | 3 . 5 | 6 |
| 6 | In2O3 anchored Fe2O3 nanorod arrays for enhanced photoelectrochemical performance. Thin Solid Films, 2021, 724, 138600. | 1.8 | 5 |
| 7 | Facile Synthesis of Rh Anchored Uniform Spherical COF for One-Pot Tandem Reductive Amination of Aldehydes to Secondary Imines. ACS Applied Materials & Secondary Imines. ACS Applied Materials & Secondary Imines. ACS Applied Materials & Secondary Interfaces, 2021, 13, 24966-24975. | 8.0 | 23 |
| 8 | A facile synthesis of C3N4-modified TiO2 nanotube embedded Pt nanoparticles for photocatalytic water splitting. Research on Chemical Intermediates, 2021, 47, 5175-5188. | 2.7 | 6 |
| 9 | Copper oxide nanoparticles confined in TiO2 nanotubes for the water–gas shift reaction: promotional effect of potassium. Journal of Materials Research, 2021, 36, 4475. | 2.6 | 2 |
| 10 | CeO 2 â€TiO 2 Hybidâ€Nanotubes with Tunable Oxygen Vacancies as the Support to Confine Pt Nanoparticles for the Lowâ€Temperature Waterâ€Gas Shift Reaction. ChemistrySelect, 2021, 6, 11900-11907. | 1.5 | 1 |
| 11 | Non-noble Nickel-Modified Covalent Organic Framework for Partial Hydrogenation of Aromatic Terminal Alkynes. ACS Applied Materials & Samp; Interfaces, 2021, 13, 60135-60143. | 8.0 | 7 |
| 12 | Fabrication and Characterization of Co-Doped Fe ₂ O ₃ Spindles for the Enhanced Photo-Fenton Catalytic Degradation of Tetracycline. ACS Omega, 2021, 6, 33717-33727. | 3.5 | 9 |
| 13 | A nanoreactor based on SrTiO3 coupled TiO2 nanotubes confined Au nanoparticles for photocatalytic hydrogen evolution. International Journal of Hydrogen Energy, 2020, 45, 1559-1568. | 7.1 | 28 |
| 14 | The mechanism of enhanced charge separation and photocatalytic activity for Au@TiO2 core-shell nanocomposite. International Journal of Environmental Analytical Chemistry, 2020, , 1-11. | 3.3 | 2 |
| 15 | Construction of hierarchical Fe2O3@MnO2 core/shell nanocube supported C3N4 for dual Z-scheme photocatalytic water splitting. Solar Energy Materials and Solar Cells, 2020, 215, 110624. | 6.2 | 30 |
| 16 | Influence of TiO2 crystallinity on TiO2 nanotube confined CdS nanoparticles for photocatalytic hydrogen production. Inorganic and Nano-Metal Chemistry, 2020, 50, 599-605. | 1.6 | 2 |
| 17 | Nanocubic Li4Ti5O12 Derived from H-Titanate Nanotubes as Anode Material for Lithium-lon Batteries. Journal of Electronic Materials, 2020, 49, 3883-3889. | 2.2 | 4 |
| 18 | Photo-reduction enables catalyst regeneration in Fenton reaction on an Fe ₂ O ₃ -decorated TiO ₂ nanotube-based photocatalyst. Dalton Transactions, 2020, 49, 6730-6737. | 3.3 | 14 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Fabrication of amorphous TiO2 shell layer on Ag2CO3 surface with enhanced photocatalytic activity and photostability. Journal of Alloys and Compounds, 2019, 806, 603-610. | 5.5 | 17 |
| 20 | The promotional effect of Mn on Fe-based Fischer–Tropsch catalysts for the synthesis of C ₅₊ hydrocarbons. Sustainable Energy and Fuels, 2019, 3, 219-226. | 4.9 | 16 |
| 21 | Fe2O3 modification promotes the photocatalytic performance of TiO2 nanotube confined Pd nanoparticles. Journal of Photochemistry and Photobiology A: Chemistry, 2019, 380, 111865. | 3.9 | 5 |
| 22 | Synthesis of novel Mn-doped Fe2O3 nanocube supported g-C3N4 photocatalyst for overall visible-light driven water splitting. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 567, 313-318. | 4.7 | 38 |
| 23 | Titania Nanotube Derived Titanium Nitride Nano-cluster for Visible Light Driven Water Splitting. Catalysis Letters, 2019, 149, 61-68. | 2.6 | 8 |
| 24 | Bi2O3 decorated TiO2 nanotube confined Pt nanoparticles with enhanced activity for catalytic combustion of ethylene. Journal of Materials Science, 2019, 54, 4637-4646. | 3.7 | 17 |
| 25 | The effect of CuO modification for a TiO2 nanotube confined CeO2 catalyst on the catalytic combustion of butane. Open Chemistry, 2018, 16, 1-8. | 1.9 | 16 |
| 26 | Facile synthesis of CoO nanorod/C 3 N 4 heterostructure photocatalyst for an enhanced pure water splitting activity. Inorganic Chemistry Communication, 2018, 92, 14-17. | 3.9 | 21 |
| 27 | Template-free scalable synthesis of TiO2 hollow nanoparticles for excellent photoelectrochemical applications. Journal of Materials Science, 2018, 53, 2102-2114. | 3.7 | 18 |
| 28 | Mesoporous Fe-based spindles designed as catalysts for the Fischer–Tropsch synthesis of C ₅₊ hydrocarbons. New Journal of Chemistry, 2018, 42, 15968-15973. | 2.8 | 9 |
| 29 | Protonated carbon nitride nanosheet supported IrO ₂ quantum dots for pure water splitting without sacrificial reagents. Inorganic Chemistry Frontiers, 2018, 5, 2268-2275. | 6.0 | 11 |
| 30 | Entrapment of Bi2O3 nanoparticles in TiO2 nanotubes for visible light-driven photocatalysis. Research on Chemical Intermediates, 2018, 44, 6753-6763. | 2.7 | 15 |
| 31 | Decoration of Bi2Se3 nanosheets with a thin Bi2SeO2 layer for visible-light-driven overall water splitting. International Journal of Hydrogen Energy, 2018, 43, 10950-10958. | 7.1 | 17 |
| 32 | Pd nanoparticles entrapped in TiO2 nanotubes for complete butane catalytic combustion at $130 \hat{A} \hat{A}^{\circ} C$. Environmental Chemistry Letters, 2017, 15, 421-426. | 16.2 | 7 |
| 33 | Promotional effects of Mn on SiO 2 -encapsulated iron-based spindles for catalytic production of liquid hydrocarbons. Journal of Catalysis, 2017, 350, 41-47. | 6.2 | 31 |
| 34 | Enhanced photoelectrocatalytic performance of heterostructured TiO2-based nanoparticles decorated nanotubes. Applied Physics A: Materials Science and Processing, 2017, 123, 1. | 2.3 | 4 |
| 35 | High performance carbon/silica co-decorated TiO 2 nanotubes for visible-light driven water splitting. Materials Research Bulletin, 2017, 93, 162-169. | 5.2 | 10 |
| 36 | MnO ₂ Nanoparticles Confined in TiO ₂ Nanotubes for Catalytic Combustion of Butane. ChemistrySelect, 2017, 2, 4557-4560. | 1.5 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Non-uniform doping outperforms uniform doping for enhancing the photocatalytic efficiency of Au-doped TiO 2 nanotubes in organic dye degradation. Ceramics International, 2017, 43, 9053-9059. | 4.8 | 43 |
| 38 | Synthesis, characterization and photocatalytic activity of TiO2 nanotube assembled hierarchical microspheres. Inorganic and Nano-Metal Chemistry, 2017, 47, 1733-1740. | 1.6 | 1 |
| 39 | Fabrication of titanium dioxide nanotubes with good morphology at high calcination temperature and their photocatalytic activity. Materials Chemistry and Physics, 2017, 202, 136-142. | 4.0 | 16 |
| 40 | Improving Visible Light-Absorptivity and Photoelectric Conversion Efficiency of a TiO2 Nanotube Anode Film by Sensitization with Bi2O3 Nanoparticles. Nanomaterials, 2017, 7, 104. | 4.1 | 27 |
| 41 | MnO2 and carbon nanotube co-modified C3N4 composite catalyst for enhanced water splitting activity under visible light irradiation. International Journal of Hydrogen Energy, 2016, 41, 22743-22750. | 7.1 | 50 |
| 42 | MnO2 coated Fe2O3 spindles designed for production of C5+ hydrocarbons in Fischer–Tropsch synthesis. Fuel, 2016, 177, 197-205. | 6.4 | 54 |
| 43 | Effect of confinement of TiO 2 nanotubes over the Ru nanoparticles on Fischer-Tropsch synthesis. Applied Catalysis A: General, 2016, 526, 45-52. | 4.3 | 31 |
| 44 | Comparison of titania nanotube-supported cobalt catalysts prepared by impregnation and homogeneous precipitation for Fischer–Tropsch synthesis. RSC Advances, 2016, 6, 89770-89775. | 3.6 | 6 |
| 45 | TiO2 nanotube/ZnO nanorod/CdS on Ti mesh with three-dimensional array structure for photocatalytic degradation under visible lightÂirradiation. Research on Chemical Intermediates, 2016, 42, 4569-4580. | 2.7 | 8 |
| 46 | Fe2O3 nanoparticles encapsulated in TiO2 nanotubes for Fischer–Tropsch synthesis: The confinement effect of nanotubes on the catalytic performance. Fuel, 2016, 164, 347-351. | 6.4 | 26 |
| 47 | Design of Carbonâ€Encapsulated Fe ₃ O ₄ Nanocatalyst with Enhanced Performance for Fischer–Tropsch Synthesis. ChemCatChem, 2015, 7, 2323-2327. | 3.7 | 35 |
| 48 | One-pot synthesis of promoted porous iron-based microspheres and its Fischer–Tropsch performance. Applied Catalysis A: General, 2015, 499, 139-145. | 4.3 | 24 |
| 49 | Synthesis of Ag promoted porous Fe3O4 microspheres with tunable pore size as catalysts for Fischer–Tropsch production of lower olefins. Catalysis Communications, 2015, 64, 32-36. | 3.3 | 11 |
| 50 | Preparation of Titanate/N-Doped Anatase Composite Hierarchical Microspheres with Enhanced Visible Light Photocatalytic Activity. Catalysis Letters, 2015, 145, 647-653. | 2.6 | 6 |
| 51 | Fabrication of TiO ₂ nanotubes-assembled hierarchical microspheres with enhanced photocatalytic degradation activity. New Journal of Chemistry, 2015, 39, 4766-4773. | 2.8 | 18 |
| 52 | Hierarchical flower-like titanium phosphate derived from H-titanate nanotubes for photocatalysis. Journal of Materials Science, 2015, 50, 7293-7302. | 3.7 | 15 |
| 53 | Effects of Ag on morphology and catalytic performance of iron catalysts for Fischer–Tropsch synthesis. RSC Advances, 2015, 5, 58727-58733. | 3.6 | 5 |
| 54 | Photocatalytic Water Splitting Towards Hydrogen Production on Gold Nanoparticles (NPs) Entrapped in TiO2 Nanotubes. Catalysis Letters, 2015, 145, 1771-1777. | 2.6 | 36 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Ultrasound-Assisted Fabrication of AgBr/Ag3PO4/TiO2Nanorod Heterostructure on Ti Mesh. ECS Journal of Solid State Science and Technology, 2015, 4, Q67-Q71. | 1.8 | 1 |
| 56 | Highly activated Ag-doped Fe-based catalysts designed for Fischer–Tropsch synthesis. RSC Advances, 2015, 5, 45426-45430. | 3.6 | 6 |
| 57 | Preparation of hierarchical porous-structured Fe ₃ O ₄ microspheres for Fischer–Tropsch synthesis. New Journal of Chemistry, 2015, 39, 8928-8932. | 2.8 | 5 |
| 58 | Pd nano-particles (NPs) confined in titanate nanotubes (TNTs) for hydrogenation of cinnamaldehyde. Catalysis Communications, 2015, 59, 184-188. | 3.3 | 54 |
| 59 | Preparation of titania nanotube-Cd0.65Zn0.35S nanocomposite by a hydrothermal sulfuration method for efficient visible-light-driven photocatalytic hydrogen production. Applied Surface Science, 2014, 322, 265-271. | 6.1 | 28 |
| 60 | High performance Pd catalyst using silica modified titanate nanotubes (STNT) as support and its catalysis toward hydrogenation of cinnamaldehyde at ambient temperature. RSC Advances, 2014, 4, 63062-63069. | 3.6 | 11 |
| 61 | Tuning three-dimensional TiO2 nanotube electrode to achieve high utilization of Ti substrate for lithium storage. Electrochimica Acta, 2014, 133, 570-577. | 5.2 | 36 |
| 62 | Photoelectrochemical Performance of Nb-doped TiO2 Nanoparticles Fabricated by Hydrothermal Treatment of Titanate Nanotubes in Niobium Oxalate Aqueous Solution. Journal of Materials Science and Technology, 2014, 30, 765-769. | 10.7 | 21 |
| 63 | Enhanced photocatalytic performance of platinized CdS/TiO2 by optimizing calcination temperature of TiO2 nanotubes. Materials Science in Semiconductor Processing, 2014, 26, 107-111. | 4.0 | 26 |
| 64 | Nano-CdS confined within titanate nanotubes for efficient photocatalytic hydrogen production under visible light illumination. Nanotechnology, 2014, 25, 035603. | 2.6 | 32 |
| 65 | Synthesis of peroxo-titanium decorated H-titanate-nanotube-based hierarchical microspheres with enhanced visible-light photocatalytic activity in degradation of Rhodamine B. Dalton Transactions, 2014, 43, 14537-14541. | 3.3 | 14 |
| 66 | Pt nanoparticles entrapped in titanate nanotubes (TNT) for phenol hydrogenation: the confinement effect of TNT. Chemical Communications, 2014, 50, 2794. | 4.1 | 76 |
| 67 | CdS nanorod arrays with TiO2 nano-coating for improved photostability and photocatalytic activity. Physical Chemistry Chemical Physics, 2014, 16, 15339. | 2.8 | 46 |
| 68 | Fabrication and Characterization of Titanate Nanotube Supported ZSM-5 Zeolite Composite Catalyst for Ethanol Dehydration to Ethylene. Bulletin of the Korean Chemical Society, 2014, 35, 525-530. | 1.9 | 6 |
| 69 | Preparation of titanium dioxide nanotube arrays on titanium mesh by anodization in (NH ₄) ₂ SO ₄ /NH ₄ F electrolyte. Materials and Corrosion - Werkstoffe Und Korrosion, 2013, 64, 1001-1006. | 1.5 | 15 |
| 70 | Conversion of fructose into 5-hydroxymethylfurfural and alkyl levulinates catalyzed by sulfonic acid-functionalized carbon materials. Green Chemistry, 2013, 15, 2895. | 9.0 | 188 |
| 71 | Effect of Ordered TiO ₂ Nanotube Array Substrate on Photocatalytic Performance of CdS-Sensitized ZnO Nanorod Arrays. Journal of Physical Chemistry C, 2013, 117, 22591-22597. | 3.1 | 32 |
| 72 | Effect of CoOOH loading on the photoelectrocatalytic performance of WO3 nanorod array film. Applied Surface Science, 2013, 284, 285-290. | 6.1 | 27 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | An effective Pd-promoted gold catalyst supported on mesoporous silica particles for the oxidation of benzyl alcohol. Applied Catalysis B: Environmental, 2013, 140-141, 419-425. | 20.2 | 50 |
| 74 | Effect of MWCNT Inclusion in TiO2 Nanowire Array Film on the Photoelectrochemical Performance. Journal of Materials Science and Technology, 2012, 28, 594-598. | 10.7 | 18 |
| 75 | CdSe-sensitized TiO2 nanotube array film fabricated by ultrasonic-assisted electrochemical deposition and subsequently wrapped with TiO2 thin layer for the visible light photoelectrocatalysis. Thin Solid Films, 2012, 520, 2994-2999. | 1.8 | 24 |
| 76 | CdS-sensitized ZnO nanorod arrays coated with TiO2 layer for visible light photoelectrocatalysis. Journal of Materials Science, 2012, 47, 4187-4193. | 3.7 | 42 |
| 77 | Phase Equilibrium Conditions of Tetrabutyl Ammonium Nitrate + CO ₂ , N ₂ , or CH ₄ Semiclathrate Hydrate Systems. Industrial & Engineering Chemistry Research, 2011, 50, 11720-11723. | 3.7 | 30 |
| 78 | The effect of sandwiched Ag in the wall of TiO2 nanotube on the photo-catalytic performance. Materials Chemistry and Physics, 2011, 128, 1-5. | 4.0 | 12 |
| 79 | Preparation and photoelectrochemical characterization of WO3/TiO2 nanotube array electrode. Journal of Materials Science, 2011, 46, 416-421. | 3.7 | 33 |
| 80 | Layered Fe(III) doped TiO2 thin-film electrodes for the photoelectrocatalytic oxidation of glucose and potassium hydrogen phthalate. Science Bulletin, 2011, 56, 2475-2480. | 1.7 | 3 |
| 81 | Synthesis and visible light photo-electrochemical behaviors of In2O3-sensitized ZnO nanowire array film. Journal of Photochemistry and Photobiology A: Chemistry, 2011, 219, 132-138. | 3.9 | 40 |
| 82 | Hydrate phase equilibrium for the (hydrogen+tert-butylamine+water) system. Journal of Chemical Thermodynamics, 2011, 43, 617-621. | 2.0 | 18 |
| 83 | The Effect of CTAB on the Citrate Sol-gel Process for the Synthesis of Sodium Beta-Alumina Nano-Powders. Bulletin of the Korean Chemical Society, 2011, 32, 1310-1314. | 1.9 | 12 |
| 84 | Photoelectrochemical performance of TiO2-nanotube-array film modified by decoration of TiO2 via liquid phase deposition. Surface and Coatings Technology, 2010, 205, 2572-2577. | 4.8 | 17 |
| 85 | Silver-coated TiO2 nanostructured anode materials for lithium ion batteries. Journal of Solid State Electrochemistry, 2010, 14, 571-578. | 2.5 | 40 |
| 86 | Preparation and Photocatalytic Performance of Anatase/Rutile Mixed-Phase TiO2 Nanotubes. Catalysis Letters, 2010, 139, 129-133. | 2.6 | 50 |
| 87 | Phase Equilibrium Data of Binary Hydrate in the System Hydrogen + Acetone + Water. Journal of Chemical & Chemi | 1.9 | 14 |
| 88 | Catalytic Dehydration of Ethanol to Ethylene on TiO2/4A Zeolite Composite Catalysts. Catalysis Letters, 2009, 130, 308-311. | 2.6 | 18 |
| 89 | The fabrication of TiO2-supported zeolite with core/shell heterostructure for ethanol dehydration to ethylene. Catalysis Communications, 2009, 11, 67-70. | 3.3 | 27 |
| 90 | Enhanced photocatalytic activity of TiO2 nano-structured thin film with a silver hierarchical configuration. Applied Surface Science, 2008, 254, 1630-1635. | 6.1 | 91 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Oxidation of Zr ₂ [Al(Si)] ₄ C ₅ and Zr ₃ [Al(Si)] ₄ C ₆ in air. Journal of Materials Research, 2008, 23, 3339-3346. | 2.6 | 41 |
| 92 | Isothermal oxidation of bulk Zr ₂ Al ₃ C ₄ at 500 to 1000 $\hat{A}^{\circ}C$ in air. Journal of Materials Research, 2008, 23, 359-366. | 2.6 | 39 |
| 93 | Improving the high-temperature oxidation resistance of Zr2Al3C4 by silicon pack cementation. Journal of Materials Research, 2008, 23, 2275-2282. | 2.6 | 14 |
| 94 | Layered stacking characteristics of ternary zirconium aluminum carbides. Journal of Materials Research, 2007, 22, 3058-3066. | 2.6 | 31 |
| 95 | Photocatalytic oxidation activity of titanium dioxide film enhanced by Mn non-uniform doping. Transactions of Nonferrous Metals Society of China, 2006, 16, 1069-1075. | 4.2 | 17 |
| 96 | The effect of background irradiation on photocatalytic efficiencies of TiO2 thin films. Chemosphere, 2006, 62, 810-816. | 8.2 | 21 |
| 97 | Effect of dopant concentration on photocatalytic activity of TiO2 film doped by Mn non-uniformly. Open Chemistry, 2006, 4, 234-245. | 1.9 | 20 |
| 98 | Photocatalytic activity of TiO2 thin film non-uniformly doped by Ni. Materials Chemistry and Physics, 2006, 97, 59-63. | 4.0 | 51 |
| 99 | Correlation between photoreactivity and photophysics of sulfated TiO2 photocatalyst. Materials Chemistry and Physics, 2005, 92, 470-474. | 4.0 | 26 |
| 100 | Polyaspartamide Gadolinium Complexes Containing Sulfadiazine Groups as Potential Macromolecular MRI Contrast Agents. Bioconjugate Chemistry, 2005, 16, 967-971. | 3.6 | 38 |
| 101 | Effect of doping mode on the photocatalytic activities of Mo/TiO2. Journal of Photochemistry and Photobiology A: Chemistry, 2004, 163, 517-522. | 3.9 | 184 |
| 102 | AN INNOVATIVE TI/TIO2MESH PHOTOELECTRODE FOR METHYL ORANGE PHOTOELECTROCATALYTIC DEGRADATION. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2002, 37, 623-640. | 1.7 | 6 |
| 103 | Cloning and in vitro expression of the cDNA encoding a putative nucleoside transporter from Arabidopsis thaliana. Plant Science, 2000, 157, 23-32. | 3.6 | 24 |
| 104 | Platinum Nanoparticles Uniformly Dispersed on Covalent Organic Framework Supports for Selective Synthesis of Secondary Amines. ChemCatChem, 0, , . | 3.7 | 1 |
| 105 | Highly dispersed Ni-based catalysts derived from the LaNiO ₃ perovskite for dry methane reforming: promotional effect of the Ni ⁰ –Ni ²⁺ dipole inlaid on the support. New Journal of Chemistry, 0, , . | 2.8 | 3 |
| 106 | Heterostructure catalyst of Cu-Y2O3 supported on Cu2Y2O5 perovskite in solar-driven water gas shift reaction. Research on Chemical Intermediates, 0, , . | 2.7 | 0 |