Reidar Tyssen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7287796/publications.pdf

Version: 2024-02-01

		218677	189892
50	2,640 citations	26	50
papers	citations	h-index	g-index
51	51	51	2366
31	31	31	2300
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Suicidal ideation among medical students and young physicians: a nationwide and prospective study of prevalence and predictors. Journal of Affective Disorders, 2001, 64, 69-79.	4.1	321
2	Mental Health Problems among Young Doctors: An Updated Review of Prospective Studies. Harvard Review of Psychiatry, 2002, 10, 154-165.	2.1	194
3	The impact of job stress and working conditions on mental health problems among junior house officers. A nationwide Norwegian prospective cohort study. Medical Education, 2000, 34, 374-384.	2.1	181
4	Factors in medical school that predict postgraduate mental health problems in need of treatment. A nationwide and longitudinal study. Medical Education, 2001, 35, 110-120.	2.1	180
5	Personality traits and types predict medical school stress: a six-year longitudinal and nationwide study. Medical Education, 2007, 41, 781-787.	2.1	138
6	Six-year positive effects of a mindfulness-based intervention on mindfulness, coping and well-being in medical and psychology students; Results from a randomized controlled trial. PLoS ONE, 2018, 13, e0196053.	2.5	112
7	Suicide rates according to education with a particular focus on physicians in Norway 1960–2000. Psychological Medicine, 2005, 35, 873-880.	4.5	106
8	Counselling for burnout in Norwegian doctors: one year cohort study. BMJ: British Medical Journal, 2008, 337, a2004-a2004.	2.3	97
9	Does Personality Moderate the Effects of Mindfulness Training for Medical and Psychology Students?. Mindfulness, 2015, 6, 281-289.	2.8	96
10	Health Problems and the Use of Health Services among Physicians: A Review Article with Particular Emphasis on Norwegian Studies. Industrial Health, 2007, 45, 599-610.	1.0	91
11	Use of alcohol to cope with tension, and its relation to gender, years in medical school and hazardous drinking: a study of two nation-wide Norwegian samples of medical students. Addiction, 1998, 93, 1341-1349.	3.3	90
12	Help-seeking for mental health problems among young physicians: is it the most ill that seeks help?. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 989-993.	3.1	81
13	The process of suicidal planning among medical doctors: predictors in a longitudinal Norwegian sample. Journal of Affective Disorders, 2004, 80, 191-198.	4.1	77
14	Mental health treatment needs for medical students: a national longitudinal study. European Psychiatry, 2008, 23, 505-511.	0.2	61
15	The relative importance of individual and organizational factors for the prevention of job stress during internship: a nationwide and prospective study. Medical Teacher, 2005, 27, 726-731.	1.8	60
16	Lower life satisfaction in physicians compared with a general population sample. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 47-54.	3.1	60
17	Job Stress in Young Physicians with an Emphasis on the Work-Home Interface: A Nine-Year, Nationwide and Longitudinal Study of its Course and Predictors. Industrial Health, 2007, 45, 662-671.	1.0	56
18	Risk factors at medical school for later severe depression: A 15-year longitudinal, nationwide study (NORDOC). Journal of Affective Disorders, 2013, 146, 106-111.	4.1	44

#	Article	IF	Citations
19	Long-term Mental Health Effects of Mindfulness Training: a 4-Year Follow-up Study. Mindfulness, 2019, 10, 1661-1672.	2.8	40
20	Physicians' perceptions of quality of care, professional autonomy, and job satisfaction in Canada, Norway, and the United States. BMC Health Services Research, 2013, 13, 516.	2.2	38
21	Effects of Psychological and Social Factors in Shiftwork on Symptoms of Anxiety and Depression in Nurses. Journal of Occupational and Environmental Medicine, 2015, 57, 1127-1137.	1.7	35
22	Identification with the role of doctor at the end of medical school: a nationwide longitudinal study. Medical Education, 2005, 39, 66-74.	2.1	33
23	Do work-related factors contribute to differences in doctor-certified sick leave? A prospective study comparing women in health and social occupations with women in the general working population. BMC Public Health, 2016, 16, 235.	2.9	31
24	Parental Bonding and Self-Esteem as Predictors of Severe Depressive Symptoms. Journal of Nervous and Mental Disease, 2010, 198, 22-27.	1.0	30
25	Effect of burnout among physicians on observed adverse patient outcomes: a literature review. BMC Health Services Research, 2021, 21, 369.	2.2	28
26	Personality traits and drinking to cope as predictors of hazardous drinking among medical students Journal of Studies on Alcohol and Drugs, 2004, 65, 582-585.	2.3	27
27	Exploring the interplay between personality dimensions: A comparison of the typological and the dimensional approach in stress research. Personality and Individual Differences, 2007, 42, 1255-1266.	2.9	26
28	A longitudinal mediational study on the stability of alexithymia among alcohol-dependent outpatients in cognitive–behavioral therapy Psychology of Addictive Behaviors, 2016, 30, 64-72.	2.1	25
29	Factors influencing doctors' counselling on patients' lifestyle habits: a cohort study. BJGP Open, 2018, 2, bjgpopen18X101607.	1.8	25
30	A self-referral preventive intervention for burnout among Norwegian nurses: One-year follow-up study. Patient Education and Counseling, 2010, 78, 191-197.	2.2	24
31	Life satisfaction in Norwegian medical doctors: a 15-year longitudinal study of work-related predictors. BMC Health Services Research, 2019, 19, 729.	2.2	24
32	Should physicians' self-prescribing be restricted by law?. Lancet, The, 2005, 365, 1372-1374.	13.7	19
33	Alexithymia in relation to alcohol expectancies in alcohol-dependent outpatients. Psychiatry Research, 2016, 236, 186-188.	3.3	19
34	Risk Factors Measured During Medical School for Later Hazardous Drinking: A 10-year, Longitudinal, Nationwide Study (NORDOC). Alcohol and Alcoholism, 2016, 51, 71-76.	1.6	19
35	Alcohol Expectancy and Hazardous Drinking: A 6-Year Longitudinal and Nationwide Study of Medical Doctors. European Addiction Research, 2010, 16, 17-22.	2.4	18
36	Contextual Factors and Mental Distress as Possible Predictors of Hazardous Drinking in Norwegian Medical Doctors: A 15-Year Longitudinal, Nationwide Study. European Addiction Research, 2017, 23, 19-27.	2.4	18

3

#	Article	IF	CITATIONS
37	Suicide Among Physicians. American Journal of Psychiatry, 2005, 162, 2199-a-2200.	7.2	16
38	Comparing mental distress and help-seeking among first-year medical students in Norway: results of two cross-sectional surveys 20 years apart. BMJ Open, 2020, 10, e036968.	1.9	15
39	Does change from a traditional to a new medical curriculum reduce negative attitudes among students? A quasi-experimental study. Medical Teacher, 2005, 27, 737-739.	1.8	14
40	Analysis of Career Stage, Gender, and Personality and Workplace Violence in a 20-Year Nationwide Cohort of Physicians in Norway. JAMA Network Open, 2021, 4, e2114749.	5.9	12
41	Personality Traits. , 2017, , 211-234.		9
42	Medical school predictors of later perceived mastery of clinical work among Norwegian doctors: a cohort study with 10-year and 20-year follow-up. BMJ Open, 2017, 7, e014462.	1.9	8
43	Have medical students' attitudes towards clinical communication skills changed over a 12- year period? A comparative long-term study. BMC Medical Education, 2020, 20, 11.	2.4	8
44	Prevalence and individual and work-related factors associated with suicidal thoughts and behaviours among veterinarians in Norway: a cross-sectional, nationwide survey-based study (the) Tj ETQq0 0 0	rgB i I.9Ove	look 10 Tf 50
45	Factors in medical school that predict postgraduate mental health problems in need of treatment. A nationwide and longitudinal study. Medical Education, 2001, 35, 110-120.	2.1	6
46	Work and mental health in doctors: A short review of Norwegian studies. Porto Biomedical Journal, 2019, 4, e50.	1.0	4
47	Professional help-seeking behaviour for mental health problems among veterinarians in Norway: a nationwide, cross-sectional study (The NORVET study). BMC Public Health, 2022, 22, .	2.9	4
48	A confirmatory factor analysis of the Observer Alexithymia Scale in treatment seeking alcohol-dependent patients. Journal of Substance Use, 2013, 18, 492-498.	0.7	3
49	Symptoms of disturbed eating behavior risk: Gender and study factors in a cross-sectional study of two Norwegian medical schools. Eating Behaviors, 2021, 43, 101565.	2.0	3
50	Factors associated with low vs increased perceived mastery of clinical work over ten years of practice: a prospective study of Norwegian doctors. BMC Medical Education, 2018, 18, 116.	2.4	2