

Ichiro Yamada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7287854/publications.pdf>

Version: 2024-02-01

54
papers

1,832
citations

361045

20
h-index

264894

42
g-index

54
all docs

54
docs citations

54
times ranked

1792
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Usefulness of texture features of apparent diffusion coefficient maps in predicting chemoradiotherapy response in muscle-invasive bladder cancer. <i>European Radiology</i> , 2022, 32, 671-679. | 2.3 | 16 |
| 2 | Apparent Diffusion Coefficient Map-Based Texture Analysis for the Differentiation of Chromophobe Renal Cell Carcinoma from Renal Oncocytoma. <i>Diagnostics</i> , 2022, 12, 817. | 1.3 | 4 |
| 3 | Utility of radiomics features of diffusion-weighted magnetic resonance imaging for differentiation of fat-poor angiomyolipoma from clear cell renal cell carcinoma: model development and external validation. <i>Abdominal Radiology</i> , 2022, 47, 2178-2186. | 1.0 | 8 |
| 4 | Diffusion tensor imaging of oral carcinoma: Clinical evaluation and comparison with histopathological findings. <i>Magnetic Resonance Imaging</i> , 2021, 77, 99-108. | 1.0 | 2 |
| 5 | Genuine- and induced-oligometastatic castration-resistant prostate cancer: clinical features and clinical outcomes after progressive site-directed therapy. <i>International Urology and Nephrology</i> , 2021, 53, 1119-1125. | 0.6 | 5 |
| 6 | Uterine Cervical Carcinoma: Evaluation Using Non-Gaussian Diffusion Kurtosis Imaging and Its Correlation With Histopathological Findings. <i>Journal of Computer Assisted Tomography</i> , 2021, 45, 29-36. | 0.5 | 8 |
| 7 | Diffusion tensor imaging of rectal carcinoma: Clinical evaluation and its correlation with histopathological findings. <i>Clinical Imaging</i> , 2020, 67, 177-188. | 0.8 | 0 |
| 8 | Texture Analysis of Apparent Diffusion Coefficient Maps in Cervical Carcinoma: Correlation with Histopathologic Findings and Prognosis. <i>Radiology Imaging Cancer</i> , 2020, 2, e190085. | 0.7 | 10 |
| 9 | Diffusion-Tensor Imaging of Uterine Cervical Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 426-435. | 0.5 | 2 |
| 10 | Endometrial Carcinoma: Texture Analysis of Apparent Diffusion Coefficient Maps and Its Correlation with Histopathologic Findings and Prognosis. <i>Radiology Imaging Cancer</i> , 2019, 1, e190054. | 0.7 | 15 |
| 11 | Diffusion kurtosis imaging of endometrial carcinoma: Correlation with histopathological findings. <i>Magnetic Resonance Imaging</i> , 2019, 57, 337-346. | 1.0 | 24 |
| 12 | Endometrial carcinoma: Evaluation using diffusion tensor imaging and its correlation with histopathologic findings. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 250-260. | 1.9 | 15 |
| 13 | Oral carcinoma: Clinical evaluation using diffusion kurtosis imaging and its correlation with histopathologic findings. <i>Magnetic Resonance Imaging</i> , 2018, 51, 69-78. | 1.0 | 14 |
| 14 | Colorectal carcinoma: Ex vivo evaluation using q-space imaging; Correlation with histopathologic findings. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1059-1068. | 1.9 | 3 |
| 15 | Pitfalls in the diagnosis of pupil-sparing oculomotor nerve palsy without limb ataxia: A case report of a variant of Claude's syndrome and neuroanatomical analysis using diffusion-tensor imaging. <i>Journal of Clinical Neuroscience</i> , 2018, 47, 120-123. | 0.8 | 4 |
| 16 | Colorectal carcinoma: Ex vivo evaluation using 3-T high-spatial-resolution quantitative T2 mapping and its correlation with histopathologic findings. <i>Magnetic Resonance Imaging</i> , 2017, 38, 174-181. | 1.0 | 10 |
| 17 | q-space MR imaging of gastric carcinoma ex vivo: Correlation with histopathologic findings. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 602-612. | 1.9 | 10 |
| 18 | Gastric carcinoma: Evaluation with diffusion-tensor MR imaging and tractography ex vivo. <i>Magnetic Resonance Imaging</i> , 2016, 34, 144-151. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Esophageal carcinoma: Evaluation with q-space diffusion-weighted MR imaging ex vivo. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2262-2273. | 1.9 | 22 |
| 20 | Gastric Carcinoma: Ex Vivo MR Imaging at 7.0 T—Correlation with Histopathologic Findings. <i>Radiology</i> , 2015, 275, 841-848. | 3.6 | 13 |
| 21 | Ultra-high-resolution MR imaging of esophageal carcinoma at ultra-high field strength (7.0T) ex vivo: correlation with histopathologic findings. <i>Magnetic Resonance Imaging</i> , 2015, 33, 413-419. | 1.0 | 20 |
| 22 | Diffusion-tensor MRI and tractography of the esophageal wall ex vivo. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 567-576. | 1.9 | 18 |
| 23 | Esophageal Carcinoma: Ex Vivo Evaluation with Diffusion-Tensor MR Imaging and Tractography at 7 T. <i>Radiology</i> , 2014, 272, 164-173. | 3.6 | 25 |
| 24 | Diagnostic possibility of diffusion tensor imaging for the evaluation of myometrial invasion in endometrial cancer: An ex vivo study. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 616-622. | 1.9 | 23 |
| 25 | Colorectal Carcinoma: Local Tumor Staging and Assessment of Lymph Node Metastasis by High-Resolution MR Imaging in Surgical Specimens. <i>International Journal of Biomedical Imaging</i> , 2009, 2009, 1-10. | 3.0 | 10 |
| 26 | Evaluation of gastric cancer by high-resolution three-dimensional CISS MR imaging in vitro. <i>Clinical Imaging</i> , 2009, 33, 354-360. | 0.8 | 6 |
| 27 | Colorectal Carcinoma: In Vitro Evaluation with High-Spatial-Resolution 3D Constructive Interference in Steady-State MR Imaging. <i>Radiology</i> , 2008, 246, 444-453. | 3.6 | 13 |
| 28 | Experimental ischemic brain edema: morphological and magnetic resonance imaging findings. <i>Neurosurgical Focus</i> , 2007, 22, 1-8. | 1.0 | 16 |
| 29 | Esophageal carcinoma: Evaluation with high-resolution three-dimensional constructive interference in steady state MR imaging in vitro. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1326-1332. | 1.9 | 18 |
| 30 | Trigeminal Neuralgia: Evaluation of Neuralgic Manifestation and Site of Neurovascular Compression with 3D CISS MR Imaging and MR Angiography. <i>Radiology</i> , 2003, 228, 539-545. | 3.6 | 177 |
| 31 | Estimation of the Endolymphatic Sac and Vestibular Aqueduct Using Magnetic Resonance Imaging. <i>Laryngoscope</i> , 2003, 113, 1015-1021. | 1.1 | 3 |
| 32 | Temporal evolution of apparent diffusion coefficient and T2 value following transient focal cerebral ischemia in gerbils. , 2003, 86, 147-151. | | 8 |
| 33 | Tumor Volume Measurements of Acoustic Neuromas with MR Imaging. , 2003, , 55-61. | | 0 |
| 34 | Distance From Acoustic Neuroma to Fundus and a Postoperative Facial Palsy. <i>Laryngoscope</i> , 2002, 112, 168-171. | 1.1 | 13 |
| 35 | High-Resolution Turbo Magnetic Resonance Angiography for Diagnosis of Moyamoya Disease. <i>Stroke</i> , 2001, 32, 1825-1831. | 1.0 | 49 |
| 36 | Superficial esophageal carcinoma: An in vitro study of high-resolution MR imaging at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 225-231. | 1.9 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Early Gastric Carcinoma: Evaluation with High-Spatial-Resolution MR Imaging in Vitro. <i>Radiology</i> , 2001, 220, 115-121. | 3.6 | 35 |
| 38 | Salivary Glands and Lesions: Evaluation of Apparent Diffusion Coefficients with Split-Echo Diffusion-weighted MR Imaging—Initial Results. <i>Radiology</i> , 2001, 221, 837-842. | 3.6 | 85 |
| 39 | Renal Artery Lesions in Patients With Moyamoya Disease. <i>Stroke</i> , 2000, 31, 733-737. | 1.0 | 76 |
| 40 | Takayasu arteritis: Diagnosis with breath-hold contrast-enhanced three-dimensional MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 481-487. | 1.9 | 153 |
| 41 | Tumor volume measurements of acoustic neuromas with three-dimensional constructive interference in steady state and conventional spin-echo MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 826-832. | 1.9 | 21 |
| 42 | Cerebral Ischemic Hypoxia: Discrepancy between Apparent Diffusion Coefficients and Histologic Changes in Rats. <i>Radiology</i> , 2000, 215, 199-204. | 3.6 | 46 |
| 43 | 3-Nitropropionic acid preconditioning ameliorates delayed neurological deterioration and infarction after transient focal cerebral ischemia in gerbils. <i>Neuroscience Letters</i> , 2000, 283, 145-148. | 1.0 | 32 |
| 44 | Moyamoya Disease: Evaluation with Diffusion-weighted and Perfusion Echo-planar MR Imaging. <i>Radiology</i> , 1999, 212, 340-347. | 3.6 | 50 |
| 45 | Diffusion Coefficients in Abdominal Organs and Hepatic Lesions: Evaluation with Intravoxel Incoherent Motion Echo-planar MR Imaging. <i>Radiology</i> , 1999, 210, 617-623. | 3.6 | 480 |
| 46 | Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats. <i>Journal of Neurosurgery</i> , 1999, 90, 499-503. | 0.9 | 45 |
| 47 | Different Apparent Diffusion Coefficient. <i>Stroke</i> , 1998, 29, 859-865. | 1.0 | 94 |
| 48 | Tl-201 Myocardial SPECT in Patients With Systemic Arterial Diseases. <i>Clinical Nuclear Medicine</i> , 1998, 23, 832-835. | 0.7 | 6 |
| 49 | Vestibular schwannoma showing a dural tail on contrast-enhanced magnetic resonance images. <i>Journal of Laryngology and Otology</i> , 1997, 111, 877-879. | 0.4 | 7 |
| 50 | The Use of Three-Phase Scintigraphy for Diagnosing Hemangiomas of the Extremities. <i>Clinical Nuclear Medicine</i> , 1997, 22, 372-375. | 0.7 | 8 |
| 51 | Angiographic findings in Buerger disease. <i>International Journal of Cardiology</i> , 1996, 54, S189-S195. | 0.8 | 22 |
| 52 | Abdominal Macronodular Tuberculomas: MR Findings. <i>Journal of Computer Assisted Tomography</i> , 1996, 20, 643-646. | 0.5 | 37 |
| 53 | Clinico-statistical study of mandibular condylar fracture.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1990, 36, 2055-2068. | 0.0 | 2 |
| 54 | The Cytotoxicity of Cysteinylcatechols and Related Compounds to Human Melanoma Cells In Vitro. <i>Journal of Investigative Dermatology</i> , 1987, 88, 538-540. | 0.3 | 15 |