
## Kenji Nomiya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7288708/publications.pdf Version: 2024-02-01



KENII NOMIYA

#	Article	IF	CITATIONS
1	Dataset of polyoxometalate-assisted N-heterocyclic carbene gold(I) complexes. Data in Brief, 2019, 25, 104002.	1.0	0
2	Highly active, homogeneous catalysis by polyoxometalate-assisted N-heterocyclic carbene gold(I) complexes for hydration of diphenylacetylene. Molecular Catalysis, 2019, 469, 144-154.	2.0	14
3	Polyoxometalate-Assisted, One-Pot Synthesis of a Pentakis[(triphenylphosphane)gold]ammonium(2+) Cation Containing Regular Trigonal-Bipyramidal Geometries of Five Bonds to Nitrogen. Inorganic Chemistry, 2018, 57, 1504-1516.	4.0	5
4	Syntheses, Structures, and Antimicrobial Activities of Gold(I)– and Copper(I)– <i>N</i> -Heterocyclic Carbene (NHC) Complexes Derived from Basket-Shaped Dinuclear Ag(I)–NHC Complex. Inorganic Chemistry, 2018, 57, 11322-11332.	4.0	28
5	Oxidative removal of dibenzothiophene and related sulfur compounds from fuel oils under pressurized oxygen at room temperature with hydrogen peroxide and a phosphorus-free catalyst: sodium decatungstate. Fuel Processing Technology, 2018, 179, 175-183.	7.2	17
6	Synthesis and crystal structure of hexacerium(IV) cluster-containing Keggin polyoxometalate trimer. Inorganic Chemistry Communication, 2017, 80, 61-64.	3.9	8
7	Synthesis and Molecular Structure of a Novel Compound Containing a Carbonate-Bridged Hexacalcium Cluster Cation Assembled on a Trimeric Trititanium(IV)-Substituted Wells–Dawson Polyoxometalate. Inorganic Chemistry, 2017, 56, 9585-9593.	4.0	11
8	Crystal structure ofcatena-poly[silver(I)-μ-L-valinato-κ2N:O]. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 354-357.	0.5	1
9	β,β-Isomer of Open-Wells–Dawson Polyoxometalate Containing a Tetra-Iron(III) Hydroxide Cluster: [{Fe4(H2O)(OH)5}(β,β-Si2W18O66)]9â^'. Inorganics, 2016, 4, 15.	2.7	1
10	Synthesis, Structure, and Characterization of In10-Containing Open-Wells–Dawson Polyoxometalate. Inorganics, 2016, 4, 16.	2.7	3
11	Aluminum―and Gallium ontaining Openâ€Đawson Polyoxometalates. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2016, 642, 539-545.	1.2	9
12	Synthesis, characterization, and structure–activity relationship of the antimicrobial activities of dinuclear N-heterocyclic carbene (NHC)-silver(I) complexes. Journal of Inorganic Biochemistry, 2016, 163, 110-117.	3.5	36
13	Silver- and Acid-Free Catalysis by Polyoxometalate-Assisted Phosphanegold(I) Species for Hydration of Diphenylacetylene. Organometallics, 2016, 35, 1658-1666.	2.3	11
14	The effect of counteranions on the molecular structures of phosphanegold( <scp>i</scp> ) cluster cations formed by polyoxometalate (POM)-mediated clusterization. Dalton Transactions, 2016, 45, 13565-13575.	3.3	5
15	Al16-hydroxide Cluster-containing Tetrameric Polyoxometalate, [{α-Al3SiW9O34(Âμ-OH)6}4{Al4(Âμ-OH)6}]22â^². Chemistry Letters, 2015, 44, 1649-1651.	1.3	4
16	Aggregation of Dinuclear Cations [{Au(PR <sub>3</sub> )} <sub>2</sub> (μâ€OH)] <sup>+</sup> into Dimers Induced by Polyoxometalate (POM) Template Effects. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2015, 641, 1688-1695.	1.2	6
17	Synthesis and Molecular Structure of a Water-Soluble, Dimeric Tri-Titanium(IV)-Substituted Wells–Dawson Polyoxometalate Containing Two Bridging (C <sub>5</sub> Me <sub>5</sub> )Rh <sup>2+</sup> Groups. Inorganic Chemistry, 2015, 54, 11105-11113.	4.0	9
18	Various Oxygen-Centered Phosphanegold(I) Cluster Cations Formed by Polyoxometalate (POM)-Mediated Clusterization: Effects of POMs and Phosphanes. Inorganics, 2014, 2, 660-673.	2.7	13

#	Article	IF	CITATIONS
19	Synthesis, characterization and antimicrobial activities of sodium salt of L-histidinatoargentate(I) derived from the pH 11 solution. Polyhedron, 2014, 80, 151-156.	2.2	3
20	Zirconium(IV)- and hafnium(IV)-containing polyoxometalates as oxidation precatalysts: Homogeneous catalytic epoxidation of cyclooctene by hydrogen peroxide. Journal of Molecular Catalysis A, 2014, 394, 224-231.	4.8	22
21	Monomer and Dimer of Mono-titanium(IV)-Containing α-Keggin Polyoxometalates: Synthesis, Molecular Structures, and pH-Dependent Monomer-Dimer Interconversion in Solution. European Journal of Inorganic Chemistry, 2013, 2013, 1754-1761.	2.0	18
22	Synthesis, structure and antimicrobial activity of L-argininesilver(1+) nitrate. Polyhedron, 2013, 52, 844-847.	2.2	11
23	Two types of tetranuclear phosphanegold(i) cations as dimers of dinuclear units, [{(Au{P(p-RPh)3})2(μ-OH)}2]2+ (R = Me, F), synthesized by polyoxometalate-mediated clusterization. Dalton Transactions, 2013, 42, 11418.	3.3	15
24	2:2-Type complexes of zirconium(IV)/hafnium(IV) centers with mono-lacunary Keggin polyoxometalates: Syntheses and molecular structures of [(α-SiW11O39M)2(μ-OH)2]10â^' (M = Zr, Hf) with edge-sharing octahedral units and [(α-SiW11O39M)2(μ-OH)3]11â^' with face-sharing octahedral units. Polyhedron, 2013, 52, 389-397.	2.2	3
25	Tetranuclear Hafnium(IV) and Zirconium(IV) Cationic Complexes Sandwiched between Two Di-Lacunary Species of α-Keggin Polyoxometalates: Lewis Acid Catalysis of the Mukaiyama–Aldol Reaction. Bulletin of the Chemical Society of Japan, 2013, 86, 800-812.	3.2	14
26	Novel Intercluster Compounds Composed of a Tetra{phosphanegold(I)}oxonium Cation and an α-Keggin Polyoxometalate Anion Linked by Three Monomeric Phosphanegold(I) Units. Chemistry Letters, 2013, 42, 1487-1489.	1.3	7
27	Novel intercluster compound between a heptakis{triphenylphosphinegold(i)}dioxonium cation and an α-Keggin polyoxometalate anion. Dalton Transactions, 2012, 41, 10085.	3.3	15
28	Syntheses, Structures, and Antimicrobial Activities of Remarkably Light-Stable and Water-Soluble Silver Complexes with Amino Acid Derivatives, Silver(I)N-Acetylmethioninates. Inorganic Chemistry, 2012, 51, 1640-1647.	4.0	57
29	Reaction products of titanium(IV) sulfate with the two, dimeric precursors, 1,2,3-tri-titanium(IV)- and 1,2-di-titanium(IV)-substituted α-Keggin polyoxometalates (POMs), under acidic conditions. A tetra-titanium(IV) oxide cluster and one coordinated sulfate ion grafted on a di-lacunary Keggin POM. Inorganic Chemistry Communication, 2012, 19, 10-14.	3.9	4
30	Polyoxometalate (POM)-based, multi-functional, inorganic–organic, hybrid compounds: syntheses and molecular structures of silanol- and/or siloxane bond-containing species grafted on mono- and tri-lacunary Keggin POMs. Dalton Transactions, 2011, 40, 1243-1253.	3.3	40
31	Encapsulation of Anion/Cation in the Central Cavity of Tetrameric Polyoxometalate, Composed of Four Trititanium(IV)-Substituted α-Dawson Subunits, Initiated by Protonation/Deprotonation of the Bridging Oxygen Atoms on the Intramolecular Surface. Inorganic Chemistry, 2011, 50, 6575-6583.	4.0	32
32	Synthesis and Structure of Dawson Polyoxometalate-Based, Multifunctional, Inorganic–Organic Hybrid Compounds: Organogermyl Complexes with One Terminal Functional Group and Organosilyl Analogues with Two Terminal Functional Groups. Inorganic Chemistry, 2011, 50, 9606-9619.	4.0	31
33	Synthesis, structure and antimicrobial activities of meso silver(I) histidinate [Ag2(D-his)(L-his)]n (Hhis=histidine) showing different self-assembly from those of chiral silver(I) histidinates. Inorganica Chimica Acta, 2011, 368, 44-48.	2.4	23
34	Chemistry of Group IV Metal Ion ontaining Polyoxometalates. European Journal of Inorganic Chemistry, 2011, 2011, 179-196.	2.0	67
35	Relation among the 2:2-, 1:1- and 1:2-type complexes of hafnium(IV)/zirconium(IV) with mono-lacunary α2-Dawson polyoxometalate ligands: Synthesis and structure of the 2:2-type complexes [{α2-P2W17O61M(μ-OH)(H2O)}2]14â~' (M = Hf, Zr). Inorganica Chimica Acta, 2010, 363, 967-974.	2.4	35
36	Transformation of Tri-Titanium(IV)-Substituted α-Keggin Polyoxometalate (POM) into Tetra-Titanium(IV)-Substituted POMs : Reaction Products of Titanium(IV) Sulfate with the Dimeric Keggin POM Precursor under Acidic Conditions. Materials, 2010, 3, 503-518.	2.9	11

#	Article	IF	CITATIONS
37	Intercluster Compound between a Tetrakis{triphenylphosphinegold(I)}oxonium Cation and a Keggin Polyoxometalate (POM): Formation during the Course of Carboxylate Elimination of a Monomeric Triphenylphosphinegold(I) Carboxylate in the Presence of POMs. Inorganic Chemistry, 2010, 49, 8247-8254.	4.0	33
38	Syntheses, structures and antimicrobial activities of various metal complexes of hinokitiol. Inorganica Chimica Acta, 2009, 362, 43-55.	2.4	33
39	Tetra-hafnium(IV) cluster cation sandwiched between 2 di-lacunary Dawson polyoxotungstate anions: Synthesis and structure of [Hf4(μ3-O)2(μ-OH)2(H2O)4(P2W16O59)2]14â^'. Inorganic Chemistry Communication, 2009, 12, 650-652.	3.9	13
40	Synthesis and structure of dinuclear hafnium(IV) and zirconium(IV) complexes sandwiched between 2 mono-lacunary α-Keggin polyoxometalates. Dalton Transactions, 2009, , 5504.	3.3	39
41	Cyclic oligomer of oxide clusters through a siloxane bond. Synthesis and structure of reaction products of α2-mono-lacunary Dawson polyoxometalate with tetrachlorosilane and tetraethoxysilane. Dalton Transactions, 2009, , 5542.	3.3	9
42	Sandwich-type Hf <sup>IV</sup> and Zr <sup>IV</sup> complexes composed of tri-lacunary Keggin polyoxometalates: structure of [M <sub>3</sub> (μ-OH) <sub>3</sub> (A-α-PW <sub>9</sub> O <sub>34</sub> ) <sub>2</sub> ] <sup>9â^²</sup>	(ฟ้) Tj ET	Qq0 0 0 rgE
43	A Dawsonâ€Type Dirhenium(V)â€Oxidoâ€Bridged Polyoxotungstate: Xâ€ray Crystal Structure and Hydrogen Evolution from Water Vapor under Visible Light Irradiation. European Journal of Inorganic Chemistry, 2008, 2008, 3134-3141.	2.0	16
44	Light-stable and antimicrobial active silver(I) complexes composed of triphenylphosphine and amino acid ligands: Synthesis, crystal structure, and antimicrobial activity of silver(I) complexes constructed with hard and soft donor atoms (nâ ž{[Ag(L)(PPh3)]2} with L=α-alaâ~ or asnâ~ and n=1 or 2). Inorganica Chimica Acta, 2008, 361, 1267-1273.	2.4	33
45	Formation of inorganic protonic-acid polymer via inorganic–organic hybridization: Synthesis and characterization of polymerizable olefinic organosilyl derivatives of mono-lacunary Dawson polyoxometalate. Inorganica Chimica Acta, 2008, 361, 1385-1394.	2.4	20
46	Syntheses, molecular structures and pH-dependent monomer–dimer equilibria of Dawson α2-monotitanium(iv)-substituted polyoxometalates. Dalton Transactions, 2008, , 4630.	3.3	22
47	Polyoxoanion-Supported, Atomically Dispersed Iridium(I) and Rhodium(I): Na3 [(C4 H9 )4 N]5 [Ir[α-Nb3 P2 W15 O62 ]{η 4 -C8 H12 }] and Na3 [(C4 H9 )4 N]5 [Rh[α-Nb3 P2 W15 O62 ]{η 4 -C8 H12 }]. Inorganic Synthese 2007, , 186-201.	sQ.3	18
48	Tetrameric, Tri-Titanium(IV)-Substituted Polyoxometalates with an α-Dawson Substructure as Soluble Metal Oxide Analogues. Synthesis and Molecular Structure of Three Giant "Tetrapods―Encapsulating Different Anions (Brâ~', lâ~', and NO3â~'). Bulletin of the Chemical Society of Japan, 2007, 80, 1965-1974.	3.2	20
49	Organometallic Complexes Supported on a Metal-Oxide Cluster. pH-Dependent Interconversion between the Monomeric and Dimeric Species of the Polyoxoanion-Supported [(arene)Ru]2+Complex. Bulletin of the Chemical Society of Japan, 2007, 80, 724-731.	3.2	19
50	Novel Solid-State 8H+-Heteropolyacid. Synthesis and Molecular Structure of a Free-Acid Form of a Dawson-Type Sandwich Complex, [Ti2{P2W15O54(OH2)2}2]8â^'. Bulletin of the Chemical Society of Japan, 2007, 80, 2161-2169.	3.2	20
51	Metal Complexes of the Lacunary Heteropolytungstates [B-α-PW9O34]9-and [α-P2W15O56]12 Inorganic Syntheses, 2007, , 167-185.	0.3	20
52	Synthesis, reaction and structure of a highly light-stable silver(i) cluster with an Ag4S4N4 core having a tridentate 4N-morpholyl 2-acetylpyridine thiosemicarbazone ligand: Use of water-soluble silver(i) carboxylates as a silver(i) source. Dalton Transactions, 2007, , 3646.	3.3	22
53	Polymerizable inorganic–organic hybrid: Syntheses and structures of mono-lacunary Dawson polyoxometalate-based olefin-containing organosilyl derivatives. Inorganic Chemistry Communication, 2007, 10, 1140-1144.	3.9	19
54	Organic–inorganic hybrid material as zwitterion: Synthesis and structure of terminal ammonium ions-containing organosilyl species supported on mono-lacunary Dawson polyoxometalate. Inorganic Chemistry Communication, 2007, 10, 1416-1419.	3.9	10

#	Article	IF	CITATIONS
55	Synthesis, isolation and spectroscopic characterization of Dawson polyoxotungstate-supported, organometallic complex, [{(C6H6)Ru}P2W15V3O62]7â^': The two positional isomers. Inorganica Chimica Acta, 2007, 360, 2313-2320.	2.4	18
56	A novel Ti–O–Ti bonding species constructed in a metal-oxide cluster [{Ti(OH2)(ox)}2(μ-O)(α-PW11O39)]5 as a precatalyst: Epoxidation of alkenes with hydrogen peroxideâ~†. Journal of Molecular Catalysis A, 2007, 262, 25-29.	5â^' 4.8	27
57	Poly[(μ43-N-acetyl-L-histidinato-κ4N,O:O:O′)silver(I)]. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m2440-m2440.	0.2	1
58	Isolation, characterization, and reactivity of the reaction products of the dimeric, Ti–O–Ti bridged anhydride form of the 1,2-di-titanium(IV)-substituted α-Keggin polyoxometalate with aqueous 30% H2O2. Journal of Molecular Catalysis A, 2007, 262, 30-35.	4.8	18
59	Water-soluble organometallic ruthenium(II) complexes supported on Dawson-type polyoxotungstates as precatalysts: Selective oxidation of alcohols with 1 atm molecular oxygen. Catalysis Communications, 2006, 7, 413-416.	3.3	46
60	Novel Tiâ^'Oâ^'Ti Bonding Species Constructed in a Metalâ^'Oxide Cluster:  Reaction Products of Bis(oxalato)oxotitanate(IV) with the Dimeric, 1,2-Dititanium(IV)-Substituted Keggin Polyoxotungstate. Inorganic Chemistry, 2006, 45, 8078-8085.	4.0	29
61	Syntheses and X-ray Crystal Structures of Zirconium(IV) and Hafnium(IV) Complexes Containing Monovacant Wellsâ^Dawson and Keggin Polyoxotungstates. Inorganic Chemistry, 2006, 45, 8108-8119.	4.0	111
62	Synthesis and molecular structures of a novel tetranuclear silver(I) cluster [Ag2(Himdc)(PPh3)2]2 (H3imdc=imidazole-4,5-dicarboxylic acid) and a mononuclear silver(I) complex [Ag(H2imdc)(PPh3)2]. Inorganic Chemistry Communication, 2006, 9, 107-110.	3.9	26
63	Solid channel structure and nanoscale drum-like Ag6 cluster constructed with pentafluorobenzenethiolate and triphenylphosphine ligands: The use of water-soluble silver(I) carboxylate as silver(I) source. Inorganic Chemistry Communication, 2006, 9, 60-63.	3.9	17
64	Synthesis of novel gold(I) complexes derived by AgCI-elimination between [AuCl(PPh3)] and silver(I) heterocyclic carboxylates, and their antimicrobial activities. Molecular structure of [Au(R,S-Hpyrrld)(PPh3)] (H2pyrrld=2-pyrrolidone-5-carboxylic acid). Inorganic Chemistry Communication, 2006, 9, 355-359.	3.9	42
65	Molecular design, crystal structure, antimicrobial activity and reactivity of light-stable and water-soluble Ag–O bonding silver(I) complexes, dinuclear silver(I) N-acetylglycinate. Inorganica Chimica Acta, 2006, 359, 4412-4416.	2.4	48
66	Syntheses, crystal structures and antimicrobial activities of 6-coordinate antimony(III) complexes with tridentate 2-acetylpyridine thiosemicarbazone, bis(thiosemicarbazone) and semicarbazone ligands. Journal of Inorganic Biochemistry, 2006, 100, 1176-1186.	3.5	64
67	Synthesis and Characterization of Two Novel, Mono-Lacunary Dawson Polyoxometalate-Based, Water-Soluble Organometallic Ruthenium(II) Complexes: Molecular Structure of [{(C6H6)Ru(H2O)}(α2-P2W17O61)]8 European Journal of Inorganic Chemistry, 2006, 2006, 163-171.	2.0	52
68	Syntheses, Characterization, and X-ray Crystal Structures of Mono-Lacunary Dawson Polyoxometalate-Based Organosilyl Complexes. European Journal of Inorganic Chemistry, 2006, 2006, 4834-4842.	2.0	21
69	Synthesis and Structure of a Molecular Metal Propeller with Three Leaves, a Tetranuclear Silver(I) Cluster Formed by 2-Mercaptobenzoate and Triphenylphosphine Ligands. Chemistry Letters, 2005, 34, 578-579.	1.3	8
70	Syntheses, Structures, and Antimicrobial Activities of Light-Stable and Di- and Mononuclear Silver(I) Carboxylate Complexes Composed of Triphenylphosphine, and Chiral and Racemic Forms of 2-Pyrrolidone-5-carboxylic Acid (H2pyrrld). A Variety of Ag–O Bonding Modes in the Silver(I) Complexes Constructed with Hard Oxygen and Soft Phosphorus Atoms. Bulletin of the Chemical	3.2	18
71	Society of Japan, 2005, 78, 1953-1962. An Efficient PMo11VVO404â <sup>~</sup> /Silica Material Having Cationic Ammonium Moiety: Synthesis, Characterization, and Catalytic Performance for Oxidation of Alcohols with Dioxygen. Chemistry Letters, 2005, 34, 238-239.	1.3	19
72	The strong influence of structures around titanium centers in dimeric mono-, di-, and tri-titanium(IV)-substituted Keggin polyoxotungstates on the catalytic epoxidation of alkenes with H2O2. Applied Catalysis A: General, 2005, 292, 97-104.	4.3	35

#	Article	IF	CITATIONS
73	An Efficient PMo11VVO4-40/Silica Material Having Cationic Ammonium Moiety: Synthesis, Characterization, and Catalytic Performance for Oxidation of Alcohols with Dioxygen ChemInform, 2005, 36, no.	0.0	0
74	Novel Ti–O–Ti bonding species constructed in a metal-oxide cluster. Dalton Transactions, 2005, , 3751.	3.3	29
75	New Application of Glycerin from a Photochemical Approach:  Dihydrogen Formation from Aqueous Glycerin by Use of Giant Polyoxometalate Photocatalysts. Energy & Fuels, 2005, 19, 2209-2213.	5.1	27
76	Isolation and Molecular Structure of a Monomeric, Tris[peroxotitanium(IV)]-Substituted ?-Dawson Polyoxometalate Derived from the Tetrameric Anhydride Form Composed of Four Tris[titanium(IV)]-Substituted ?-Dawson Substructures and Four Bridging Titanium(IV) Octahedral Groups. European Journal of Inorganic Chemistry, 2004, 2004, 4646-4652.	2.0	44
77	Synthesis, solid-state characterization and antimicrobial activities of three different polymorphs of a copper(II) complex with 4-isopropyltropolone (hinokitiol). Inorganica Chimica Acta, 2004, 357, 1168-1176.	2.4	25
78	Synthesis and structural characterization of silver(I), aluminium(III) and cobalt(II) complexes with 4-isopropyltropolone (hinokitiol) showing noteworthy biological activities. Action of silver(I)-oxygen bonding complexes on the antimicrobial activities. Journal of Inorganic Biochemistry, 2004, 98, 46-60.	3.5	186
79	Syntheses, crystal structures and antimicrobial activities of monomeric 8-coordinate, and dimeric and monomeric 7-coordinate bismuth(III) complexes with tridentate and pentadentate thiosemicarbazones and pentadentate semicarbazone ligands. Journal of Inorganic Biochemistry, 2004, 98, 601-615.	3.5	94
80	Syntheses, structures and antimicrobial activities of water-soluble silver(i)–oxygen bonding complexes with chiral and racemic camphanic acid (Hca) ligands. Dalton Transactions, 2004, , 3732-3740.	3.3	97
81	Tetrameric, Trititanium(IV)-Substituted Polyoxotungstates with anα-Dawson Substructure as Soluble Metal-Oxide Analogues: Molecular Structure of the Giant"Tetrapodâ€{(α-1,2,3-P2W15Ti3O62)4{μ3-Ti(OH)3}4Cl]45â^'. Chemistry - A European Journal, 2003, 9 4077-4083.	9, <sup>3.3</sup>	77
82	Ligand-exchangeability of 2-coordinate phosphinegold(I) complexes with AuSP and AuNP cores showing selective antimicrobial activities against Gram-positive bacteria. Crystal structures of [Au(2-Hmpa)(PPh3)] and [Au(6-Hmna)(PPh3)] (2-H2mpa=2-mercaptopropionic acid,) Tj ETQq0 0 0 rgBT /Overloc	k វិថ៌ Tf 50	) 3 <sup>77</sup> 2 Td (6-H
83	Synthesis, structural characterization and antimicrobial activities of 12 zinc(II) complexes with four thiosemicarbazone and two semicarbazone ligands. Journal of Inorganic Biochemistry, 2003, 96, 298-310.	3.5	222
84	Synthesis and Structure of a Water-Soluble Hexanuclear Silver(I) Nicotinate Cluster Comprised of a "Cyclohexane-Chair―Type of Framework, Showing Effective Antibacterial and Antifungal Activities:Â Use of "Sparse Matrix―Techniques for Growing Crystals of Water-Soluble Inorganic Complexes. Inorganic Chemistry, 2003, 42, 8028-8032.	4.0	111
85	A first example of polyoxotungstate-based giant molecule. Synthesis and molecular structure of a tetrapod-shaped Ti–O–Ti bridged anhydride form of Dawson tri-titanium(iv)-substituted polyoxotungstate. Dalton Transactions, 2003, , 3581-3586.	3.3	43
86	Synthesis, Characterization, and Oxidation Catalysis of a Novel Dawson Polyoxometalate-supported Platinum(II) Complex, [{Pt(cod)}(P2W15V3O62)]7â^'(cod = 1,5-cyclooctadiene). Chemistry Letters, 2003, 32, 664-665.	1.3	11
87	Tetravanadate, Decavanadate, Keggin and Dawson Oxotungstates Inhibit Growth of S. cerevisiae. Nanostructure Science and Technology, 2002, , 181-195.	0.1	2
88	Synthesis and Structure of a Molecular Metal Wheel, an Octanuclear Silver(I) Cluster Formed by Racemic 2-Mercaptopropionic Acid and Triphenylphosphine Ligands. Chemistry Letters, 2002, 31, 922-923.	1.3	6
89	Synthesis and spectroscopic characterization of 1,2-divanadium(v)-substituted α-Dawson polyoxotungstate-based 1 â^¶ 1-type Cp*Rh2+ complex showing three different supporting sites of the Cp*Rh2+ group. Dalton Transactions RSC, 2002, , 252.	2.3	7
90	Synthesis and pH-variable ultracentrifugation molecular weight measurements of the dimeric, Ti–O–Ti bridged anhydride form of a novel di-TiIV-1,2-substituted α-Keggin polyoxotungstate. Molecular structure of the [(α-1,2-PW10Ti2O39)2]10â~'polyoxoanion. Dalton Transactions RSC, 2002, , 3679-3685.	2.3	41

Κενιι Νομιγά

#	Article	IF	CITATIONS
91	Syntheses, crystal structures and antimicrobial activities of polymeric silver(i) complexes with three amino-acids [aspartic acid (H2asp), glycine (Hgly) and asparagine (Hasn)]Note: For ease of reference during discussion of their anions, H2asp, Hgly and Hasn have been used as the abbreviations for the neutral amino-acids, rather than the conventional Asp, Gly and Asn, respectively Dalton Transactions	2.3	120
92	Synthesis and characterization of tri-titanium(iv)-1,2,3-substituted α-Keggin polyoxotungstates with heteroatoms P and Si. Crystal structure of the dimeric, Ti–O–Ti bridged anhydride form K10H2[α,α-P2W18Ti6O77]·17H2O and confirmation of dimeric forms in aqueous solution by ultracentrifugation molecular weight measurementsâ€. Dalton Transactions RSC, 2001, , 2872-2878.	2.3	51
93	Synthesis and spectroscopic characterization of a Keggin α-1,4,9-trivanadium-substituted polyoxotungstate-supported Cp*Rh2+ complex, [(Cp*Rh)(α-1,4,9-PW9V3O40)]4â^. Dalton Transactions RSC, 2001, , 52-56.	2.3	9
94	Synthesis, Characterization and Crystal Structure of the Water-Soluble, All-Inorganic Composition, A,β-Keggin Triniobium(V)-Substituted Polyoxotungstate. Chemistry Letters, 2001, 30, 1278-1279.	1.3	4
95	Synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands. Journal of Inorganic Biochemistry, 2001, 84, 55-65.	3.5	189
96	Insulin mimetic effect of a tungstate cluster. Effect of oral administration of homo-polyoxotungstates and vanadium-substituted polyoxotungstates on blood glucose level of STZ mice. Journal of Inorganic Biochemistry, 2001, 86, 657-667.	3.5	72
97	Oxidation of toluene and nitrobenzene with 30% aqueous hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxometalates. Journal of Molecular Catalysis A, 2001, 176, 79-86.	4.8	72
98	Synthesis and characterization of a monoruthenium(III)-substituted Dawson polyoxotungstate derived by Br2 oxidation of the 1ⰶ2 complex of ruthenium(II) and [α2-P2W17O61]10Ⱂ. The reactivity of cis-[RuCl2(DMSO)4] as a ruthenium source. Dalton Transactions RSC, 2001, , 1506-1512.	2.3	57
99	Synthesis and Crystal Structure of a Water-soluble Gold(I) Complex, {K3[Au(mba)2]}2Formed by 2-Mercaptobenzoic Acid (H2mba), with Aurophilic Interaction in the Solid-State. Chemistry Letters, 2000, 29, 274-275.	1.3	8
100	Synthesis and Crystal Structure of a Water-soluble, Anionic Octanuclear Silver(I) Cluster Formed by 2-Mercaptobenzoic Acid (H2mba); K12[Ag8(mba)10]·12H2O. Chemistry Letters, 2000, 29, 162-163.	1.3	19
101	Synthesis and Spectroscopic Characterization of a Dawson Trivanadium-Substituted Polyoxotungstate-Supported {(Cp*Rh)2}4+Complex; (Bun4N)5[(Cp*Rh)2P2W15V3O62]. Chemistry Letters, 2000, 29, 410-411.	1.3	13
102	Synthesis and Structural Characterization of Silver(I) and Gold(I) Complexes with 2-Mercaptonicotinic Acid (H2mna) and Triphenylphosphine Ligands, and Their Antimicrobial Activities. Crystal Structures of Monomeric, 3- and 4-Coordinate Silver(I) Complexes [Ag(Hmna)(PPh3)2] and [Ag(Hmna)(PPh3)3] in the Solid State. Bulletin of the Chemical Society of Japan, 2000, 73, 1143-1152.	3.2	66
103	Synthesis and crystal structure of coinage metal(I) complexes with tetrazole (Htetz) and triphenylphosphine ligands, and their antimicrobial activities. A helical polymer of silver(I) complex [Ag(tetz)(PPh3)2]n and a monomeric gold(I) complex [Au(tetz)(PPh3)]. Inorganica Chimica Acta, 2000, 298, 24-32.	2.4	125
104	Synthesis and characterization of the tetrameric, tri-titanium(IV)-substituted Wells–Dawson-substructure polyoxotungstate, [(P2W15Ti3O60.5)4]36â": the significance of ultracentrifugation molecular weight measurements in detecting aggregated, anhydride forms of polyoxoanions. Inorganica Chimica Acta, 2000, 300-302, 285-304.	2.4	30
105	Multicenter active sites of vanadium-substituted polyoxometalate catalysts on benzene hydroxylation with hydrogen peroxide and two reaction types with and without an induction period. Journal of Molecular Catalysis A, 2000, 152, 55-68.	4.8	64
106	Benzene hydroxylation with hydrogen peroxide catalyzed by vanadium(V)-substituted polyoxomolybdates. Journal of Molecular Catalysis A, 2000, 156, 143-152.	4.8	45
107	Synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, [Au(L)(PPh3)] (HL=pyrazole and) Tj ETQq1 1 0.	78 <b>43</b> 514 rg	;BT9/@verlock
108	Synthesis and Characterization of Water-Soluble Silver(I) Complexes withl-Histidine (H2his) and (S)-(â^')-2-Pyrrolidone-5-carboxylic Acid (H2pyrrld) Showing a Wide Spectrum of Effective Antibacterial and Antifungal Activities. Crystal Structures of Chiral Helical Polymers [Ag(Hhis)]nand {[Ag(Hpyrrld)]2}nin the Solid State. Inorganic Chemistry, 2000, 39, 3301-3311.	4.0	225

#	Article	IF	CITATIONS
109	Synthesis and crystal structure of a hexanuclear silver(I) cluster [Ag(Hmna)]6·4H2O (H2mnaâ€=â€2-mercaptonicotinic acid) and a supramolecular gold(I) complex H[Au(Hmna)2] in the solid state, and their antimicrobial activities. Dalton Transactions RSC, 2000, , 2091-2097.	2.3	116
110	Synthesis and crystal structure of three silver(I) complexes with (S )-(+)-5-oxo-2-tetrahydrofurancarboxylic acid (S-Hothf ) and its isomeric forms (R-Hothf and) Tj ETQq0 0 0 polymers in the solid state formed by self-assembly of the dimeric [Ag(othf )]2 cores. Dalton	rgBT /Ove 2.3	erlock 10 Tf 46
111	Transactions RSC, 2000, , 1343-1348. Water-soluble silver(I) complexes of (R)-(+)- and (S )-(â^')-2-pyrrolidone-5-carboxylic acid and their antimicrobial activities. Chiral helical polymer and polymer sheet structures in the solid-state formed by self-assembly of dimeric [Ag(Hpyrrld)]2 cores. Dalton Transactions RSC, 2000, , 4369-4373.	2.3	42
112	Synthesis, characterization and X-ray crystal structure of [Ag(Htsa)(PPh3)3] (H2tsa=o-HS(C6H4)CO2H). Comparison with [Au(Htsa)(PPh3)]. Polyhedron, 1998, 17, 3519-3530.	2.2	32
113	Transformation of polymeric silver(I) imidazolate to monomeric imidazolatotris(triphenylphosphine) silver(I) complex. Synthesis of [Ag(imd)(PPh3)3] (Himd=Imidazole) and its characterization in the solid-state and in solution. Journal of Inorganic Biochemistry, 1998, 69, 9-14.	3.5	50
114	Synthesis and X-ray characterization of helical polymer complexes [Ag(1,2,3-L)(PPh3)2]n and [Ag(1,2,4-L)(PPh3)2]n (HLâ€=â€triazole) and their antimicrobial activities. Journal of the Chemical Society Dalton Transactions, 1998, , 1653-1660.	1.1	64
115	Synthesis and crystal structure of gold(I) complexes with triazole and triphenylphosphine ligands: monomeric complex [Au(1,2,3-L)(PPh3)] and dimeric complex [Au(1,2,4-L)(PPh3)]2 (HLâ€=â€triazole) throug an Au–Au bond in the solid state. Journal of the Chemical Society Dalton Transactions, 1998, , 4101-4108.	h 1.1	23
116	Synthesis and Characterization of the Water-Soluble, All-Inorganic Composition, Keggin-Type Triniobium(V)-Substituted SiW9Nb3O407â^'Heteropolyoxoanions with Alkali Metal Countercations (Li+,) Tj ETQq(	0 <b>:1:1</b> 2 rgBT	Deverlock 1
117	Synthesis and Characterization of Water-Soluble, All-Inorganic Composition, Dawson-Type Trisubstituted Heteropolytungstates. Effect of Alkali Metal Countercations (Li, Na, K, and Cs) on the P2W15Nb3O629â <sup>~^</sup> Polyoxoanion. Bulletin of the Chemical Society of Japan, 1997, 70, 1369-1377.	3.2	19
118	Synthesis, Structural Characterization, and Biological Activity of Two Different Nickel(II) Complexes Derived fromN′-[1-(2-pyridyl)ethylidene]morpholine-4-carbothiohydrazide. Chemistry Letters, 1997, 26, 609-610.	1.3	11
119	Ag(l)î—,N bond-containing compound showing wide spectra in effective antimicrobial activities: Polymeric silver(l) imidazolate. Journal of Inorganic Biochemistry, 1997, 68, 39-44.	3.5	168
120	Functional action of Keggin-type mono-vanadium(V)-substituted heteropolymolybdate as a single species on catalytic hydroxylation of benzene in the presence of hydrogen peroxide. Journal of Molecular Catalysis A, 1997, 126, 43-53.	4.8	79
121	Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion SiW9Nb3O7â^40 and the all-sodium salt of the polyoxoanion-supported organometallic complex [(η5-C5Me5)Rh·SiW9Nb3O40]5â^1. Journal of Organometallic Chemistry, 1997, 533, 153-159.	1.8	16
122	Hydroxylation of benzene catalyzed by selectively site-substituted vanadium(V) heteropolytungstates in the presence of hydrogen peroxide. Journal of Molecular Catalysis A, 1996, 114, 181-190.	4.8	68
123	Synthesis and Characterization of Highly Pure Form of Sodium Salt of Anionic, Thiomalatogold(I) Complex with Antiarthritic Activity. Analogs of Anionic, Thiomalatosilver(I) Complex with Antimicrobial Activity. Bulletin of the Chemical Society of Japan, 1995, 68, 2875-2883.	3.2	23
124	Synthesis and characterization of oligomeric, anionic thiomalato-silver(I) complexes with biological activities. Polyhedron, 1995, 14, 1359-1367.	2.2	56
125	The all-sodium salt of a polyoxoanion-supported organometallic complex: synthesis and characterization of Na7[(Î-½5-C5Me5) Rh·PW2W15Nb3O62] · 7DMSO · 5H2O. Journal of Organometallic Chemistry, 1995, 505, 23-28.	1.8	21
126	Polyoxoanion-Supported Catalyst Precursors. Synthesis and Characterization of the Iridium(I) and Rhodium(I) Precatalysts [(n-C4H9)4N]5Na3[(1,5-COD)M.cntdot.P2W15Nb3O62] (M = Ir, Rh). Inorganic Chemistry, 1995, 34, 1413-1429.	4.0	107

Κενιι Νομιγά

#	Article	IF	CITATIONS
127	Trisubstituted Heteropolytungstates as Soluble Metal-Oxide Analogs. Isolation and Characterization of [(C5Me5)Rh.cntdot.P2W15Nb3O62]7- and [(C6H6)Ru.cntdot.P2W15Nb3O62]7-, Including the First Crystal Structure of a Dawson-Type Polyoxoanion-Supported Organometallic Complex. Inorganic Chemistry, 1995, 34, 767-777.	4.0	87
128	Characterization by electrospray ionization (ESI) mass spectrometry of an oligomeric, anionic thiomalato-silver(I) complex showing biological activity. Journal of the Chemical Society Chemical Communications, 1995, , 1679.	2.0	33
129	The Nonasodium Salt of The Tri-Niobium-Substituted Polyoxoanion P2W15Nb3O629-: A Water Soluble, Readily Crystallized Form of This Dawson-Based Soluble Metal-Oxide Organometallics-Support System. Inorganic Chemistry, 1994, 33, 1469-1472.	4.0	29
130	Polyoxoanions as soluble metal oxide analogs. Synthesis and characterization of the polyoxoanion-supported iridium(I) complex (1,5-COD)Ir.cntdot.SiW9Nb3O406 Inorganic Chemistry, 1993, 32, 6040-6045.	4.0	52
131	Polyoxoanions as soluble metal oxide analogs. 5. Synthesis and characterization of polyoxoanion-supported, atomically dispersed iridium(I), (1,5-COD)Ir.cntdot.P2W15Nb3O628 Inorganic Chemistry, 1990, 29, 1784-1787.	4.0	71
132	Photo-oxidations of acetoin and biacetyl catalyzed by tetrabutylammonium decatungstate(4–) in acetonitrile under excess of oxygen. Journal of the Chemical Society Dalton Transactions, 1987, , 961-962.	1.1	4
133	Charge-transfer absorption spectra of some tungsten(VI) and molybdenum(VI) polyoxoanions. Polyhedron, 1987, 6, 519-524.	2.2	61
134	Anderson-type heteropolyanions of molybdenum(VI) and tungsten(VI). Polyhedron, 1987, 6, 213-218.	2.2	126
135	Topology and chemistry of polyoxometalates: Inorganic polymers formed by connecting octahedral units, hetero- and isopolyanions, and their structural stability. Polyhedron, 1987, 6, 309-314.	2.2	10
136	Synthesis of Co(III) molybdoheteropolyanions using carbonato-ammine Co(III) complexes as starting materials. Polyhedron, 1987, 6, 1343-1345.	2.2	11
137	A novel preparation of keggin-type dodecatungstocobaltate(II) using [Co(ox)3]3â^' and hydrogen peroxide as starting materials. Polyhedron, 1987, 6, 1513-1515.	2.2	4
138	Catalytic photooxidation of some secondary alcohols by decatungstate isopolyanion and Keggin-type dodecatungstophosphate heteropolyanion in homogeneous system under excess of oxygen and the effect of counterions on redox cycle of polyanions. Inorganica Chimica Acta, 1987, 127, 65-69.	2.4	28
139	Role of oxidation by heteropolyacid in polycondensation of benzyl alcohol to polybenzyl initiated by its acid catalysis. Journal of Molecular Catalysis, 1987, 43, 221-224.	1.2	3
140	Effect of countercations in catalytic photooxidation of isopropyl alcohol by decatungstate isopolyanion. Polyhedron, 1987, 6, 1919-1921.	2.2	3
141	Catalysis by heteropolyacids—ix. Photocatalytic oxidation of isopropyl alcohol to acetone under oxygen using tetrabutylammonium decatungstate. Polyhedron, 1986, 5, 1267-1271.	2.2	28
142	Catalysis by heteropolyacids—VIII. Immobilization of keggin-type heteropolyacids on poly(4-vinylpyridine). Polyhedron, 1986, 5, 1031-1033.	2.2	78
143	Preparation and spectrochemical properties of soluble vanadophosphate polyanions with bicapped-Keggin structure. Polyhedron, 1986, 5, 811-813.	2.2	16
144	Spectrochemical properties of molybdo- and tungsto-heteropolyanions containing Ce(IV) or Ce(III) as a heteroatom. Polyhedron, 1985, 4, 1793-1795.	2.2	10

#	Article	IF	CITATIONS
145	Structural stability index of heteropoly- and isopoly-anions—II. Polyhedron, 1985, 4, 89-95.	2.2	17
146	Heteropoly compounds as octahedral high valence complex. Spectrochemical properties of Waugh-structure enneamolybdonickelate(IV) and enneamolybdomanganate(IV) ions. Polyhedron, 1985, 4, 149-153.	2.2	8
147	Structural stability index of heteropoly- and isopoly-anions—III. Application to site-vacant fragments of keggin and dawson polyanions α-[PW12O. Polyhedron, 1985, 4, 675-679.	2.2	15
148	Structural stability index of heteropoly- and isopolyanions—IV. Application to site-vacant Keggin polyanions, mixed-type Keggin polyanions, some molybdo- and tungsto-vanadates and Jeannin-type polyanion. Polyhedron, 1985, 4, 1407-1412.	2.2	16
149	Induced cotton effect of keggin-type and mixed-coordination-type heteropolyanions in nonaqueous media containing l-brucine sulphate. Polyhedron, 1984, 3, 1071-1076.	2.2	8
150	Undecatungstomanganate and undecatungstochromate. Polyhedron, 1984, 3, 1161-1163.	2.2	7
151	Catalysis by heteropolyacid—VII. catalytic oxidation of cyclohexanol by dodecamolybdate. Polyhedron, 1984, 3, 607-610.	2.2	26
152	Structural stability index of heteropoly- and isopoly-anions. Polyhedron, 1984, 3, 341-346.	2.2	42
153	Catalysis by heteropolyacid—VI. Asymmetric polycondensation of benzyl alcohol to optically active polybenzyl initiated by brucine-induced chiral diphosphooctadecamolybdic acid. Polyhedron, 1984, 3, 381-383.	2.2	8
154	Tetrahedral metal complexes of [MW12O40]-type (Mî—»AlIII, ZnII) with dodecatungstate as tetrahedral ligand. Polyhedron, 1983, 2, 955-958.	2.2	22
155	An Improved Preparation and Characterization of Tetrahedral Colland ColllComplexes with Dodecatungstate as the Tetrahedral Ligand. Bulletin of the Chemical Society of Japan, 1983, 56, 2272-2275.	3.2	28
156	Chirality of Waugh-type Enneamolybdomanganate(IV) Heteropolyanion. Observation of a Pfeiffer Effect. Bulletin of the Chemical Society of Japan, 1983, 56, 3505-3506.	3.2	15
157	Tetrahedral Transition Metal Complexes of [MW12O40]-type (M=Cull, Felll, Coll) with Dodecatungstate as Tetrahedral Ligand. Bulletin of the Chemical Society of Japan, 1981, 54, 2983-2987.	3.2	48
158	Catalysis by 12-Heteropolymolybdic Acid. II. Friedel-Crafts-type Reaction of Aromatic Compounds. Bulletin of the Chemical Society of Japan, 1980, 53, 2089-2090.	3.2	49
159	Catalysis by Heteropolyacid. V. Catalytic Alkylation of Toluene by Mixed-coordination type, H4[SiMo12â^'nWnO40], Heteropolyacid. Bulletin of the Chemical Society of Japan, 1980, 53, 3719-3720.	3.2	9
160	Catalysis by Heteropolyacid. I. Polymerization Reaction of Benzyl Alcohols. Bulletin of the Chemical Society of Japan, 1980, 53, 827-828.	3.2	39
161	Catalysis by Heteropolyacid. III. Acylation and Sulfonylation of Aromatic Compounds Catalyzed by Keggin-structure Heteropolyacids. Bulletin of the Chemical Society of Japan, 1980, 53, 3389-3390.	3.2	10
162	REACTIVE FORM OF 12-MOLYBDOSILICATE CATALYST ON FRIEDEL–CRAFTS-TYPE REACTION. Chemistry Letters, 1980, 9, 1075-1076.	1.3	7

Κενιι Νομιγά

#	Article	IF	CITATIONS
163	Carbonyl exchange with 13CO OF RH6(CO)16 and its Bidentate Phosphorus ligand substitution products. Journal of Organometallic Chemistry, 1979, 168, 115-121.	1.8	13
164	Metal-substitution of 12-Heteropolymolybdate with Iron Atoms. Bulletin of the Chemical Society of Japan, 1979, 52, 3107-3108.	3.2	11
165	2,2′-Bipyridine Derivatives of Hexarhodium Carbonyl Cluster. Bulletin of the Chemical Society of Japan, 1979, 52, 623-624.	3.2	5
166	Effects of perchlorate ion on the hydrolysis of glycine initiated by a cobalt(III)-chelate formation. Inorganic Chemistry, 1974, 13, 409-413.	4.0	5
167	Metal-ion catalyzed decarboxylation of oxaloacetic acid. Journal of the Chemical Society Faraday Transactions I, 1973, 69, 113.	1.0	7
168	Hydrolysis of Glycine Esters Promoted by Cobalt (III)-Chelate Formation. Zeitschrift Fur Physikalische Chemie, 1973, 84, 206-216.	2.8	1