

Fabio Terzi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7288783/fabio-terzi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

1,645
citations

26
h-index

37
g-index

78
ext. papers

1,788
ext. citations

4.6
avg. IF

4.38
L-index

#	Paper	IF	Citations
75	A colorimetric paper-based smart label soaked with a deep-eutectic solvent for the detection of malondialdehyde. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129174	8.5	5
74	Dopamine-functionalized graphene oxide as a high-performance material for biosensing. <i>2D Materials</i> , 2020 , 7, 024007	5.9	6
73	A Simple Strategy for Easily Assembling 3D Printed Miniaturized Cells Suitable for Simultaneous Electrochemical and Spectrophotometric Analyses. <i>Electroanalysis</i> , 2020 , 32, 291-300	3	0
72	Unusual metals as electrode materials for electrochemical sensors. <i>Current Opinion in Electrochemistry</i> , 2019 , 16, 157-163	7.2	6
71	A Flexible Platform of Electrochemically Functionalized Carbon Nanotubes for NADH Sensors. <i>Sensors</i> , 2019 , 19,	3.8	5
70	One-pot sonocatalyzed synthesis of sol-gel graphite electrodes containing gold nanoparticles for application in amperometric sensing. <i>Journal of Materials Science</i> , 2019 , 54, 9553-9564	4.3	3
69	Electroanalytical cells pencil drawn on PVC supports and their use for the detection in flexible microfluidic devices. <i>Talanta</i> , 2019 , 199, 14-20	6.2	11
68	Electrochemical Sensing of Caffeic Acid Using Gold Nanoparticles Embedded in Poly(3,4-ethylenedioxythiophene) Layer by Sinusoidal Voltage Procedure. <i>Chemosensors</i> , 2019 , 7, 65	4	9
67	Highly sensitive amperometric sensor for morphine detection based on electrochemically exfoliated graphene oxide. Application in screening tests of urine samples. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 739-745	8.5	28
66	Voltammetric behaviour of Cu alloys toward hydrogen peroxide and organic species. <i>Electrochemistry Communications</i> , 2018 , 90, 56-60	5.1	1
65	A cotton thread fluidic device with a wall-jet pencil-drawn paper based dual electrode detector. <i>Analytica Chimica Acta</i> , 2018 , 1040, 74-80	6.6	18
64	Amperometric paper sensor based on Cu nanoparticles for the determination of carbohydrates. <i>Sensors and Actuators B: Chemical</i> , 2017 , 245, 352-358	8.5	27
63	Systematic study of the correlation between surface chemistry, conductivity and electrocatalytic properties of graphene oxide nanosheets. <i>Carbon</i> , 2017 , 120, 165-175	10.4	29
62	Digitally Controlled Procedure for Assembling Fully Drawn Paper-Based Electroanalytical Platforms. <i>Analytical Chemistry</i> , 2017 , 89, 10454-10460	7.8	26
61	A paper-based platform with a pencil-drawn dual amperometric detector for the rapid quantification of ortho-diphenols in extravirgin olive oil. <i>Analytica Chimica Acta</i> , 2017 , 950, 41-48	6.6	21
60	Rapid Prototyping of Sensors and Conductive Elements by Day-to-Day Writing Tools and Emerging Manufacturing Technologies. <i>Electroanalysis</i> , 2016 , 28, 250-264	3	24
59	Nanostructured Au/Ti bimetallic electrodes in selective anodic oxidation of carbohydrates. <i>Electrochimica Acta</i> , 2016 , 188, 262-268	6.7	5

58	Effective electrochemical sensor based on screen-printed electrodes modified with a carbon black-Au nanoparticles composite. <i>Sensors and Actuators B: Chemical</i> , 2015 , 212, 536-543	8.5	61
57	Ti metal electrode as an unconventional amperometric sensor for determination of Au(III) species. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 983-90	4.4	6
56	Amperometric sensing. A melting pot for material, electrochemical, and analytical sciences. <i>Electrochimica Acta</i> , 2015 , 179, 350-363	6.7	20
55	Ti as an electrode material. How to make the future better than the present. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 7257-61	4.4	4
54	Simple pencil-drawn paper-based devices for one-spot electrochemical detection of electroactive species in oil samples. <i>Electrophoresis</i> , 2015 , 36, 1830-6	3.6	23
53	Carbon Black/Gold Nanoparticles Composite For Efficient Amperometric Sensors. <i>Lecture Notes in Electrical Engineering</i> , 2015 , 159-163	0.2	2
52	Structural and electronic properties of anisotropic ultrathin organic films from dichroic resonant soft x-ray reflectivity. <i>Physical Review B</i> , 2014 , 89,	3.3	34
51	Pencil leads doped with electrochemically deposited Ag and AgCl for drawing reference electrodes on paper-based electrochemical devices. <i>Electrochimica Acta</i> , 2014 , 146, 518-524	6.7	47
50	Electroanalytical applications of a graphite-Au nanoparticles composite included in a sonogel matrix. <i>Electrochimica Acta</i> , 2014 , 122, 310-315	6.7	4
49	Functional Materials in Amperometric Sensing. <i>Monographs in Electrochemistry</i> , 2014 ,	0.8	11
48	Nanosized Materials in Amperometric Sensors. <i>Nanostructure Science and Technology</i> , 2014 , 497-527	0.9	
47	Intrinsically Conducting Polymers. <i>Monographs in Electrochemistry</i> , 2014 , 23-57	0.8	
46	Development of Nanostructured Electrode Coatings for Amperometric Sensors. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 43-48	0.2	
45	Nanosized Materials. <i>Monographs in Electrochemistry</i> , 2014 , 139-181	0.8	1
44	Toward a Compact Instrument for Detecting Drug Precursors in Different Environments. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 89-93	0.2	
43	Redox Polymers and Metallopolymers. <i>Monographs in Electrochemistry</i> , 2014 , 59-97	0.8	
42	Studies of the interface of conducting polymers with inorganic surfaces. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 1513-35	4.4	11
41	Behaviour of Ti electrode in the amperometric determination of high concentrations of strong oxidising species. <i>Electrochemistry Communications</i> , 2013 , 34, 138-141	5.1	9

40	Graphene-modified electrode. Determination of hydrogen peroxide at high concentrations. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3579-86	4.4	13
39	Polythiophenes and polythiophene-based composites in amperometric sensing. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 509-31	4.4	73
38	Development of a sensor system for the determination of sanitary quality of grapes. <i>Sensors</i> , 2013 , 13, 4571-80	3.8	8
37	Development of a gold-nanostructured surface for amperometric genosensors. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	13
36	Photoemission and X-ray Absorption Study of the Interface between 3,4-Ethylenedioxythiophene-Related Derivatives and Gold. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 15010-15018	3.8	12
35	Drug precursor vapor phase sensing by cantilever enhanced photoacoustic spectroscopy and quantum cascade laser 2012 ,		5
34	Electroreduction of Chloramines Through Novel Electrode Materials. <i>Electroanalysis</i> , 2012 , 24, 833-841	3	5
33	Peptide nucleic acids tagged with four lysine residues for amperometric genosensors. <i>Artificial DNA, PNA & XNA</i> , 2012 , 3, 80-7		8
32	UPS, XPS, and NEXAFS study of self-assembly of standing 1,4-benzenedimethanethiol SAMs on gold. <i>Langmuir</i> , 2011 , 27, 4713-20	4	58
31	The evolution of amperometric sensing from the bare to the modified electrode systems. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 1523-1534	2.6	15
30	Layer-by-layer deposition of a polythiophene/Au nanoparticles multilayer with effective electrochemical properties. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 2395-2400	2.6	9
29	Composite PEDOT/Au Nanoparticles Modified Electrodes for Determination of Mercury at Trace Levels by Anodic Stripping Voltammetry. <i>Electroanalysis</i> , 2011 , 23, 456-462	3	27
28	New Insights on the Interaction between Thiophene Derivatives and Au Surfaces. The Case of 3,4-Ethylenedioxythiophene and the Relevant Polymer. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 17836-17844	3.8	29
27	Au/Pt nanoparticle systems in methanol and carbon monoxide electrooxidation. <i>Electrochimica Acta</i> , 2011 , 56, 3673-3678	6.7	15
26	Poly(3,4-ethylenedioxythiophene)/Au-nanoparticles composite as electrode coating suitable for electrocatalytic oxidation. <i>Electrochimica Acta</i> , 2011 , 56, 3575-3579	6.7	32
25	Effective catalytic electrode system based on polyviologen and Au nanoparticles multilayer. <i>Sensors and Actuators B: Chemical</i> , 2010 , 144, 92-98	8.5	21
24	Composite electrode coatings in amperometric sensors. Effects of differently encapsulated gold nanoparticles in poly(3,4-ethylenedioxythiophene) system. <i>Sensors and Actuators B: Chemical</i> , 2010 , 148, 277-282	8.5	25
23	Adsorption of 3,4-ethylenedioxythiophene (EDOT) on noble metal surfaces: A photoemission and X-ray absorption study. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2009 , 172, 114-119	1.7	15

22	Classification of red wines by chemometric analysis of voltammetric signals from PEDOT-modified electrodes. <i>Analytica Chimica Acta</i> , 2009 , 643, 67-73	6.6	42
21	Preparation and Characterization of a Redox Multilayer Film Containing Au Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 4868-4874	3.8	13
20	Adsorption geometry variation of 1,4-benzenedimethanethiol self-assembled monolayers on Au(111) grown from the vapor phase. <i>Journal of Chemical Physics</i> , 2008 , 128, 134711	3.9	41
19	Amperometric sensors based on poly(3,4-ethylenedioxythiophene)-modified electrodes: discrimination of white wines. <i>Analytica Chimica Acta</i> , 2008 , 614, 213-22	6.6	51
18	Development and characterisation of a novel composite electrode material consisting of poly(3,4-ethylenedioxythiophene) including Au nanoparticles. <i>Electrochimica Acta</i> , 2008 , 53, 3916-3923	6.7	44
17	Electrochemical, spectroscopic and microscopic characterisation of novel poly(3,4-ethylenedioxythiophene)/gold nanoparticles composite materials. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 619-620, 75-82	4.1	42
16	Structure and properties of 1,4-benzenedimethanethiol films grown from solution on Au(111): An XPS and NEXAFS study. <i>Surface Science</i> , 2007 , 601, 1419-1427	1.8	32
15	Electro-oxidation of chlorophenols on poly(3,4-ethylenedioxythiophene)-poly(styrene sulphonate) composite electrode. <i>Electrochimica Acta</i> , 2007 , 52, 1910-1918	6.7	34
14	Development of an electronic tongue based on a PEDOT-modified voltammetric sensor. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 2101-10	4.4	59
13	Optimization of the DPV potential waveform for determination of ascorbic acid on PEDOT-modified electrodes. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 430-435	8.5	65
12	Bonding and orientation of 1,4-benzenedimethanethiol on Au(111) prepared from solution and from gas phase. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 305020	1.8	9
11	Synthesis and electrochemical polymerisation of 3?-functionalised terthiophenes. <i>Electrochimica Acta</i> , 2006 , 51, 4859-4864	6.7	25
10	Electrochemical and spectroelectrochemical characterisation of poly(3?-hydroxymethyl-2,2?:5?,2?-terthiophene). <i>Synthetic Metals</i> , 2006 , 156, 984-989	3.6	4
9	Relaxation phenomena and structural modifications of substituted polythiophenes during the p-doping processes. An electrochemical and morphological study. <i>Electrochimica Acta</i> , 2006 , 51, 2698-2705	6.7	15
8	Water-soluble full-length single-wall carbon nanotube polyelectrolytes: preparation and characterization. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 8634-42	3.4	143
7	Experimental and theoretical study of the electronic structure of HgO and Tl ₂ O ₃ . <i>Physical Review B</i> , 2005 , 71,	3.3	48
6	3-methylthiophene self-assembled monolayers on planar and nanoparticle Au surfaces. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 19397-402	3.4	29
5	Study of Ultrathin Prussian Blue Films Using in situ Electrochemical Surface Plasmon Resonance. <i>Collection of Czechoslovak Chemical Communications</i> , 2005 , 70, 154-167		3

4	A poly(3,4-ethylenedioxythiophene)-poly(styrene sulphonate) composite electrode coating in the electrooxidation of phenol. <i>Electrochimica Acta</i> , 2005 , 50, 1685-1691	6.7	48
3	In situ atomic force microscopy in the study of electrogeneration of polybithiophene on Pt electrode. <i>Electrochimica Acta</i> , 2005 , 50, 1497-1503	6.7	32
2	Influence of the nature of the supporting electrolyte on the formation of poly[4,4'-bis(butylsulphanyl)-2,2'-bithiophene] films. A role for both counter-ion and co-ion in the polymer growth and p-doping processes. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 562, 231-239	4.1	12
1	EQCM study of the p- and n-doping processes of a poly[4,4'-bis(butylsulphanyl)-2,2'-bithiophene]. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 570, 235-242	4.1	12