

Yongda Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7288820/publications.pdf>

Version: 2024-02-01

31
papers

626
citations

933447

10
h-index

677142

22
g-index

34
all docs

34
docs citations

34
times ranked

732
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-9.	0.6	11
2	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. <i>Tobacco Control</i> , 2021, 30, 696-699.	3.2	57
3	Association of heated tobacco product use with smoking cessation in Chinese cigarette smokers in Hong Kong: a prospective study. <i>Tobacco Control</i> , 2021, 30, 653-659.	3.2	13
4	First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1031.	2.6	14
5	An Interactive Web-Based Sexual Health Literacy Program for Safe Sex Practice for Female Chinese University Students: Multicenter Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e22564.	4.3	11
6	Mobile chat-based support plus nicotine replacement therapy sampling to promote smoking cessation for community smokers: A randomized controlled trial. <i>Tobacco Induced Diseases</i> , 2021, 19, 1-13.	0.6	6
7	Socioeconomic Disparities in eHealth Literacy and Preventive Behaviors During the COVID-19 Pandemic in Hong Kong: Cross-sectional Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e24577.	4.3	54
8	Brief Advice, Nicotine Replacement Therapy Sampling, and Active Referral for Expectant Fathers Who Smoke Cigarettes. <i>JAMA Internal Medicine</i> , 2021, 181, 1081-1089.	5.1	5
9	Associations of COVID-19 online information sources and information overload with psychological distress symptoms: a population-based study. <i>Translational Behavioral Medicine</i> , 2021, 11, 1330-1338.	2.4	10
10	Factors Associated With Mental Health Symptoms During the COVID-19 Pandemic in Hong Kong. <i>Frontiers in Psychiatry</i> , 2021, 12, 617397.	2.6	10
11	Prevalence and determinants of SARS-CoV-2 vaccine hesitancy in Hong Kong: A population-based survey. <i>Vaccine</i> , 2021, 39, 3602-3607.	3.8	66
12	Active referral plus a small financial incentive upon cessation services use on smoking abstinence: a community-based, cluster-randomised controlled trial. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 13, 100189.	2.9	8
13	1399Associations of family wellbeing with face-to-face and instant messaging family communication amidst the COVID-19 pandemic. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
14	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10894.	2.6	10
15	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking. <i>Frontiers in Public Health</i> , 2021, 9, 797814.	2.7	11
16	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054719.	3.2	24
17	Social Distancing Compliance under COVID-19 Pandemic and Mental Health Impacts: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6692.	2.6	111
18	Effects of simple active referrals of different intensities on smoking abstinence and smoking cessation services attendance: a cluster-randomized clinical trial. <i>Addiction</i> , 2020, 115, 1902-1912.	3.3	15

#	ARTICLE	IF	CITATIONS
19	Waterpipe smoking among university students in Hong Kong: a cross-sectional study. BMC Public Health, 2020, 20, 543.	2.9	9
20	Chat-based instant messaging support integrated with brief interventions for smoking cessation: a community-based, pragmatic, cluster-randomised controlled trial. The Lancet Digital Health, 2019, 1, e183-e192.	12.3	48
21	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2019, 17, 61.	0.6	10
22	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. Addictive Behaviors, 2018, 85, 38-42.	3.0	11
23	Comparing different intensities of active referral to smoking cessation services in promoting smoking cessation among community smokers: a study protocol of a cluster randomized controlled trial. BMC Public Health, 2018, 18, 830.	2.9	6
24	Does Electronic Cigarette Use Predict Abstinence from Conventional Cigarettes among Smokers in Hong Kong?. International Journal of Environmental Research and Public Health, 2018, 15, 400.	2.6	9
25	Exposure to secondhand smoke infiltration at home amongst Hong Kong residents: a population-based study. Tobacco Induced Diseases, 2018, 16, .	0.6	1
26	Knowledge on harms of thirdhand smoking is associated with greater support on smokefree policies. Tobacco Induced Diseases, 2018, 16, .	0.6	0
27	Electronic cigarette use is not associated with quitting of conventional cigarettes in youth smokers. Pediatric Research, 2017, 82, 14-18.	2.3	17
28	Intervention With Brief Cessation Advice Plus Active Referral for Proactively Recruited Community Smokers. JAMA Internal Medicine, 2017, 177, 1790.	5.1	40
29	Brief Advice on Smoking Reduction Versus Abrupt Quitting for Smoking Cessation in Chinese Smokers: A Cluster Randomized Controlled Trial. Nicotine and Tobacco Research, 2017, 20, 67-72.	2.6	22
30	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. BMJ Open, 2017, 7, e017523.	1.9	10
31	Changes in tobacco use in the early phase of COVID-19 pandemic in Hong Kong: a qualitative study. Nicotine and Tobacco Research, 0, , .	2.6	4