

Luca Giovanella

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/7290732/publications.pdf](https://exaly.com/author-pdf/7290732/publications.pdf)

Version: 2024-02-01

439
papers

11,802
citations

36087

51
h-index

63582

80
g-index

497
all docs

497
docs citations

497
times ranked

11034
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomised controlled trial of specialist nurse intervention in heart failure. <i>BMJ: British Medical Journal</i> , 2001, 323, 715-718.	5.6	480
2	Controversies, Consensus, and Collaboration in the Use of ¹³¹ I Therapy in Differentiated Thyroid Cancer: A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the Society of Nuclear Medicine and Molecular Imaging, and the European Thyroid Association. <i>Thyroid</i> , 2019, 29, 461-470.	5.1	280
3	The potential for evolution of heavy metal tolerance in plants. <i>Heredity</i> , 1975, 34, 165-187.	2.7	236
4	Diagnostic performance of choline PET for detection of hyperfunctioning parathyroid glands in hyperparathyroidism: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 751-765.	6.7	161
5	Implications of Thyroglobulin Antibody Positivity in Patients with Differentiated Thyroid Cancer: A Clinical Position Statement. <i>Thyroid</i> , 2013, 23, 1211-1225.	5.1	155
6	Efficacy and safety of very low calorie ketogenic diet (VLCKD) in patients with overweight and obesity: A systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020, 21, 5-16.	5.8	151
7	Detection rate of ²⁵² FNA cytology in medullary thyroid carcinoma: a meta-analysis. <i>Clinical Endocrinology</i> , 2015, 82, 280-285.	2.6	150
8	[¹⁸ F]Fluorodeoxyglucose Positron Emission Tomography Predicts Survival After Chemoimmunotherapy for Primary Mediastinal Large B-Cell Lymphoma: Results of the International Extranodal Lymphoma Study Group IELSG-26 Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 1769-1775.	15.4	149
9	Utility of baseline ¹⁸ F-FDG-PET/CT functional parameters in defining prognosis of primary mediastinal (thymic) large B-cell lymphoma. <i>Blood</i> , 2015, 126, 950-956.	1.4	140
10	The EANM practice guidelines for parathyroid imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2801-2822.	6.7	140
11	Complications Associated with Corrective Surgery for Patellar Luxation in 109 Dogs. <i>Veterinary Surgery</i> , 2006, 35, 559-566.	1.0	124
12	EANM practice guideline/SNMMI procedure standard for RAIU and thyroid scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2514-2525.	6.7	119
13	Efficacy of thermal ablation in benign non-functioning solid thyroid nodule: A systematic review and meta-analysis. <i>Endocrine</i> , 2020, 67, 35-43.	2.3	114
14	Performance of Five Ultrasound Risk Stratification Systems in Selecting Thyroid Nodules for FNA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1659-1669.	3.6	114
15	Discretionary compliance with mandatory environmental disclosures: Evidence from SEC filings. <i>Journal of Accounting and Public Policy</i> , 2013, 32, 213-236.	2.4	103
16	Decreased ¹²⁵ I-Isomerization of the C-Terminal Telopeptide of Type I Collagen $\alpha 1$ Chain in Paget's Disease of Bone. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 1407-1415.	3.0	101
17	Cortical Allograft and Endoprosthesis for Limb-Sparing Surgery in Dogs with Distal Radial Osteosarcoma: A Prospective Clinical Comparison of Two Different Limb-Sparing Techniques. <i>Veterinary Surgery</i> , 2006, 35, 518-533.	1.0	98
18	Long-Term Efficacy of a Single Session of RFA for Benign Thyroid Nodules: A Longitudinal 5-Year Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 3751-3756.	3.6	98

#	ARTICLE	IF	CITATIONS
19	Detection rate of ^{99m} Tc-MIBI single photon emission computed tomography (SPECT)/CT in preoperative planning for patients with primary hyperparathyroidism: A meta-analysis. <i>Head and Neck</i> , 2016, 38, E2159-72.	2.0	95
20	Thyroglobulin levels and thyroglobulin doubling time independently predict a positive 18F-FDG PET/CT scan in patients with biochemical recurrence of differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 874-880.	6.7	93
21	Unstimulated Highly Sensitive Thyroglobulin in Follow-up of Differentiated Thyroid Cancer Patients: A Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 440-447.	3.6	93
22	Why the European Association of Nuclear Medicine has declined to endorse the 2015 American Thyroid Association management guidelines for adult patients with thyroid nodules and differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1001-1005.	6.7	93
23	Relationship between prostate-specific antigen kinetics and detection rate of radiolabelled choline PET/CT in restaging prostate cancer patients: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 725-33.	2.3	92
24	EANM practice guideline for PET/CT imaging in medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 61-77.	6.7	87
25	Calcitonin measurement in aspiration needle washout fluids has higher sensitivity than cytology in detecting medullary thyroid cancer: a retrospective multicentre study. <i>Clinical Endocrinology</i> , 2014, 80, 135-140.	2.6	82
26	Detection Rate of 18F-Labeled PSMA PET/CT in Biochemical Recurrent Prostate Cancer: A Systematic Review and a Meta-Analysis. <i>Cancers</i> , 2019, 11, 710.	3.8	80
27	The Role of 18F-FDG-PET and PET/CT in Patients with Sarcoidosis. <i>Academic Radiology</i> , 2014, 21, 675-684.	2.4	75
28	Medullary thyroid cancer diagnosis: An appraisal. <i>Head and Neck</i> , 2014, 36, 1216-1223.	2.0	75
29	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4669.	4.2	75
30	Hashimoto's encephalopathy: A rare proteiform disorder. <i>Autoimmunity Reviews</i> , 2016, 15, 466-476.	5.9	74
31	Econometric Measures of Connectedness and Systemic Risk in the Finance and Insurance Sectors. <i>SSRN Electronic Journal</i> , 0, , .	0.3	71
32	Diagnostic performance of ^{99m} Tc-MIBI scan in predicting the malignancy of thyroid nodules: a meta-analysis. <i>Endocrine</i> , 2013, 44, 70-78.	2.3	69
33	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: A systematic review and a meta-analysis. <i>Foot</i> , 2013, 23, 140-148.	1.1	69
34	Additional value of integrated 18F-choline PET/4D contrast-enhanced CT in the localization of hyperfunctioning parathyroid glands and correlation with molecular profile. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 766-775.	6.7	69
35	Nitrogen contribution by leucaena (<i>Leucaena leucocephala</i>) prunings to maize in an alley cropping system. <i>Biology and Fertility of Soils</i> , 1988, 6, 282-285.	4.2	67
36	On the Solidification and Phase Stability of a Co-Cr-Fe-Ni-Ti High-Entropy Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 184-190.	2.2	67

#	ARTICLE	IF	CITATIONS
37	Metabolic heterogeneity on baseline 18FDG-PET/CT scan is a predictor of outcome in primary mediastinal B-cell lymphoma. <i>Blood</i> , 2018, 132, 179-186.	1.4	67
38	Can ultrasound systems for risk stratification of thyroid nodules identify follicular carcinoma?. <i>Cancer Cytopathology</i> , 2020, 128, 250-259.	2.5	67
39	Diagnostic Performance of Fluorine-18-Fluorodeoxyglucose Positron Emission Tomography in Patients with Merkel Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>American Journal of Clinical Dermatology</i> , 2013, 14, 437-447.	6.9	65
40	Serum calcitonin negative medullary thyroid carcinoma: a systematic review of the literature. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1507-14.	2.3	65
41	The ultrasound risk stratification systems for thyroid nodule have been evaluated against papillary carcinoma. A meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 453-460.	5.8	63
42	Molecular imaging with 99mTc-MIBI and molecular testing for mutations in differentiating benign from malignant follicular neoplasm: a prospective comparison. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1018-1026.	6.7	61
43	A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the European Thyroid Association, the Society of Nuclear Medicine and Molecular Imaging on Current Diagnostic and Theranostic Approaches in the Management of Thyroid Cancer. <i>Thyroid</i> , 2021, 31, 1009-1019.	5.1	61
44	Thyroglobulin measurement before rhTSHâ€aided ¹³¹ I ablation in detecting metastases from differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2008, 69, 659-663.	2.6	60
45	Thyroglobulin measurement by highly sensitive assays: focus on laboratory challenges. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1301-14.	2.3	60
46	Prevalence of normal ^{TSH} value among patients with autonomously functioning thyroid nodule. <i>European Journal of Clinical Investigation</i> , 2015, 45, 739-744.	3.4	60
47	The Role of Fluorine-18-Fluorodeoxyglucose Positron Emission Tomography in Aggressive Histological Subtypes of Thyroid Cancer: An Overview. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-6.	1.6	59
48	Clinical characteristics as predictors of malignancy in patients with indeterminate thyroid cytology: a meta-analysis. <i>Endocrine</i> , 2014, 46, 52-59.	2.3	57
49	Use of fineâ€needle aspirate calcitonin to detect medullary thyroid carcinoma: A systematic review. <i>Diagnostic Cytopathology</i> , 2016, 44, 45-51.	1.1	56
50	Performance of contrast-enhanced ultrasound (CEUS) in assessing thyroid nodules: a systematic review and meta-analysis using histological standard of reference. <i>Radiologia Medica</i> , 2020, 125, 406-415.	7.9	56
51	Differentiated thyroid cancer patients potentially benefitting from postoperative I-131 therapy: a review of the literature of the past decade. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 78-83.	6.7	55
52	Will 18F-fluorocholine PET/CT replace other methods of preoperative parathyroid imaging?. <i>Endocrine</i> , 2021, 71, 285-297.	2.3	55
53	Heterophile antibodies may falsely increase or decrease thyroglobulin measurement in patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 952-4.	2.3	54
54	Focal thyroid incidental uptake detected by 18F-fluorodeoxyglucose positron emission tomography. <i>Nuklearmedizin - NuclearMedicine</i> , 2013, 52, 130-136.	0.6	53

#	ARTICLE	IF	CITATIONS
55	Diagnostic Accuracy of 18F-FDG-PET and PET/CT in the Differential Diagnosis between Malignant and Benign Pleural Lesions. <i>Academic Radiology</i> , 2014, 21, 11-20.	2.4	53
56	Prevalence and malignancy risk of focal colorectal incidental uptake detected by ¹⁸ F-FDG-PET or PET/CT: a meta-analysis. <i>Radiology and Oncology</i> , 2014, 48, 99-104.	1.7	53
57	Endocrine and metabolic adverse effects of immune checkpoint inhibitors: an overview (what) Tj ETQq1 1 0.784314 rgBT /Overlock 10	3.4	53
58	BRAF ⁶ mutated carcinomas among thyroid nodules with prior indeterminate FNA report: a systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2016, 84, 315-320.	2.6	52
59	Undetectable Thyroglobulin in Patients With Differentiated Thyroid Carcinoma and Residual Radioiodine Uptake on a Postablation Whole-Body Scan. <i>Clinical Nuclear Medicine</i> , 2011, 36, 109-112.	1.5	51
60	Levothyroxine Therapy: Changes of TSH Levels by Switching Patients from Tablet to Liquid Formulation. A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018, 9, 10.	3.5	51
61	SAKK38/07 study: integration of baseline metabolic heterogeneity and metabolic tumor volume in DLBCL prognostic model. <i>Blood Advances</i> , 2020, 4, 1082-1092.	5.4	51
62	Highly sensitive thyroglobulin measurements in differentiated thyroid carcinoma management. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1067-73.	2.3	50
63	Role of isotope scan, including positron emission tomography/computed tomography, in nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014, 28, 507-518.	5.0	49
64	The role of positron emission tomography and positron emission tomography/computed tomography in thyroid tumours: an overview. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 1783-1787.	1.8	48
65	Alemtuzumab-induced thyroid events in multiple sclerosis: a systematic review and meta-analysis. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 219-229.	3.4	48
66	Imaging in primary hyperparathyroidism: focus on the evidence-based diagnostic performance of different methods. <i>Minerva Endocrinology</i> , 2018, 43, 133-143.	1.2	48
67	Heterophile Antibodies Rarely Influence the Measurement of Thyroglobulin and Thyroglobulin Antibodies in Differentiated Thyroid Cancer Patients. <i>Hormone and Metabolic Research</i> , 2010, 42, 736-739.	1.5	47
68	Clinical Effects of Synthetic Cannabinoid Receptor Agonists Compared with Marijuana in Emergency Department Patients with Acute Drug Overdose. <i>Journal of Medical Toxicology</i> , 2016, 12, 335-340.	1.7	47
69	Patient Age Is an Independent Risk Factor of Relapse of Differentiated Thyroid Carcinoma and Improves the Performance of the American Thyroid Association Stratification System. <i>Thyroid</i> , 2020, 30, 713-719.	5.1	47
70	^{99m} Tc ⁶ sestamibi scanning in thyroid nodules with nondiagnostic cytology. <i>Head and Neck</i> , 2010, 32, 607-611.	2.0	46
71	Relationship between serum thyroglobulin and ¹⁸ F-FDG ⁶ PET/CT in ¹³¹ I ⁶ negative differentiated thyroid carcinomas. <i>Head and Neck</i> , 2012, 34, 626-631.	2.0	46
72	Ultrasound features of medullary thyroid carcinoma correlate with cancer aggressiveness: a retrospective multicenter study. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 87.	8.9	46

#	ARTICLE	IF	CITATIONS
73	Evaluation of the first fully automated immunoassay method for the measurement of stimulating TSH receptor autoantibodies in Graves' disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 58-64.	2.3	46
74	Personalized management of differentiated thyroid cancer in real life – practical guidance from a multidisciplinary panel of experts. <i>Endocrine</i> , 2020, 70, 280-291.	2.3	46
75	Prevalence of thyroid dysfunction in patients with COVID-19: a systematic review. <i>Clinical and Translational Imaging</i> , 2021, 9, 233-240.	2.4	46
76	Thyroglobulin assay 4 weeks after thyroidectomy predicts outcome in low-risk papillary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 843-7.	2.3	45
77	A multicentre validation study for the EU-TIRADS using histological diagnosis as a gold standard. <i>Clinical Endocrinology</i> , 2019, 91, 340-347.	2.6	45
78	Cytological Diagnoses Associated with Noninvasive Follicular Thyroid Neoplasms with Papillary-Like Nuclear Features According to the Bethesda System for Reporting Thyroid Cytopathology: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2019, 29, 222-228.	5.1	45
79	Diagnostic value of thyroglobulin assay in cervical lymph node fine-needle aspirations for metastatic differentiated thyroid cancer. <i>Current Opinion in Oncology</i> , 2013, 25, 6-13.	2.5	44
80	Diagnostic testing for Graves' or non-Graves' hyperthyroidism: A comparison of two thyrotropin receptor antibody immunoassays with thyroid scintigraphy and ultrasonography. <i>Clinical Endocrinology</i> , 2020, 92, 169-178.	2.6	44
81	PET Imaging in Recurrent Medullary Thyroid Carcinoma. <i>International Journal of Molecular Imaging</i> , 2012, 2012, 1-9.	1.2	43
82	Measurement of thyroglobulin, calcitonin, and PTH in FNA washout fluids. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 914-925.	2.3	43
83	Correlation between PSA kinetics and PSMA-PET in prostate cancer restaging: A meta-analysis. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13063.	3.4	43
84	Diagnostic Role of 18F-PSMA-1007 PET/CT in Prostate Cancer Staging: A Systematic Review. <i>Diagnostics</i> , 2021, 11, 552.	2.8	43
85	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014, 32, 59-68.	2.5	42
86	Accuracy of international ultrasound risk stratification systems in thyroid lesions cytologically classified as indeterminate. <i>Diagnostic Cytopathology</i> , 2017, 45, 113-117.	1.1	42
87	Undetectable Serum Thyroglobulin Due to Negative Interference of Heterophile Antibodies in Relapsing Thyroid Carcinoma. <i>Clinical Chemistry</i> , 2007, 53, 1871-1872.	3.5	41
88	Incidental uptake of 18F-fluorodeoxyglucose in the prostate gland. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 249-258.	0.6	41
89	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to tyrosine-kinase inhibitors in patients with metastatic primary renal cell carcinoma. <i>Radiology and Oncology</i> , 2014, 48, 219-227.	1.7	41
90	Diagnosis, Treatment Response, and Prognosis: The Role of ¹⁸ F-DOPA PET/CT in Children Affected by Neuroblastoma in Comparison with ¹²³ I-mIBG Scan: The First Prospective Study. <i>Journal of Nuclear Medicine</i> , 2020, 61, 367-374.	6.1	41

#	ARTICLE	IF	CITATIONS
91	Recent Developments of 18F-FET PET in Neuro-oncology. <i>Current Medicinal Chemistry</i> , 2018, 25, 3061-3073.	2.5	39
92	Undetectable or low (<1 ng/ml) postsurgical thyroglobulin values do not rule out metastases in early stage differentiated thyroid cancer patients. <i>Oncotarget</i> , 2018, 9, 17491-17500.	2.1	39
93	Semi-quantitative assessment of 99Tcm-sestamibi uptake in lung cancer. <i>Nuclear Medicine Communications</i> , 1997, 18, 1087-1097.	1.1	38
94	Chromogranin-A as a Serum Marker for Neuroendocrine Tumors: Comparison with Neuron-Specific Enolase and Correlation with Immunohistochemical Findings. <i>International Journal of Biological Markers</i> , 1999, 14, 160-166.	1.8	38
95	Thyroglobulin assay during thyroxine treatment in low-risk differentiated thyroid cancer management: comparison with recombinant human thyrotropin-stimulated assay and imaging procedures. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 648-52.	2.3	38
96	Postsurgery serum thyroglobulin disappearance kinetic in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2010, 32, 568-571.	2.0	38
97	Reliability of real-time elastography to diagnose thyroid nodules previously read at FNAC as indeterminate: a meta-analysis. <i>Endocrine</i> , 2015, 50, 335-343.	2.3	38
98	Italian consensus for the classification and reporting of thyroid cytology: the risk of malignancy between indeterminate lesions at low or high risk. A systematic review and meta-analysis. <i>Endocrine</i> , 2019, 63, 430-438.	2.3	38
99	Natriuretic peptides as markers of preclinical cardiac disease in obesity. <i>European Journal of Clinical Investigation</i> , 2004, 34, 342-348.	3.4	37
100	Thyroglobulin measurement on fine-needle washout fluids: Influence of sample collection methods. <i>Diagnostic Cytopathology</i> , 2009, 37, 42-44.	1.1	37
101	Comparison of serum calcitonin and procalcitonin in detecting medullary thyroid carcinoma among patients with thyroid nodules. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1477-81.	2.3	37
102	Immunohistochemistry for BRAF(V600E) Antibody VE1 Performed in Core Needle Biopsy Samples Identifies Mutated Papillary Thyroid Cancers. <i>Hormone and Metabolic Research</i> , 2014, 46, 370-374.	1.5	37
103	Preoperative Measurement of Serum Thyroglobulin to Predict Malignancy in Thyroid Nodules: A Systematic Review. <i>Hormone and Metabolic Research</i> , 2015, 47, 247-252.	1.5	37
104	Impact of 18F-FDG PET/CT in Staging Patients With Small Cell Lung Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2019, 6, 336.	2.7	37
105	Is Malignant Nodule Topography an Additional Risk Factor for Metastatic Disease in Low-Risk Differentiated Thyroid Cancer?. <i>Thyroid</i> , 2014, 24, 1607-1611.	5.1	36
106	PET/CT in thyroid nodule and differentiated thyroid cancer patients. The evidence-based state of the art. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019, 20, 47-64.	5.8	36
107	Coupled Multicore Fiber Design With Low Intercore Differential Mode Delay for High-Density Space Division Multiplexing. <i>Journal of Lightwave Technology</i> , 2015, 33, 1175-1181.	4.7	35
108	A Deeply Pipelined CABAC Decoder for HEVC Supporting Level 6.2 High-Tier Applications. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2015, 25, 856-868.	8.7	35

#	ARTICLE	IF	CITATIONS
109	68Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019, 18, 145-149.	2.0	35
110	PET imaging in ectopic Cushing syndrome: a systematic review. <i>Endocrine</i> , 2015, 50, 297-305.	2.3	34
111	Columnar cell variant of papillary thyroid carcinoma: Cytomorphological characteristics of 11 cases with histological correlation and literature review. <i>Cancer Cytopathology</i> , 2017, 125, 389-397.	2.5	34
112	Differentiating malignant from benign thyroid nodules with indeterminate cytology by 99mTc-MIBI scan: a new quantitative method for improving diagnostic accuracy. <i>Scientific Reports</i> , 2017, 7, 6147.	3.4	34
113	Low or Undetectable Basal Thyroglobulin Levels Obviate the Need for Neck Ultrasound in Differentiated Thyroid Cancer Patients After Total Thyroidectomy and ¹³¹ I Ablation. <i>Thyroid</i> , 2018, 28, 722-728.	5.1	34
114	High-intensity focused ultrasound (HIFU) for benign thyroid nodules: 2-year follow-up results. <i>Endocrine</i> , 2019, 65, 312-317.	2.3	34
115	¹⁸ F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1482-1491.	6.7	33
116	Diagnostic performance of PET/CT with tracers other than F-18-FDG in oncology: an evidence-based review. <i>Clinical and Translational Oncology</i> , 2014, 16, 770-775.	2.5	33
117	Diagnostic Performance of Positron Emission Tomography/Computed Tomography Using Fluorine-18 Fluorodeoxyglucose in Detecting Locoregional Nodal Involvement in Patients with Anal Canal Cancer: A Systematic Review and Meta-Analysis. <i>Scientific World Journal</i> , The, 2014, 2014, 1-11.	2.2	32
118	Galectin-3 Performance in Histologic and Cytologic Assessment of Thyroid Nodules: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1756.	4.2	32
119	Procalcitonin measurement to screen medullary thyroid carcinoma: A prospective evaluation in a series of 2705 patients with thyroid nodules. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12934.	3.4	32
120	High-intensity focused ultrasound (HIFU) therapy for benign thyroid nodules without anesthesia or sedation. <i>Endocrine</i> , 2018, 61, 210-215.	2.3	32
121	Unstimulated high sensitive thyroglobulin measurement predicts outcome of differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1001-4.	2.3	31
122	Positron Emission Tomography/Computed Tomography Assessment After Immunochemotherapy and Irradiation Using the Lugano Classification Criteria in the IELSG-26 Study of Primary Mediastinal B-Cell Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 42-49.	0.8	31
123	Prevalence and Significance of Hypermetabolic Lymph Nodes Detected by 2-[¹⁸ F]FDG PET/CT after COVID-19 Vaccination: A Systematic Review and a Meta-Analysis. <i>Pharmaceuticals</i> , 2021, 14, 762.	3.9	31
124	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3617-3626.	1.8	30
125	Thyroid nodules with indeterminate cytology: molecular imaging with 99mTc-methoxyisobutylisonitrile (MIBI) is more cost-effective than the Afirma® gene expression classifier. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1497-1500.	6.7	29
126	High-Sensitivity Human Thyroglobulin (hTG) Immunoradiometric Assay in the Follow-up of Patients with Differentiated Thyroid Cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 480-4.	2.3	28

#	ARTICLE	IF	CITATIONS
127	Preoperative undetectable serum thyroglobulin in differentiated thyroid carcinoma: incidence, causes and management strategy. <i>Clinical Endocrinology</i> , 2007, 67, 070611021303003-???	2.6	28
128	Ectopic Substernal Thyroid Tissue: A Challenging Differential Diagnosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 719-720.	3.6	28
129	Automated analysis of human cochlea shape variability from segmented 1/4 CT images. <i>Computerized Medical Imaging and Graphics</i> , 2017, 59, 1-12.	6.1	27
130	American Thyroid Association ultrasound system for the initial assessment of thyroid nodules: Use in stratifying the risk of malignancy of indeterminate lesions. <i>Head and Neck</i> , 2018, 40, 722-727.	2.0	27
131	Indeterminate thyroid nodules. The role of 18F-FDG PET/CT in the era of ultrasonography risk stratification systems and new thyroid cytology classifications. <i>Endocrine</i> , 2020, 69, 553-561.	2.3	27
132	Determining an energy threshold for optimal volume reduction of benign thyroid nodules treated by radiofrequency ablation. <i>European Radiology</i> , 2021, 31, 5189-5197.	4.6	27
133	Low free-T3 serum levels and prognosis of COVID-19: systematic review and meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1906-1913.	2.3	27
134	18FDG-positron emission tomography/computed tomography (PET/CT) scanning in thyroid nodules with nondiagnostic cytology. <i>Clinical Endocrinology</i> , 2011, 74, 644-648.	2.6	26
135	18F-FDG Uptake Changes in Liver and Mediastinum During Chemotherapy in Patients With Diffuse Large B-cell Lymphoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 949-952.	1.5	26
136	Prevalence of gastrointestinal disorders having an impact on tablet levothyroxine absorption: should this formulation still be considered as the first-line therapy?. <i>Endocrine</i> , 2020, 67, 281-290.	2.3	26
137	Postsurgical thyroid remnant estimation by ^{99m} Tc-pertechnetate scintigraphy predicts radioiodine ablation effectiveness in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2011, 33, 552-556.	2.0	25
138	Efficacy of Vandetanib in Treating Locally Advanced or Metastatic Medullary Thyroid Carcinoma According to RECIST Criteria: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018, 9, 224.	3.5	25
139	Comparison of high intensity focused ultrasound and radioiodine for treating toxic thyroid nodules. <i>Clinical Endocrinology</i> , 2018, 89, 219-225.	2.6	25
140	Spurious hypercalcitoninemia and heterophilic antibodies in patients with thyroid nodules. <i>Head and Neck</i> , 2011, 33, 95-97.	2.0	24
141	The 2015 Revised American Thyroid Association guidelines for the management of medullary thyroid carcinoma: the evidence-based refusal to endorse them by EANM due to the not evidence-based marginalization of the role of Nuclear Medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1486-1490.	6.7	24
142	Treatment of benign thyroid nodules by high intensity focused ultrasound (HIFU) at different acoustic powers: a study on in-silico phantom. <i>Endocrine</i> , 2018, 59, 506-509.	2.3	24
143	Ultrasound systems for risk stratification of thyroid nodules prompt inappropriate biopsy in autonomously functioning thyroid nodules. <i>Clinical Endocrinology</i> , 2020, 93, 67-75.	2.6	24
144	Appropriate Use Criteria for Nuclear Medicine in the Evaluation and Treatment of Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2020, 61, 375-396.	6.1	23

#	ARTICLE	IF	CITATIONS
145	Radiomics Analysis of [¹⁸ F]-Fluorodeoxyglucose-Avid Thyroid Incidentalomas Improves Risk Stratification and Selection for Clinical Assessment. <i>Thyroid</i> , 2021, 31, 88-95.	5.1	23
146	Molecular Imaging and Theragnostics of Thyroid Cancers. <i>Cancers</i> , 2022, 14, 1272.	3.8	23
147	Assessment of myocardial area at risk by technetium-99m sestamibi during coronary artery occlusion: comparison between three tomographic methods of quantification. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 31-39.	2.5	22
148	Serum Procalcitonin and Calcitonin Normal Values Before and After Calcium Gluconate Infusion. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 169-170.	1.4	22
149	Radioiodine treatment after surgery for differentiated thyroid cancer: a reasonable option. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 918-925.	6.7	22
150	Thyroglobulin autoantibodies before radioiodine ablation predict differentiated thyroid cancer outcome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 1995-2001.	2.3	22
151	AFLP analysis of genetic variation among three natural populations of horseshoe crab <i>Tachypleus tridentatus</i> along Chinese coast. <i>Chinese Journal of Oceanology and Limnology</i> , 2011, 29, 284-289.	0.7	21
152	Thyroid volume influences serum calcitonin levels in a thyroid-healthy population: results of a 3-assay, 519 subjects study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 895-900.	2.3	21
153	Thyroid lobe ablation with iodine-131 in patients with differentiated thyroid carcinoma. <i>Nuclear Medicine Communications</i> , 2013, 34, 767-770.	1.1	21
154	Laser capture microdissection is a valuable tool in the preoperative molecular screening of follicular lesions of the thyroid: an institutional experience. <i>Cytopathology</i> , 2015, 26, 288-296.	0.7	21
155	Thyroid remnant ablation in differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2015, 36, 1100-1106.	1.1	21
156	Radioactive Iodine Therapy for Differentiated Thyroid Cancer: Lessons from Confronting Controversial Literature on Risks for Secondary Malignancy. <i>Journal of Nuclear Medicine</i> , 2018, 59, 723-725.	6.1	21
157	Procalcitonin as a postoperative marker in the follow-up of patients affected by medullary thyroid carcinoma. <i>International Journal of Biological Markers</i> , 2018, 33, 156-160.	1.8	21
158	Detection rate of somatostatin receptor PET in patients with recurrent medullary thyroid carcinoma: a systematic review and a meta-analysis. <i>Hormones</i> , 2018, 16, 362-372.	2.0	21
159	Performance of 18F-FDG PET/CT in Selecting Thyroid Nodules with Indeterminate Fine-Needle Aspiration Cytology for Surgery. A Systematic Review and a Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1333.	2.5	21
160	Serum thyroglobulin reference values according to NACB criteria in healthy subjects with normal thyroid ultrasound. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 891-3.	2.3	20
161	Evolving role of PET/CT with different tracers in the evaluation of pulmonary neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 853-855.	6.7	20
162	Prognostic models for primary mediastinal (thymic) B-cell lymphoma derived from 18F-FDG PET/CT quantitative parameters in the International Extranodal Lymphoma Study Group (IELSG) 26 study. <i>British Journal of Haematology</i> , 2017, 178, 588-591.	2.7	20

#	ARTICLE	IF	CITATIONS
163	Performance of Italian Consensus for the Classification and Reporting of Thyroid Cytology (ICCRTC) in discriminating indeterminate lesions at low and high risk of malignancy. A systematic review and meta-analysis. <i>Endocrine</i> , 2018, 60, 31-35.	2.3	20
164	Diagnostic Performance of PET or PET/CT Using 18F-FDG Labeled White Blood Cells in Infectious Diseases: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2019, 9, 60.	2.8	20
165	Testing for BRAF (V600E) Mutation in Thyroid Nodules with Fine-Needle Aspiration (FNA) Read as Suspicious for Malignancy (Bethesda V, Thy4, TIR4): a Systematic Review and Meta-analysis. <i>Endocrine Pathology</i> , 2020, 31, 57-66.	10.0	20
166	Early preablation rhTSH-stimulated thyroglobulin predicts outcome of differentiated thyroid cancer (DTC) patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2466-2475.	6.7	20
167	Measured electron IMFPs for SiC. <i>Surface and Interface Analysis</i> , 2006, 38, 644-647.	1.7	19
168	Interference in thyroid-stimulating hormone determination. <i>European Journal of Clinical Investigation</i> , 2010, 40, 756-758.	3.4	19
169	Detecting N-RAS Q61R Mutated Thyroid Neoplasias by Immunohistochemistry. <i>Endocrine Pathology</i> , 2017, 28, 71-74.	10.0	19
170	Medullary Thyroid Nodules by Measurement of Calcitonin (Ct) in Aspiration Needle Washout in Patients with Multinodular Goiter and Moderately Elevated Serum Ct. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 234-237.	1.4	18
171	Serum cytokeratin 19 fragments: a dedifferentiation marker in advanced thyroid cancer. <i>European Journal of Endocrinology</i> , 2012, 167, 793-797.	2.3	18
172	Differentiated thyroid cancer patients with a previous indeterminate (Thy 3) cytology have a better prognosis than those with suspicious or malignant FNAC reports. <i>Endocrine</i> , 2015, 49, 191-195.	2.3	18
173	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 926-934.	6.7	18
174	Thyroxine Treatment With Softgel Capsule Formulation: Usefulness in Hypothyroid Patients Without Malabsorption. <i>Frontiers in Endocrinology</i> , 2018, 9, 118.	3.5	18
175	Detection rate of unknown primary tumour by using somatostatin receptor PET/CT in patients with metastatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2019, 64, 456-468.	2.3	18
176	Radiomics analysis improves 18FDG PET/CT-based risk stratification of cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2022, 75, 202-210.	2.3	18
177	The "reset button" revisited: why high activity 131I therapy of advanced differentiated thyroid cancer after dosimetry is advantageous for patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 915-917.	6.7	17
178	Role of serum cytokeratin 19 fragment (Cyfra 21.1) as a prognostic biomarker in patients with differentiated thyroid cancer. <i>Scientific Reports</i> , 2017, 7, 7359.	3.4	17
179	Correlation between oral health-related quality of life and orthodontic treatment need in children and adolescents—a prospective interdisciplinary multicentre cohort study. <i>Journal of Orofacial Orthopedics</i> , 2018, 79, 297-308.	1.4	17
180	Fine-needle aspiration in all thyroid incidentalomas at 18F-FDG PET/CT: Can EU-TIRADS revise the dogma?. <i>Clinical Endocrinology</i> , 2018, 89, 642-648.	2.6	17

#	ARTICLE	IF	CITATIONS
181	Circulating biomarkers for the detection of tumor recurrence in the postsurgical follow-up of differentiated thyroid carcinoma. <i>Current Opinion in Oncology</i> , 2020, 32, 7-12.	2.5	17
182	Detection Rate of Culprit Tumors Causing Osteomalacia Using Somatostatin Receptor PET/CT: Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2020, 10, 2.	2.8	17
183	Different Formulations of Levothyroxine for Treating Hypothyroidism: A Real-Life Study. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-5.	1.6	17
184	Thyroglobulin Autoantibodies as Surrogate Biomarkers in the Management of Patients with Differentiated Thyroid Carcinoma. <i>Current Medicinal Chemistry</i> , 2014, 21, 3687-3692.	2.5	17
185	Thyroid Metastases from Typical Carcinoid of the Lung Differentiating Between Medullary Thyroid Carcinoma and Neuroendocrine Tumor Metastasis to the Thyroid. <i>Thyroid</i> , 2009, 19, 521-526.	5.1	16
186	Comparison of thyroglobulin antibody interference in first- and second-generation thyroglobulin immunoassays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 1025-1027.	2.3	16
187	Calcitonin measurement on fine needle washouts: Preanalytical Issues and Normal Reference Values. <i>Diagnostic Cytopathology</i> , 2013, 41, 226-229.	1.1	16
188	High Sensitive Thyroglobulin Assay on Thyroxine Therapy: Can it Avoid Stimulation Test in Low and High Risk Differentiated Thyroid Carcinoma Patients?. <i>Hormone and Metabolic Research</i> , 2013, 45, 664-668.	1.5	16
189	Evaluation of the BRAHMS Kryptor [®] Thyroglobulin Minirecovery Test in patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 449-453.	2.3	16
190	Errare humanum est, sed in errare perseverare diabolicum: methodological errors in the assessment of the relationship between I-131 therapy and possible increases in the incidence of malignancies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 519-522.	6.7	16
191	Higher thyroid hormone levels and cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 808-821.	6.7	16
192	Generation and validation of a PET radiomics model that predicts survival in diffuse large B cell lymphoma treated with R ¹³¹ I-CHOP14: A SAKK 38/07 trial post hoc analysis. <i>Hematological Oncology</i> , 2022, 40, 12-22.	1.8	16
193	Is thyroglobulin a reliable biomarker of differentiated thyroid cancer in patients treated by lobectomy? A systematic review and meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 1091-1100.	2.3	16
194	Second-generation Thyrotropin Receptor Antibodies Assay and Quantitative Thyroid Scintigraphy in Autoimmune Hyperthyroidism. <i>Hormone and Metabolic Research</i> , 2008, 40, 484-486.	1.5	15
195	Could Different Hydration Protocols Affect the Quality of 18F-FDG PET/CT Images?. <i>Journal of Nuclear Medicine Technology</i> , 2011, 39, 77-82.	0.8	15
196	131I whole-body scan or 18FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. <i>Clinical and Translational Imaging</i> , 2013, 1, 175-183.	2.4	15
197	Real-time elastography in autonomously functioning thyroid nodules: relationship with TSH levels, scintigraphy, and ultrasound patterns. <i>Endocrine</i> , 2017, 58, 488-494.	2.3	15
198	Investigation of the pulsatility of cerebrospinal fluid using cardiac-gated Intravoxel Incoherent Motion imaging. <i>NeuroImage</i> , 2018, 169, 126-133.	4.4	15

#	ARTICLE	IF	CITATIONS
199	Reflex TSH strategy: the good, the bad and the ugly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 58, 1-2.	2.3	15
200	Radioisotope imaging for discriminating benign from malignant cytologically indeterminate thyroid nodules. <i>Gland Surgery</i> , 2019, 8, S118-S125.	1.1	15
201	Unstimulated high-sensitive thyroglobulin is a powerful prognostic predictor in patients with thyroid cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 58, 130-137.	2.3	15
202	Prognostic models integrating quantitative parameters from baseline and interim positron emission computed tomography in patients with diffuse large B-cell lymphoma: post-hoc analysis from the SAKK38/07 clinical trial. <i>Hematological Oncology</i> , 2020, 38, 715-725.	1.8	15
203	Thyroid functional and molecular imaging. <i>Presse Medicale</i> , 2022, 51, 104116.	2.1	15
204	Targeting the NRF2/HO-1 Antioxidant Pathway in FLT3-ITD-Positive AML Enhances Therapy Efficacy. <i>Antioxidants</i> , 2022, 11, 717.	5.2	15
205	Diagnostic Performance of 99mTc-Methoxy-Isobuty-Isonitrile (MIBI) for Risk Stratification of Hypofunctioning Thyroid Nodules: A European Multicenter Study. <i>Diagnostics</i> , 2022, 12, 1358.	2.8	15
206	False-positive serum chromogranin A assay due to heterophile antibody interference. <i>Clinica Chimica Acta</i> , 2007, 379, 171-172.	1.6	14
207	Thyrotropin Values in Patients with Micropapillary Thyroid Cancer Versus Benign Nodular Disease. <i>Endocrine Practice</i> , 2013, 19, 651-655.	2.2	14
208	Relationship Between Antithyroglobulin Autoantibodies and Thyroglobulin Recovery Rates Using Different Thyroglobulin Concentrations in the Recovery Buffer. <i>Hormone and Metabolic Research</i> , 2013, 45, 728-735.	1.5	14
209	Well-Differentiated Follicular Patterned Tumors of the Thyroid With High-Grade Features Can Metastasize in the Absence of Capsular or Vascular Invasion. <i>International Journal of Surgical Pathology</i> , 2014, 22, 749-756.	0.8	14
210	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017, 5, 525-532.	2.4	14
211	Baseline PET features to predict prognosis in primary mediastinal B cell lymphoma: a comparative analysis of different methods for measuring baseline metabolic tumour volume. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1334-1344.	6.7	14
212	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019, 64, 203-208.	2.3	14
213	Molecular Imaging for Thyrotoxicosis and Thyroid Nodules. <i>Journal of Nuclear Medicine</i> , 2021, 62, 20S-25S.	6.1	14
214	Global FT4 immunoassay standardization: an expert opinion review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1013-1023.	2.3	14
215	Life after thyroid cancer: the role of thyroglobulin and thyroglobulin antibodies for postoperative follow-up. <i>Expert Review of Endocrinology and Metabolism</i> , 2021, 16, 273-279.	2.5	14
216	Effect of different ecological conditions on the mud snail (<i>Cipangopaludina japonica</i>) in submerged paddy soil. <i>Biology and Fertility of Soils</i> , 1988, 6, 292.	4.2	13

#	ARTICLE	IF	CITATIONS
217	Langherans Cell Histiocytosis of the Thyroid Gland Detected by 18FDG-PET/CT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2866-2867.	3.6	13
218	Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by ¹⁸ F-Fluorodeoxyglucose Positron-Emission Tomography. <i>Thyroid</i> , 2013, 23, 124-126.	5.1	13
219	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015, 33, 538-546.	2.5	13
220	Procalcitonin as Marker of Recurrent Medullary Thyroid Carcinoma: A Systematic Review and Meta-Analysis. <i>Endocrinology and Metabolism</i> , 2018, 33, 204.	2.9	13
221	FNA indication according to ACR-TIRADS, EU-TIRADS and K-TIRADS in thyroid incidentalomas at 18F-FDG PET/CT. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 1607-1612.	3.4	13
222	Procalcitonin as an Alternative Tumor Marker of Medullary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 3634-3643.	3.6	13
223	Reliability of core needle biopsy as a second-line procedure in thyroid nodules with an indeterminate fine-needle aspiration report: a systematic review and meta-analysis. <i>Ultrasonography</i> , 2018, 37, 121-128.	2.4	13
224	Graves' Disease, Thymus Enlargement, and Hypercalcemia. <i>New England Journal of Medicine</i> , 2008, 358, 1078-1079.	30.1	12
225	Circulating procalcitonin in aseptic carcinoma patients: a specificity study with ¹⁸ F-fluorodeoxyglucose positron-emission tomography/computed tomography as benchmark. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1163-1165.	2.3	12
226	Multicentre clinical evaluation of the new highly sensitive Elecsys® thyroglobulin assay in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 295-302.	2.6	12
227	Postoperative serum thyroglobulin and neck ultrasound to drive decisions about iodine-131 therapy in patients with differentiated thyroid carcinoma: an evidence-based strategy?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 2155-2158.	6.7	12
228	Risk of Malignancy (ROM) of Thyroid FNA Diagnosed as Suspicious for Malignancy or Malignant: an Institutional Experience with Systematic Review and Meta-Analysis of Literature. <i>Endocrine Pathology</i> , 2020, 31, 52-56.	10.0	12
229	How to better stratify the risk of differentiated thyroid carcinomas: the key role of radioactive iodine therapy, age, and gender. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 822-830.	6.7	12
230	PET and PET/CT imaging in thyroid and adrenal diseases: an update. <i>Hormones</i> , 2013, 12, 327-333.	2.0	11
231	The essential use of FNA-calcitonin for detecting medullary thyroid cancer. <i>Endocrine</i> , 2014, 47, 342-344.	2.3	11
232	Measuring procalcitonin to overcome heterophilic-antibody-induced spurious hypercalcitoninemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e191-e193.	2.3	11
233	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020, 19, 341-349.	2.0	11
234	SARS-CoV-2-related thyroid disorders: a synopsis for nuclear medicine thyroidologists. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1719-1723.	6.7	11

#	ARTICLE	IF	CITATIONS
235	Clinical performance of calcitonin and procalcitonin Elecsys [®] immunoassays in patients with medullary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 743-747.	2.3	11
236	Radioiodine therapy of advanced differentiated thyroid cancer: clinical considerations and multidisciplinary approach. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 229-234.	0.8	11
237	False-negative thyroglobulin measurement in recurrent/metastatic thyroid carcinomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 326-327.	6.7	10
238	Hyperfunctioning Solid/Trabecular Follicular Carcinoma of the Thyroid Gland. <i>Journal of Oncology</i> , 2010, 2010, 1-4.	1.4	10
239	Positron emission tomography/computed tomography in patients treated for differentiated thyroid carcinomas. <i>Expert Review of Endocrinology and Metabolism</i> , 2012, 7, 35-43.	2.5	10
240	CDX2 Expression in Columnar Variant of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2013, 23, 1498-1499.	5.1	10
241	Incidental detection of parathyroid adenoma by 18F-choline PET/CT scan in a patient with prostate cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013, 32, 340-341.	0.0	10
242	Prognostic role of ¹⁸ F-FDG PET/CT in differentiated thyroid carcinoma: Where are we now?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 278-280.	1.9	10
243	Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1218-1223.	6.7	10
244	Effect of <i>in vitro</i> glyphosate on <i>Fusarium</i> spp. growth and disease severity in maize. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 5064-5072.	3.6	10
245	Prognostic and predictive value of nuclear imaging in endocrine oncology. <i>Endocrine</i> , 2020, 67, 9-19.	2.3	10
246	Significance of <i>de novo</i> appearance of thyroglobulin antibodies in patients with differentiated thyroid cancer. <i>International Journal of Biological Markers</i> , 2020, 35, 41-49.	1.8	10
247	Radioiodine Ablation of Remaining Thyroid Lobe in Patients with Differentiated Thyroid Cancer Treated by Lobectomy: A Systematic Review and Metaanalysis. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1730-1735.	6.1	10
248	Extracting correlation effects from momentum-resolved electron energy loss spectroscopy: Synergistic origin of the dispersion kink in Bi_2Te_3 . <i>Physical Review B</i> , 2021, 103, .	2.1	10
249	Circulating pro-gastrin releasing peptide (ProGRP) in patients with medullary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1569-1573.	2.3	10
250	A new computational method based on fractional Lagrange functions to solve multi-term fractional differential equations. <i>Numerical Algorithms</i> , 2021, 88, 729-766.	1.9	10
251	Multidisciplinary approach for risk-oriented treatment of low-risk papillary thyroid cancer in Switzerland. <i>Swiss Medical Weekly</i> , 2019, 149, w14700.	1.5	10
252	F-18 FDG PET-CT Imaging in the Care-Management of a Patient With Pan-Aortitis and Coronary Involvement. <i>Clinical Nuclear Medicine</i> , 2007, 32, 562-564.	1.5	9

#	ARTICLE	IF	CITATIONS
253	99mTc-sestamibi imaging and bone marrow karyotyping in the assessment of multiple myeloma and MGUS. <i>Nuclear Medicine Communications</i> , 2008, 29, 535-541.	1.1	9
254	Schilddrüsenknoten – Klinik und Differentialdiagnose. <i>Praxis</i> , 2009, 98, 83-90.	0.1	9
255	Detectable thyroglobulin with negative imaging in differentiated thyroid cancer patients. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 1-10.	0.6	9
256	Multifocal Epithelioid Hemangioendothelioma of the Lower Limbs Detected by 18F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2014, 39, e402-e404.	1.5	9
257	Role of positron emission tomography imaging in Multiple Endocrine Neoplasia syndromes. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 4-9.	1.2	9
258	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019, 7, 237-253.	2.4	9
259	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020, 13, 89-93.	0.9	9
260	An essential practice summary of the new EANM guidelines for parathyroid imaging. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 66, .	0.8	9
261	Free thyroxine measurement in clinical practice: how to optimize indications, analytical procedures, and interpretation criteria while waiting for global standardization. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2023, 60, 101-140.	6.3	9
262	Relationship Between Left Ventricular Diastolic Function and Atrial Natriuretic Factor in Never-Treated Mild Hypertensives. <i>American Journal of Hypertension</i> , 1997, 10, 946-950.	1.9	8
263	HTLV-1 Tax-induced NF- κ B activation is synergistically enhanced by 12-O-tetradecanoylphorbol-13-acetate: mechanism and implications for Tax oncogenicity. <i>Journal of Molecular Medicine</i> , 2008, 86, 799-814.	4.0	8
264	Simultaneous Imaging of Pericardial Thymoma and Parathyroid Adenoma by Sestamibi Scan. <i>Clinical Nuclear Medicine</i> , 2008, 33, 542-544.	1.5	8
265	Evaluation of the BRAHMS KRYPTOR Thyroglobulin –Mini-recovery–Test in Thyroid Healthy Subjects. <i>Hormone and Metabolic Research</i> , 2012, 44, 555-557.	1.5	8
266	Multiplexed immunoassay of thyroglobulin autoantibodies in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2012, 34, 1369-1371.	2.0	8
267	Structural and Evolutionary Relationships in the Giant Sex Chromosomes of Three <i>Microtus</i> Species. <i>Genes</i> , 2018, 9, 27.	2.4	8
268	Role of ¹⁸ F-Choline Positron Emission Tomography/Computed Tomography to Detect Structural Relapse in High-Risk Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2019, 29, 549-556.	5.1	8
269	Thyroglobulin and thyroglobulin antibody: an updated clinical and laboratory expert consensus. <i>European Journal of Endocrinology</i> , 2023, 189, R11-R27.	2.3	8
270	Standard reference materials for the determination of polycyclic aromatic hydrocarbons in environmental samples – current activities. <i>Fresenius' Journal of Analytical Chemistry</i> , 1993, 345, 325-329.	1.5	7

#	ARTICLE	IF	CITATIONS
271	Elevated calcitonin and procalcitonin levels in nonmedullary benign and malignant thyroid nodules. <i>Clinical Endocrinology</i> , 2010, 72, 852-853.	2.6	7
272	Can an undetectable value of TG and a negative neck ultrasound study be considered reliable methods to assess the completeness of thyroid ablation?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1039-1040.	6.7	7
273	Spurious increase in serum chromogranin A: the role of heterophilic antibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1497-1499.	2.3	7
274	Metastatic Undifferentiated Spindle Cell Sarcoma of the Thyroid Gland Evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015, 40, e208-e210.	1.5	7
275	Serum Markers Measured in FNA Fluids of Medullary Thyroid Carcinoma Occurring as a Cyst. <i>International Journal of Biological Markers</i> , 2016, 31, 224-227.	1.8	7
276	Histologic Outcome of Indeterminate Thyroid Nodules Classified at Low or High Risk. <i>Endocrine Pathology</i> , 2018, 29, 75-79.	10.0	7
277	Are We There Yet? How and When Specific Biotechnologies Will Improve Human Health. <i>Biotechnology Journal</i> , 2019, 14, e1800195.	3.7	7
278	Measuring thyroglobulin in patients with thyroglobulin autoantibodies: evaluation of the clinical impact of BRAHMS Kryptor [®] Tg-minirecovery test in a large series of patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1185-1191.	2.3	7
279	^{99m} Tc-Perchnetate Scintigraphy Predicts Successful Postoperative Ablation in Differentiated Thyroid Carcinoma Patients Treated with Low Radioiodine Activities. <i>Endocrinology and Metabolism</i> , 2019, 34, 63.	2.9	7
280	Dedicated neck ¹⁸ F-FDG PET/CT: An additional tool for risk assessment in thyroid nodules at ultrasound intermediate risk. <i>Clinical Endocrinology</i> , 2019, 90, 737-743.	2.6	7
281	Variations in radioiodine ablation: decision-making after total thyroidectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 554-560.	6.7	7
282	New! F-18-based PET/CT for sodium-iodine-symporter-targeted imaging!. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2484-2486.	6.7	7
283	“Quid autem vides festucam in oculo fratris tui et trabem in oculo tuo non vides” on the hyperthyroidism-induced mortality and antithyroid drug-induced side effects in the era of radioiodine fake news. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1342-1344.	6.7	7
284	Optimization of energy consumption for indoor climate control using Taguchi technique and utility concept. <i>Science and Technology for the Built Environment</i> , 2021, 27, 1473-1491.	1.6	7
285	Copper, PET/CT and prostate cancer: a systematic review of the literature. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 382-392.	0.8	7
286	Advanced differentiated thyroid cancer: when to stop radioiodine?. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 267-270.	0.8	7
287	Functional and molecular thyroid imaging. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 66, .	0.8	7
288	Integration of Baseline Metabolic Parameters and Mutational Profiles Predicts Long-Term Response to First-Line Therapy in DLBCL Patients: A Post Hoc Analysis of the SAKK38/07 Study. <i>Cancers</i> , 2022, 14, 1018.	3.8	7

#	ARTICLE	IF	CITATIONS
289	Childbearing and the risk of parathyroid adenoma - a dominant cause for primary hyperparathyroidism. <i>Journal of Internal Medicine</i> , 2001, 250, 43-49.	6.2	6
290	Steroid responsive encephalopathy associated with autoimmune thyroiditis (SREAT) with negative thyroperoxidase antibodies. <i>European Journal of Clinical Investigation</i> , 2008, 38, 693-694.	3.4	6
291	Radioguided Surgery of Thyroid Carcinoma Recurrences. <i>Clinical Nuclear Medicine</i> , 2013, 38, e207-e209.	1.5	6
292	When to perform positron emission tomography/computed tomography or radionuclide bone scan in patients with recently diagnosed prostate cancer. <i>Cancer Management and Research</i> , 2013, 5, 123.	2.0	6
293	BRAF (V600E) mutation in isthmic malignant thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 152-153.	2.6	6
294	A new/old method for TSH stimulation: could a third way to prepare DTC patients for 131I remnant ablation possibly exist?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 221-223.	6.7	6
295	Letter to the Editor: What Is the Role of Serum Thyroglobulin Measurement in Patients With Differentiated Thyroid Cancer Treated Without Radioactive Iodine?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2113-2114.	3.6	6
296	Association Between Fasting Blood Glucose and All-Cause Mortality in a Rural Chinese Population: 15-Year Follow-Up Cohort Study. <i>Diabetes Therapy</i> , 2020, 11, 2691-2701.	2.6	6
297	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. <i>Radiation</i> , 2021, 1, 65-76.	1.5	6
298	Radioiodine therapy of Graves' disease. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 65, 132-137.	0.8	6
299	Thyroid dysfunctions induced by molecular cancer therapies: a synopsis for nuclear medicine thyroidologists. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3355-3360.	6.7	6
300	Postoperative thyroglobulin as a yard-stick for radioiodine therapy: decision tree analysis in a European multicenter series of 1317 patients with differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2023, 50, 2767-2774.	6.7	6
301	Redefining functional sensitivity of thyroglobulin assay on Immulite platform: implications in thyroid cancer management. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1523-4.	2.3	5
302	Letter to the editor: Thyroglobulin-guided ¹³¹ I ablation in low-risk differentiated thyroid carcinoma: Is the yardstick accurate enough?. <i>Head and Neck</i> , 2011, 33, 1379-1380.	2.0	5
303	Left atrial metastasis of H ¹⁴ triple-cell thyroid carcinoma mimicking myxoma. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 406-407.	2.4	5
304	An Unusual Case of Plasmablastic Lymphoma Presenting as Paravertebral Mass Evaluated by 18F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 89-90.	1.0	5
305	Small cell carcinoma of the thyroid gland with a solid brain metastasis detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014, 46, 682-683.	2.3	5
306	METABOLIC HETEROGENEITY OF BASELINE 18-FDG PET-CT SCAN PREDICTS OUTCOME IN PRIMARY MEDIASTINAL B-CELL LYMPHOMA. <i>Hematological Oncology</i> , 2017, 35, 60-61.	1.8	5

#	ARTICLE	IF	CITATIONS
307	Only a Rapid Complete Biochemical Remission After 131I-Therapy is Associated with an Unimpaired Life Expectancy in Differentiated Thyroid Cancer. <i>Hormone and Metabolic Research</i> , 2017, 49, 860-868.	1.5	5
308	Use of anti-thyroid drugs in patients with hyperthyroidism: a case for shared decision-making. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2408-2409.	6.7	5
309	An unsuspecting thyroid nodule with fatal outcome. <i>Hormones</i> , 2019, 18, 321-324.	2.0	5
310	Euthyroid Graves' disease with spurious hyperthyroidism: a diagnostic challenge. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, e94-e96.	2.3	5
311	Usefulness of 123I-spect/ct to assess the response to initial therapy in differentiated thyroid cancer patients. <i>Endocrine</i> , 2021, 74, 193-196.	2.3	5
312	Thyroid Remnant Estimation by Tc-99m-Sestamibi Scanning Predicts the Effectiveness of rhTSH-Stimulated I-131 Ablation in Patients With Differentiated Thyroid Carcinoma. <i>Clinical Nuclear Medicine</i> , 2011, 36, 781-785.	1.5	4
313	Evaluation of serum parathyroid hormone-related peptide in hyperthyroid patients. <i>European Journal of Clinical Investigation</i> , 2011, 41, 93-97.	3.4	4
314	Ruling Out ¹³¹ I Ablation in Low-Risk Differentiated Thyroid Carcinoma Basing on Thyroglobulin Measurement. <i>Thyroid</i> , 2011, 21, 809-810.	5.1	4
315	Thyroglobulin and Thyroglobulin Autoantibodies Measurement Using the Automated KRYPTOR [®] Platform in Patients with Differentiated Thyroid Carcinoma. <i>Hormone and Metabolic Research</i> , 2011, 43, 728-730.	1.5	4
316	Unusual Muscular Metastases From Papillary Thyroid Carcinoma Detected by Fluorine-18-Fluorodeoxyglucose PET/MRI. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2208-2209.	3.6	4
317	Splenosis Mimicking Relapse of a Neuroendocrine Tumor at Gallium-68-DOTATOC PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 163-165.	1.0	4
318	Bone Marrow Involvement in Unknown Acute Myeloid Leukemia Detected by 18F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2015, 40, e486-e487.	1.5	4
319	Squamous Cell Carcinoma of the Tonsil Incidentally Detected by 18F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2015, 40, 93-95.	1.5	4
320	Do lipid microemboli induce acute kidney injury during cardiopulmonary bypass?. <i>Perfusion (United Kingdom)</i> , 2019, 34, 101-107.	1.1	4
321	18F-Fluoride (18F-NaF) PET/CT in medullary thyroid carcinoma: far from evidence, far from guidelines!. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 527-528.	6.7	4
322	Is isthmic enucleo-resection a reliable treatment for isthmic differentiated thyroid carcinoma? A note of caution. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 1829-1830.	3.4	4
323	Medical treatment of thyrotoxicosis. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 65, 113-123.	0.8	4
324	A multicenter survey of current practices of 99mTc-methoxy-isobutyl-isonitrile (MIBI) imaging for the diagnosis of thyroid nodules: more standardization is essential. <i>Clinical and Translational Imaging</i> , 2021, 9, 413-422.	2.4	4

#	ARTICLE	IF	CITATIONS
325	Einsatz der extrakorporalen Zirkulation (ECLS/ECMO) bei Herz- und Kreislaufversagen. <i>Kardiologie</i> , 2021, 15, 526-535.	0.5	4
326	Spontaneous Coronary Artery Dissection Secondary to Rheumatological Diseases: A Comprehensive Review. <i>Cureus</i> , 2019, 11, e5231.	0.5	4
327	CT evaluation of lung infiltrates in the two months preceding the Coronavirus disease 19 pandemic in Canton Ticino (Switzerland): were there suspicious cases before the official first case?. <i>Radiologia Medica</i> , 2022, 127, 360-368.	7.9	4
328	Thyroid Hormone Withdrawal versus Recombinant Human TSH as Preparation for I-131 Therapy in Patients with Metastatic Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2023, 15, 2510.	3.8	4
329	Molecular Theranostics in Radioiodine-Refractory Differentiated Thyroid Cancer. <i>Cancers</i> , 2023, 15, 4290.	3.8	4
330	False-positive calcitonin results in patients with benign goiter. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 407-8.	2.3	3
331	Letter to the Editor: Lymph nodes thyroglobulin measurement after rhTSH stimulation. <i>Head and Neck</i> , 2013, 35, 146-146.	2.0	3
332	An Unusual Case of Extraskelatal Retroperitoneal Osteosarcoma Incidentally Detected by 18F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 249-250.	1.0	3
333	Clinical role and accuracy of 18F-FDG PET in evaluating disease activity in patients with chronic inflammatory bowel disease: an updated systematic review and a bivariate meta-analysis. <i>Clinical and Translational Imaging</i> , 2017, 5, 303-313.	2.4	3
334	Thyroid Imaging. , 2019, , 545-564.		3
335	The role of systematic review and meta-analysis in modern cytopathology. <i>Cancer Cytopathology</i> , 2020, 128, 89-91.	2.5	3
336	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. <i>Clinical and Translational Imaging</i> , 2020, 8, 237-242.	2.4	3
337	A Redefinition of the Entrepreneurial Function Concept. <i>Procesos De Mercado: Revista Europea De EconomÃa PolÃtica</i> , 0, , 295-311.	0.1	3
338	How to approach clinically discordant FT4 results when changing testing platforms: real-world evidence. <i>Endocrine</i> , 2022, 77, 333-339.	2.3	3
339	Evolution of thyroid cancer biomarkers: from laboratory test to patientsâ€™ clinical management. <i>Clinical Chemistry and Laboratory Medicine</i> , 2023, 61, 935-945.	2.3	3
340	Prognostic role of early prostate specific antigen changes after [¹⁷⁷ Lu]Lu-PSMA radioligand therapy of metastasized prostate cancer: A meta-analysis. <i>European Journal of Clinical Investigation</i> , 2023, 53, .	3.4	3
341	BRAF-AXL-PD-L1 Signaling Axis as a Possible Biological Marker for RAI Treatment in the Thyroid Cancer ATA Intermediate Risk Category. <i>International Journal of Molecular Sciences</i> , 2023, 24, 10024.	4.2	3
342	Diagnostic criteria for detection of postinfarction ischemia by quantitative analysis of stepwise dobutamine radionuclide ventriculography. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 514-521.	2.4	2

#	ARTICLE	IF	CITATIONS
343	Characterization of hydrogen contained in passivated poly-Si and microcrystalline-Si by ERDA technique. <i>Surface and Interface Analysis</i> , 2006, 38, 819-822.	1.7	2
344	A hypothyroid patient with increased free thyroid hormones. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1650-1.	2.3	2
345	A Papillary Thyroid Tumor Detected by 18F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 143-145.	1.0	2
346	Toxoplasmic Lymphadenitis Mimicking a Metastatic Thyroid Carcinoma at 18F-FDG-PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 289-290.	1.0	2
347	A Rare Case of Mucinous Cystadenoma of the Lung Mimicking Malignancy at 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e331-e333.	1.5	2
348	A Rare Case of Synchronous Fetal Type Adenocarcinoma and Mucinous Adenocarcinoma of the Lung Evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e384-e386.	1.5	2
349	Discordance rate between radiolabelled choline PET/CT and bone scintigraphy in detecting bone metastases in patients with prostate cancer: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2015, 3, 133-140.	2.4	2
350	H ¹²⁵ I-thyroid Cells Adenoma of the Thyroid with Post-surgical Implants in the Neck: Clinical, Morphological, and Molecular Analysis of Three Cases. <i>Endocrine Pathology</i> , 2016, 27, 338-345.	10.0	2
351	One-stop-shop radioiodine dosimetry in patients with Graves' disease. <i>Endocrine</i> , 2017, 56, 220-221.	2.3	2
352	Letter to the Editor: "Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratification and Decision to Perform 131I Ablation", <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1783-1784.	3.6	2
353	The Significance of Having an Excellent Patient's Comfort with Thyroid Core Needle Biopsy. <i>Endocrinology and Metabolism</i> , 2018, 33, 53.	2.9	2
354	Prognosis of patients with differentiated thyroid carcinomas having a preoperative cytological report of indeterminate at low or high risk. A multicenter study. <i>Endocrine</i> , 2019, 66, 557-562.	2.3	2
355	The Impact Biotin Interference on Laboratory Testing and Patient Diagnosis in Clinical Practice. <i>International Journal of Pharmacokinetics</i> , 2019, 4, .	1.0	2
356	18F-FDG-PET/CT Imaging in Advanced Glottic Cancer: A Tool for Clinical Decision in Comparison with Conventional Imaging. <i>Contrast Media and Molecular Imaging</i> , 2019, 2019, 1-12.	1.0	2
357	Reply to Raoult and Rolain, and to Echols and Tillotson. <i>Clinical Infectious Diseases</i> , 2019, 69, 1642-1644.	5.7	2
358	Multimodal therapy of advanced differentiated thyroid cancer, with emphasis on the role of radioiodine. <i>Clinical and Translational Imaging</i> , 2019, 7, 427-435.	2.4	2
359	The new Roche Elecsys TSH assay conforms with current IFCC C-STFT standards. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e445-e448.	2.3	2
360	Effects of Exposure Time and Strain Rate on the Elevated-Temperature Tensile Strength of SiC Monofilaments. , 1992, , 523-537.		2

#	ARTICLE	IF	CITATIONS
361	Role of Positron Emission Tomography (PET/CT) in Primary Mediastinal Large B Cell Lymphoma (PMLBCL): Preliminary Results of an International Phase II Trial (IELSG-26 Study) Conducted On Behalf of the International Extranodal Lymphoma Study Group (IELSG), the Fondazione Italiana Linfomi (FIL) and the UK NCRI Lymphoma Group. <i>Blood</i> , 2012, 120, 1566-1566.	1.4	2
362	Long-term predictive value of highly sensitive thyroglobulin measurement. <i>Clinical Endocrinology</i> , 2023, 98, 622-628.	2.6	2
363	Thyroglobulin Value Predict Iodine-123 Imaging Result in Differentiated Thyroid Cancer Patients. <i>Cancers</i> , 2023, 15, 2242.	3.8	2
364	Add-on radioiodine during long-term BRAF/MEK inhibition in patients with RAI-refractory thyroid cancers: a reasonable option?. <i>Endocrine</i> , 2023, 81, 450-454.	2.3	2
365	Comparison of 1.1 GBq and 2.2 GBq Activities in Patients with Low-Risk Differentiated Thyroid Cancer Requiring Postoperative 131I Administration: A Real Life Study. <i>Cancers</i> , 2023, 15, 2416.	3.8	2
366	Thyroglobulin measurement in differentiated thyroid carcinoma management. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 117-125.	2.5	1
367	Assessment of Functional Caregiving in Homes With a Child With an Intellectual Disability. <i>Journal of Policy and Practice in Intellectual Disabilities</i> , 2011, 8, 207-216.	2.8	1
368	Iodine-131 administration and risk of cancer: "Appearances can be deceptive". <i>Hormones</i> , 2013, 12, 312-314.	2.0	1
369	Current Role and Future Perspectives of Radioiodinated MIBG in the Evaluation of Dementia with Lewy Bodies. <i>Current Radiopharmaceuticals</i> , 2014, 7, 75-78.	0.9	1
370	La diagnostica di laboratorio delle malattie del surrene. Raccomandazioni pratiche per feocromocitoma e paraganglioma. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2014, 10, 193-203.	0.4	1
371	Solitary Plasmacytoma of the Sternum Mimicking Bone Metastasis in a Patient with a History of Breast Cancer Evaluated by F-18-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 169-170.	1.0	1
372	An Unusual Case of Extramedullary Plasmacytoma of the Hypopharynx Detected by 18F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 328-329.	1.0	1
373	Hypercalcitoninemia and thyroid nodules. <i>Diagnostic Cytopathology</i> , 2014, 42, 970-973.	1.1	1
374	An Unusual Case of Diffuse Large B-Cell Lymphoma Involving the Vulva Evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e439-e441.	1.5	1
375	Colorectal Carcinoma With Bone Metastases Detected by 18F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e246-e248.	1.5	1
376	A Rare Case of Metastatic Clear Cell Carcinoma of the Müllerian System Originating From the Peritoneum Assessed by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015, 40, e58-e60.	1.5	1
377	Early diagnosis by FNA cytology should not influence the outcome of differentiated thyroid cancer. <i>Endocrine Journal</i> , 2016, 63, 367-373.	1.7	1
378	Circulating Mucins and Cytokeratins in Aggressive Thyroid Cancers. , 2018, , 175-189.		1

#	ARTICLE	IF	CITATIONS
379	Re: "Diagnostic Performance of Technetium-99m Methoxy-Isobutyl-Isonitrile for Differentiation of Malignant Thyroid Nodules: A Systematic Review and Meta-Analysis" by Kim et al. (<i>Thyroid</i> 2018;28:1339-1348). <i>Thyroid</i> , 2019, 29, 896-897.	5.1	1
380	Thyroid cancer recurrence in the HiLo trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 252.	11.3	1
381	Free-thyroxine standardization: waiting for Godot while well serving our patients today. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e225-e226.	2.3	1
382	An ectopic, dysmorphic and atypical parathyroid adenoma. <i>Endocrine</i> , 2021, 74, 200-201.	2.3	1
383	Fracture Toughening Mechanisms in the SiCw/Al2O3 Composite System. , 1992, , 147-164.		1
384	Limited Benefit of Additional Contrast-Enhanced CT to End-of- Treatment PET-CT Evaluation in Patients with Follicular Lymphoma. <i>Blood</i> , 2016, 128, 5925-5925.	1.4	1
385	Radioiodine dosimetry in advanced thyroid cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 227-228.	0.8	1
386	Asinus in Tegulis" basing stark warning messages on insufficient methodology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, , 1.	6.7	1
387	Physically implausible signals as a quantitative quality assessment metric in prostate diffusion-weighted MR imaging. <i>Abdominal Radiology</i> , 2022, 47, 2500-2508.	2.2	1
388	Thyroid Cancer Persistence in Patients with Unreliable Thyroglobulin Measurement: Circulating microRNA as Candidate Alternative Biomarkers. <i>Cancers</i> , 2022, 14, 5620.	3.8	1
389	Radioiodine versus radiofrequency ablation to treat autonomously functioning thyroid nodules: a systematic review and comparative meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2024, 51, 2050-2066.	6.7	1
390	Paratormone e Vitamina D. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2011, 7, 140-143.	0.4	0
391	Der Leitfaden "Medikamente" sch"adlicher Gebrauch und Abh"angigkeit" im "Arztlichen Arbeitsalltag. <i>Deutsche Medizinische Wochenschrift</i> , 2011, 136, 2537-2541.	0.2	0
392	Usefulness of 18F-FDG PET/CT in syphilitic aortitis. <i>Clinical Rheumatology</i> , 2013, 32, 1247-1247.	2.3	0
393	Effects of low level intermediate exposure to atrazine and chlorpyrifos in Sprague Dawley rats. <i>Bios</i> , 2015, 86, 99-103.	0.0	0
394	Cromogranina A e peptidi derivati: fisiopatologia e importanza clinica. <i>L'Endocrinologo</i> , 2015, 16, 116-122.	0.0	0
395	Mycosis Fungoides Involving the Lungs Detected by 18F-FDG PET/CT. <i>Archivos De Bronconeumologia</i> , 2015, 51, 521-522.	1.0	0
396	(99m)Tc-MIBI Uptake in a Thyroid Adenoma with Diffuse Adipose Metaplasia. <i>Nuclear Medicine and Molecular Imaging</i> , 2016, 50, 362-364.	1.0	0

#	ARTICLE	IF	CITATIONS
397	Radionuclide Imaging of Medullary Thyroid Carcinoma. Contemporary Endocrinology, 2017, , 381-399.	0.0	0
398	Re: Low-Dose Radioactive Iodine Ablation Is Sufficient in Patients With Small Papillary Thyroid Cancer Having Minor Extrathyroidal Extension and Central Lymph Node Metastasis (T3 N1a). Clinical Nuclear Medicine, 2018, 43, 631-632.	1.5	0
399	Unusual case of tumor of unknown origin found by 18 F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2018, 37, 54-56.	0.2	0
400	Procalcitonin: Are We Ready for Clinical Use?. , 2018, , 151-157.		0
401	Measurement of Thyroid Tumor Markers on Fine-Needle Washouts. , 2018, , 193-200.		0
402	Thyroglobulin and Thyroglobulin Antibodies. , 2018, , 65-91.		0
403	Caso inusual de tumor de origen desconocido detectado con 18 F-FDG PET/TC: carcinoma de células claras de la glándula tiroidea metastásico. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2018, 37, 54-56.	0.0	0
404	Uso della procalcitonina come marker del carcinoma midollare tiroideo. Rivista Italiana Della Medicina Di Laboratorio, 2018, 14, 198-200.	0.4	0
405	Clinical diagnosis of endocrine diseases. Minerva Endocrinology, 2018, 43, 259-260.	1.2	0
406	Tomografia a emissione di positroni con 18F-fluorodesossiglucosio nel carcinoma tiroideo radioiodio-refrattario. L Endocrinologo, 2018, 19, 15-20.	0.0	0
407	Factors Associated with Recurrence and Death in Patients with Aggressive Tall Cell Papillary Thyroid Cancer: A Large, Single Institution Series. International Journal of Radiation Oncology Biology Physics, 2019, 105, E435.	0.8	0
408	Role of using biliary splint for duct-to-duct anastomosis during living donor liver transplantation.. Hpb, 2019, 21, S491-S492.	0.3	0
409	Thyroglobulin and Tg Antibodies. , 2019, , 655-671.		0
410	Thermal ablation meta-analysis: the need of careful appraisal of meta-analysis methodology. Endocrine, 2020, 67, 270-271.	2.3	0
411	Iperparatiroidismo primitivo con indicazione chirurgica e scintigrafia non dirimente: sicurezza e performance diagnostica del PTH su eluato. L Endocrinologo, 2020, 21, 25-29.	0.0	0
412	Benign Odontogenic Tumours. , 2021, , 577-598.		0
413	Update on diagnosis and treatment of hyperthyroidism. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2021, 65, 89-90.	0.8	0
414	A spotlight on redifferentiation strategies and target modulation in differentiated thyroid cancer. Clinical and Translational Imaging, 2021, 9, 405-408.	2.4	0

#	ARTICLE	IF	CITATIONS
415	Las epidemias en La Pampa (Argentina), en perspectiva histÃ³rica*. Historia, Ciencias, Saude - Manguinhos, 2021, 28, 869-874.	0.4	0
416	Comment on: Report of One Case of Malignancy Among 17 Autonomous Thyroid Nodules in Children and Adolescents. Journal of Paediatrics and Child Health, 2021, , .	0.8	0
417	An Empirical Analysis of Foreign Direct Investment (FDI) and Banking Sector Development (BSD) in West Africa. Contributions To Management Science, 2021, , 35-46.	0.0	0
418	â€œEverything was very neatâ€œ: Abject Art zwischen Kunstgeschichte und Politik. Cultura & Psyche, 2021, 2, 7-16.	0.3	0
419	Late Blood Pool Images After Tc-99m Tetrofosmin Injection in a Patient With Monoclonal Gammopathy of Uncertain Significance and Immunologic Disorders. Clinical Nuclear Medicine, 2000, 25, 536-538.	1.5	0
420	The Dayton Peace Accords and Bosnian Posavina. Journal of Croatian Studies, 0, 43, 19-55.	0.0	0
421	Comparison of CCFL Experiments Performed in Two Different Models of the Hot Leg of a PWR With Rectangular Cross-Section. , 2010, , .		0
422	Radioiodine Therapy: Current Imaging Concepts Introduction. , 2012, , 224-230.		0
423	Applications du calcul des quaternions Ã l'Ã©tude des surfaces du second ordre. Bulletin De La Societe Mathematique De France, 1889, 2, 182-204.	0.2	0
424	Thyroid Autonomy. , 2016, , 47-51.		0
425	Nuclear Medicine Techniques. , 2016, , 13-19.		0
426	Differentiated Thyroid Carcinoma. , 2016, , 73-82.		0
427	Mechanisms of Ageâ€related Compensatory Vasodilation: Insight from Passive Leg Movement. FASEB Journal, 2018, 32, 726.7.	0.5	0
428	18F-FET. , 2020, , 83-88.		0
429	Introduction to Different PET Radiopharmaceuticals and Hybrid Modalities (PET/CT and PET/MRI). , 2020, , 3-15.		0
430	Nuclear medicine therapy of thyroid cancer post-thyroidectomy. , 2022, , 42-55.		0
431	Unusual [18F]-fluorocholine uptake in â€œhotâ€ thyroid nodule and ipsilateral parathyroid adenoma. Endocrine, 2022, , 1.	2.3	0
432	Malignant thyroid nodule topography as additional risk factor for lymph-node metastases in differentiated thyroid cancer patients. European Archives of Oto-Rhino-Laryngology, 2022, , 1.	1.8	0

#	ARTICLE	IF	CITATIONS
433	Radioiodine therapy in differentiated thyroid cancer. There is (still) a great chaos under heaven: is the situation excellent?. <i>Endocrine</i> , 0, , .	2.3	0
434	Unexplained increase of serum carcinoembryonic antigen: donâ€™t forget the thyroid!. <i>Clinical Chemistry and Laboratory Medicine</i> , 2023, 61, e203-e205.	2.3	0
435	The Influence of Food Regimes on Oxidative Stress: A Permutation-Based Approach Using the NPC Test. <i>Healthcare (Switzerland)</i> , 2023, 11, 2263.	2.1	0
436	Theranostics of Thyroid Cancer. <i>Seminars in Nuclear Medicine</i> , 2024, , .	4.7	0
437	Molecular imaging of thyroid and parathyroid diseases. <i>Expert Review of Endocrinology and Metabolism</i> , 2024, 19, 317-333.	2.5	0
438	Enhancing nutritional formula expiry monitoring: A quality improvement project in a tertiaryâ€level hospital in Riyadh, Saudi Arabia. <i>Nutrition in Clinical Practice</i> , 0, , .	2.4	0
439	Disseminated <i>Mycobacterium tilburgii</i> infection in a person with AIDS: A case report. <i>Heliyon</i> , 2024, , e35616.	3.3	0