

Luca Giovannella

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7290732/luca-giovanella-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

385
papers

6,254
citations

39
h-index

55
g-index

422
ext. papers

7,917
ext. citations

4.4
avg, IF

6.36
L-index

#	Paper	IF	Citations
385	[18F]fluorodeoxyglucose positron emission tomography predicts survival after chemoimmunotherapy for primary mediastinal large B-cell lymphoma: results of the International Extranodal Lymphoma Study Group IELSG-26 Study. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1769-75	2.2	120
384	Implications of thyroglobulin antibody positivity in patients with differentiated thyroid cancer: a clinical position statement. <i>Thyroid</i> , 2013 , 23, 1211-25	6.2	120
383	Controversies, Consensus, and Collaboration in the Use of I Therapy in Differentiated Thyroid Cancer: A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the Society of Nuclear Medicine and Molecular Imaging, and the European Thyroid Association. <i>Thyroid</i> , 2019 , 29, 111-170	6.2	119
382	Utility of baseline 18FDG-PET/CT functional parameters in defining prognosis of primary mediastinal (thymic) large B-cell lymphoma. <i>Blood</i> , 2015 , 126, 950-6	2.2	111
381	Detection rate of FNA cytology in medullary thyroid carcinoma: a meta-analysis. <i>Clinical Endocrinology</i> , 2015 , 82, 280-5	3.4	100
380	Diagnostic performance of choline PET for detection of hyperfunctioning parathyroid glands in hyperparathyroidism: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 751-765	8.8	79
379	Relationship between prostate-specific antigen kinetics and detection rate of radiolabelled choline PET/CT in restaging prostate cancer patients: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 725-33	5.9	78
378	Efficacy of thermal ablation in benign non-functioning solid thyroid nodule: A systematic review and meta-analysis. <i>Endocrine</i> , 2020 , 67, 35-43	4	77
377	Thyroglobulin measurement using highly sensitive assays in patients with differentiated thyroid cancer: a clinical position paper. <i>European Journal of Endocrinology</i> , 2014 , 171, R33-46	6.5	72
376	Thyroglobulin levels and thyroglobulin doubling time independently predict a positive 18F-FDG PET/CT scan in patients with biochemical recurrence of differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 874-80	8.8	69
375	Unstimulated highly sensitive thyroglobulin in follow-up of differentiated thyroid cancer patients: a meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 440-7	5.6	68
374	Efficacy and safety of very low calorie ketogenic diet (VLCKD) in patients with overweight and obesity: A systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2020 , 21, 5-16	10.5	64
373	Detection rate of (99m) Tc-MIBI single photon emission computed tomography (SPECT)/CT in preoperative planning for patients with primary hyperparathyroidism: A meta-analysis. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E2159-72	4.2	62
372	Calcitonin measurement in aspiration needle washout fluids has higher sensitivity than cytology in detecting medullary thyroid cancer: a retrospective multicentre study. <i>Clinical Endocrinology</i> , 2014 , 80, 135-40	3.4	61
371	Hashimoto's encephalopathy: A rare proteiform disorder. <i>Autoimmunity Reviews</i> , 2016 , 15, 466-76	13.6	57
370	Long-Term Efficacy of a Single Session of RFA for Benign Thyroid Nodules: A Longitudinal 5-Year Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3751-3756	5.6	55
369	Performance of Five Ultrasound Risk Stratification Systems in Selecting Thyroid Nodules for FNA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	55

368	The role of 18F-FDG-PET and PET/CT in patients with sarcoidosis: an updated evidence-based review. <i>Academic Radiology</i> , 2014 , 21, 675-84	4.3	54
367	Serum calcitonin negative medullary thyroid carcinoma: a systematic review of the literature. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1507-14	5.9	52
366	Diagnostic performance of (99m)Tc-MIBI scan in predicting the malignancy of thyroid nodules: a meta-analysis. <i>Endocrine</i> , 2013 , 44, 70-8	4	51
365	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: a systematic review and a meta-analysis. <i>Foot</i> , 2013 , 23, 140-8	1.3	51
364	Medullary thyroid cancer diagnosis: an appraisal. <i>Head and Neck</i> , 2014 , 36, 1216-23	4.2	50
363	Thyroglobulin measurement before rhTSH-aided 131I ablation in detecting metastases from differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2008 , 69, 659-63	3.4	50
362	Detection Rate of F-Labeled PSMA PET/CT in Biochemical Recurrent Prostate Cancer: A Systematic Review and a Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	49
361	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with Merkel cell carcinoma: a systematic review and meta-analysis. <i>American Journal of Clinical Dermatology</i> , 2013 , 14, 437-47	7.1	48
360	Thyroid nodules with indeterminate cytology: prospective comparison between 18F-FDG-PET/CT, multiparametric neck ultrasonography, 99mTc-MIBI scintigraphy and histology. <i>European Journal of Endocrinology</i> , 2016 , 174, 693-703	6.5	46
359	EANM practice guideline/SNMMI procedure standard for RAIU and thyroid scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2514-2525	8.8	45
358	Clinical characteristics as predictors of malignancy in patients with indeterminate thyroid cytology: a meta-analysis. <i>Endocrine</i> , 2014 , 46, 52-9	4	44
357	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in aggressive histological subtypes of thyroid cancer: an overview. <i>International Journal of Endocrinology</i> , 2013 , 2013, 856189	2.7	44
356	Heterophile antibodies may falsely increase or decrease thyroglobulin measurement in patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 952-4	5.9	44
355	Procalcitonin for detecting medullary thyroid carcinoma: a systematic review. <i>Endocrine-Related Cancer</i> , 2015 , 22, R157-64	5.7	41
354	Prevalence of normal TSH value among patients with autonomously functioning thyroid nodule. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 739-44	4.6	41
353	Heterophile antibodies rarely influence the measurement of thyroglobulin and thyroglobulin antibodies in differentiated thyroid cancer patients. <i>Hormone and Metabolic Research</i> , 2010 , 42, 736-9	3.1	41
352	"False-positive" myocardial perfusion scintigraphy findings in patients with angiographically normal coronary arteries: insights from intravascular sonography studies. <i>Journal of Nuclear Medicine</i> , 2000 , 41, 1935-40	8.9	41
351	Diagnostic value of thyroglobulin assay in cervical lymph node fine-needle aspirations for metastatic differentiated thyroid cancer. <i>Current Opinion in Oncology</i> , 2013 , 25, 6-13	4.2	40

350	Use of fine-needle aspirate calcitonin to detect medullary thyroid carcinoma: A systematic review. <i>Diagnostic Cytopathology</i> , 2016 , 44, 45-51	1.4	40
349	Additional value of integrated F-choline PET/4D contrast-enhanced CT in the localization of hyperfunctioning parathyroid glands and correlation with molecular profile. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 766-775	8.8	40
348	Molecular imaging with (99m)Tc-MIBI and molecular testing for mutations in differentiating benign from malignant follicular neoplasm: a prospective comparison. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 1018-26	8.8	39
347	Relationship between serum thyroglobulin and 18FDG-PET/CT in 131I-negative differentiated thyroid carcinomas. <i>Head and Neck</i> , 2012 , 34, 626-31	4.2	39
346	Highly sensitive thyroglobulin measurements in differentiated thyroid carcinoma management. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008 , 46, 1067-73	5.9	39
345	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	38
344	Metabolic heterogeneity on baseline 18FDG-PET/CT scan is a predictor of outcome in primary mediastinal B-cell lymphoma. <i>Blood</i> , 2018 , 132, 179-186	2.2	38
343	Diagnostic accuracy of 18F-FDG-PET and PET/CT in the differential diagnosis between malignant and benign pleural lesions: a systematic review and meta-analysis. <i>Academic Radiology</i> , 2014 , 21, 11-20	4.3	38
342	Focal thyroid incidental uptake detected by ¹⁸ F-fluorodeoxyglucose positron emission tomography. Meta-analysis on prevalence and malignancy risk. <i>Nuklearmedizin - Nuclear Medicine</i> , 2013 , 52, 130-6	1.8	38
341	BRAF-mutated carcinomas among thyroid nodules with prior indeterminate FNA report: a systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2016 , 84, 315-20	3.4	38
340	Levothyroxine Therapy: Changes of TSH Levels by Switching Patients from Tablet to Liquid Formulation. A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018 , 9, 10	5.7	37
339	The role of positron emission tomography and positron emission tomography/computed tomography in thyroid tumours: an overview. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1783-7	3.5	37
338	Undetectable thyroglobulin in patients with differentiated thyroid carcinoma and residual radioiodine uptake on a postablation whole-body scan. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 109-12	1.7	37
337	Ultrasound features of medullary thyroid carcinoma correlate with cancer aggressiveness: a retrospective multicenter study. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 87	12.8	36
336	Immunohistochemistry for BRAF(V600E) antibody VE1 performed in core needle biopsy samples identifies mutated papillary thyroid cancers. <i>Hormone and Metabolic Research</i> , 2014 , 46, 370-4	3.1	36
335	Semi-quantitative assessment of ^{99m} Tc-sestamibi uptake in lung cancer: relationship with clinical response to chemotherapy. <i>Nuclear Medicine Communications</i> , 1997 , 18, 1087-97	1.6	36
334	Endocrine and metabolic adverse effects of immune checkpoint inhibitors: an overview (what endocrinologists should know). <i>Journal of Endocrinological Investigation</i> , 2019 , 42, 745-756	5.2	36
333	EANM practice guideline for PET/CT imaging in medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 61-77	8.8	36

332	Role of isotope scan, including positron emission tomography/computed tomography, in nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 507-18	6.5	35
331	Thyroglobulin assay 4 weeks after thyroidectomy predicts outcome in low-risk papillary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005 , 43, 843-7	5.9	35
330	Can ultrasound systems for risk stratification of thyroid nodules identify follicular carcinoma?. <i>Cancer Cytopathology</i> , 2020 , 128, 250-259	3.9	35
329	Evaluation of the first fully automated immunoassay method for the measurement of stimulating TSH receptor autoantibodies in Graves' disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 58-64	5.9	34
328	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014 , 32, 59-68	2.9	34
327	Prevalence and malignancy risk of focal colorectal incidental uptake detected by (18)F-FDG-PET or PET/CT: a meta-analysis. <i>Radiology and Oncology</i> , 2014 , 48, 99-104	3.8	34
326	Undetectable serum thyroglobulin due to negative interference of heterophile antibodies in relapsing thyroid carcinoma. <i>Clinical Chemistry</i> , 2007 , 53, 1871-2	5.5	34
325	Thyroglobulin measurement by highly sensitive assays: focus on laboratory challenges. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1301-14	5.9	33
324	Natriuretic peptides as markers of preclinical cardiac disease in obesity. <i>European Journal of Clinical Investigation</i> , 2004 , 34, 342-8	4.6	33
323	Accuracy of international ultrasound risk stratification systems in thyroid lesions cytologically classified as indeterminate. <i>Diagnostic Cytopathology</i> , 2017 , 45, 113-117	1.4	32
322	Thyroglobulin assay during thyroxine treatment in low-risk differentiated thyroid cancer management: comparison with recombinant human thyrotropin-stimulated assay and imaging procedures. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 648-52	5.9	32
321	Correlation between PSA kinetics and PSMA-PET in prostate cancer restaging: A meta-analysis. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13063	4.6	31
320	Recent Developments of 18F-FET PET in Neuro-oncology. <i>Current Medicinal Chemistry</i> , 2018 , 25, 3061-3073	4.3	31
319	Reliability of real-time elastography to diagnose thyroid nodules previously read at FNAC as indeterminate: a meta-analysis. <i>Endocrine</i> , 2015 , 50, 335-43	4	30
318	(99m)Tc-Methoxy-Isobutyl-Isonitrile Scintigraphy Is a Useful Tool for Assessing the Risk of Malignancy in Thyroid Nodules with Indeterminate Fine-Needle Cytology. <i>Thyroid</i> , 2016 , 26, 1101-9	6.2	30
317	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to tyrosine-kinase inhibitors in patients with metastatic primary renal cell carcinoma. <i>Radiology and Oncology</i> , 2014 , 48, 219-27	3.8	30
316	Comparison of serum calcitonin and procalcitonin in detecting medullary thyroid carcinoma among patients with thyroid nodules. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1477-81	5.9	30
315	(99m)Tc-sestamibi scanning in thyroid nodules with nondiagnostic cytology. <i>Head and Neck</i> , 2010 , 32, 607-11	4.2	30

314	Thyroglobulin measurement on fine-needle washout fluids: Influence of sample collection methods. <i>Diagnostic Cytopathology</i> , 2009 , 37, 42-4	1.4	30
313	PET Imaging in Recurrent Medullary Thyroid Carcinoma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 324686		30
312	Cytological Diagnoses Associated with Noninvasive Follicular Thyroid Neoplasms with Papillary-Like Nuclear Features According to the Bethesda System for Reporting Thyroid Cytopathology: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2019 , 29, 222-228	6.2	29
311	PET imaging in ectopic Cushing syndrome: a systematic review. <i>Endocrine</i> , 2015 , 50, 297-305	4	28
310	Incidental uptake of 18F-fluorodeoxyglucose in the prostate gland. Systematic review and meta-analysis on prevalence and risk of malignancy. <i>Nuklearmedizin - NuclearMedicine</i> , 2014 , 53, 249-58	1.8	28
309	Chromogranin-A as a Serum Marker for Neuroendocrine Tumors: Comparison with Neuron-Specific Enolase and Correlation with Immunohistochemical Findings. <i>International Journal of Biological Markers</i> , 1999 , 14, 160-166	2.8	28
308	Imaging in primary hyperparathyroidism: focus on the evidence-based diagnostic performance of different methods. <i>Minerva Endocrinology</i> , 2018 , 43, 133-143	2.5	28
307	High-intensity focused ultrasound (HIFU) for benign thyroid nodules: 2-year follow-up results. <i>Endocrine</i> , 2019 , 65, 312-317	4	27
306	Alemtuzumab-induced thyroid events in multiple sclerosis: a systematic review and meta-analysis. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 219-229	5.2	27
305	Preoperative measurement of serum thyroglobulin to predict malignancy in thyroid nodules: a systematic review. <i>Hormone and Metabolic Research</i> , 2015 , 47, 247-52	3.1	26
304	Thyroid nodules with indeterminate cytology: molecular imaging with ¹²³ I-methoxyisobutylisonitrile (MIBI) is more cost-effective than the Afirma gene expression classifier. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1497-500	8.8	26
303	Postsurgery serum thyroglobulin disappearance kinetic in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2010 , 32, 568-71	4.2	26
302	Lymph node thyroglobulin measurement in diagnosis of neck metastases of differentiated thyroid carcinoma. <i>Journal of Thyroid Research</i> , 2011 , 2011, 621839	2.6	26
301	A multicentre validation study for the EU-TIRADS using histological diagnosis as a gold standard. <i>Clinical Endocrinology</i> , 2019 , 91, 340-347	3.4	25
300	Is malignant nodule topography an additional risk factor for metastatic disease in low-risk differentiated thyroid cancer?. <i>Thyroid</i> , 2014 , 24, 1607-11	6.2	25
299	Unstimulated high sensitive thyroglobulin measurement predicts outcome of differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 1001-4	5.9	25
298	ENDOCRINOLOGY IN THE TIME OF COVID-19: Management of thyroid nodules and cancer. <i>European Journal of Endocrinology</i> , 2020 , 183, G41-G48	6.5	25
297	Searching for the most effective thyrotropin (TSH) threshold to rule-out autonomously functioning thyroid nodules in iodine deficient regions. <i>Endocrine</i> , 2016 , 54, 757-761	4	24

296	Diagnostic performance of PET/CT with tracers other than F-18-FDG in oncology: an evidence-based review. <i>Clinical and Translational Oncology</i> , 2014 , 16, 770-5	3.6	24
295	Measurement of thyroglobulin, calcitonin, and PTH in FNA washout fluids. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 914-925	5.9	24
294	18FDG-positron emission tomography/computed tomography (PET/CT) scanning in thyroid nodules with nondiagnostic cytology. <i>Clinical Endocrinology</i> , 2011 , 74, 644-8	3.4	24
293	High-intensity focused ultrasound (HIFU) therapy for benign thyroid nodules without anesthesia or sedation. <i>Endocrine</i> , 2018 , 61, 210-215	4	23
292	Ectopic substernal thyroid tissue: a challenging differential diagnosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 719-20	5.6	23
291	Italian consensus for the classification and reporting of thyroid cytology: the risk of malignancy between indeterminate lesions at low or high risk. A systematic review and meta-analysis. <i>Endocrine</i> , 2019 , 63, 430-438	4	23
290	Procalcitonin measurement to screen medullary thyroid carcinoma: A prospective evaluation in a series of 2705 patients with thyroid nodules. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e12934	4.6	22
289	Spurious hypercalcitoninemia and heterophilic antibodies in patients with thyroid nodules. <i>Head and Neck</i> , 2011 , 33, 95-7	4.2	22
288	Radiolabelled choline versus PSMA PET/CT in prostate cancer restaging: a meta-analysis. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 9, 127-139	2.2	22
287	Diagnostic testing for Graves' or non-Graves' hyperthyroidism: A comparison of two thyrotropin receptor antibody immunoassays with thyroid scintigraphy and ultrasonography. <i>Clinical Endocrinology</i> , 2020 , 92, 169-178	3.4	22
286	The EANM practice guidelines for parathyroid imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2801-2822	8.8	22
285	Chromogranin A immunoradiometric assay in diagnosis of pheochromocytoma: comparison with plasma metanephrines and 123I-MIBG scan. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2006 , 50, 344-7	1.4	22
284	SAKK38/07 study: integration of baseline metabolic heterogeneity and metabolic tumor volume in DLBCL prognostic model. <i>Blood Advances</i> , 2020 , 4, 1082-1092	7.8	21
283	18 F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1482-91	8.8	21
282	Positron Emission Tomography/Computed Tomography Assessment After Immunochemotherapy and Irradiation Using the Lugano Classification Criteria in the IELSG-26 Study of Primary Mediastinal B-Cell Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 42-49	4	21
281	High-sensitivity human thyroglobulin (hTG) immunoradiometric assay in the follow-up of patients with differentiated thyroid cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002 , 40, 480-4	5.9	21
280	Undetectable or low (. <i>Oncotarget</i> , 2018 , 9, 17491-17500	3.3	21
279	SARS-COV-2-related immune-inflammatory thyroid disorders: facts and perspectives. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 737-759	5.1	21

278	Columnar cell variant of papillary thyroid carcinoma: Cytomorphological characteristics of 11 cases with histological correlation and literature review. <i>Cancer Cytopathology</i> , 2017 , 125, 389-397	3.9	20
277	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3617-26	3.5	20
276	American Thyroid Association ultrasound system for the initial assessment of thyroid nodules: Use in stratifying the risk of malignancy of indeterminate lesions. <i>Head and Neck</i> , 2018 , 40, 722-727	4.2	20
275	Postsurgical thyroid remnant estimation by (^{113m}) Tc-pertechnetate scintigraphy predicts radioiodine ablation effectiveness in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2011 , 33, 552-6	4.2	20
274	PET/CT in thyroid nodule and differentiated thyroid cancer patients. The evidence-based state of the art. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019 , 20, 47-64	10.5	19
273	Efficacy of Vandetanib in Treating Locally Advanced or Metastatic Medullary Thyroid Carcinoma According to RECIST Criteria: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018 , 9, 224	5.7	19
272	Galectin-3 Performance in Histologic a Cytologic Assessment of Thyroid Nodules: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	19
271	¹⁸ F-FDG uptake changes in liver and mediastinum during chemotherapy in patients with diffuse large B-cell lymphoma. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 949-52	1.7	19
270	Assessment of myocardial area at risk by technetium-99m sestamibi during coronary artery occlusion: comparison between three tomographic methods of quantification. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996 , 23, 31-9		19
269	Personalized management of differentiated thyroid cancer in real life - practical guidance from a multidisciplinary panel of experts. <i>Endocrine</i> , 2020 , 70, 280-291	4	19
268	The ultrasound risk stratification systems for thyroid nodule have been evaluated against papillary carcinoma. A meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021 , 22, 453-460	10.5	19
267	Performance of contrast-enhanced ultrasound (CEUS) in assessing thyroid nodules: a systematic review and meta-analysis using histological standard of reference. <i>Radiologia Medica</i> , 2020 , 125, 406-415	6.5	18
266	Low or Undetectable Basal Thyroglobulin Levels Obviate the Need for Neck Ultrasound in Differentiated Thyroid Cancer Patients After Total Thyroidectomy and I Ablation. <i>Thyroid</i> , 2018 , 28, 722-728	6.2	18
265	Comparison of high intensity focused ultrasound and radioiodine for treating toxic thyroid nodules. <i>Clinical Endocrinology</i> , 2018 , 89, 219-225	3.4	18
264	Serum procalcitonin and calcitonin normal values before and after calcium gluconate infusion. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 169-70	2.3	18
263	Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019 , 18, 145-149	3.1	17
262	Interference in thyroid-stimulating hormone determination. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 756-8	4.6	17
261	Preoperative undetectable serum thyroglobulin in differentiated thyroid carcinoma: incidence, causes and management strategy. <i>Clinical Endocrinology</i> , 2007 , 67, 547-51	3.4	17

260	Will F-fluorocholine PET/CT replace other methods of preoperative parathyroid imaging?. <i>Endocrine</i> , 2021 , 71, 285-297	4	17
259	Treatment of benign thyroid nodules by high intensity focused ultrasound (HIFU) at different acoustic powers: a study on in-silico phantom. <i>Endocrine</i> , 2018 , 59, 506-509	4	16
258	Thyroid lobe ablation with iodine- 131 in patients with differentiated thyroid carcinoma: a randomized comparison between 1.1 and 3.7 GBq activities. <i>Nuclear Medicine Communications</i> , 2013 , 34, 767-70	1.6	16
257	Medullary thyroid nodules by measurement of calcitonin (Ct) in aspiration needle washout in patients with multinodular goiter and moderately elevated serum Ct. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 234-7	2.3	16
256	Thyroid volume influences serum calcitonin levels in a thyroid-healthy population: results of a 3-assay, 519 subjects study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 895-900	5.9	16
255	Differentiated thyroid cancer patients potentially benefitting from postoperative I-131 therapy: a review of the literature of the past decade. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 78-83	8.8	16
254	DIAGNOSIS OF ENDOCRINE DISEASE: High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy. <i>European Journal of Endocrinology</i> , 2016 , 174, R53-63	6.5	15
253	Prognostic models for primary mediastinal (thymic) B-cell lymphoma derived from 18-FDG PET/CT quantitative parameters in the International Extranodal Lymphoma Study Group (IELSG) 26 study. <i>British Journal of Haematology</i> , 2017 , 178, 588-591	4.5	15
252	Differentiated thyroid cancer patients with a previous indeterminate (Thy 3) cytology have a better prognosis than those with suspicious or malignant FNAC reports. <i>Endocrine</i> , 2015 , 49, 191-5	4	15
251	Impact of F-FDG PET/CT in Staging Patients With Small Cell Lung Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2019 , 6, 336	4.9	15
250	Patient Age Is an Independent Risk Factor of Relapse of Differentiated Thyroid Carcinoma and Improves the Performance of the American Thyroid Association Stratification System. <i>Thyroid</i> , 2020 , 30, 713-719	6.2	15
249	Thyroxine Treatment With Softgel Capsule Formulation: Usefulness in Hypothyroid Patients Without Malabsorption. <i>Frontiers in Endocrinology</i> , 2018 , 9, 118	5.7	15
248	Differentiating malignant from benign thyroid nodules with indeterminate cytology by Tc-MIBI scan: a new quantitative method for improving diagnostic accuracy. <i>Scientific Reports</i> , 2017 , 7, 6147	4.9	15
247	Laser capture microdissection is a valuable tool in the preoperative molecular screening of follicular lesions of the thyroid: an institutional experience. <i>Cytopathology</i> , 2015 , 26, 288-96	1.3	15
246	Evaluation of the BRAHMS Kryptor(μ) thyroglobulin minirecovery test in patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 449-53	5.9	15
245	Impact of non-invasive follicular thyroid neoplasms with papillary-like nuclear features (NIFTP) on risk of malignancy in patients undergoing lobectomy/thyroidectomy for suspected malignancy or malignant fine-needle aspiration cytology findings: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2019 , 181, 389-396	6.5	15
244	Prevalence of thyroid dysfunction in patients with COVID-19: a systematic review. <i>Clinical and Translational Imaging</i> , 2021 , 9, 1-8	2	15
243	Ultrasound systems for risk stratification of thyroid nodules prompt inappropriate biopsy in autonomously functioning thyroid nodules. <i>Clinical Endocrinology</i> , 2020 , 93, 67-75	3.4	15

242	High-sensitive basal serum thyroglobulin 6-12 months after thyroid ablation is strongly associated with early response to therapy and event-free survival in patients with low-to-intermediate risk differentiated thyroid carcinomas. <i>European Journal of Endocrinology</i> , 2017 , 176, 497-504	6.5	14
241	Thyroid remnant ablation in differentiated thyroid cancer: searching for the most effective radioiodine activity and stimulation strategy in a real-life scenario. <i>Nuclear Medicine Communications</i> , 2015 , 36, 1100-6	1.6	14
240	Serum cytokeratin 19 fragments: a dedifferentiation marker in advanced thyroid cancer. <i>European Journal of Endocrinology</i> , 2012 , 167, 793-7	6.5	14
239	High sensitive thyroglobulin assay on thyroxine therapy: can it avoid stimulation test in low and high risk differentiated thyroid carcinoma patients?. <i>Hormone and Metabolic Research</i> , 2013 , 45, 664-8	3.1	14
238	Comparison of thyroglobulin antibody interference in first- and second-generation thyroglobulin immunoassays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1025-7	5.9	14
237	Serum thyroglobulin reference values according to NACB criteria in healthy subjects with normal thyroid ultrasound. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 891-3	5.9	14
236	Serum calcitonin-negative medullary thyroid carcinoma: role of CgA and CEA as complementary markers. <i>International Journal of Biological Markers</i> , 2008 , 23, 129-31	2.8	14
235	Performance of Italian Consensus for the Classification and Reporting of Thyroid Cytology (ICCRTC) in discriminating indeterminate lesions at low and high risk of malignancy. A systematic review and meta-analysis. <i>Endocrine</i> , 2018 , 60, 31-35	4	14
234	Procalcitonin as a postoperative marker in the follow-up of patients affected by medullary thyroid carcinoma. <i>International Journal of Biological Markers</i> , 2018 , 33, 156-160	2.8	13
233	Second-generation thyrotropin receptor antibodies assay and quantitative thyroid scintigraphy in autoimmune hyperthyroidism. <i>Hormone and Metabolic Research</i> , 2008 , 40, 484-6	3.1	13
232	Performance of EU-TIRADS in malignancy risk stratification of thyroid nodules: a meta-analysis. <i>European Journal of Endocrinology</i> , 2020 , 183, 255-264	6.5	13
231	Diagnosis, Treatment Response, and Prognosis: The Role of F-DOPA PET/CT in Children Affected by Neuroblastoma in Comparison with I-MIBG Scan: The First Prospective Study. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 367-374	8.9	13
230	Real-time elastography in autonomously functioning thyroid nodules: relationship with TSH levels, scintigraphy, and ultrasound patterns. <i>Endocrine</i> , 2017 , 58, 488-494	4	12
229	Radioactive Iodine Therapy for Differentiated Thyroid Cancer: Lessons from Confronting Controversial Literature on Risks for Secondary Malignancy. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 723-725	8.9	12
228	Calcitonin measurement on fine needle washouts: preanalytical issues and normal reference values. <i>Diagnostic Cytopathology</i> , 2013 , 41, 226-9	1.4	12
227	Prevalence and risk of malignancy of thyroid incidentalomas detected by (18)F-fluorodeoxyglucose positron-emission tomography. <i>Thyroid</i> , 2013 , 23, 124-6	6.2	12
226	Thyroid metastases from typical carcinoid of the lung differentiating between medullary thyroid carcinoma and neuroendocrine tumor metastasis to the thyroid. <i>Thyroid</i> , 2009 , 19, 521-6	6.2	12
225	False-positive serum chromogranin A assay due to heterophile antibody interference. <i>Clinica Chimica Acta</i> , 2007 , 379, 171-2	6.2	12

224	Circulating cytokeratin 19 fragments in patients with benign nodules and carcinomas of the thyroid gland. <i>International Journal of Biological Markers</i> , 2008 , 23, 54-7	2.8	12
223	Radiomics Analysis of [F]-Fluorodeoxyglucose-Avid Thyroid Incidentalomas Improves Risk Stratification and Selection for Clinical Assessment. <i>Thyroid</i> , 2021 , 31, 88-95	6.2	12
222	Diagnostic Performance of PET or PET/CT Using F-FDG Labeled White Blood Cells in Infectious Diseases: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2019 , 9,	3.8	11
221	Prevalence of gastrointestinal disorders having an impact on tablet levothyroxine absorption: should this formulation still be considered as the first-line therapy?. <i>Endocrine</i> , 2020 , 67, 281-290	4	11
220	Relationship between antithyroglobulin autoantibodies and thyroglobulin recovery rates using different thyroglobulin concentrations in the recovery buffer. <i>Hormone and Metabolic Research</i> , 2013 , 45, 728-35	3.1	11
219	Could different hydration protocols affect the quality of 18F-FDG PET/CT images?. <i>Journal of Nuclear Medicine Technology</i> , 2011 , 39, 77-82	1.1	11
218	Fine-needle aspiration to diagnose primary thyroid lymphomas: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2019 , 180, 177-187	6.5	11
217	Thyroglobulin autoantibodies as surrogate biomarkers in the management of patients with differentiated thyroid carcinoma. <i>Current Medicinal Chemistry</i> , 2014 , 21, 3687-92	4.3	11
216	Thyroglobulin autoantibodies before radioiodine ablation predict differentiated thyroid cancer outcome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 1995-2001	5.9	10
215	Indeterminate thyroid nodules. The role of F-FDG PET/CT in the "era" of ultrasonography risk stratification systems and new thyroid cytology classifications. <i>Endocrine</i> , 2020 , 69, 553-561	4	10
214	The essential use of FNA-calcitonin for detecting medullary thyroid cancer. <i>Endocrine</i> , 2014 , 47, 342-4	4	10
213	¹³¹ I whole-body scan or ¹⁸ F-FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. <i>Clinical and Translational Imaging</i> , 2013 , 1, 175-183	2	10
212	Thyrotropin values in patients with micropapillary thyroid cancer versus benign nodular disease. <i>Endocrine Practice</i> , 2013 , 19, 651-5	3.2	10
211	MANAGEMENT OF ENDOCRINE DISEASE: The role of rhTSH in the management of differentiated thyroid cancer: pros and cons. <i>European Journal of Endocrinology</i> , 2019 , 181, R133-R145	6.5	10
210	Detection Rate of Culprit Tumors Causing Osteomalacia Using Somatostatin Receptor PET/CT: Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2019 , 10,	3.8	10
209	Determining an energy threshold for optimal volume reduction of benign thyroid nodules treated by radiofrequency ablation. <i>European Radiology</i> , 2021 , 31, 5189-5197	8	10
208	Early post-treatment risk stratification of differentiated thyroid cancer: comparison of three high-sensitive Tg assays. <i>European Journal of Endocrinology</i> , 2018 , 178, 75-82	6.5	10
207	Detection rate of somatostatin receptor PET in patients with recurrent medullary thyroid carcinoma: a systematic review and a meta-analysis. <i>Hormones</i> , 2017 , 16, 362-372	3.1	10

206	FNA indication according to ACR-TIRADS, EU-TIRADS and K-TIRADS in thyroid incidentalomas at F-FDG PET/CT. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1607-1612	5.2	9
205	Well-differentiated follicular patterned tumors of the thyroid with high-grade features can metastasize in the absence of capsular or vascular invasion: report of a case. <i>International Journal of Surgical Pathology</i> , 2014 , 22, 749-56	1.2	9
204	Hyperfunctioning solid/trabecular follicular carcinoma of the thyroid gland. <i>Journal of Oncology</i> , 2010 , 2010,	4.5	9
203	False-negative thyroglobulin measurement in recurrent/metastatic thyroid carcinomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009 , 36, 326-7; author reply 328	8.8	9
202	^{99m} Tc-sestamibi imaging and bone marrow karyotyping in the assessment of multiple myeloma and MGUS. <i>Nuclear Medicine Communications</i> , 2008 , 29, 535-41	1.6	9
201	Primary hyperparathyroidism with surgical indication and negative or equivocal scintigraphy: safety and reliability of PTH washout. A systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2019 , 181, 245-253	6.5	9
200	Evaluation of chromogranin A expression in serum and tissues of breast cancer patients. <i>International Journal of Biological Markers</i> , 2001 , 16, 268-72	2.8	9
199	Multi-field-of-view SPECT is superior to whole-body scanning for assessing metastatic bone disease in patients with prostate cancer. <i>Tumori</i> , 2011 , 97, 629-33	1.7	9
198	Prevalence and clinical significance of focal incidental ¹⁸ F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017 , 5, 525-532	2	8
197	Radioisotope imaging for discriminating benign from malignant cytologically indeterminate thyroid nodules. <i>Gland Surgery</i> , 2019 , 8, S118-S125	2.2	8
196	Multicentre clinical evaluation of the new highly sensitive Elecsys [®] thyroglobulin II assay in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018 , 88, 295-302	3.4	8
195	Procalcitonin as Marker of Recurrent Medullary Thyroid Carcinoma: A Systematic Review and Meta-Analysis. <i>Endocrinology and Metabolism</i> , 2018 , 33, 204-210	3.5	8
194	Fine-needle aspiration in all thyroid incidentalomas at F-FDG PET/CT: Can EU-TIRADS revise the dogma?. <i>Clinical Endocrinology</i> , 2018 , 89, 642-648	3.4	8
193	Multifocal epithelioid hemangioendothelioma of the lower limbs detected by ¹⁸ F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e402-4	1.7	8
192	CDX2 expression in columnar variant of papillary thyroid carcinoma. <i>Thyroid</i> , 2013 , 23, 1498-9	6.2	8
191	Incidental detection of H ¹ thle cell adenoma by ¹⁸ F-choline PET/CT scan in a patient with prostate cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013 , 32, 340-1	0.4	8
190	Role of serum cytokeratin 19 fragment (Cyfra 21.1) as a prognostic biomarker in patients with differentiated thyroid cancer. <i>Scientific Reports</i> , 2017 , 7, 7359	4.9	8
189	Three-dimensional ordered-subset expectation maximization iterative protocol for evaluation of left ventricular volumes and function by quantitative gated SPECT: a dynamic phantom study. <i>Journal of Nuclear Medicine Technology</i> , 2010 , 38, 18-23	1.1	8

188	Circulating procalcitonin in aseptic carcinoma patients: a specificity study with (18)F-fluorodeoxyglucose positron-emission tomography/computed tomography as benchmark. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1163-5	5.9	8
187	Positron emission tomography/computed tomography in patients treated for differentiated thyroid carcinomas. <i>Expert Review of Endocrinology and Metabolism</i> , 2012 , 7, 35-43	4.1	8
186	Graves' disease, thymus enlargement, and hypercalcemia. <i>New England Journal of Medicine</i> , 2008 , 358, 1078-9	59.2	8
185	Imaging in endocrinology: Langherans cell histiocytosis of the thyroid gland detected by 18FDG-PET/CT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2866-7	5.6	8
184	F-18 FDG PET-CT imaging in the care-management of a patient with pan-aortitis and coronary involvement. <i>Clinical Nuclear Medicine</i> , 2007 , 32, 562-4	1.7	8
183	Prognostic models integrating quantitative parameters from baseline and interim positron emission computed tomography in patients with diffuse large B-cell lymphoma: post-hoc analysis from the SAKK38/07 clinical trial. <i>Hematological Oncology</i> , 2020 , 38, 715-725	1.3	8
182	Diagnostic Role of F-PSMA-1007 PET/CT in Prostate Cancer Staging: A Systematic Review. <i>Diagnostics</i> , 2021 , 11,	3.8	8
181	Baseline PET features to predict prognosis in primary mediastinal B cell lymphoma: a comparative analysis of different methods for measuring baseline metabolic tumour volume. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1334-1344	8.8	8
180	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019 , 64, 203-208	4	8
179	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 926-934	8.8	7
178	Unstimulated high-sensitive thyroglobulin is a powerful prognostic predictor in patients with thyroid cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 58, 130-137	5.9	7
177	Detection rate of unknown primary tumour by using somatostatin receptor PET/CT in patients with metastatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2019 , 64, 456-468	4	7
176	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015 , 33, 538-46	2.9	7
175	Appropriate Use Criteria for Nuclear Medicine in the Evaluation and Treatment of Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 375-396	8.9	7
174	Measuring procalcitonin to overcome heterophilic-antibody-induced spurious hypercalcitoninemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, e191-e193	5.9	7
173	Metastatic undifferentiated spindle cell sarcoma of the thyroid gland evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e208-10	1.7	7
172	PET and PET/CT imaging in thyroid and adrenal diseases: an update. <i>Hormones</i> , 2013 , 12, 327-33	3.1	7
171	Evaluation of the BRAHMS KRYPTOR thyroglobulin "mini-recovery" test in thyroid healthy subjects. <i>Hormone and Metabolic Research</i> , 2012 , 44, 555-7	3.1	7

170	Relationship between left ventricular diastolic function and atrial natriuretic factor in never-treated mild hypertensives. <i>American Journal of Hypertension</i> , 1997 , 10, 946-50	2.3	7
169	Reliability of core needle biopsy as a second-line procedure in thyroid nodules with an indeterminate fine-needle aspiration report: a systematic review and meta-analysis. <i>Ultrasonography</i> , 2018 , 37, 121-128	4.3	7
168	Multidisciplinary approach for risk-oriented treatment of low-risk papillary thyroid cancer in Switzerland. <i>Swiss Medical Weekly</i> , 2019 , 149, w14700	3.1	7
167	Testing for BRAF (V600E) Mutation in Thyroid Nodules with Fine-Needle Aspiration (FNA) Read as Suspicious for Malignancy (Bethesda V, Thy4, TIR4): a Systematic Review and Meta-analysis. <i>Endocrine Pathology</i> , 2020 , 31, 57-66	4.2	7
166	A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the European Thyroid Association, the Society of Nuclear Medicine and Molecular Imaging on Current Diagnostic and Theranostic Approaches in the Management of Thyroid Cancer. <i>Thyroid</i> , 2021 , 31, 1009-1019	6.2	7
165	HER2 Analysis in Sporadic Thyroid Cancer of Follicular Cell Origin. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	7
164	Early preablation rhTSH-stimulated thyroglobulin predicts outcome of differentiated thyroid cancer (DTC) patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2466-2475	8.8	7
163	Serum chromogranin-A assay in differential diagnosis of incidentally discovered adrenal masses. <i>Anticancer Research</i> , 2005 , 25, 1547-50	2.3	7
162	Detecting N-RAS Q61R Mutated Thyroid Neoplasias by Immunohistochemistry. <i>Endocrine Pathology</i> , 2017 , 28, 71-74	4.2	6
161	Performance of F-FDG PET/CT in Selecting Thyroid Nodules with Indeterminate Fine-Needle Aspiration Cytology for Surgery. A Systematic Review and a Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
160	Different Formulations of Levothyroxine for Treating Hypothyroidism: A Real-Life Study. <i>International Journal of Endocrinology</i> , 2020 , 2020, 4524759	2.7	6
159	Histologic Outcome of Indeterminate Thyroid Nodules Classified at Low or High Risk. <i>Endocrine Pathology</i> , 2018 , 29, 75-79	4.2	6
158	Multiplexed immunoassay of thyroglobulin autoantibodies in patients with differentiated thyroid carcinoma. <i>Head and Neck</i> , 2012 , 34, 1369-71	4.2	6
157	Radioguided surgery of thyroid carcinoma recurrences: the role of preoperative (99m)Tc-labeled human serum albumin macroaggregates-SPECT/CT mapping. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e207-9	1.7	6
156	When to perform positron emission tomography/computed tomography or radionuclide bone scan in patients with recently diagnosed prostate cancer. <i>Cancer Management and Research</i> , 2013 , 5, 123-31	3.6	6
155	Can an undetectable value of TG and a negative neck ultrasound study be considered reliable methods to assess the completeness of thyroid ablation?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010 , 37, 1039-40; author reply 1041-2	8.8	6
154	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 89-93	1.8	6
153	Risk of Malignancy (ROM) of Thyroid FNA Diagnosed as Suspicious for Malignancy or Malignant: an Institutional Experience with Systematic Review and Meta-Analysis of Literature. <i>Endocrine Pathology</i> , 2020 , 31, 52-56	4.2	6

152	Circulating biomarkers for the detection of tumor recurrence in the postsurgical follow-up of differentiated thyroid carcinoma. <i>Current Opinion in Oncology</i> , 2020 , 32, 7-12	4.2	6
151	Low free-T3 serum levels and prognosis of COVID-19: systematic review and meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1906-1913	5.9	6
150	Prevalence and Significance of Hypermetabolic Lymph Nodes Detected by 2-[F]FDG PET/CT after COVID-19 Vaccination: A Systematic Review and a Meta-Analysis. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	6
149	Immunoassay of neuron-specific enolase (NSE) and serum fragments of cytokeratin 19 (CYFRA 21.1) as tumor markers in small cell lung cancer: clinical evaluation and biological hypothesis. <i>International Journal of Biological Markers</i> , 1997 , 12, 22-6	2.8	6
148	An Unusual Case of Plasmablastic Lymphoma Presenting as Paravertebral Mass Evaluated by (18) F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 89-90	1.9	5
147	Detectable thyroglobulin with negative imaging in differentiated thyroid cancer patients. What to do with negative anatomical imaging and radioiodine scan?. <i>Nuklearmedizin - NuclearMedicine</i> , 2014 , 53, 1-10	1.8	5
146	Elevated calcitonin and procalcitonin levels in nonmedullary benign and malignant thyroid nodules. <i>Clinical Endocrinology</i> , 2010 , 72, 852-3	3.4	5
145	Steroid responsive encephalopathy associated with autoimmune thyroiditis (SREAT) with negative thyroperoxidase antibodies. <i>European Journal of Clinical Investigation</i> , 2008 , 38, 693-4	4.6	5
144	Clinical performance of calcitonin and procalcitonin Elecsys immunoassays in patients with medullary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 743-747	5.9	5
143	Global FT4 immunoassay standardization: an expert opinion review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1013-1023	5.9	5
142	Serum chromogranin-alpha immunoradiometric assay in the diagnosis of pheochromocytoma. <i>International Journal of Biological Markers</i> , 2002 , 17, 130-4	2.8	5
141	Serum markers measured in FNA fluids of medullary thyroid carcinoma occurring as a cyst. <i>International Journal of Biological Markers</i> , 2016 , 31, e224-7	2.8	5
140	Letter to the Editor: What Is the Role of Serum Thyroglobulin Measurement in Patients With Differentiated Thyroid Cancer Treated Without Radioactive Iodine?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2113-2114	5.6	4
139	An unsuspecting thyroid nodule with fatal outcome. <i>Hormones</i> , 2019 , 18, 321-324	3.1	4
138	Role of F-Choline Positron Emission Tomography/Computed Tomography to Detect Structural Relapse in High-Risk Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2019 , 29, 549-556	6.2	4
137	Dedicated neck F-FDG PET/CT: An additional tool for risk assessment in thyroid nodules at ultrasound intermediate risk. <i>Clinical Endocrinology</i> , 2019 , 90, 737-743	3.4	4
136	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020 , 19, 341-349	3.1	4
135	Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1218-1223	8.8	4

134	Role of positron emission tomography imaging in Multiple Endocrine Neoplasia syndromes. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 4-9	2.4	4
133	Bone Marrow Involvement in Unknown Acute Myeloid Leukemia Detected by 18F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e486-7	1.7	4
132	Images in endocrine pathology: a starry-sky in the thyroid. <i>Endocrine Pathology</i> , 2012 , 23, 79-81	4.2	4
131	Spurious increase in serum chromogranin A: the role of heterophilic antibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1497-9	5.9	4
130	Thyroglobulin and thyroglobulin autoantibodies measurement using the automated KRYPTOR [®] platform in patients with differentiated thyroid carcinoma. <i>Hormone and Metabolic Research</i> , 2011 , 43, 728-30	3.1	4
129	Simultaneous imaging of pericardial thymoma and parathyroid adenoma by sestamibi scan. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 542-4	1.7	4
128	Redefining functional sensitivity of thyroglobulin assay on Immulite platform: implications in thyroid cancer management. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1523-4	5.9	4
127	Radioiodine therapy of advanced differentiated thyroid cancer: clinical considerations and multidisciplinary approach. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 63, 229-234	1.4	4
126	Life after thyroid cancer: the role of thyroglobulin and thyroglobulin antibodies for postoperative follow-up. <i>Expert Review of Endocrinology and Metabolism</i> , 2021 , 1-7	4.1	4
125	Prognostic and predictive value of nuclear imaging in endocrine oncology. <i>Endocrine</i> , 2020 , 67, 9-19	4	4
124	BRAF (V600E) mutation in isthmic malignant thyroid nodules. <i>Clinical Endocrinology</i> , 2016 , 84, 152-3	3.4	4
123	Higher thyroid hormone levels and cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 808-821	8.8	4
122	Isthmus topography is a risk factor for persistent disease in patients with differentiated thyroid cancer. <i>European Journal of Endocrinology</i> , 2021 , 185, 397-404	6.5	4
121	Radiomics analysis improves FDG PET/CT-based risk stratification of cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2021 , 1	4	4
120	Chromogranin-A as a serum marker for neuroendocrine tumors: comparison with neuron-specific enolase and correlation with immunohistochemical findings. <i>International Journal of Biological Markers</i> , 1999 , 14, 160-6	2.8	4
119	Measuring thyroglobulin in patients with thyroglobulin autoantibodies: evaluation of the clinical impact of BRAHMS Kryptor [®] Tg-minirecovery test in a large series of patients with differentiated thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1185-1191	5.9	3
118	Radioiodine Ablation of Remaining Thyroid Lobe in Patients with Differentiated Thyroid Cancer Treated by Lobectomy: A Systematic Review and Metaanalysis. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1730-1735	8.9	3
117	Use of anti-thyroid drugs in patients with hyperthyroidism: a case for shared decision-making. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2408-2409	8.8	3

116	Small cell carcinoma of the thyroid gland with a solid brain metastasis detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014 , 46, 682-3	4	3
115	Letter to the editor: Lymph nodes thyroglobulin measurement after rhTSH stimulation. <i>Head and Neck</i> , 2013 , 35, 146	4.2	3
114	Only a Rapid Complete Biochemical Remission After 131I-Therapy is Associated with an Unimpaired Life Expectancy in Differentiated Thyroid Cancer. <i>Hormone and Metabolic Research</i> , 2017 , 49, 860-868	3.1	3
113	Squamous cell carcinoma of the tonsil incidentally detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 93-5	1.7	3
112	Splenosis Mimicking Relapse of a Neuroendocrine Tumor at Gallium-68-DOTATOC PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 163-5	1.9	3
111	Left atrial metastasis of Hürthle-cell thyroid carcinoma mimicking myxoma. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 406-7	2.1	3
110	Thyroid remnant estimation by Tc-99m-sestamibi scanning predicts the effectiveness of rhTSH-stimulated I-131 ablation in patients with differentiated thyroid carcinoma. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 781-5	1.7	3
109	F-Fluoride (F-NaF) PET/CT in medullary thyroid carcinoma: far from evidence, far from guidelines!. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 527-528	8.8	3
108	Circulating pro-gastrin releasing peptide (ProGRP) in patients with medullary thyroid carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1569-1573	5.9	3
107	Medical treatment of thyrotoxicosis. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 65, 113-123	1.4	3
106	Euthyroid Graves' disease with spurious hyperthyroidism: a diagnostic challenge. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, e94-e96	5.9	3
105	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019 , 7, 237-253	2	2
104	Tc-Pertechnetate Scintigraphy Predicts Successful Postoperative Ablation in Differentiated Thyroid Carcinoma Patients Treated with Low Radioiodine Activities. <i>Endocrinology and Metabolism</i> , 2019 , 34, 63-69	3.5	2
103	An Unusual Case of Extraskelatal Retroperitoneal Osteosarcoma Incidentally Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 249-50	1.9	2
102	A rare case of synchronous fetal type adenocarcinoma and mucinous adenocarcinoma of the lung evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e384-6	1.7	2
101	Toxoplasmic Lymphadenitis Mimicking a Metastatic Thyroid Carcinoma at (18)F-FDG-PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 289-90	1.9	2
100	METABOLIC HETEROGENEITY OF BASELINE 18-FDG PET-CT SCAN PREDICTS OUTCOME IN PRIMARY MEDIASTINAL B-CELL LYMPHOMA.. <i>Hematological Oncology</i> , 2017 , 35, 60-61	1.3	2
99	Discordance rate between radiolabelled choline PET/CT and bone scintigraphy in detecting bone metastases in patients with prostate cancer: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2015 , 3, 133-140	2	2

98	Unusual muscular metastases from papillary thyroid carcinoma detected by fluorine-18-fluorodeoxyglucose PET/MRI. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2208-9	5.6	2
97	Evaluation of serum parathyroid hormone-related peptide in hyperthyroid patients. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 93-7	4.6	2
96	Thyroglobulin-guided (131)I ablation in low-risk differentiated thyroid carcinoma: is the yardstick accurate enough?. <i>Head and Neck</i> , 2011 , 33, 1379-80; author reply 1380-1	4.2	2
95	False-positive calcitonin results in patients with benign goiter. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 407-8	5.9	2
94	Diagnostic criteria for detection of postinfarction ischemia by quantitative analysis of stepwise dobutamine radionuclide ventriculography. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 514-21	2.1	2
93	Role of Positron Emission Tomography (PET/CT) in Primary Mediastinal Large B Cell Lymphoma (PMLBCL): Preliminary Results of an International Phase II Trial (IELSG-26 Study) Conducted On Behalf of the International Extranodal Lymphoma Study Group (IELSG), the Fondazione Italiana Linfomi (FIL), and the UK NCRI Lymphoma Group. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1511-1516	2.2	2
92	Copper, PET/CT and prostate cancer: a systematic review of the literature. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 64, 382-392	1.4	2
91	Advanced differentiated thyroid cancer: when to stop radioiodine?. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 63, 267-270	1.4	2
90	Generation and validation of a PET radiomics model that predicts survival in diffuse large B cell lymphoma treated with R-CHOP14: A SAKK 38/07 trial post-hoc analysis. <i>Hematological Oncology</i> , 2021 ,	1.3	2
89	Variations in radioiodine ablation: decision-making after total thyroidectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 554-560	8.8	2
88	Significance of "de novo" appearance of thyroglobulin antibodies in patients with differentiated thyroid cancer. <i>International Journal of Biological Markers</i> , 2020 , 35, 41-49	2.8	2
87	Usefulness of I-spect/ct to assess the response to initial therapy in differentiated thyroid cancer patients. <i>Endocrine</i> , 2021 , 74, 193-196	4	2
86	Hot Cells Adenoma of the Thyroid with Post-surgical Implants in the Neck: Clinical, Morphological, and Molecular Analysis of Three Cases. <i>Endocrine Pathology</i> , 2016 , 27, 338-345	4.2	2
85	The role of systematic review and meta-analysis in modern cytopathology. <i>Cancer Cytopathology</i> , 2020 , 128, 89-91	3.9	2
84	How to better stratify the risk of differentiated thyroid carcinomas: the key role of radioactive iodine therapy, age, and gender. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 822-830	8.8	2
83	Molecular Imaging for Thyrotoxicosis and Thyroid Nodules. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 20S-25S.	5.9	2
82	Procalcitonin as an Alternative Tumor Marker of Medullary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 3634-3643	5.6	2
81	Tissue polypeptide-specific antigen (TPS) immunoassay in the diagnosis and clinical staging of prostatic carcinoma. Comparison with prostate-specific antigen (PSA). <i>International Journal of Biological Markers</i> , 1997 , 12, 27-34	2.8	2

80	Immunoradiometric assay of chromogranin A in the diagnosis of small cell lung cancer: comparative evaluation with neuron-specific enolase. <i>International Journal of Biological Markers</i> , 2001 , 16, 50-5	2.8	2
79	Diagnostic value of serum chromogranin-A combined with MIBG scintigraphy inpatients with adrenal incidentalomas. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 52, 84-88	1.4	2
78	Integration of Baseline Metabolic Parameters and Mutational Profiles Predicts Long-Term Response to First-Line Therapy in DLBCL Patients: A Post Hoc Analysis of the SAKK38/07 Study.. <i>Cancers</i> , 2022 , 14,	6.6	2
77	CT evaluation of lung infiltrates in the two months preceding the Coronavirus disease 19 pandemic in Canton Ticino (Switzerland): were there suspicious cases before the official first case?. <i>Radiologia Medica</i> , 2022 , 127, 360	6.5	2
76	One-stop-shop radioiodine dosimetry in patients with Graves' disease. <i>Endocrine</i> , 2017 , 56, 220-221	4	1
75	Letter to the Editor: "Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratisation and Decision to Perform 131I Ablation". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1783-1784	5.6	1
74	Re: "Diagnostic Performance of Technetium-99m Methoxy-Iso-butyl-Isonitrile for Differentiation of Malignant Thyroid Nodules: A Systematic Review and Meta-Analysis" by Kim . (2018;28:1339-1348). <i>Thyroid</i> , 2019 , 29, 896-897	6.2	1
73	Thyroid Imaging 2019 , 545-564		1
72	Images in endocrine pathology: similar, but not the same!. <i>Endocrine Pathology</i> , 2015 , 26, 187-9	4.2	1
71	Is isthmio-enucleo-resection a reliable treatment for isthmio-differentiated thyroid carcinoma? A note of caution. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1829-1830	5.2	1
70	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. <i>Clinical and Translational Imaging</i> , 2020 , 8, 237-242	2	1
69	Circulating Mucins and Cytokeratins in Aggressive Thyroid Cancers 2018 , 175-189		1
68	Malignant Mucous Cells in a Thyroid Aspirate: Looking for a Source. <i>Endocrine Pathology</i> , 2016 , 27, 79-82	4.2	1
67	Prognosis of patients with differentiated thyroid carcinomas having a preoperative cytological report of indeterminate at low or high risk. A multicenter study. <i>Endocrine</i> , 2019 , 66, 557-562	4	1
66	An Unusual Case of Extramedullary Plasmacytoma of the Hypopharynx Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 328-9	1.9	1
65	A rare case of mucinous cystadenoma of the lung mimicking malignancy at 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e331-3	1.7	1
64	An unusual case of diffuse large B-cell lymphoma involving the vulva evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e439-41	1.7	1
63	Colorectal carcinoma with bone metastases detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e246-8	1.7	1

62	Clinical role and accuracy of 18F-FDG PET in evaluating disease activity in patients with chronic inflammatory bowel disease: an updated systematic review and a bivariate meta-analysis. <i>Clinical and Translational Imaging</i> , 2017 , 5, 303-313	2	1
61	A rare case of metastatic clear cell carcinoma of the Müllerian system originating from the peritoneum assessed by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e58-60	1.7	1
60	Current role and future perspectives of radioiodinated MIBG in the evaluation of dementia with Lewy bodies. <i>Current Radiopharmaceuticals</i> , 2014 , 7, 75-8	1.8	1
59	La diagnostica di laboratorio delle malattie del surrene. Raccomandazioni pratiche per feocromocitoma e paraganglioma. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2014 , 10, 193-203	1.1	1
58	Ruling out 131I ablation in low-risk differentiated thyroid carcinoma basing on thyroglobulin measurement. <i>Thyroid</i> , 2011 , 21, 809-10; author reply 811-2	6.2	1
57	A hypothyroid patient with increased free thyroid hormones. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008 , 46, 1650-1	5.9	1
56	Thyroglobulin measurement in differentiated thyroid carcinoma management. <i>Expert Review of Endocrinology and Metabolism</i> , 2008 , 3, 117-125	4.1	1
55	Limited Benefit of Additional Contrast-Enhanced CT to End-of- Treatment PET-CT Evaluation in Patients with Follicular Lymphoma. <i>Blood</i> , 2016 , 128, 5925-5925	2.2	1
54	Radioiodine therapy of Graves' disease. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 65, 132-137	1.4	1
53	A multicenter survey of current practices of 99mTc-methoxy-isobutyl-isonitrile (MIBI) imaging for the diagnosis of thyroid nodules: more standardization is essential. <i>Clinical and Translational Imaging</i> , 2021 , 9, 413-422	2	1
52	A rare case of idiopathic granulomatous hepatitis presenting as tumoral lesion detected by 18F-FDG-PET/CT. <i>Annals of Hepatology</i> , 2016 , 15, 121-2	3.1	1
51	Multimodal therapy of advanced differentiated thyroid cancer, with emphasis on the role of radioiodine. <i>Clinical and Translational Imaging</i> , 2019 , 7, 427-435	2	1
50	Free-thyroxine standardization: while well serving our patients today. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e225-e226	5.9	1
49	MANAGEMENT OF DIFFERENTIATED THYROID CANCER: THE STANDARD OF CARE. <i>Journal of Nuclear Medicine</i> , 2021 ,	8.9	1
48	Evaluation of the serum markers CEA, NSE, TPS and CYFRA 21.1 in lung cancer. <i>International Journal of Biological Markers</i> , 1995 , 10, 156-60	2.8	1
47	F-FDG-PET/CT Imaging in Advanced Glottic Cancer: A Tool for Clinical Decision in Comparison with Conventional Imaging. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 4051206	3.2	0
46	Early diagnosis by FNA cytology should not influence the outcome of differentiated thyroid cancer. <i>Endocrine Journal</i> , 2016 , 63, 367-73	2.9	0
45	The impact of biotin interference on laboratory testing and patient diagnosis in clinical practice. <i>International Journal of Pharmacokinetics</i> , 2019 , 4, IPK01	0.3	0

44	Hypercalcitoninemia and thyroid nodules: when cytology (still) matters. <i>Diagnostic Cytopathology</i> , 2014 , 42, 970-3	1.4	○
43	A Papillary Thyroid Tumor Detected by (18)F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 143-5	1.9	○
42	Solitary Plasmacytoma of the Sternum Mimicking Bone Metastasis in a Patient with a History of Breast Cancer Evaluated by F-18-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 169-70	1.9	○
41	Iodine-131 administration and risk of cancer: "appearances can be deceptive". <i>Hormones</i> , 2013 , 12, 312-4	3.1	○
40	Thyroid Functional and Molecular Imaging.. <i>Presse Medicale</i> , 2022 , 104116	2.2	○
39	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. <i>Radiation</i> , 2021 , 1, 65-76		○
38	An ectopic, dysmorphic and atypical parathyroid adenoma. <i>Endocrine</i> , 2021 , 74, 200-201	4	○
37	The new Roche Elecsys TSH assay conforms with current IFCC C-STFT standards. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e445-e448	5.9	○
36	Radionuclide Imaging of Medullary Thyroid Carcinoma 2017 , 381-399		
35	Thyroid cancer recurrence in the HiLo trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 252	18.1	
34	Mycosis Fungoides Involving the Lungs Detected by 18F-FDG PET/CT. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 521-522	0.7	
33	Iperparatiroidismo primitivo con indicazione chirurgica e scintigrafia non dirimente: sicurezza e performance diagnostica del PTH su eluato. <i>L Endocrinologo</i> , 2020 , 21, 25-29		○
32	Re: Low-Dose Radioactive Iodine Ablation Is Sufficient in Patients With Small Papillary Thyroid Cancer Having Minor Extrathyroidal Extension and Central Lymph Node Metastasis (T3 N1a). <i>Clinical Nuclear Medicine</i> , 2018 , 43, 631-632	1.7	
31	Unusual case of tumor of unknown origin found by 18 F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56	0.1	
30	Procalcitonin: Are We Ready for Clinical Use? 2018 , 151-157		
29	Measurement of Thyroid Tumor Markers on Fine-Needle Washouts 2018 , 193-200		
28	Thyroglobulin and Thyroglobulin Antibodies 2018 , 65-91		
27	Unusual case of tumor of unknown origin found by F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56	0.4	

26	(99m)Tc-MIBI Uptake in a Thyroid Adenoma with Diffuse Adipose Metaplasia. <i>Nuclear Medicine and Molecular Imaging</i> , 2016 , 50, 362-364	1.9
25	Tomografia a emissione di positroni con 18F-fluorodesossiglucosio nel carcinoma tiroideo radioiodio-refrattario. <i>L Endocrinologo</i> , 2018 , 19, 15-20	0
24	Usefulness of ^{18}F -FDG PET/CT in syphilitic aortitis. <i>Clinical Rheumatology</i> , 2013 , 32, 1247	3.9
23	Cromogranina A e peptidi derivati: fisiopatologia e importanza clinica. <i>L Endocrinologo</i> , 2015 , 16, 116-122	
22	Paratormone e Vitamina D. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2011 , 7, 140-143	1.1
21	Diagnostica del nodulo tiroideo autonomo: è sufficiente misurare il TSH?. <i>L Endocrinologo</i> , 1	0
20	Late blood pool images after Tc-99m tetrofosmin injection in a patient with monoclonal gammopathy of uncertain significance and immunologic disorders. <i>Clinical Nuclear Medicine</i> , 2000 , 25, 536-8	1.7
19	Correlation between PSA kinetics and detection rate of PSMA-PET in the setting of biochemical recurrent prostate cancer: A systematic review and meta-analysis.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 71-71	2.2
18	^{18}F -FET 2020 , 83-88	
17	Introduction to Different PET Radiopharmaceuticals and Hybrid Modalities (PET/CT and PET/MRI) 2020 , 3-15	
16	Medullary Thyroid Carcinoma 2016 , 83-88	
15	Thyroid Autonomy 2016 , 47-51	
14	Nuclear Medicine Techniques 2016 , 13-19	
13	Graves Disease 2016 , 41-45	
12	Differentiated Thyroid Carcinoma 2016 , 73-82	
11	Radioiodine Therapy: Current Imaging Concepts Introduction 2012 , 224-230	
10	Thermal ablation meta-analysis: the need of careful appraisal of meta-analysis methodology. <i>Endocrine</i> , 2020 , 67, 270-271	4
9	Laboratory Investigation of the 900-km Lapland Extreme Challenge. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 92-94	3.1

8	Update on diagnosis and treatment of hyperthyroidism. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 65, 89-90	1.4
7	Thyroglobulin and Tg Antibodies 2019 , 655-671	
6	Uso della procalcitonina come marker del carcinoma midollare tiroideo. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2018 , 14, 198-200	1.1
5	A spotlight on redifferentiation strategies and target modulation in differentiated thyroid cancer. <i>Clinical and Translational Imaging</i> , 2021 , 9, 405-408	2
4	Comment on: Report of One Case of Malignancy Among 17 Autonomous Thyroid Nodules in Children and Adolescents. <i>Journal of Paediatrics and Child Health</i> , 2021 ,	1.3
3	Unusual [18F]-fluorocholine uptake in "hot" thyroid nodule and ipsilateral parathyroid adenoma.. <i>Endocrine</i> , 2022 , 1	4
2	Malignant thyroid nodule topography as additional risk factor for lymph-node metastases in differentiated thyroid cancer patients.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5
1	Diagnostic Performance of 99mTc-Methoxy-Isobuty-Isonitrile (MIBI) for Risk Stratification of Hypofunctioning Thyroid Nodules: A European Multicenter Study. <i>Diagnostics</i> , 2022 , 12, 1358	3.8