Li Ji

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7291950/publications.pdf

Version: 2024-02-01

31	715	16	26
papers	citations	h-index	g-index
31	31	31	565
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Role of nanoparticles in achieving macroscale superlubricity of graphene/nano-SiO2 particle composites. Friction, 2022, 10, 1305-1316.	6.4	16
2	Macro-superlubric triboelectric nanogenerator based on tribovoltaic effect. Matter, 2022, 5, 1532-1546.	10.0	40
3	Environmental Molecular Effect on the Macroscale Friction Behaviors of Graphene. Frontiers in Chemistry, 2021, 9, 679417.	3.6	3
4	Structure optimization of epoxy-functionalized polysiloxanes and tribological properties of the polysiloxane/molybdenum disulfide lubricating coating for low-earth orbit environment. Tribology International, 2021, 162, 107135.	5.9	17
5	Tribochemistry of superlubricating amorphous carbon films. Chemical Communications, 2021, 57, 11776-11786.	4.1	20
6	Regulating Vacuum Tribological Behavior of a-C:H Film by Interfacial Activity. Journal of Physical Chemistry Letters, 2021, 12, 10333-10338.	4.6	14
7	The role of methane in the formation of fullerene-like nanostructure in amorphous carbon film deposited by reactive magnetron sputtering. Diamond and Related Materials, 2020, 109, 108018.	3.9	3
8	Toward Robust Macroscale Superlubricity on Engineering Steel Substrate. Advanced Materials, 2020, 32, e2002039.	21.0	67
9	Shearâ€Induced Interfacial Structural Conversion of Graphene Oxide to Graphene at Macroscale. Advanced Functional Materials, 2020, 30, 2004498.	14.9	24
10	A strategy to construct long-range fullerene-like nanostructure in amorphous carbon film with improved toughness and carrying capacity. Journal Physics D: Applied Physics, 2020, 53, 335205.	2.8	14
11	Macro-Tribological Behaviors of Four Common Graphenes. Industrial & Engineering Chemistry Research, 2019, 58, 5464-5471.	3.7	10
12	Low-field formation of room-temperature biskyrmions in centrosymmetric MnPdGa magnet. Applied Physics Letters, 2019, 114, .	3.3	27
13	Influence of rotational speed on structure, mechanical and electrical properties of TiC/GLC composite films. Diamond and Related Materials, 2019, 92, 65-73.	3.9	5
14	Enhancing field electron emission behavior and mechanical properties of hydrogenated amorphous carbon films by incorporating vertically aligned carbon nanowires via facile reactive magnetron sputtering. Journal of Alloys and Compounds, 2019, 784, 463-470.	5.5	5
15	Humidity-sensitive macroscopic lubrication behavior of an as-sprayed graphene oxide coating. Carbon, 2018, 140, 124-130.	10.3	39
16	Self-forming oriented layer slip and macroscale super-low friction of graphene. Applied Physics Letters, 2017, 110, .	3.3	26
17	Fullerene-like nanostructure induced excellent friction behavior in high vacuum environment for hydrogenated carbon film. Vacuum, 2017, 143, 36-39.	3.5	3
18	Effect of microstructural evolution on mechanical and tribological properties of Ti-doped DLC films: How was an ultralow friction obtained?. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2016, 34, .	2.1	13

#	Article	IF	CITATION
19	External-Field-Induced Growth Effect of an a-C:H Film for Manipulating Its Medium-Range Nanostructures and Properties. ACS Applied Materials & Samp; Interfaces, 2016, 8, 6639-6645.	8.0	25
20	Interface design for a-C:H film with super long wear life in high vacuum environment. Tribology International, 2016, 95, 298-305.	5.9	11
21	Perspectives of friction mechanism of a-C:H film in vacuum concerning the onion-like carbon transformation at the sliding interface. RSC Advances, 2015, 5, 8904-8911.	3.6	30
22	Improving the tribological performance of a-C:H film in a high vacuum by surface texture. Journal Physics D: Applied Physics, 2014, 47, 235301.	2.8	19
23	Vacuum tribological properties of a-C:H film in relation to internal stress and applied load. Tribology International, 2014, 71, 82-87.	5.9	30
24	Effect of vacuum annealing on the microstructure and tribological behavior of hydrogenated amorphous carbon films prepared by magnetron sputtering. Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology, 2013, 227, 729-737.	1.8	8
25	Normal or inverse magnetocaloric effects at the transition between antiferromagnetism and ferromagnetism. Applied Physics Letters, 2012, 100, .	3.3	7
26	Microstructure and tribological properties of the a-C:H films deposited by magnetron sputtering with CH4/Ar mixture. Surface and Coatings Technology, 2011, 205, 4577-4581.	4.8	27
27	Fullerene-like hydrogenated carbon films with super-low friction and wear, and low sensitivity to environment. Journal Physics D: Applied Physics, 2010, 43, 015404.	2.8	24
28	Ti-DLC films with superior friction performance. Diamond and Related Materials, 2010, 19, 342-349.	3.9	118
29	Effects of environmental molecular characteristics and gas–surface interaction on friction behaviour of diamond-like carbon films. Journal Physics D: Applied Physics, 2009, 42, 135301.	2.8	33
30	Effects of pulse bias duty cycle on fullerenelike nanostructure and mechanical properties of hydrogenated carbon films prepared by plasma enhanced chemical vapor deposition method. Journal of Applied Physics, 2009, 105, .	2.5	25
31	Adhesion Studies of Diamond-Like Carbon Films on 202 Stainless Steel Substrate with a Silicon Interlayer. Key Engineering Materials, 0, 373-374, 151-154.	0.4	12