

Eun-So Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7292043/publications.pdf>

Version: 2024-02-01

167
papers

4,145
citations

126901

33
h-index

144002

57
g-index

174
all docs

174
docs citations

174
times ranked

3592
citing authors

#	ARTICLE	IF	CITATIONS
1	Melasma: histopathological characteristics in 56 Korean patients. <i>British Journal of Dermatology</i> , 2002, 146, 228-237.	1.5	326
2	The vascular characteristics of melasma. <i>Journal of Dermatological Science</i> , 2007, 46, 111-116.	1.9	270
3	Effects of vitamin D on expression of Toll-like receptors of monocytes from patients with Behcet's disease. <i>Rheumatology</i> , 2008, 47, 840-848.	1.9	143
4	The dermal stem cell factor and c-kit are overexpressed in melasma. <i>British Journal of Dermatology</i> , 2006, 154, 1094-1099.	1.5	127
5	Epidemiologic and Clinical Survey of Behçet's Disease in Korea: the First Multicenter Study. <i>Journal of Korean Medical Science</i> , 2001, 16, 615.	2.5	120
6	Clinical Analysis of 40 Cases of childhood-onset Behçet's Disease. <i>Pediatric Dermatology</i> , 1994, 11, 95-101.	0.9	104
7	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behçet's disease. <i>Archives of Dermatological Research</i> , 1996, 288, 179-183.	1.9	100
8	A randomized controlled trial of the efficacy and safety of a fixed triple combination (fluocinolone) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 with moderate to severe melasma. <i>British Journal of Dermatology</i> , 2008, 159, ???-???.	1.5	91
9	Photorejuvenation induced by 5-aminolevulinic acid photodynamic therapy in patients with actinic keratosis: A histologic analysis. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 85-95.	1.2	87
10	Epidemiological and clinical features of Behçet's disease in Korea. <i>Yonsei Medical Journal</i> , 1997, 38, 428.	2.2	83
11	Hybrid Nanoparticles for Magnetic Resonance Imaging of Target-specific Viral Gene Delivery. <i>Advanced Materials</i> , 2007, 19, 3109-3112.	21.0	83
12	Influence of Sex on Patients with Behcet's Disease in Korea. <i>Journal of Korean Medical Science</i> , 2003, 18, 231.	2.5	78
13	Histopathologic Features in Vitiligo. <i>American Journal of Dermatopathology</i> , 2008, 30, 112-116.	0.6	71
14	Clinical and histopathologic characteristics of nevus depigmentosus. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, 423-428.	1.2	67
15	Oestrogen and progesterone receptor expression in melasma: an immunohistochemical analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 1312-1316.	2.4	63
16	The influence of pregnancy on Behçet's disease. <i>Yonsei Medical Journal</i> , 1997, 38, 437.	2.2	62
17	Increased expression of the NLRP3 inflammasome components in patients with Behçet's disease. <i>Journal of Inflammation</i> , 2015, 12, 41.	3.4	60
18	Psychosocial Aspects of Acne Vulgaris: A Community-based Study with Korean Adolescents. <i>Annals of Dermatology</i> , 2009, 21, 125.	0.9	57

#	ARTICLE	IF	CITATIONS
19	Dermatologic manifestation of Behçet's disease. <i>Yonsei Medical Journal</i> , 1997, 38, 380.	2.2	54
20	Expression of progesterone receptor in human keratinocytes. <i>Journal of Korean Medical Science</i> , 2000, 15, 647.	2.5	54
21	Comprehensive understanding of idiopathic guttate hypomelanosis: clinical and histopathological correlation. <i>International Journal of Dermatology</i> , 2010, 49, 162-166.	1.0	53
22	Prognosis and Clinical Relevance of Recurrent Oral Ulceration in Behçet's Disease. <i>Journal of Dermatology</i> , 1995, 22, 926-929.	1.2	50
23	Immunohistochemical expression of matrix metalloproteinases in the granulomatous rosacea compared with the non-granulomatous rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 544-548.	2.4	49
24	Up-regulation of Th17 and related cytokines in Behçet's disease corresponding to disease activity. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 32-40.	0.8	47
25	Association of TNFA Promoter Region Haplotype in Behçet's Disease. <i>Journal of Korean Medical Science</i> , 2006, 21, 596.	2.5	43
26	Androgen receptor overexpression in Becker nevus: histopathologic and immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 1121-1126.	1.3	40
27	Donor Specific Response of Estrogen and Progesterone on Cultured Human Melanocytes. <i>Journal of Korean Medical Science</i> , 2002, 17, 58.	2.5	38
28	Histopathological Differential Diagnosis of Psoriasis and Seborrheic Dermatitis of the Scalp. <i>Annals of Dermatology</i> , 2016, 28, 427.	0.9	38
29	Tumor necrosis factor alpha small interfering RNA decreases herpes simplex virus-induced inflammation in a mouse model. <i>Journal of Dermatological Science</i> , 2008, 52, 87-97.	1.9	37
30	Expression of Follicular Helper T-cell Markers in Primary Cutaneous T-cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2014, 36, 465-470.	0.6	37
31	Clinical Features of Patients with Behçet's Disease and Epididymitis. <i>Journal of Urology</i> , 2003, 170, 1231-1233.	0.4	36
32	Tinea Incognito in Korea and Its Risk Factors: Nine-Year Multicenter Survey. <i>Journal of Korean Medical Science</i> , 2013, 28, 145.	2.5	36
33	Comparison of Characteristics of Acquired Bilateral Nevus of Ota-like Macules and Nevus of Ota According to Therapeutic Outcome. <i>Journal of Korean Medical Science</i> , 2004, 19, 554.	2.5	35
34	Cdc42-dependent Mediation of UV-induced p38 Activation by G Protein $\beta\gamma$ Subunits. <i>Journal of Biological Chemistry</i> , 2004, 279, 17366-17375.	3.4	35
35	Immunohistochemical Comparison of IL-36 and the IL-23/Th17 Axis of Generalized Pustular Psoriasis and Acute Generalized Exanthematous Pustulosis. <i>Annals of Dermatology</i> , 2016, 28, 451.	0.9	35
36	Two histopathological patterns of postinflammatory hyperpigmentation: epidermal and dermal. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 118-124.	1.3	34

#	ARTICLE	IF	CITATIONS
37	Inhibition of lactate dehydrogenase A suppresses inflammatory response in RAW 264.7 macrophages. <i>Molecular Medicine Reports</i> , 2019, 19, 629-637.	2.4	33
38	Presence of circulating antibodies to a disease-specific antigen on cultured human dermal microvascular endothelial cells in patients with Behçet's disease. <i>Archives of Dermatological Research</i> , 1999, 291, 374-381.	1.9	32
39	Experimental studies on the antiviral agent famciclovir in Behcet's disease symptoms in ICR mice. <i>British Journal of Dermatology</i> , 2001, 145, 799-804.	1.5	32
40	Application of computerized image analysis in pigmentary skin diseases. <i>International Journal of Dermatology</i> , 2001, 40, 45-49.	1.0	31
41	Fractional carbon dioxide laser-assisted photodynamic therapy for patients with actinic keratosis. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 296-301.	1.5	31
42	Comparison of Behçet's Disease and Recurrent Aphthous Ulcer According to Characteristics of Gastrointestinal Symptoms. <i>Journal of Korean Medical Science</i> , 2005, 20, 971.	2.5	30
43	Absence of Human Papillomavirus DNA in Nongenital Seborrhic Keratosis. <i>Journal of Korean Medical Science</i> , 2001, 16, 619.	2.5	29
44	Intercellular adhesion molecule-1 polymorphisms in Korean patients with Behcet's disease. <i>Journal of Korean Medical Science</i> , 2003, 18, 415.	2.5	27
45	Photodynamic Therapy with Ablative Carbon Dioxide Fractional Laser in Treatment of Actinic Keratosis. <i>Annals of Dermatology</i> , 2013, 25, 417.	0.9	26
46	MicroRNAs differentially expressed in Behçet disease are involved in interleukin-6 production. <i>Journal of Inflammation</i> , 2016, 13, 22.	3.4	26
47	Clinical study on death in Behcet's disease. <i>Journal of Korean Medical Science</i> , 1993, 8, 241.	2.5	25
48	CTLA4 gene polymorphisms and soluble CTLA4 protein in Behçet's disease. <i>Tissue Antigens</i> , 2009, 74, 222-227.	1.0	25
49	Galectin-9 ameliorates herpes simplex virus-induced inflammation through apoptosis. <i>Immunobiology</i> , 2012, 217, 657-666.	1.9	25
50	Epidermolysis Bullosa Acquisita Localized to the Face. <i>Journal of Dermatology</i> , 1998, 25, 19-22.	1.2	24
51	The correlation of MHC haplotype and development of Behçet's disease-like symptoms induced by herpes simplex virus in several inbred mouse strains. <i>Journal of Dermatological Science</i> , 2001, 26, 173-181.	1.9	24
52	Changes of Epidermal Thickness in Vitiligo. <i>American Journal of Dermatopathology</i> , 2015, 37, 289-292.	0.6	24
53	Erythema multiforme-like lesions in syphilis. <i>British Journal of Dermatology</i> , 2003, 149, 658-660.	1.5	22
54	Audio-Vestibular Disturbance in Patients With Behçet's Disease. <i>Laryngoscope</i> , 2006, 116, 1987-1990.	2.0	22

#	ARTICLE	IF	CITATIONS
55	Precursor B-cell lymphoblastic lymphoma involving the skin. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 649-653.	1.3	22
56	Treatment of Fordyce spots with 5-aminolaevulinic acid?photodynamic therapy. <i>British Journal of Dermatology</i> , 2007, 156, 399-400.	1.5	22
57	Immunopathogenic Role of Herpes Simplex Virus in Behçet's Disease. <i>Genetics Research International</i> , 2013, 2013, 1-6.	2.0	22
58	Topical 5-aminolaevulinic acid photodynamic therapy for intractable palmoplantar psoriasis. <i>Journal of Dermatology</i> , 2007, 34, 37-40.	1.2	21
59	Toll-like Receptors and Antimicrobial Peptides Expressions of Psoriasis: Correlation with Serum Vitamin D Level. <i>Journal of Korean Medical Science</i> , 2010, 25, 1506.	2.5	21
60	Nipple Eczema, an Indicative Manifestation of Atopic Dermatitis? A Clinical, Histological, and Immunohistochemical Study. <i>American Journal of Dermatopathology</i> , 2015, 37, 284-288.	0.6	21
61	Congenital Atrophoderma of Pasini and Pierini. <i>Journal of Korean Medical Science</i> , 2006, 21, 169.	2.5	21
62	G Protein β Subunits Augment UVB-induced Apoptosis by Stimulating the Release of Soluble Heparin-binding Epidermal Growth Factor from Human Keratinocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 24720-24730.	3.4	20
63	Clinical comparison of psoriasis in Korean adults and children: correlation with serum anti-streptolysin O titers. <i>Archives of Dermatological Research</i> , 2010, 302, 295-299.	1.9	20
64	Foreign body reaction after cochlear implantation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 1455-1458.	1.0	20
65	Case of sequentially occurring lesions of facial lichen sclerosus following the lines of Blaschko. <i>Journal of Dermatology</i> , 2007, 34, 201-204.	1.2	19
66	CD4+ CD25+ regulatory T cells ameliorate Behcet's disease-like symptoms in a mouse model. <i>Cytotherapy</i> , 2011, 13, 835-847.	0.7	19
67	The histopathological characteristics of male melasma: Comparison with female melasma and lentigo. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 642-649.	1.2	18
68	Choroidal Thickness Indicates Subclinical Ocular and Systemic Inflammation in Eyes with Behçet Disease without Active Inflammation. <i>Korean Journal of Ophthalmology: KJO</i> , 2018, 32, 290.	1.1	17
69	Impact of alopecia areata on psychiatric disorders: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 484-486.	1.2	17
70	Thalidomide upregulates macrophage inflammatory protein-1 α in a herpes simplex virus-induced Behçet's disease-like animal model. <i>Archives of Dermatological Research</i> , 2004, 296, 175-81.	1.9	16
71	Erythema Nodosum: Clinicopathologic Correlations and Their Use in Differential Diagnosis. <i>Yonsei Medical Journal</i> , 2007, 48, 601.	2.2	16
72	The Behçet's Disease Quality of Life: Reliability and Validity of the Korean Version. <i>Yonsei Medical Journal</i> , 2008, 49, 698.	2.2	16

#	ARTICLE	IF	CITATIONS
73	Behçet's Disease Combined with Various Types of Fistula. <i>Yonsei Medical Journal</i> , 2005, 46, 625.	2.2	15
74	Clinical Experience of Interferon Alfa-2a Treatment for Refractory Uveitis in Behçet's Disease. <i>Yonsei Medical Journal</i> , 2015, 56, 1158.	2.2	15
75	Changes in Ocular Manifestations of Behçet Disease in Korean Patients over Time: A Single-center Experience in the 1990s and 2000s. <i>Ocular Immunology and Inflammation</i> , 2015, 23, 157-161.	1.8	15
76	MicroRNA-155 regulates the Th17 immune response by targeting Ets-1 in Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S56-S63.	0.8	15
77	Combined treatment with colchicine and Herba Taraxaci (<i>Taraxacum mongolicum</i> Hand.-Mazz.) attenuates Behcet's disease-like symptoms in mice and influences the expressions of cytokines. <i>International Immunopharmacology</i> , 2003, 3, 713-721.	3.8	14
78	Orofacial Granulomatosis Associated with Crohn's Disease. <i>Annals of Dermatology</i> , 2010, 22, 203.	0.9	14
79	Erythematous Erosive Patch on the Left Nipple—Quiz Case. <i>Archives of Dermatology</i> , 2010, 146, 81-6.	1.4	14
80	Acquired bilateral melanosis of the neck in perimenopausal women. <i>British Journal of Dermatology</i> , 2012, 166, 662-665.	1.5	14
81	Recalcitrant palmoplantar pustular psoriasis successfully treated with topical 5-aminolaevulinic acid photodynamic therapy. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 723-724.	1.3	13
82	Rebamipide affects the efficiency of colchicine for the herpes simplex virus-induced inflammation in a Behcet's disease mouse model. <i>European Journal of Pharmacology</i> , 2008, 598, 112-117.	3.5	13
83	The Histopathological characteristics of livedo reticularis. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 1275-1278.	1.3	13
84	<scp>CD11a</scp>, <scp>CD11c</scp>, and <scp>CD18</scp> gene polymorphisms and susceptibility to Behçet's disease in Koreans. <i>Tissue Antigens</i> , 2014, 84, 398-404.	1.0	13
85	Bullous prurigo pigmentosa. <i>International Journal of Dermatology</i> , 2007, 46, 888-890.	1.0	12
86	Bullae confined to the melanocytic naevus-Initial manifestation of pemphigus vulgaris. <i>Clinical and Experimental Dermatology</i> , 2009, 34, 99-100.	1.3	12
87	Adamantides—Behçet's disease (Behçet's disease) and COVID-19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e541-e543.	2.4	12
88	Altered expression of costimulatory molecules in Behçet's disease according to clinical activity. <i>British Journal of Dermatology</i> , 2011, 164, 1285-1291.	1.5	11
89	Morbidity of Solid Cancer in Behçet's Disease: Analysis of 11 Cases in a Series of 506 Patients. <i>Yonsei Medical Journal</i> , 2013, 54, 895.	2.2	11
90	Gene Mutation Analysis in a Korean Patient with Early-Onset and Recalcitrant Generalized Pustular Psoriasis. <i>Annals of Dermatology</i> , 2014, 26, 424.	0.9	11

#	ARTICLE	IF	CITATIONS
91	Differentiating confluent and reticulated papillomatosis from acanthosis nigricans. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 944-952.	1.3	11
92	Rare presentation of Rothmund-Thomson syndrome with predominantly cutaneous findings. <i>JAAD Case Reports</i> , 2017, 3, 172-174.	0.8	11
93	Eruptive disseminated superficial actinic porokeratosis in an immunocompetent host: Is this associated with herpes simplex virus or bacterial infection?. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 1018-1019.	1.2	10
94	Matrix metalloproteinase-2, -9, -12, and tissue inhibitor of metalloproteinase 2 gene polymorphisms and cutaneous expressions in patients with Behçet's disease. <i>Tissue Antigens</i> , 2012, 79, 333-339.	1.0	10
95	CCL21 attenuates HSV-induced inflammation through up-regulation of CD8+ memory cells. <i>Immunobiology</i> , 2013, 218, 579-590.	1.9	10
96	Alteration of the Fecal but Not Salivary Microbiome in Patients with Behçet's Disease According to Disease Activity Shift. <i>Microorganisms</i> , 2021, 9, 1449.	3.6	10
97	Learning from HSV-infected mice as a model of Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S96-103.	0.8	10
98	Histopathological parameters determining lesion colours in the naevus of Ota: a morphometric study using computer-assisted image analysis. <i>British Journal of Dermatology</i> , 2004, 150, 1148-1153.	1.5	9
99	Synthesized pyridine compound derivatives decreased TNF alpha and adhesion molecules and ameliorated HSV-induced inflammation in a mouse model. <i>European Journal of Pharmacology</i> , 2011, 657, 167-172.	3.5	9
100	Single Nodular Lesion on the scalp: A Quiz. <i>Acta Dermato-Venereologica</i> , 2011, 91, 491-494.	1.3	9
101	Tocotrienols enhance melanosome degradation through endosome docking/fusion proteins in B16F10 melanoma cells. <i>Food and Function</i> , 2013, 4, 1481.	4.6	9
102	Therapeutic potency of Poly I:C in HSV-induced inflammation through up-regulation of IL-15 receptor alpha. <i>Immunobiology</i> , 2013, 218, 1119-1130.	1.9	9
103	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behçet's disease. <i>Archives of Dermatological Research</i> , 1996, 288, 179-183.	1.9	9
104	Vitamin D3 ameliorates herpes simplex virus-induced Behçet's disease-like inflammation in a mouse model through down-regulation of Toll-like receptors. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, S13-9.	0.8	9
105	Influence of Sex on Patients with Behçet's Disease in Korea. , 2003, 528, 59-63.		8
106	Using pCIN-mil-4 DNA vector to express mRNA and protein and to improve herpes simplex virus-induced Behçet's disease symptoms in mice. <i>Vaccine</i> , 2007, 25, 7047-7055.	3.8	8
107	Acquired bilateral naevus of Ota-like macules: an immunohistological analysis of dermal melanogenic paracrine cytokine networks. <i>British Journal of Dermatology</i> , 2010, 164, no-no.	1.5	8
108	The Role of T Cell Immunoglobulin Mucin Domains 1 and 4 in a Herpes Simplex Virus-Induced Behçet's Disease Mouse Model. <i>Mediators of Inflammation</i> , 2013, 2013, 1-13.	3.0	8

#	ARTICLE	IF	CITATIONS
109	Clinical outcomes in adult patients with plaque psoriasis treated with ustekinumab under real-world practice in Korea: A prospective, observational, multicenter, postmarketing surveillance study. <i>Journal of Dermatology</i> , 2021, 48, 778-785.	1.2	8
110	The role of Qa-2, the functional homolog of HLA-G, in a Behcet's disease-like mouse model induced by the herpes virus simplex. <i>Journal of Inflammation</i> , 2010, 7, 31.	3.4	7
111	IL-2/IL-2 antibody immune complex regulates HSV-induced inflammation through induction of IL-2 receptor alpha, beta, and gamma in a mouse model. <i>Immunobiology</i> , 2015, 220, 1381-1392.	1.9	7
112	Friction Melanosis and Striae Distensa Caused by Stretch Training on a Bench Press. <i>Journal of Dermatology</i> , 2005, 32, 765-766.	1.2	6
113	Warty Squamous Cell Carcinoma of the Vulva in Older Women: Association with Human Papillomavirus. <i>Yonsei Medical Journal</i> , 2005, 46, 155.	2.2	6
114	Linear lichenoid graft versus host disease: An unusual configuration following Blaschko's lines. <i>Journal of Dermatology</i> , 2006, 33, 583-584.	1.2	6
115	Solitary eccrine syringofibroadenoma with prominent plasma cell infiltration. <i>Journal of Dermatology</i> , 2007, 34, 138-141.	1.2	6
116	Molluscum Contagiosum Presenting as a Cutaneous Horn. <i>Annals of Dermatology</i> , 2011, 23, 262.	0.9	6
117	Increased senescent CD8+ T cells in the peripheral blood mononuclear cells of Behçet's disease patients. <i>Archives of Dermatological Research</i> , 2018, 310, 127-138.	1.9	6
118	The role of CCR1 and therapeutic effects of anti-CCL3 antibody in herpes simplex virus-induced Behçet's disease mouse model. <i>Immunology</i> , 2019, 158, 206-218.	4.4	6
119	Histopathological Features of Riehl Melanosis. <i>American Journal of Dermatopathology</i> , 2020, 42, 117-121.	0.6	6
120	Comparative Analysis of Single-Cell Transcriptome Data Reveals a Novel Role of Keratinocyte-Derived IL-23 in Psoriasis. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	6
121	Behçet's Disease: The First Mongolian Case in Literature Showing HLA B51, MICA Gene Type *5/*6. <i>Yonsei Medical Journal</i> , 2003, 44, 935.	2.2	5
122	Differential expression of T cell immunoglobulin- and mucin-domain-containing molecule-3 (TIM-3) according to activity of Behçet's disease. <i>Journal of Dermatological Science</i> , 2012, 65, 220-222.	1.9	5
123	Hypopigmented keratosis: is it a hyperkeratotic variant of idiopathic guttate hypomelanosis?. <i>Clinical and Experimental Dermatology</i> , 2013, 38, 526-529.	1.3	5
124	Classic Juvenile Pityriasis Rubra Pilaris Treated with Oral Alitretinoin. <i>Annals of Dermatology</i> , 2016, 28, 388.	0.9	5
125	Acral lentiginosis associated with tegafur/gimeracil/oteracil (TS-1). <i>European Journal of Dermatology</i> , 2017, 27, 209-210.	0.6	5
126	Efficacy and safety of guselkumab compared with placebo and adalimumab in Korean patients with moderate-to-severe psoriasis: a post-hoc analysis from the phase III, double-blind, placebo- and active-comparator-controlled VOYAGE 1/2 trials. <i>Journal of Dermatological Treatment</i> , 2022, 33, 535-541.	2.2	5

#	ARTICLE	IF	CITATIONS
127	Clinical Manifestations. , 2001, , 19-50.		5
128	Linear and whorled nevoid hypermelanosis with delayed psychomotor development. Yonsei Medical Journal, 1996, 37, 290.	2.2	4
129	Expression of signal transducing G proteins in human melanoma cell lines. Experimental and Molecular Medicine, 1997, 29, 223-227.	7.7	4
130	Two Cases of Coccygeal Polypoid Eccrine Nevi Presenting as Skin Tags. Annals of Dermatology, 2009, 21, 440.	0.9	4
131	Secukinumab Response in Korean Patients with Moderate to Severe Plaque-Type Psoriasis Irrespective of Previous Biologic Use: 1-Year Experience at a Single Center. Annals of Dermatology, 2020, 32, 255.	0.9	4
132	Folliculosebaceous cystic hamartoma on the nipple. Journal of Dermatology, 2011, 38, 197-199.	1.2	3
133	The Suppressive Effect of Butyrate and Bromopyruvate on Inflammatory Cytokine Production and Short Chain Fatty Acid Receptor Expression by Blood Mononuclear Cells in Patients with Behçet's Disease. Annals of Dermatology, 2018, 30, 566.	0.9	3
134	Comparison of Cytokine Expression in Paediatric and Adult Psoriatic Skin. Acta Dermato-Venereologica, 2020, 100, adv00058.	1.3	3
135	The ICAM1469*E is Associated with Susceptibility to Ocular Lesions and Vasculitis in Korean Patients with Behçet's Disease. , 2003, 528, 235-236.		2
136	Coexistence of Behçet's Disease and Autoimmune Disease: Clinical Features of 11 Cases. Journal of Dermatology, 2005, 32, 614-616.	1.2	2
137	A Case of Idiopathic Eruptive Macular Pigmentation Limited to Flexural Areas. Annals of Dermatology, 2008, 20, 98.	0.9	2
138	Response to "The incidence and survival of melanoma and nonmelanoma skin cancer in patients with vitiligo: a nationwide population-based matched cohort study in Korea". British Journal of Dermatology, 2020, 183, 1149-1150.	1.5	2
139	Clinical Features of Behçet's Disease Patients with Epididymitis. , 2003, 528, 465-469.		1
140	Role of neuropeptides in Behçet's disease in relation to clinical activity. Journal of Dermatological Science, 2006, 41, 77-79.	1.9	1
141	Frequencies of IL-15R α cells in patients with Behçet's disease and the effects of overexpressing IL-15R α on disease symptoms in mice. Cytokine, 2018, 110, 257-266.	3.2	1
142	Comparative Study of Clinical Characteristics according to Therapeutic Efficacy and Drug Survival of Cyclosporine or Methotrexate in Psoriasis Vulgaris. Annals of Dermatology, 2019, 31, 469.	0.9	1
143	Immunologic Aspects. , 2001, , 59-62.		1
144	A Sporadic Case of Ichthyosis Bullosa of Siemens. Annals of Dermatology, 1997, 9, 211.	0.9	1

#	ARTICLE	IF	CITATIONS
145	The Mucocutaneous Manifestations and Pathergy Reaction in Behçet Syndrome. , 2020, , 37-50.		1
146	Principal Component Analysis to Differentiate Patients with Palmoplantar Pustulosis from Those with Palmoplantar Pustular Psoriasis. Annals of Dermatology, 2022, 34, 7.	0.9	1
147	CD11c is upregulated in CD8+ T cells of patients with Behçet's disease. Clinical and Experimental Rheumatology, 2016, 34, S86-S91.	0.8	1
148	Differential expression of novel genes and signalling pathways of senescent CD8+ T cell subsets in Behçet's disease. Clinical and Experimental Rheumatology, 2020, 38 Suppl 127, 17-25.	0.8	1
149	Inside Front Cover: Hybrid Nanoparticles for Magnetic Resonance Imaging of Target-specific Viral Gene Delivery (Adv. Mater. 20/2007). Advanced Materials, 2007, 19, .	21.0	0
150	PS2-051. Colchicine inhibits the activation of inflammasomes-mediated caspases-1, but not the IL-1 β production. Cytokine, 2011, 56, 76.	3.2	0
151	Simultaneous Involvement of Nervous and Gastrointestinal Systems in Behçet's Disease. Annals of Dermatology, 2012, 24, 225.	0.9	0
152	Skin and Rheumatic Disease. Journal of Rheumatic Diseases, 2013, 20, 209.	1.1	0
153	Obesity and calcinosis cutis: characteristic early signs of infantile pseudohypoparathyroidism. European Journal of Dermatology, 2013, 23, 420-422.	0.6	0
154	Transient Filiform Papillitis in a Child. Annals of Dermatology, 2014, 26, 415.	0.9	0
155	Transcription Factors Regulating Inflammatory Cytokine Production Are Differentially Expressed in Peripheral Blood Mononuclear Cells of Behçet Disease Depending on Disease Activity. Annals of Dermatology, 2017, 29, 173.	0.9	0
156	Histopathology. , 2001, , 63-65.		0
157	Dermatologic Manifestation of Behçet's Disease. , 2001, , 129-136.		0
158	Interdepartmental Cooperation Approach System. , 2001, , 67-67.		0
159	Etiopathogenesis. , 2001, , 15-18.		0
160	The Influence of Pregnancy on Behçet's Disease. , 2001, , 187-192.		0
161	Epidemiological and Clinical Features of Behçet's Disease in Korea. , 2001, , 177-185.		0
162	Drug Treatment of Herpes Simplex Infection. Journal of the Korean Medical Association, 2008, 51, 942.	0.3	0

#	ARTICLE	IF	CITATIONS
163	Acropigmentation Symmetrica of Dohi Treated with the Q-switched Alexandrite Laser. Annals of Dermatology, 1997, 9, 26.	0.9	0
164	Aphthous Lip Ulcer. Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association, 1998, 41, 551.	0.1	0
165	Side Effects of Long Term Using Topical Corticosteroids. Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association, 1999, 42, 977.	0.1	0
166	A Case of Henoch-Schönlein Purpura with Fulminant Complications and Its Long-term Outcome. Childhood Kidney Diseases, 2019, 23, 128-133.	0.4	0
167	Unusual Case of Scalp Sarcoidosis with Alopecia: An Only Manifestation of Cutaneous Sarcoidosis without Systemic Involvement. Annals of Dermatology, 2022, 34, 154.	0.9	0