

Eun-So Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7292043/eun-so-lee-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161 papers	3,280 citations	30 h-index	50 g-index
174 ext. papers	3,716 ext. citations	3 avg, IF	4.91 L-index

#	Paper	IF	Citations
161	Melasma: histopathological characteristics in 56 Korean patients. <i>British Journal of Dermatology</i> , 2002 , 146, 228-37	4	284
160	The vascular characteristics of melasma. <i>Journal of Dermatological Science</i> , 2007 , 46, 111-6	4.3	214
159	Effects of vitamin D on expression of Toll-like receptors of monocytes from patients with Behcet's disease. <i>Rheumatology</i> , 2008 , 47, 840-8	3.9	117
158	The dermal stem cell factor and c-kit are overexpressed in melasma. <i>British Journal of Dermatology</i> , 2006 , 154, 1094-9	4	110
157	Epidemiologic and clinical survey of Behcet's disease in Korea: the first multicenter study. <i>Journal of Korean Medical Science</i> , 2001 , 16, 615-8	4.7	101
156	Clinical analysis of 40 cases of childhood-onset Behçet's disease. <i>Pediatric Dermatology</i> , 1994 , 11, 95-101	1.9	90
155	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behçet's disease. <i>Archives of Dermatological Research</i> , 1996 , 288, 179-83	3.3	82
154	Hybrid Nanoparticles for Magnetic Resonance Imaging of Target-Specific Viral Gene Delivery. <i>Advanced Materials</i> , 2007 , 19, 3109-3112	24	71
153	A randomized controlled trial of the efficacy and safety of a fixed triple combination (fluocinolone acetonide 0.01%, hydroquinone 4%, tretinoin 0.05%) compared with hydroquinone 4% cream in Asian patients with moderate to severe melasma. <i>British Journal of Dermatology</i> , 2008 , 159, 697-703	4	70
152	Photorejuvenation induced by 5-aminolevulinic acid photodynamic therapy in patients with actinic keratosis: a histologic analysis. <i>Journal of the American Academy of Dermatology</i> , 2010 , 62, 85-95	4.5	67
151	Influence of sex on patients with Behçet's disease in Korea. <i>Journal of Korean Medical Science</i> , 2003 , 18, 231-5	4.7	63
150	Epidemiological and clinical features of Behçet's disease in Korea. <i>Yonsei Medical Journal</i> , 1997 , 38, 428-36		62
149	Histopathologic features in vitiligo. <i>American Journal of Dermatopathology</i> , 2008 , 30, 112-6	0.9	56
148	Clinical and histopathologic characteristics of nevus depigmentosus. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 423-8	4.5	52
147	Oestrogen and progesterone receptor expression in melasma: an immunohistochemical analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 1312-6	4.6	48
146	Psychosocial Aspects of Acne Vulgaris: A Community-based Study with Korean Adolescents. <i>Annals of Dermatology</i> , 2009 , 21, 125-9	0.4	48
145	Dermatologic manifestation of Behçet's disease. <i>Yonsei Medical Journal</i> , 1997 , 38, 380-9	3	48

144	The influence of pregnancy on Behçet's disease. <i>Yonsei Medical Journal</i> , 1997 , 38, 437-43	3	48
143	Comprehensive understanding of idiopathic guttate hypomelanosis: clinical and histopathological correlation. <i>International Journal of Dermatology</i> , 2010 , 49, 162-6	1.7	43
142	Up-regulation of Th17 and related cytokines in Behçet's disease corresponding to disease activity. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 32-40	2.2	43
141	Increased expression of the NLRP3 inflammasome components in patients with Behçet's disease. <i>Journal of Inflammation</i> , 2015 , 12, 41	6.7	42
140	Prognosis and clinical relevance of recurrent oral ulceration in Behçet's disease. <i>Journal of Dermatology</i> , 1995 , 22, 926-9	1.6	41
139	Expression of progesterone receptor in human keratinocytes. <i>Journal of Korean Medical Science</i> , 2000 , 15, 647-54	4.7	39
138	Androgen receptor overexpression in Becker nevus: histopathologic and immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 1121-6	1.7	38
137	Association of TNFA promoter region haplotype in Behçet's Disease. <i>Journal of Korean Medical Science</i> , 2006 , 21, 596-601	4.7	38
136	Comparison of characteristics of acquired bilateral nevus of Ota-like macules and nevus of Ota according to therapeutic outcome. <i>Journal of Korean Medical Science</i> , 2004 , 19, 554-9	4.7	33
135	Cdc42-dependent mediation of UV-induced p38 activation by G protein betagamma subunits. <i>Journal of Biological Chemistry</i> , 2004 , 279, 17366-75	5.4	33
134	Tumor necrosis factor alpha small interfering RNA decreases herpes simplex virus-induced inflammation in a mouse model. <i>Journal of Dermatological Science</i> , 2008 , 52, 87-97	4.3	32
133	Immunohistochemical expression of matrix metalloproteinases in the granulomatous rosacea compared with the non-granulomatous rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 544-8	4.6	31
132	Donor specific response of estrogen and progesterone on cultured human melanocytes. <i>Journal of Korean Medical Science</i> , 2002 , 17, 58-64	4.7	31
131	Clinical features of patients with Behçet's disease and epididymitis. <i>Journal of Urology</i> , 2003 , 170, 1231-32.5	32.5	30
130	Experimental studies on the antiviral agent famciclovir in Behçet's disease symptoms in ICR mice. <i>British Journal of Dermatology</i> , 2001 , 145, 799-804	4	27
129	Application of computerized image analysis in pigmentary skin diseases. <i>International Journal of Dermatology</i> , 2001 , 40, 45-9	1.7	27
128	Expression of follicular helper T-cell markers in primary cutaneous T-cell lymphoma. <i>American Journal of Dermatopathology</i> , 2014 , 36, 465-70	0.9	26
127	Intercellular adhesion molecule-1 polymorphisms in Korean patients with Behçet's disease. <i>Journal of Korean Medical Science</i> , 2003 , 18, 415-8	4.7	26

126	Presence of circulating antibodies to a disease-specific antigen on cultured human dermal microvascular endothelial cells in patients with Behçet's disease. <i>Archives of Dermatological Research</i> , 1999 , 291, 374-81	3.3	26
125	Immunohistochemical Comparison of IL-36 and the IL-23/Th17 Axis of Generalized Pustular Psoriasis and Acute Generalized Exanthematous Pustulosis. <i>Annals of Dermatology</i> , 2016 , 28, 451-6	0.4	25
124	Fractional carbon dioxide laser-assisted photodynamic therapy for patients with actinic keratosis. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015 , 31, 296-301	2.4	24
123	Tinea incognito in Korea and its risk factors: nine-year multicenter survey. <i>Journal of Korean Medical Science</i> , 2013 , 28, 145-51	4.7	24
122	Two histopathological patterns of postinflammatory hyperpigmentation: epidermal and dermal. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 118-124	1.7	23
121	Absence of human papillomavirus DNA in nongenital seborrheic keratosis. <i>Journal of Korean Medical Science</i> , 2001 , 16, 619-22	4.7	23
120	Histopathological Differential Diagnosis of Psoriasis and Seborrheic Dermatitis of the Scalp. <i>Annals of Dermatology</i> , 2016 , 28, 427-32	0.4	23
119	Galectin-9 ameliorates herpes simplex virus-induced inflammation through apoptosis. <i>Immunobiology</i> , 2012 , 217, 657-66	3.4	22
118	CTLA4 gene polymorphisms and soluble CTLA4 protein in Behçet's disease. <i>Tissue Antigens</i> , 2009 , 74, 222-7		22
117	Comparison of Behçet's disease and recurrent aphthous ulcer according to characteristics of gastrointestinal symptoms. <i>Journal of Korean Medical Science</i> , 2005 , 20, 971-6	4.7	22
116	MicroRNAs differentially expressed in Behçet disease are involved in interleukin-6 production. <i>Journal of Inflammation</i> , 2016 , 13, 22	6.7	20
115	Photodynamic therapy with ablative carbon dioxide fractional laser in treatment of actinic keratosis. <i>Annals of Dermatology</i> , 2013 , 25, 417-22	0.4	20
114	The correlation of MHC haplotype and development of Behçet's disease-like symptoms induced by herpes simplex virus in several inbred mouse strains. <i>Journal of Dermatological Science</i> , 2001 , 26, 173-81	4.3	20
113	Treatment of Fordyce spots with 5-aminolaevulinic acid-photodynamic therapy. <i>British Journal of Dermatology</i> , 2007 , 156, 399-400	4	19
112	Topical 5-aminolaevulinic acid photodynamic therapy for intractable palmoplantar psoriasis. <i>Journal of Dermatology</i> , 2007 , 34, 37-40	1.6	19
111	Precursor B-cell lymphoblastic lymphoma involving the skin. <i>Journal of Cutaneous Pathology</i> , 2006 , 33, 649-53	1.7	19
110	Changes of epidermal thickness in vitiligo. <i>American Journal of Dermatopathology</i> , 2015 , 37, 289-92	0.9	18
109	G Protein betagamma subunits augment UVB-induced apoptosis by stimulating the release of soluble heparin-binding epidermal growth factor from human keratinocytes. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24720-30	5.4	18

108	Clinical study on death in Behçet's disease. <i>Journal of Korean Medical Science</i> , 1993 , 8, 241-5	4.7	18
107	CD4(+) CD25(+) regulatory T cells ameliorate Behcet's disease-like symptoms in a mouse model. <i>Cytotherapy</i> , 2011 , 13, 835-47	4.8	17
106	Foreign body reaction after cochlear implantation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 1455-8	1.7	17
105	Audio-vestibular disturbance in patients with Behçet's disease. <i>Laryngoscope</i> , 2006 , 116, 1987-90	3.6	17
104	Inhibition of lactate dehydrogenase A suppresses inflammatory response in RAW 264.7 macrophages. <i>Molecular Medicine Reports</i> , 2019 , 19, 629-637	2.9	17
103	Immunopathogenic Role of Herpes Simplex Virus in Behçet's Disease. <i>Genetics Research International</i> , 2013 , 2013, 638273	0	16
102	Erythema multiforme-like lesions in syphilis. <i>British Journal of Dermatology</i> , 2003 , 149, 658-60	4	16
101	Epidermolysis bullosa acquisita localized to the face. <i>Journal of Dermatology</i> , 1998 , 25, 19-22	1.6	16
100	MicroRNA-155 regulates the Th17 immune response by targeting Ets-1 in Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S56-S63	2.2	15
99	Toll-like receptors and antimicrobial peptides expressions of psoriasis: correlation with serum vitamin D level. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1506-12	4.7	14
98	Clinical comparison of psoriasis in Korean adults and children: correlation with serum anti-streptolysin O titers. <i>Archives of Dermatological Research</i> , 2010 , 302, 295-9	3.3	14
97	Erythema nodosum: clinicopathologic correlations and their use in differential diagnosis. <i>Yonsei Medical Journal</i> , 2007 , 48, 601-8	3	14
96	Thalidomide upregulates macrophage inflammatory protein-1alpha in a herpes simplex virus-induced Behçet's disease-like animal model. <i>Archives of Dermatological Research</i> , 2004 , 296, 175-81	3.3	14
95	Changes in Ocular Manifestations of Behçet Disease in Korean Patients over Time: A Single-center Experience in the 1990s and 2000s. <i>Ocular Immunology and Inflammation</i> , 2015 , 23, 157-61	2.8	13
94	Nipple eczema, an indicative manifestation of atopic dermatitis? A clinical, histological, and immunohistochemical study. <i>American Journal of Dermatopathology</i> , 2015 , 37, 284-8	0.9	13
93	The histopathological characteristics of male melasma: comparison with female melasma and lentigo. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 642-9	4.5	13
92	Case of sequentially occurring lesions of facial lichen sclerosus following the lines of Blaschko. <i>Journal of Dermatology</i> , 2007 , 34, 201-4	1.6	13
91	Combined treatment with colchicine and Herba Taraxaci (<i>Taraxacum mongolicum</i> Hand.-Mazz.) attenuates Behcet's disease-like symptoms in mice and influences the expressions of cytokines. <i>International Immunopharmacology</i> , 2003 , 3, 713-21	5.8	13

90	Behçet's disease combined with various types of fistula. <i>Yonsei Medical Journal</i> , 2005 , 46, 625-8	3	13
89	Congenital atrophoderma of Pasini and Pierini. <i>Journal of Korean Medical Science</i> , 2006 , 21, 169-71	4.7	13
88	Clinical Experience of Interferon Alfa-2a Treatment for Refractory Uveitis in Behçet's Disease. <i>Yonsei Medical Journal</i> , 2015 , 56, 1158-62	3	12
87	Rebamipide affects the efficiency of colchicine for the herpes simplex virus-induced inflammation in a Behcet's disease mouse model. <i>European Journal of Pharmacology</i> , 2008 , 598, 112-7	5.3	12
86	Choroidal Thickness Indicates Subclinical Ocular and Systemic Inflammation in Eyes with Behçet Disease without Active Inflammation. <i>Korean Journal of Ophthalmology: KJO</i> , 2018 , 32, 290-295	1.2	11
85	Acquired bilateral melanosis of the neck in perimenopausal women. <i>British Journal of Dermatology</i> , 2012 , 166, 662-5	4	11
84	The Behcet's Disease Quality of Life: reliability and validity of the Korean version. <i>Yonsei Medical Journal</i> , 2008 , 49, 698-704	3	11
83	CCL21 attenuates HSV-induced inflammation through up-regulation of CD8+ memory cells. <i>Immunobiology</i> , 2013 , 218, 579-90	3.4	10
82	Gene mutation analysis in a korean patient with early-onset and recalcitrant generalized pustular psoriasis. <i>Annals of Dermatology</i> , 2014 , 26, 424-5	0.4	10
81	Bullous prurigo pigmentosa. <i>International Journal of Dermatology</i> , 2007 , 46, 888-90	1.7	10
80	Learning from HSV-infected mice as a model of Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S96-103	2.2	10
79	Tocotrienols enhance melanosome degradation through endosome docking/fusion proteins in B16F10 melanoma cells. <i>Food and Function</i> , 2013 , 4, 1481-8	6.1	9
78	Morbidity of solid cancer in Behçet's disease: analysis of 11 cases in a series of 506 patients. <i>Yonsei Medical Journal</i> , 2013 , 54, 895-901	3	9
77	Altered expression of costimulatory molecules in Behçet's disease according to clinical activity. <i>British Journal of Dermatology</i> , 2011 , 164, 1285-91	4	9
76	Synthesized pyridine compound derivatives decreased TNF alpha and adhesion molecules and ameliorated HSV-induced inflammation in a mouse model. <i>European Journal of Pharmacology</i> , 2011 , 657, 167-72	5.3	9
75	The histopathological characteristics of livedo reticularis. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 1275-8	1.7	9
74	Recalcitrant palmoplantar pustular psoriasis successfully treated with topical 5-aminolaevulinic acid photodynamic therapy. <i>Clinical and Experimental Dermatology</i> , 2005 , 30, 723-4	1.8	9
73	Matrix metalloproteinase-2, -9, -12, and tissue inhibitor of metalloproteinase 2 gene polymorphisms and cutaneous expressions in patients with Behçet's disease. <i>Tissue Antigens</i> , 2012 , 79, 333-9		8

72	Therapeutic potency of Poly I:C in HSV-induced inflammation through up-regulation of IL-15 receptor alpha. <i>Immunobiology</i> , 2013 , 218, 1119-30	3.4	8
71	Rare presentation of Rothmund-Thomson syndrome with predominantly cutaneous findings. <i>JAAD Case Reports</i> , 2017 , 3, 172-174	1.4	8
70	CD11a, CD11c, and CD18 gene polymorphisms and susceptibility to Behçet's disease in Koreans. <i>Tissue Antigens</i> , 2014 , 84, 398-404		8
69	Orofacial granulomatosis associated with Crohn's disease. <i>Annals of Dermatology</i> , 2010 , 22, 203-5	0.4	8
68	Eruptive disseminated superficial actinic porokeratosis in an immunocompetent host: is this associated with herpes simplex virus or bacterial infection?. <i>Journal of the American Academy of Dermatology</i> , 2004 , 51, 1018-9	4.5	8
67	Adamantiades-Behçet's disease (Behçet's disease) and COVID-19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e541-e543	4.6	8
66	Vitamin D3 ameliorates herpes simplex virus-induced Behçet's disease-like inflammation in a mouse model through down-regulation of Toll-like receptors. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S13-9	2.2	8
65	The role of T cell immunoglobulin mucin domains 1 and 4 in a herpes simplex virus-induced Behçet's disease mouse model. <i>Mediators of Inflammation</i> , 2013 , 2013, 903948	4.3	7
64	Acquired bilateral naevus of Ota-like macules: an immunohistological analysis of dermal melanogenic paracrine cytokine networks. <i>British Journal of Dermatology</i> , 2011 , 164, 580-5	4	7
63	Bullae confined to the melanocytic naevus-initial manifestation of pemphigus vulgaris. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 99-100	1.8	7
62	Using pCIN-mIL-4 DNA vector to express mRNA and protein and to improve herpes simplex virus-induced Behçet's disease symptoms in mice. <i>Vaccine</i> , 2007 , 25, 7047-55	4.1	7
61	Histopathological parameters determining lesion colours in the naevus of Ota: a morphometric study using computer-assisted image analysis. <i>British Journal of Dermatology</i> , 2004 , 150, 1148-53	4	7
60	Impact of alopecia areata on psychiatric disorders: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 484-486	4.5	7
59	IL-2/IL-2 antibody immune complex regulates HSV-induced inflammation through induction of IL-2 receptor alpha, beta, and gamma in a mouse model. <i>Immunobiology</i> , 2015 , 220, 1381-92	3.4	6
58	Differentiating confluent and reticulated papillomatosis from acanthosis nigricans. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 944-952	1.7	6
57	The role of Qa-2, the functional homolog of HLA-G, in a Behçet's disease-like mouse model induced by the herpes virus simplex. <i>Journal of Inflammation</i> , 2010 , 7, 31	6.7	6
56	Solitary eccrine syringofibroadenoma with prominent plasma cell infiltration. <i>Journal of Dermatology</i> , 2007 , 34, 138-41	1.6	6
55	Linear lichenoid graft versus host disease: an unusual configuration following Blaschko's lines. <i>Journal of Dermatology</i> , 2006 , 33, 583-4	1.6	6

54	Warty squamous cell carcinoma of the vulva in older women: association with human papillomavirus. <i>Yonsei Medical Journal</i> , 2005 , 46, 155-8	3	6
53	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behçet's disease 1996 , 288, 179		6
52	Molluscum contagiosum presenting as a cutaneous horn. <i>Annals of Dermatology</i> , 2011 , 23, 262-3	0.4	5
51	Erythematous erosive patch on the left nipple--quiz case. Diagnosis: Extragenital syphilitic chancres. <i>Archives of Dermatology</i> , 2010 , 146, 81-6		5
50	Single nodular lesion on the scalp: a quiz. Diagnosis: nodular secondary syphilis. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 491-4	2.2	5
49	Influence of sex on patients with Behçet's disease in Korea. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 59-63	3.6	5
48	Behçet's Disease 2001 ,		5
47	Clinical Manifestations 2001 , 19-50		5
46	Classic Juvenile Pityriasis Rubra Pilaris Treated with Oral Alitretinoin. <i>Annals of Dermatology</i> , 2016 , 28, 388-90	0.4	5
45	Differential expression of T cell immunoglobulin- and mucin-domain-containing molecule-3 (TIM-3) according to activity of Behçet's disease. <i>Journal of Dermatological Science</i> , 2012 , 65, 220-2	4.3	4
44	Two cases of coccygeal polypoid eccrine nevi presenting as skin tags. <i>Annals of Dermatology</i> , 2009 , 21, 440-2	0.4	4
43	Hypopigmented keratosis: is it a hyperkeratotic variant of idiopathic guttate hypomelanosis?. <i>Clinical and Experimental Dermatology</i> , 2013 , 38, 526-9	1.8	3
42	Behçet's disease: the first Mongolian case in literature showing HLA B51, MICA gene type *5/*6. <i>Yonsei Medical Journal</i> , 2003 , 44, 935-8	3	3
41	Friction melanosis and striae distensa caused by stretch training on a bench press. <i>Journal of Dermatology</i> , 2005 , 32, 765-6	1.6	3
40	Linear and whorled nevoid hypermelanosis with delayed psychomotor development. <i>Yonsei Medical Journal</i> , 1996 , 37, 290-4	3	3
39	Acral lentiginosis associated with tegafur/gimeracil/oteracil (TS-1). <i>European Journal of Dermatology</i> , 2017 , 27, 209-210	0.8	2
38	Efficacy and safety of guselkumab compared with placebo and adalimumab in Korean patients with moderate-to-severe psoriasis: analysis from the phase III, double-blind, placebo- and active-comparator-controlled VOYAGE 1/2 trials. <i>Journal of Dermatological Treatment</i> , 2020 , 1-7	2.8	2
37	Folliculosebaceous cystic hamartoma on the nipple. <i>Journal of Dermatology</i> , 2011 , 38, 197-9	1.6	2

36	The ICAM1469*E is associated with susceptibility to ocular lesions and vasculitis in Korean patients with Behçet's disease. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 235-6	3.6	2
35	Coexistence of Behçet's disease and autoimmune disease: clinical features of 11 cases. <i>Journal of Dermatology</i> , 2005 , 32, 614-6	1.6	2
34	Response to 'The incidence and survival of melanoma and nonmelanoma skin cancer in patients with vitiligo: a nationwide population-based matched cohort study in Korea'. <i>British Journal of Dermatology</i> , 2020 , 183, 1149-1150	4	2
33	Clinical outcomes in adult patients with plaque psoriasis treated with ustekinumab under real-world practice in Korea: A prospective, observational, multi-center, postmarketing surveillance study. <i>Journal of Dermatology</i> , 2021 , 48, 778-785	1.6	2
32	The Suppressive Effect of Butyrate and Bromopyruvate on Inflammatory Cytokine Production and Short Chain Fatty Acid Receptor Expression by Blood Mononuclear Cells in Patients with Behçet's Disease. <i>Annals of Dermatology</i> , 2018 , 30, 566-574	0.4	2
31	Frequencies of IL-15R α cells in patients with Behçet's disease and the effects of overexpressing IL-15R α on disease symptoms in mice. <i>Cytokine</i> , 2018 , 110, 257-266	4	1
30	Increased senescent CD8+ T cells in the peripheral blood mononuclear cells of Behçet's disease patients. <i>Archives of Dermatological Research</i> , 2018 , 310, 127-138	3.3	1
29	The role of CCR1 and therapeutic effects of anti-CCL3 antibody in herpes simplex virus-induced Behçet's disease mouse model. <i>Immunology</i> , 2019 , 158, 206-218	7.8	1
28	Expression of signal transducing G proteins in human melanoma cell lines. <i>Experimental and Molecular Medicine</i> , 1997 , 29, 223-227	12.8	1
27	A Case of Idiopathic Eruptive Macular Pigmentation Limited to Flexural Areas. <i>Annals of Dermatology</i> , 2008 , 20, 98-101	0.4	1
26	Role of neuropeptides in Behçet's disease in relation to clinical activity. <i>Journal of Dermatological Science</i> , 2006 , 41, 77-9	4.3	1
25	Secukinumab Response in Korean Patients with Moderate to Severe Plaque-Type Psoriasis Irrespective of Previous Biologic Use: 1-Year Experience at a Single Center. <i>Annals of Dermatology</i> , 2020 , 32, 255-257	0.4	1
24	Comparison of Cytokine Expression in Paediatric and Adult Psoriatic Skin. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00058	2.2	1
23	The Mucocutaneous Manifestations and Pathergy Reaction in Behçet Syndrome 2020 , 37-50		1
22	Immunologic Aspects 2001 , 59-62		1
21	CD11c is upregulated in CD8+ T cells of patients with Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S86-S91	2.2	1
20	Differential expression of novel genes and signalling pathways of senescent CD8+ T cell subsets in Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 127, 17-25	2.2	1
19	Histopathological Features of Riehl Melanosis. <i>American Journal of Dermatopathology</i> , 2020 , 42, 117-121	10.9	0

- 18 Transcription Factors Regulating Inflammatory Cytokine Production Are Differentially Expressed in Peripheral Blood Mononuclear Cells of Behçet Disease Depending on Disease Activity. *Annals of Dermatology*, **2017**, 29, 173-179 0.4
- 17 Comparative Study of Clinical Characteristics according to Therapeutic Efficacy and Drug Survival of Cyclosporine or Methotrexate in Psoriasis Vulgaris. *Annals of Dermatology*, **2019**, 31, 469-472 0.4
- 16 Transient filiform papillitis in a child. *Annals of Dermatology*, **2014**, 26, 415-6 0.4
- 15 Simultaneous involvement of nervous and gastrointestinal systems in Behçet's disease. *Annals of Dermatology*, **2012**, 24, 225-7 0.4
- 14 Skin and Rheumatic Disease. *Journal of Rheumatic Diseases*, **2013**, 20, 209 1.2
- 13 Obesity and calcinosis cutis: characteristic early signs of infantile pseudohypoparathyroidism. *European Journal of Dermatology*, **2013**, 23, 420-2 0.8
- 12 Clinical features of Behçet's disease patients with epididymitis. *Advances in Experimental Medicine and Biology*, **2003**, 528, 465-9 3.6
- 11 Principal Component Analysis to Differentiate Patients with Palmoplantar Pustulosis from Those with Palmoplantar Pustular Psoriasis.. *Annals of Dermatology*, **2022**, 34, 7-13 0.4
- 10 Histopathology **2001**, 63-65
- 9 Dermatologic Manifestation of Behçet Disease **2001**, 129-136
- 8 Interdepartmental Cooperation Approach System **2001**, 67-67
- 7 Etiopathogenesis **2001**, 15-18
- 6 Animal Models **2001**, 75-78
- 5 The Influence of Pregnancy on Behçet Disease **2001**, 187-192
- 4 Epidemiological and Clinical Features of Behçet Disease in Korea **2001**, 177-185
- 3 Drug Treatment of Herpes Simplex Infection. *Journal of the Korean Medical Association*, **2008**, 51, 942 0.5
- 2 A Case of Henoch-Schleien Purpura with Fulminant Complications and Its Long-term Outcome. *Childhood Kidney Diseases*, **2019**, 23, 128-133 0.3
- 1 Unusual Case of Scalp Sarcoidosis with Alopecia: An Only Manifestation of Cutaneous Sarcoidosis without Systemic Involvement.. *Annals of Dermatology*, **2022**, 34, 154-156 0.4

