Eun-So Lee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7292043/eun-so-lee-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers3,280
citations30
h-index50
g-index174
ext. papers3,716
ext. citations3
avg, IF4.91
L-index

#	Paper	IF	Citations
161	Principal Component Analysis to Differentiate Patients with Palmoplantar Pustulosis from Those with Palmoplantar Pustular Psoriasis <i>Annals of Dermatology</i> , 2022 , 34, 7-13	0.4	
160	Unusual Case of Scalp Sarcoidosis with Alopecia: An Only Manifestation of Cutaneous Sarcoidosis without Systemic Involvement <i>Annals of Dermatology</i> , 2022 , 34, 154-156	0.4	
159	Adamantiades-Behät's disease (Behät's disease) and COVID-19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e541-e543	4.6	8
158	Clinical outcomes in adult patients with plaque psoriasis treated with ustekinumab under real-world practice in Korea: A prospective, observational, multi-center, postmarketing surveillance study. <i>Journal of Dermatology</i> , 2021 , 48, 778-785	1.6	2
157	Efficacy and safety of guselkumab compared with placebo and adalimumab in Korean patients with moderate-to-severe psoriasis: analysis from the phase III, double-blind, placebo- and active-comparator-controlled VOYAGE 1/2 trials. <i>Journal of Dermatological Treatment</i> , 2020 , 1-7	2.8	2
156	Histopathological Features of Riehl Melanosis. American Journal of Dermatopathology, 2020, 42, 117-12	21 0.9	О
155	Secukinumab Response in Korean Patients with Moderate to Severe Plaque-Type Psoriasis Irrespective of Previous Biologic Use: 1-Year Experience at a Single Center. <i>Annals of Dermatology</i> , 2020 , 32, 255-257	0.4	1
154	Comparison of Cytokine Expression in Paediatric and Adult Psoriatic Skin. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00058	2.2	1
153	The Mucocutaneous Manifestations and Pathergy Reaction in Behlet Syndrome 2020 , 37-50		1
152	Response to 'The incidence and survival of melanoma and nonmelanoma skin cancer in patients with vitiligo: a nationwide population-based matched cohort study in Korea'. <i>British Journal of Dermatology</i> , 2020 , 183, 1149-1150	4	2
151	Impact of alopecia areata on psychiatric disorders: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 484-486	4.5	7
150	Differential expression of novel genes and signalling pathways of senescent CD8+ T cell subsets in Behāt's disease. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 127, 17-25	2.2	1
149	The role of CCR1 and therapeutic effects of anti-CCL3 antibody in herpes simplex virus-induced Behāt's disease mouse model. <i>Immunology</i> , 2019 , 158, 206-218	7.8	1
148	Comparative Study of Clinical Characteristics according to Therapeutic Efficacy and Drug Survival of Cyclosporine or Methotrexate in Psoriasis Vulgaris. <i>Annals of Dermatology</i> , 2019 , 31, 469-472	0.4	
147	Inhibition of lactate dehydrogenase A suppresses inflammatory response in RAW 264.7 macrophages. <i>Molecular Medicine Reports</i> , 2019 , 19, 629-637	2.9	17
146	A Case of Henoch-Schilein Purpura with Fulminant Complications and Its Long-term Outcome. <i>Childhood Kidney Diseases</i> , 2019 , 23, 128-133	0.3	
145	Frequencies of IL-15RH cells in patients with BehHt's disease and the effects of overexpressing IL-15RH on disease symptoms in mice. <i>Cytokine</i> , 2018 , 110, 257-266	4	1

(2015-2018)

144	Increased senescent CD8+ T cells in the peripheral blood mononuclear cells of Behët's disease patients. <i>Archives of Dermatological Research</i> , 2018 , 310, 127-138	3.3	1	
143	Choroidal Thickness Indicates Subclinical Ocular and Systemic Inflammation in Eyes with Behæt Disease without Active Inflammation. <i>Korean Journal of Ophthalmology: KJO</i> , 2018 , 32, 290-295	1.2	11	
142	The Suppressive Effect of Butyrate and Bromopyruvate on Inflammatory Cytokine Production and Short Chain Fatty Acid Receptor Expression by Blood Mononuclear Cells in Patients with Beh\(\text{B}\)t's Disease. <i>Annals of Dermatology</i> , 2018 , 30, 566-574	0.4	2	
141	Acral lentiginosis associated with tegafur/gimeracil/oteracil (TS-1). <i>European Journal of Dermatology</i> , 2017 , 27, 209-210	0.8	2	
140	Transcription Factors Regulating Inflammatory Cytokine Production Are Differentially Expressed in Peripheral Blood Mononuclear Cells of Behlet Disease Depending on Disease Activity. <i>Annals of Dermatology</i> , 2017 , 29, 173-179	0.4		
139	Rare presentation of Rothmund-Thomson syndrome with predominantly cutaneous findings. <i>JAAD Case Reports</i> , 2017 , 3, 172-174	1.4	8	
138	Two histopathological patterns of postinflammatory hyperpigmentation: epidermal and dermal. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 118-124	1.7	23	
137	MicroRNAs differentially expressed in Behät disease are involved in interleukin-6 production. Journal of Inflammation, 2016 , 13, 22	6.7	20	
136	Histopathological Differential Diagnosis of Psoriasis and Seborrheic Dermatitis of the Scalp. <i>Annals of Dermatology</i> , 2016 , 28, 427-32	0.4	23	
135	Classic Juvenile Pityriasis Rubra Pilaris Treated with Oral Alitretinoin. <i>Annals of Dermatology</i> , 2016 , 28, 388-90	0.4	5	
134	Immunohistochemical Comparison of IL-36 and the IL-23/Th17 Axis of Generalized Pustular Psoriasis and Acute Generalized Exanthematous Pustulosis. <i>Annals of Dermatology</i> , 2016 , 28, 451-6	0.4	25	
133	MicroRNA-155 regulates the Th17 immune response by targeting Ets-1 in Beh日t's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S56-S63	2.2	15	
132	CD11c is upregulated in CD8+ T cells of patients with BehBt's disease. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S86-S91	2.2	1	
131	Changes in Ocular Manifestations of Behät Disease in Korean Patients over Time: A Single-center Experience in the 1990s and 2000s. <i>Ocular Immunology and Inflammation</i> , 2015 , 23, 157-61	2.8	13	
130	Nipple eczema, an indicative manifestation of atopic dermatitis? A clinical, histological, and immunohistochemical study. <i>American Journal of Dermatopathology</i> , 2015 , 37, 284-8	0.9	13	
129	Changes of epidermal thickness in vitiligo. <i>American Journal of Dermatopathology</i> , 2015 , 37, 289-92	0.9	18	
128	IL-2/IL-2 antibody immune complex regulates HSV-induced inflammation through induction of IL-2 receptor alpha, beta, and gamma in a mouse model. <i>Immunobiology</i> , 2015 , 220, 1381-92	3.4	6	
127	Increased expression of the NLRP3 inflammasome components in patients with Behæt's disease. Journal of Inflammation, 2015, 12, 41	6.7	42	

126	Fractional carbon dioxide laser-assisted photodynamic therapy for patients with actinic keratosis. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015 , 31, 296-301	2.4	24
125	Differentiating confluent and reticulated papillomatosis from acanthosis nigricans. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 944-952	1.7	6
124	Clinical Experience of Interferon Alfa-2a Treatment for Refractory Uveitis in Behët's Disease. <i>Yonsei Medical Journal</i> , 2015 , 56, 1158-62	3	12
123	Transient filiform papillitis in a child. <i>Annals of Dermatology</i> , 2014 , 26, 415-6	0.4	
122	Gene mutation analysis in a korean patient with early-onset and recalcitrant generalized pustular psoriasis. <i>Annals of Dermatology</i> , 2014 , 26, 424-5	0.4	10
121	CD11a, CD11c, and CD18 gene polymorphisms and susceptibility to Beh\(\textit{B}\)t's disease in Koreans. Tissue Antigens, 2014 , 84, 398-404		8
120	Expression of follicular helper T-cell markers in primary cutaneous T-cell lymphoma. <i>American Journal of Dermatopathology</i> , 2014 , 36, 465-70	0.9	26
119	Tocotrienols enhance melanosome degradation through endosome docking/fusion proteins in B16F10 melanoma cells. <i>Food and Function</i> , 2013 , 4, 1481-8	6.1	9
118	Therapeutic potency of Poly I:C in HSV-induced inflammation through up-regulation of IL-15 receptor alpha. <i>Immunobiology</i> , 2013 , 218, 1119-30	3.4	8
117	CCL21 attenuates HSV-induced inflammation through up-regulation of CD8+ memory cells. <i>Immunobiology</i> , 2013 , 218, 579-90	3.4	10
116	The role of T cell immunoglobulin mucin domains 1 and 4 in a herpes simplex virus-induced BehBt's disease mouse model. <i>Mediators of Inflammation</i> , 2013 , 2013, 903948	4.3	7
115	Immunopathogenic Role of Herpes Simplex Virus in Behët's Disease. <i>Genetics Research International</i> , 2013 , 2013, 638273	О	16
114	Hypopigmented keratosis: is it a hyperkeratotic variant of idiopathic guttate hypomelanosis?. <i>Clinical and Experimental Dermatology</i> , 2013 , 38, 526-9	1.8	3
113	Skin and Rheumatic Disease. Journal of Rheumatic Diseases, 2013, 20, 209	1.2	
112	Morbidity of solid cancer in Behāt's disease: analysis of 11 cases in a series of 506 patients. <i>Yonsei Medical Journal</i> , 2013 , 54, 895-901	3	9
111	Obesity and calcinosis cutis: characteristic early signs of infantile pseudohypoparathyroidism. <i>European Journal of Dermatology</i> , 2013 , 23, 420-2	0.8	
110	Photodynamic therapy with ablative carbon dioxide fractional laser in treatment of actinic keratosis. <i>Annals of Dermatology</i> , 2013 , 25, 417-22	0.4	20
109	Tinea incognito in Korea and its risk factors: nine-year multicenter survey. <i>Journal of Korean Medical Science</i> , 2013 , 28, 145-51	4.7	24

(2011-2013)

108	Up-regulation of Th17 and related cytokines in Behllt's disease corresponding to disease activity. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 32-40	2.2	43
107	Matrix metalloproteinase-2, -9, -12, and tissue inhibitor of metalloproteinase 2 gene polymorphisms and cutaneous expressions in patients with Beh∄t's disease. <i>Tissue Antigens</i> , 2012 , 79, 333-9		8
106	Galectin-9 ameliorates herpes simplex virus-induced inflammation through apoptosis. <i>Immunobiology</i> , 2012 , 217, 657-66	3.4	22
105	The histopathological characteristics of male melasma: comparison with female melasma and lentigo. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 642-9	4.5	13
104	Differential expression of T cell immunoglobulin- and mucin-domain-containing molecule-3 (TIM-3) according to activity of Behlet's disease. <i>Journal of Dermatological Science</i> , 2012 , 65, 220-2	4.3	4
103	Simultaneous involvement of nervous and gastrointestinal systems in Behæt's disease. <i>Annals of Dermatology</i> , 2012 , 24, 225-7	0.4	
102	Acquired bilateral melanosis of the neck in perimenopausal women. <i>British Journal of Dermatology</i> , 2012 , 166, 662-5	4	11
101	Learning from HSV-infected mice as a model of BehBt's disease. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S96-103	2.2	10
100	CD4(+) CD25(+) regulatory T cells ameliorate Behcet's disease-like symptoms in a mouse model. <i>Cytotherapy</i> , 2011 , 13, 835-47	4.8	17
99	Foreign body reaction after cochlear implantation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 1455-8	1.7	17
98	Molluscum contagiosum presenting as a cutaneous horn. <i>Annals of Dermatology</i> , 2011 , 23, 262-3	0.4	5
97	Folliculosebaceous cystic hamartoma on the nipple. <i>Journal of Dermatology</i> , 2011 , 38, 197-9	1.6	2
96	Altered expression of costimulatory molecules in Behët's disease according to clinical activity. <i>British Journal of Dermatology</i> , 2011 , 164, 1285-91	4	9
95	Immunohistochemical expression of matrix metalloproteinases in the granulomatous rosacea compared with the non-granulomatous rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 544-8	4.6	31
94	Synthesized pyridine compound derivatives decreased TNF alpha and adhesion molecules and ameliorated HSV-induced inflammation in a mouse model. <i>European Journal of Pharmacology</i> , 2011 , 657, 167-72	5.3	9
93	Acquired bilateral naevus of Ota-like macules: an immunohistological analysis of dermal melanogenic paracrine cytokine networks. <i>British Journal of Dermatology</i> , 2011 , 164, 580-5	4	7
92	Single nodular lesion on the scalp: a quiz. Diagnosis: nodular secondary syphilis. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 491-4	2.2	5
91	Vitamin D3 ameliorates herpes simplex virus-induced Behāt's disease-like inflammation in a mouse model through down-regulation of Toll-like receptors. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S13-9	2.2	8

90	Oestrogen and progesterone receptor expression in melasma: an immunohistochemical analysis. Journal of the European Academy of Dermatology and Venereology, 2010 , 24, 1312-6	4.6	48
89	Comprehensive understanding of idiopathic guttate hypomelanosis: clinical and histopathological correlation. <i>International Journal of Dermatology</i> , 2010 , 49, 162-6	1.7	43
88	Orofacial granulomatosis associated with Crohn's disease. <i>Annals of Dermatology</i> , 2010 , 22, 203-5	0.4	8
87	Toll-like receptors and antimicrobial peptides expressions of psoriasis: correlation with serum vitamin D level. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1506-12	4.7	14
86	Erythematous erosive patch on the left nipplequiz case. Diagnosis: Extragenital syphilitic chancres. <i>Archives of Dermatology</i> , 2010 , 146, 81-6		5
85	Photorejuvenation induced by 5-aminolevulinic acid photodynamic therapy in patients with actinic keratosis: a histologic analysis. <i>Journal of the American Academy of Dermatology</i> , 2010 , 62, 85-95	4.5	67
84	Clinical comparison of psoriasis in Korean adults and children: correlation with serum anti-streptolysin O titers. <i>Archives of Dermatological Research</i> , 2010 , 302, 295-9	3.3	14
83	The role of Qa-2, the functional homolog of HLA-G, in a Behcet's disease-like mouse model induced by the herpes virus simplex. <i>Journal of Inflammation</i> , 2010 , 7, 31	6.7	6
82	Two cases of coccygeal polypoid eccrine nevi presenting as skin tags. <i>Annals of Dermatology</i> , 2009 , 21, 440-2	0.4	4
81	Psychosocial Aspects of Acne Vulgaris: A Community-based Study with Korean Adolescents. <i>Annals of Dermatology</i> , 2009 , 21, 125-9	0.4	48
80	Bullae confined to the melanocytic naevus-initial manifestation of pemphigus vulgaris. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 99-100	1.8	7
79	The histopathological characteristics of livedo reticularis. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 127	75 1.8	9
78	CTLA4 gene polymorphisms and soluble CTLA4 protein in Behcet's disease. <i>Tissue Antigens</i> , 2009 , 74, 222-7		22
77	A randomized controlled trial of the efficacy and safety of a fixed triple combination (fluocinolone acetonide 0.01%, hydroquinone 4%, tretinoin 0.05%) compared with hydroquinone 4% cream in Asian patients with moderate to severe melasma. <i>British Journal of Dermatology</i> , 2008 , 159, 697-703	4	70
76	Rebamipide affects the efficiency of colchicine for the herpes simplex virus-induced inflammation in a Behcet's disease mouse model. <i>European Journal of Pharmacology</i> , 2008 , 598, 112-7	5.3	12
75	Tumor necrosis factor alpha small interfering RNA decreases herpes simplex virus-induced inflammation in a mouse model. <i>Journal of Dermatological Science</i> , 2008 , 52, 87-97	4.3	32
74	Effects of vitamin D on expression of Toll-like receptors of monocytes from patients with Behcet's disease. <i>Rheumatology</i> , 2008 , 47, 840-8	3.9	117
73	Histopathologic features in vitiligo. <i>American Journal of Dermatopathology</i> , 2008 , 30, 112-6	0.9	56

(2006-2008)

72	The Behcet's Disease Quality of Life: reliability and validity of the Korean version. <i>Yonsei Medical Journal</i> , 2008 , 49, 698-704	3	11
71	A Case of Idiopathic Eruptive Macular Pigmentation Limited to Flexural Areas. <i>Annals of Dermatology</i> , 2008 , 20, 98-101	0.4	1
70	Androgen receptor overexpression in Becker nevus: histopathologic and immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 1121-6	1.7	38
69	Drug Treatment of Herpes Simplex Infection. <i>Journal of the Korean Medical Association</i> , 2008 , 51, 942	0.5	
68	The vascular characteristics of melasma. <i>Journal of Dermatological Science</i> , 2007 , 46, 111-6	4.3	214
67	Erythema nodosum: clinicopathologic correlations and their use in differential diagnosis. <i>Yonsei Medical Journal</i> , 2007 , 48, 601-8	3	14
66	Hybrid Nanoparticles for Magnetic Resonance Imaging of Target-Specific Viral Gene Delivery. <i>Advanced Materials</i> , 2007 , 19, 3109-3112	24	71
65	Treatment of Fordyce spots with 5-aminolaevulinic acid-photodynamic therapy. <i>British Journal of Dermatology</i> , 2007 , 156, 399-400	4	19
64	Solitary eccrine syringofibroadenoma with prominent plasma cell infiltration. <i>Journal of Dermatology</i> , 2007 , 34, 138-41	1.6	6
63	Topical 5-aminolaevulinic acid photodynamic therapy for intractable palmoplantar psoriasis. <i>Journal of Dermatology</i> , 2007 , 34, 37-40	1.6	19
62	Case of sequentially occurring lesions of facial lichen sclerosus following the lines of Blaschko. <i>Journal of Dermatology</i> , 2007 , 34, 201-4	1.6	13
61	G Protein betagamma subunits augment UVB-induced apoptosis by stimulating the release of soluble heparin-binding epidermal growth factor from human keratinocytes. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24720-30	5.4	18
60	Using pCIN-mIL-4 DNA vector to express mRNA and protein and to improve herpes simplex virus-induced Behcet's disease symptoms in mice. <i>Vaccine</i> , 2007 , 25, 7047-55	4.1	7
59	Bullous prurigo pigmentosa. <i>International Journal of Dermatology</i> , 2007 , 46, 888-90	1.7	10
58	Role of neuropeptides in Behët's disease in relation to clinical activity. <i>Journal of Dermatological Science</i> , 2006 , 41, 77-9	4.3	1
57	Clinical and histopathologic characteristics of nevus depigmentosus. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 423-8	4.5	52
56	Association of TNFA promoter region haplotype in Behët's Disease. <i>Journal of Korean Medical Science</i> , 2006 , 21, 596-601	4.7	38
55	The dermal stem cell factor and c-kit are overexpressed in melasma. <i>British Journal of Dermatology</i> , 2006 , 154, 1094-9	4	110

54	Linear lichenoid graft versus host disease: an unusual configuration following Blaschko's lines. Journal of Dermatology, 2006 , 33, 583-4	1.6	6
53	Audio-vestibular disturbance in patients with Behāt's disease. <i>Laryngoscope</i> , 2006 , 116, 1987-90	3.6	17
52	Precursor B-cell lymphoblastic lymphoma involving the skin. <i>Journal of Cutaneous Pathology</i> , 2006 , 33, 649-53	1.7	19
51	Congenital atrophoderma of Pasini and Pierini. <i>Journal of Korean Medical Science</i> , 2006 , 21, 169-71	4.7	13
50	Coexistence of Behlet's disease and autoimmune disease: clinical features of 11 cases. <i>Journal of Dermatology</i> , 2005 , 32, 614-6	1.6	2
49	Friction melanosis and striae distensa caused by stretch training on a bench press. <i>Journal of Dermatology</i> , 2005 , 32, 765-6	1.6	3
48	Recalcitrant palmoplantar pustular psoriasis successfully treated with topical 5-aminolaevulinic acid photodynamic therapy. <i>Clinical and Experimental Dermatology</i> , 2005 , 30, 723-4	1.8	9
47	Behët's disease combined with various types of fistula. <i>Yonsei Medical Journal</i> , 2005 , 46, 625-8	3	13
46	Warty squamous cell carcinoma of the vulva in older women: association with human papillomavirus. <i>Yonsei Medical Journal</i> , 2005 , 46, 155-8	3	6
45	Comparison of Behcet's disease and recurrent aphthous ulcer according to characteristics of gastrointestinal symptoms. <i>Journal of Korean Medical Science</i> , 2005 , 20, 971-6	4.7	22
44	Comparison of characteristics of acquired bilateral nevus of Ota-like macules and nevus of Ota according to therapeutic outcome. <i>Journal of Korean Medical Science</i> , 2004 , 19, 554-9	4.7	33
43	Cdc42-dependent mediation of UV-induced p38 activation by G protein betagamma subunits. Journal of Biological Chemistry, 2004 , 279, 17366-75	5.4	33
42	Histopathological parameters determining lesion colours in the naevus of Ota: a morphometric study using computer-assisted image analysis. <i>British Journal of Dermatology</i> , 2004 , 150, 1148-53	4	7
41	Thalidomide upregulates macrophage inflammatory protein-1alpha in a herpes simplex virus-induced BehBt's disease-like animal model. <i>Archives of Dermatological Research</i> , 2004 , 296, 175-81	3.3	14
40	Eruptive disseminated superficial actinic porokeratosis in an immunocompetent host: is this associated with herpes simplex virus or bacterial infection?. <i>Journal of the American Academy of Dermatology</i> , 2004 , 51, 1018-9	4.5	8
39	Behët's disease: the first Mongolian case in literature showing HLA B51, MICA gene type *5/*6. <i>Yonsei Medical Journal</i> , 2003 , 44, 935-8	3	3
38	Intercellular adhesion molecule-1 polymorphisms in Korean patients with Behcet s disease. <i>Journal of Korean Medical Science</i> , 2003 , 18, 415-8	4.7	26
37	Influence of sex on patients with Behët's disease in Korea. <i>Journal of Korean Medical Science</i> , 2003 , 18, 231-5	4.7	63

(2001-2003)

36	Influence of sex on patients with Behāt's disease in Korea. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 59-63	3.6	5
35	Clinical features of Beh\delta's disease patients with epididymitis. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 528, 465-9	3.6	
34	The ICAM1469*E is associated with susceptibility to ocular lesions and vasculitis in Korean patients with Beh\(\textit{B}\)t's disease. Advances in Experimental Medicine and Biology, 2003 , 528, 235-6	3.6	2
33	Erythema multiforme-like lesions in syphilis. British Journal of Dermatology, 2003, 149, 658-60	4	16
32	Clinical features of patients with Behlet's disease and epididymitis. <i>Journal of Urology</i> , 2003 , 170, 1231-	32.5	30
31	Combined treatment with colchicine and Herba Taraxaci (Tarazacum mongolicum HandMazz.) attenuates Behcet's disease-like symptoms in mice and influences the expressions of cytokines. <i>International Immunopharmacology</i> , 2003 , 3, 713-21	5.8	13
30	Donor specific response of estrogen and progesterone on cultured human melanocytes. <i>Journal of Korean Medical Science</i> , 2002 , 17, 58-64	4.7	31
29	Melasma: histopathological characteristics in 56 Korean patients. <i>British Journal of Dermatology</i> , 2002 , 146, 228-37	4	284
28	Experimental studies on the antiviral agent famciclovir in Behlet's disease symptoms in ICR mice. <i>British Journal of Dermatology</i> , 2001 , 145, 799-804	4	27
27	Application of computerized image analysis in pigmentary skin diseases. <i>International Journal of Dermatology</i> , 2001 , 40, 45-9	1.7	27
26	The correlation of MHC haplotype and development of Behllt's disease-like symptoms induced by herpes simplex virus in several inbred mouse strains. <i>Journal of Dermatological Science</i> , 2001 , 26, 173-8	1 ^{4·3}	20
25	Absence of human papillomavirus DNA in nongenital seborrheic keratosis. <i>Journal of Korean Medical Science</i> , 2001 , 16, 619-22	4.7	23
24	Epidemiologic and clinical survey of Behcet's disease in Korea: the first multicenter study. <i>Journal of Korean Medical Science</i> , 2001 , 16, 615-8	4.7	101
23	Histopathology 2001 , 63-65		
22	Dermatologic Manifestation of Beh⊞t⊞ Disease 2001 , 129-136		
21	Interdepartmental Cooperation Approach System 2001 , 67-67		
20	Behëtë Disease 2001 ,		5
19	Etiopathogenesis 2001 , 15-18		

18 Animal Models **2001**, 75-78

17	The Influence of Pregnancy on Beh⊟t日 Disease 2001 , 187-192		
16	Epidemiological and Clinical Features of Behlet Disease in Korea 2001 , 177-185		
15	Clinical Manifestations 2001 , 19-50		5
14	Immunologic Aspects 2001 , 59-62		1
13	Expression of progesterone receptor in human keratinocytes. <i>Journal of Korean Medical Science</i> , 2000 , 15, 647-54	4.7	39
12	Presence of circulating antibodies to a disease-specific antigen on cultured human dermal microvascular endothelial cells in patients with Beh\(\textit{B}\)t's disease. <i>Archives of Dermatological Research</i> , 1999 , 291, 374-81	3.3	26
11	Epidermolysis bullosa acquisita localized to the face. <i>Journal of Dermatology</i> , 1998 , 25, 19-22	1.6	16
10	Expression of signal transducing G proteins in human melanoma cell lines. <i>Experimental and Molecular Medicine</i> , 1997 , 29, 223-227	12.8	1
9	Epidemiological and clinical features of Behët's disease in Korea. <i>Yonsei Medical Journal</i> , 1997 , 38, 428-3	36	62
8	Dermatologic manifestation of Behlet's disease. Yonsei Medical Journal, 1997, 38, 380-9	3	48
7	The influence of pregnancy on Behet's disease. <i>Yonsei Medical Journal</i> , 1997 , 38, 437-43	3	48
6	Linear and whorled nevoid hypermelanosis with delayed psychomotor development. <i>Yonsei Medical Journal</i> , 1996 , 37, 290-4	3	3
5	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Beh\textbf{B}t's disease. <i>Archives of Dermatological Research</i> , 1996 , 288, 179-83	3.3	82
4	Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behlets disease 1996 , 288, 179		6
3	Prognosis and clinical relevance of recurrent oral ulceration in Behæt's disease. <i>Journal of Dermatology</i> , 1995 , 22, 926-9	1.6	41
2	Clinical analysis of 40 cases of childhood-onset Behët's disease. <i>Pediatric Dermatology</i> , 1994 , 11, 95-101	1.9	90
1	Clinical study on death in Behæt's disease. <i>Journal of Korean Medical Science</i> , 1993 , 8, 241-5	4.7	18