
## Steven C Chapra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7294833/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Managing Agricultural Phosphorus for Protection of Surface Waters: Issues and Options. Journal of<br>Environmental Quality, 1994, 23, 437-451.                              | 2.0  | 1,132     |
| 2  | Reducing Phosphorus to Curb Lake Eutrophication is a Success. Environmental Science &<br>Technology, 2016, 50, 8923-8929.   | 10.0 | 761       |
| 3  | Screening Analysis of Human Pharmaceutical Compounds in U.S. Surface Waters. Environmental<br>Science & Technology, 2004, 38, 838-849.                                      | 10.0 | 227       |
| 4  | Climate Change Impacts on Harmful Algal Blooms in U.S. Freshwaters: A Screening-Level Assessment.<br>Environmental Science & Technology, 2017, 51, 8933-8943.               | 10.0 | 220       |
| 5  | QUAL2Kw – A framework for modeling water quality in streams and rivers using a genetic algorithm for calibration. Environmental Modelling and Software, 2006, 21, 419-425.  | 4.5  | 189       |
| 6  | Bioavailability of Phosphorus Inputs to Lakes. Journal of Environmental Quality, 1982, 11, 555-563.   | 2.0  | 186       |
| 7  | Great Lakes total phosphorus revisited: 1. Loading analysis and update (1994–2008). Journal of Great<br>Lakes Research, 2012, 38, 730-740.                                  | 1.9  | 177       |
| 8  | Long-term trends of nutrients and trophic response variables for the Great Lakes. Limnology and Oceanography, 2015, 60, 696-721.  | 3.1  | 174       |
| 9  | Delta Method For Estimating Primary Production, Respiration, And Reaeration In Streams. Journal of<br>Environmental Engineering, ASCE, 1991, 117, 640-655.                  | 1.4  | 157       |
| 10 | Long-term phenomenological model of phosphorus and oxygen for stratified lakes. Water Research,<br>1991, 25, 707-715.   | 11.3 | 130       |
| 11 | Long-term trends of Great Lakes major ion chemistry. Journal of Great Lakes Research, 2012, 38, 550-560.  | 1.9  | 120       |
| 12 | Sewage contamination in the upper Mississippi River as measured by the fecal sterol, coprostanol.<br>Water Research, 1995, 29, 1427-1436.                                   | 11.3 | 117       |
| 13 | Remote Sensing of Submerged Aquatic Vegetation in a Shallow Non-Turbid River Using an Unmanned<br>Aerial Vehicle. Remote Sensing, 2014, 6, 12815-12836.                     | 4.0  | 117       |
| 14 | Great Lakes chloride trends: Long-term mass balance and loading analysis. Journal of Great Lakes<br>Research, 2009, 35, 272-284.  | 1.9  | 92        |
| 15 | An efficient numerical solution of the transient storage equations for solute transport in small streams. Water Resources Research, 1993, 29, 211-215.                      | 4.2  | 90        |
| 16 | Engineering Water Quality Models and TMDLs. Journal of Water Resources Planning and Management -<br>ASCE, 2003, 129, 247-256.   | 2.6  | 87        |
| 17 | Comment on â€~An empirical method of estimating the retention of phosphorus in lakes' by W. B.<br>Kirchner and P. J. Dillon. Water Resources Research, 1975, 11, 1033-1034. | 4.2  | 79        |
| 18 | Great Lakes total phosphorus revisited: 2. Mass balance modeling. Journal of Great Lakes Research, 2012, 38, 741-754.   | 1.9  | 77        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Total Phosphorus Model for the Great Lakes. American Society of Civil Engineers, Journal of the<br>Environmental Engineering Division, 1977, 103, 147-161.  | 0.3  | 72        |
| 20 | A model of degradation and production of three pools of dissolved organic matter in an alpine lake.<br>Limnology and Oceanography, 2009, 54, 2213-2227.   | 3.1  | 71        |
| 21 | On the relationship of transient storage and aggregated dead zone models of longitudinal solute transport in streams. Water Resources Research, 2000, 36, 213-224.                                  | 4.2  | 70        |
| 22 | Decision Support System for Adaptive Water Supply Management. Journal of Water Resources<br>Planning and Management - ASCE, 2003, 129, 165-177.   | 2.6  | 69        |
| 23 | Expressing the Phosphorus Loading Concept in Probabilistic Terms. Journal of the Fisheries Research<br>Board of Canada, 1979, 36, 225-229.  | 0.9  | 65        |
| 24 | Reactive Solute Transport in Streams: 1. Development of an Equilibrium-Based Model. Water Resources<br>Research, 1996, 32, 409-418.   | 4.2  | 65        |
| 25 | Modeling the potential effects of climate change on water temperature downstream of a shallow reservoir, lower madison river, MT. Climatic Change, 2005, 68, 331-353.                               | 3.6  | 65        |
| 26 | A chlorophyll <i>a</i> model and its relationship to phosphorus loading plots for lakes. Water<br>Resources Research, 1976, 12, 1260-1264.  | 4.2  | 62        |
| 27 | Quantification of the Lake Trophic Typologies of Naumann (Surface Quality) and Thienemann (Oxygen)<br>with Special Reference to the Great Lakes. Journal of Great Lakes Research, 1981, 7, 182-193. | 1.9  | 61        |
| 28 | Confirmation of water quality models. Ecological Modelling, 1983, 20, 113-133.  | 2.5  | 53        |
| 29 | Great Lakes Eutrophication: The Effect of Point Source Control of Total Phosphorus. Science, 1977, 196, 1448-1450.  | 12.6 | 52        |
| 30 | Temperature Model for Highly Transient Shallow Streams. Journal of Hydraulic Engineering, 1997, 123,<br>30-40.  | 1.5  | 51        |
| 31 | Improving in-lake water quality modeling using variable chlorophyll a/algal biomass ratios.<br>Environmental Modelling and Software, 2018, 101, 73-85.  | 4.5  | 50        |
| 32 | A client-side web application for interactive environmental simulation modeling. Environmental<br>Modelling and Software, 2014, 55, 49-60.  | 4.5  | 46        |
| 33 | Reactive Solute Transport in Streams: 2. Simulation of a p H Modification Experiment. Water Resources<br>Research, 1996, 32, 419-430.   | 4.2  | 43        |
| 34 | Risk-based modelling of surface water quality: a case study of the Charles River, Massachusetts.<br>Journal of Hydrology, 2003, 274, 225-247.   | 5.4  | 38        |
| 35 | Modelling Dissolved Oxygen Depression in an Urban River in China. Water (Switzerland), 2017, 9, 520.  | 2.7  | 38        |
| 36 | Climate Change Impacts on US Water Quality Using Two Models: HAWQS and US Basins. Water<br>(Switzerland), 2017, 9, 118.   | 2.7  | 35        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Modeling Impact of Storage Zones on Stream Dissolved Oxygen. Journal of Environmental<br>Engineering, ASCE, 1999, 125, 415-419.   | 1.4 | 30        |
| 38 | Production of microbially-derived fulvic acid from photolysis of quinone-containing extracellular products of phytoplankton. Aquatic Sciences, 2009, 71, 170-178.                                     | 1.5 | 30        |
| 39 | Rapid Calculation of Oxygen in Streams: Approximate Delta Method. Journal of Environmental<br>Engineering, ASCE, 2005, 131, 336-342.  | 1.4 | 27        |
| 40 | Modeling the impacts of calcite precipitation on the epilimnion of an ultraoligotrophic, hard-water<br>lake. Ecological Modelling, 2011, 222, 76-90.  | 2.5 | 27        |
| 41 | Classic Optimization Techniques Applied to Stormwater and Nonpoint Source Pollution Management at the Watershed Scale. Journal of Water Resources Planning and Management - ASCE, 2013, 139, 486-491. | 2.6 | 27        |
| 42 | Comparison of an Ecological Model of Lake Ontario and Phosphorus Loading Models. Journal of the<br>Fisheries Research Board of Canada, 1977, 34, 286-290.   | 0.9 | 26        |
| 43 | Determination of Reaeration Coefficients: Whole-Lake Approach. Journal of Environmental Engineering, ASCE, 1996, 122, 269-275.  | 1.4 | 26        |
| 44 | Transient Storage and Gas Transfer in Lowland Stream. Journal of Environmental Engineering, ASCE, 2000, 126, 708-712.   | 1.4 | 26        |
| 45 | Impact of Global Warming on Dissolved Oxygen and BOD Assimilative Capacity of the World's Rivers:<br>Modeling Analysis. Water (Switzerland), 2021, 13, 2408.  | 2.7 | 26        |
| 46 | Analysis of the residual nutrient load from a combined sewer system in a watershed of a deep Italian<br>lake. Journal of Hydrology, 2019, 571, 202-213.   | 5.4 | 25        |
| 47 | A note on error analysis for a phosphorus retention model. Water Resources Research, 1979, 15, 1643-1646.   | 4.2 | 23        |
| 48 | Modeling Zebra Mussel Impacts on Water Quality of Seneca River, New York. Journal of Environmental<br>Engineering, ASCE, 2002, 128, 1158-1168.  | 1.4 | 21        |
| 49 | Mass-balance modeling framework for simulating and managing long-term water quality for the<br>lower Great Lakes. Journal of Great Lakes Research, 2016, 42, 1166-1173.                               | 1.9 | 20        |
| 50 | Modeling of NOM-Facilitated PAH Transport through Low-focSediment. Journal of Environmental<br>Engineering, ASCE, 1995, 121, 438-446.   | 1.4 | 19        |
| 51 | Climate change impacts and greenhouse gas mitigation effects on U.S. water quality. Journal of<br>Advances in Modeling Earth Systems, 2015, 7, 1326-1338.   | 3.8 | 19        |
| 52 | Simulation of Recent and Projected Total Phosphorus Trends in Lake Ontario. Journal of Great Lakes<br>Research, 1980, 6, 101-112.   | 1.9 | 18        |
| 53 | Modeling the lateral variation of bottom-attached algae in rivers. Ecological Modelling, 2013, 267, 11-25.  | 2.5 | 16        |
| 54 | Parsimonious Model for Assessing Nutrient Impacts on Periphyton-Dominated Streams. Journal of<br>Environmental Engineering, ASCE, 2014, 140, .  | 1.4 | 16        |

4

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Toxicantâ€Loading Concept for Organic Contaminants in Lakes. Journal of Environmental Engineering,<br>ASCE, 1991, 117, 656-677.  | 1.4  | 15        |
| 56 | Trihalomethane Precursor Model for Lake Youngs, Washington. Journal of Water Resources Planning<br>and Management - ASCE, 1997, 123, 259-265.  | 2.6  | 15        |
| 57 | Challenges of modelling water quality in a shallow prairie lake with seasonal ice cover. Ecological<br>Modelling, 2018, 384, 43-52.  | 2.5  | 15        |
| 58 | Applying phosphorus loading models to embayments1. Limnology and Oceanography, 1979, 24, 163-168.  | 3.1  | 14        |
| 59 | Diel changes of inorganic chemistry in a macrophyte-dominated, softwater stream. Marine and<br>Freshwater Research, 2005, 56, 1165.  | 1.3  | 14        |
| 60 | Empirical Models for Disinfection By-Products in Lakes and Reservoirs. Journal of Environmental Engineering, ASCE, 1997, 123, 714-715.   | 1.4  | 13        |
| 61 | Chloride and total phosphorus budgets for Green Bay, Lake Michigan. Journal of Great Lakes Research,<br>2013, 39, 420-428.   | 1.9  | 13        |
| 62 | Modelâ€Based Nitrogen and Phosphorus (Nutrient) Criteria for Large Temperate Rivers: 1. Model<br>Development and Application. Journal of the American Water Resources Association, 2015, 51, 421-446.                        | 2.4  | 13        |
| 63 | Transport and Retention of Concentrated Oil-in-Water Emulsions in Porous Media. Environmental<br>Science & Technology, 2018, 52, 4256-4264.  | 10.0 | 12        |
| 64 | Reply [to "Comment on â€~An efficient numerical solution of the transient storage equations for solute<br>transport in small streams' by R. L. Runkel and S. C. Chapraâ€]. Water Resources Research, 1994, 30,<br>2863-2865. | 4.2  | 11        |
| 65 | Modeling Effects of Sediment Diagenesis on Recovery of Hypolimnetic Oxygen. Journal of<br>Environmental Engineering, ASCE, 2013, 139, 44-53.   | 1.4  | 11        |
| 66 | Uncertainty and sensitivity analyses using GLUE when modeling inhibition and pharmaceutical cometabolism during nitrification. Environmental Modelling and Software, 2014, 60, 219-227.                                      | 4.5  | 11        |
| 67 | Rubbish, Stink, and Death: The Historical Evolution, Present State, and Future Direction of<br>Water-Quality Management and Modeling. Environmental Engineering Research, 2011, 16, 113-119.                                 | 2.5  | 11        |
| 68 | MODELING TOC AND UV-254 ABSORBANCE FOR RESERVOIR PLANNING AND OPERATION. Journal of the American Water Resources Association, 2004, 40, 795-809.   | 2.4  | 10        |
| 69 | Evidence from field measurements and satellite imaging of impact of Earth rotation on Lake Iseo<br>chemistry. Journal of Great Lakes Research, 2018, 44, 14-25.  | 1.9  | 9         |
| 70 | The canopy effect in filamentous algae: Improved modeling of Cladophora growth via a mechanistic representation of self-shading. Ecological Modelling, 2020, 418, 108906.  | 2.5  | 8         |
| 71 | A budget model accounting for the positional availability of phosphorus in lakes. Water Research,<br>1982, 16, 205-209.  | 11.3 | 7         |
| 72 | Calibration and application of a sediment accumulation rate model – a case study. Inland Waters, 2012, 2, 23-36.   | 2.2  | 7         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Optimal Location of Sediment-Trapping Best Management Practices for Nonpoint Source Load<br>Management. Journal of Water Resources Planning and Management - ASCE, 2013, 139, 478-485.                      | 2.6  | 7         |
| 74 | Influence of biomass and water velocity on light attenuation of Cladophora glomerata L. (Kuetzing)<br>in rivers. Aquatic Botany, 2018, 151, 62-70.  | 1.6  | 7         |
| 75 | Response to the Letter, Nitrogen is Not a "House of Cards― Environmental Science & Technology,<br>2017, 51, 1943-1943.  | 10.0 | 6         |
| 76 | Comparison of aquatic ecosystem functioning between eutrophic and hypereutrophic cold-region river-lake systems. Ecological Modelling, 2019, 393, 25-36.  | 2.5  | 6         |
| 77 | Personal computers and environmental engineering Part I –Trends and perspectives. Environmental<br>Science & Technology, 1987, 21, 832-837.   | 10.0 | 5         |
| 78 | New hydroepidemiological models of indicator organisms and zoonotic pathogens in agricultural watersheds. Ecological Modelling, 2011, 222, 2093-2102.   | 2.5  | 5         |
| 79 | "Back to the Future― Time for a Renaissance of Public Health Engineering. International Journal of<br>Environmental Research and Public Health, 2019, 16, 387.  | 2.6  | 5         |
| 80 | Steady-state distributed modeling of dissolved oxygen in data-poor, sewage dominated river systems<br>using drainage networks. Environmental Modelling and Software, 2019, 111, 153-169.                    | 4.5  | 4         |
| 81 | Evaluating Hydraulic Habitat Suitability of Filamentous Algae Using an Unmanned Aerial Vehicle and<br>Acoustic Doppler Current Profiler. Journal of Environmental Engineering, ASCE, 2020, 146, 04019126.   | 1.4  | 4         |
| 82 | Nutrient Attenuation in Streams: A Simplified Model to Explain Field Observations. Journal of<br>Environmental Engineering, ASCE, 2020, 146, .  | 1.4  | 4         |
| 83 | Modelâ€Based Nitrogen and Phosphorus (Nutrient) Criteria for Large Temperate Rivers: 2. Criteria<br>Derivation. Journal of the American Water Resources Association, 2015, 51, 447-470.                     | 2.4  | 3         |
| 84 | Decision Support Models for Assessing the Impact of Aquaculture on River Water Quality. Journal of<br>Environmental Engineering, ASCE, 2016, 142, .   | 1.4  | 3         |
| 85 | Comment on "The effect of changes in the nutrient income on the condition of Lake Washington―<br>(Edmondson and Lehman). Limnology and Oceanography, 1983, 28, 792-795.                                     | 3.1  | 2         |
| 86 | Numerical Efficiency in Monte Carlo Simulations—Case Study of a River Thermodynamic Model.<br>Journal of Environmental Engineering, ASCE, 2004, 130, 456-464.   | 1.4  | 2         |
| 87 | Load-Response Models for Establishing Site-Specific Nutrient Goals Based on Water Quality and<br>Biological Response Indicators. Proceedings of the Water Environment Federation, 2013, 2013,<br>1614-1626. | 0.0  | 2         |
| 88 | Sed2K: Modeling Lake Sediment Diagenesis in a Management Context. Journal of Environmental<br>Engineering, ASCE, 2015, 141, .   | 1.4  | 2         |
| 89 | Dissolved phosphorus concentrations in Cayuga Lake system and differences from two analytical protocols. Lake and Reservoir Management, 2016, 32, 392-401.  | 1.3  | 2         |
| 90 | Simulation of Terrigenous Minerogenic Particle Populations in Time and Space in Cayuga Lake, New<br>York, in Response to Runoff Events. Water, Air, and Soil Pollution, 2016, 227, 1.                       | 2.4  | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | The Need for Simple Approaches for the Estimation of Lake Model Prediction Uncertainty. , 1983, , 293-303.  |     | 2         |
| 92 | A Review Of The Research And Data Needs For Improving Load-Response Models In The Werf Nutrient<br>Modeling Toolbox. Proceedings of the Water Environment Federation, 2014, 2014, 505-517.  | 0.0 | 1         |
| 93 | Simulation of the Contribution of Phosphorus-Containing Minerogenic Particles to Particulate<br>Phosphorus Concentration in Cayuga Lake, New York. Water, Air, and Soil Pollution, 2016, 227, 1.  | 2.4 | 1         |
| 94 | Advances in River Water Quality Modelling and Management: Where We Come from, Where We Are,<br>and Where We're Going?. Green Energy and Technology, 2019, , 295-301.  | 0.6 | 1         |
| 95 | Closure to " Delta Method for Estimating Primary Production, Respiration, and Reaeration in Streams<br>―by Steven C. Chapra and Dominic M. Di Toro (September/October, Vol. 117, No. 5). Journal of<br>Environmental Engineering, ASCE, 1992, 118, 1007-1008. | 1.4 | 0         |
| 96 | Fate of environmental pollutants. Water Environment Research, 1992, 64, 581-593.  | 2.7 | 0         |
| 97 | Wastewater Modification Processes in a Stabilization Reservoir: A New Mathematical Model. Green Energy and Technology, 2019, , 285-292.   | 0.6 | 0         |