Michael J Townsend

List of Publications by Citations

Source: https://exaly.com/author-pdf/7295679/michael-j-townsend-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51	4,344	31	53
papers	citations	h-index	g-index
53	5,184	11.5 avg, IF	4.95
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
51	T-bet regulates the terminal maturation and homeostasis of NK and Valpha14i NKT cells. <i>Immunity</i> , 2004 , 20, 477-94	32.3	569
50	T1/ST2-deficient mice demonstrate the importance of T1/ST2 in developing primary T helper cell type 2 responses. <i>Journal of Experimental Medicine</i> , 2000 , 191, 1069-76	16.6	404
49	IL-4 induces characteristic Th2 responses even in the combined absence of IL-5, IL-9, and IL-13. <i>Immunity</i> , 2002 , 17, 7-17	32.3	273
48	IL-9-deficient mice establish fundamental roles for IL-9 in pulmonary mastocytosis and goblet cell hyperplasia but not T cell development. <i>Immunity</i> , 2000 , 13, 573-83	32.3	272
47	Recent developments in the transcriptional regulation of cytolytic effector cells. <i>Nature Reviews Immunology</i> , 2004 , 4, 900-11	36.5	239
46	A Phase II study of the efficacy and safety of rontalizumab (rhuMAb interferon-lin patients with systemic lupus erythematosus (ROSE). <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 196-202	2.4	230
45	Synovial phenotypes in rheumatoid arthritis correlate with response to biologic therapeutics. <i>Arthritis Research and Therapy</i> , 2014 , 16, R90	5.7	211
44	B-cell targeted therapies in human autoimmune diseases: an updated perspective. <i>Immunological Reviews</i> , 2010 , 237, 264-83	11.3	179
43	Phosphorylation and linear ubiquitin direct A20 inhibition of inflammation. <i>Nature</i> , 2015 , 528, 370-5	50.4	167
42	The transcription factors T-bet and GATA-3 control alternative pathways of T-cell differentiation through a shared set of target genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17876-81	11.5	161
41	Safety and pharmacodynamics of rontalizumab in patients with systemic lupus erythematosus: results of a phase I, placebo-controlled, double-blind, dose-escalation study. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3666-76		139
40	SIGN-R1 contributes to protection against lethal pneumococcal infection in mice. <i>Journal of Experimental Medicine</i> , 2004 , 200, 1383-93	16.6	122
39	The absence of interleukin 9 does not affect the development of allergen-induced pulmonary inflammation nor airway hyperreactivity. <i>Journal of Experimental Medicine</i> , 2002 , 195, 51-7	16.6	118
38	Molecular Portraits of Early Rheumatoid Arthritis Identify Clinical and Treatment Response Phenotypes. <i>Cell Reports</i> , 2019 , 28, 2455-2470.e5	10.6	100
37	Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 761-772	2.4	96
36	Promising bone-related therapeutic targets for rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2009 , 5, 543-8	8.1	80
35	Association of endogenous anti-interferon-lautoantibodies with decreased interferon-pathway and disease activity in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2407-15		78

(2010-2015)

34	Association of the interferon signature metric with serological disease manifestations but not global activity scores in multiple cohorts of patients with SLE. <i>Lupus Science and Medicine</i> , 2015 , 2, e000	0 86	66
33	Integration of eQTL and a Single-Cell Atlas in the Human Eye Identifies Causal Genes for Age-Related Macular Degeneration. <i>Cell Reports</i> , 2020 , 30, 1246-1259.e6	10.6	62
32	A plasmablast biomarker for nonresponse to antibody therapy to CD20 in rheumatoid arthritis. <i>Science Translational Medicine</i> , 2011 , 3, 101ra92	17.5	60
31	NF-B inducing kinase is a therapeutic target for systemic lupus erythematosus. <i>Nature Communications</i> , 2018 , 9, 179	17.4	58
30	Btk-specific inhibition blocks pathogenic plasma cell signatures and myeloid cell-associated damage in IFN-driven lupus nephritis. <i>JCI Insight</i> , 2017 , 2, e90111	9.9	48
29	Inflammation and autoantibody markers identify rheumatoid arthritis patients with enhanced clinical benefit following rituximab treatment. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3681-91		48
28	Synovial tissue signatures enhance clinical classification and prognostic/treatment response algorithms in early inflammatory arthritis and predict requirement for subsequent biological therapy: results from the pathobiology of early arthritis cohort (PEAC). Annals of the Rheumatic	2.4	43
27	Diseases, 2019, 78, 1642-1652 Ability of Interleukin-33- and Immune Complex-Triggered Activation of Human Mast Cells to Down-Regulate Monocyte-Mediated Immune Responses. <i>Arthritis and Rheumatology</i> , 2015, 67, 2343-53	9.5	39
26	Pretreatment synovial transcriptional profile is associated with early and late clinical response in rheumatoid arthritis patients treated with rituximab. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1888-9	4 ·4	36
25	Lymphotoxin-alphabeta heterotrimers are cleaved by metalloproteinases and contribute to synovitis in rheumatoid arthritis. <i>Cytokine</i> , 2010 , 51, 78-86	4	36
24	T-bet regulates metastasis rate in a murine model of primary prostate cancer. <i>Cancer Research</i> , 2004 , 64, 452-5	10.1	34
23	The kinase TPL2 activates ERK and p38 signaling to promote neutrophilic inflammation. <i>Science Signaling</i> , 2017 , 10,	8.8	33
22	Modular analysis of peripheral blood gene expression in rheumatoid arthritis captures reproducible gene expression changes in tumor necrosis factor responders. <i>Arthritis and Rheumatology</i> , 2015 , 67, 344	1351	32
21	Efficacy and safety of pateclizumab (anti-lymphotoxin-Icompared to adalimumab in rheumatoid arthritis: a head-to-head phase 2 randomized controlled study (The ALTARA Study). <i>Arthritis Research and Therapy</i> , 2014 , 16, 467	5.7	32
20	IL-17A is associated with the breakdown of the blood-brain barrier in relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2019 , 332, 147-154	3.5	29
19	Evaluation of heterophilic antibody blocking agents in reducing false positive interference in immunoassays for IL-17AA, IL-17FF, and IL-17AF. <i>Journal of Immunological Methods</i> , 2010 , 362, 70-81	2.5	29
18	Establishment of neurofilament light chain Simoa assay in cerebrospinal fluid and blood. <i>Bioanalysis</i> , 2019 , 11, 1405-1418	2.1	28
17	Distal regions of the human IFNG locus direct cell type-specific expression. <i>Journal of Immunology</i> , 2010 , 185, 1492-501	5.3	27

16	Molecular and cellular heterogeneity in the Rheumatoid Arthritis synovium: clinical correlates of synovitis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 539-49	5.3	23
15	Characterization of IL-17AA and IL-17FF in rheumatoid arthritis and multiple sclerosis. <i>Bioanalysis</i> , 2016 , 8, 2317-2327	2.1	21
14	MTRX1011A, a humanized anti-CD4 monoclonal antibody, in the treatment of patients with rheumatoid arthritis: a phase I randomized, double-blind, placebo-controlled study incorporating pharmacodynamic biomarker assessments. <i>Arthritis Research and Therapy</i> , 2011 , 13, R177	5.7	17
13	Activation of naMe CD4 T cells re-tunes STAT1 signaling to deliver unique cytokine responses in memory CD4 T cells. <i>Nature Immunology</i> , 2019 , 20, 458-470	19.1	16
12	Stratified medicine in inflammatory disorders: From theory to practice. <i>Clinical Immunology</i> , 2015 , 161, 11-22	9	16
11	Reducing the risk of failure: biomarker-guided trial design. <i>Nature Reviews Drug Discovery</i> , 2016 , 15, 517	7- 6 4.1	13
10	The kinase IRAK4 promotes endosomal TLR and immune complex signaling in B cells and plasmacytoid dendritic cells. <i>Science Signaling</i> , 2020 , 13,	8.8	11
9	Efficacy, Safety, and Pharmacodynamic Effects of the Bruton'd Tyrosine Kinase Inhibitor Fenebrutinib (GDC-0853) in Systemic Lupus Erythematosus: Results of a Phase II, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1835-1846	9.5	11
8	The Autoimmune Susceptibility Gene Regulates Macrophage-Mediated Resolution of Inflammation. <i>Journal of Immunology</i> , 2019 , 202, 1069-1078	5.3	8
7	Anti-vimentin antibodies: a unique antibody class associated with therapy-resistant lupus nephritis. <i>Lupus</i> , 2020 , 29, 569-577	2.6	6
6	Antibodies against human endogenous retrovirus K102 envelope activate neutrophils in systemic lupus erythematosus. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	6
5	Fit-for-purpose biomarker immunoassay qualification and validation: three case studies. <i>Bioanalysis</i> , 2016 , 8, 2329-2340	2.1	6
4	Levels of CXCL13 and sICAM-1 correlate with disease activity score in patients with rheumatoid arthritis treated with tocilizumab. <i>Advances in Rheumatology</i> , 2019 , 59, 54	3	3
3	Influence of genetic copy number variants of the human GLUT3 glucose transporter gene on protein expression, glycolysis and rheumatoid arthritis risk: A genetic replication study. <i>Molecular Genetics and Metabolism Reports</i> , 2019 , 19, 100470	1.8	2
2	Response to: \(\mathbf{S}\) ynovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients\(\mathbf{D}\)by Buch. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e141	2.4	2
1	Antibody against envelope protein from human endogenous retrovirus activates neutrophils in systemic lupus erythematosus		2