

Oliviero Riggio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7296085/oliviero-riggio-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

220
papers

8,539
citations

52
h-index

86
g-index

293
ext. papers

10,143
ext. citations

4.6
avg, IF

5.49
L-index

#	Paper	IF	Citations
220	Ammonia and the Muscle: An Emerging Point of View on Hepatic Encephalopathy.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	2
219	Gut liver muscle brain axis: a comprehensive viewpoint on prognosis in cirrhosis.. <i>Journal of Hepatology</i> , 2022 ,	13.4	4
218	Episodic Precipitant-induced Hepatic Encephalopathy Treatment: The Ideal Trial Is Still Lacking.. <i>Journal of Clinical Gastroenterology</i> , 2022 , 56, 192-193	3	
217	The application of Pancreatitis Activity Score System in clinical practice: an Italian experience.. <i>European Journal of Gastroenterology and Hepatology</i> , 2022 , 34, 724-725	2.2	
216	Nutrition Assessment and Management in Patients with Cirrhosis and Cognitive Impairment: A Comprehensive Review of Literature. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2842	5.1	1
215	Letter to the editor: Episodic-precipitant induced hepatic encephalopathy treatment: look at new and old precipitants!. <i>Hepatology</i> , 2021 ,	11.2	
214	Identifying Patients at High Risk of Developing Non-Cirrhotic Portal Hypertension. <i>Hepatic Medicine: Evidence and Research</i> , 2021 , 13, 105-111	3.4	0
213	Relevance of Spontaneous Portosystemic Shunts Detected with CT in Patients with Cirrhosis. <i>Radiology</i> , 2021 , 299, 133-140	20.5	7
212	Risk of falls in patients with cirrhosis evaluated by timed up and go test: Does muscle or brain matter more?. <i>Digestive and Liver Disease</i> , 2021 ,	3.3	3
211	PREDICT identifies precipitating events associated with the clinical course of acutely decompensated cirrhosis. <i>Journal of Hepatology</i> , 2021 , 74, 1097-1108	13.4	41
210	On-treatment serum albumin level can guide long-term treatment in patients with cirrhosis and uncomplicated ascites. <i>Journal of Hepatology</i> , 2021 , 74, 340-349	13.4	11
209	Neurological and psychiatric effects of hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2021 , 27, 4846-4861	5.6	2
208	The improvement in body composition including subcutaneous and visceral fat reduces ammonia and hepatic encephalopathy after transjugular intrahepatic portosystemic shunt. <i>Liver International</i> , 2021 ,	7.9	6
207	Portal Hypertension and Ascites: Patient-and Population-centered Clinical Practice Guidelines by the Italian Association for the Study of the Liver (AISF). <i>Digestive and Liver Disease</i> , 2021 , 53, 1089-1104	3.3	5
206	Long-term albumin administration is not futile in patients with cirrhosis and uncomplicated ascites not normalizing serum albumin concentration with treatment. <i>Journal of Hepatology</i> , 2020 , 73, S738	13.4	
205	Clinical management of type C hepatic encephalopathy. <i>United European Gastroenterology Journal</i> , 2020 , 8, 536-543	5.3	7
204	Hepatic Encephalopathy: Diagnosis and Management. <i>Journal of Translational Internal Medicine</i> , 2020 , 8, 210-219	3	9

203	Spontaneous porto-systemic shunts in liver cirrhosis: Clinical and therapeutical aspects. <i>World Journal of Gastroenterology</i> , 2020 , 26, 1726-1732	5.6	15
202	Small hepatic veins Budd-Chiari syndrome and paroxysmal nocturnal hemoglobinuria - The association of two rare entities: a case report. <i>Pathologica</i> , 2020 , 112, 102-104	1.9	0
201	The PREDICT study uncovers three clinical courses of acutely decompensated cirrhosis that have distinct pathophysiology. <i>Journal of Hepatology</i> , 2020 , 73, 842-854	13.4	108
200	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00197	4.2	3
199	Causes and Management of Non-cirrhotic Portal Hypertension . <i>Current Gastroenterology Reports</i> , 2020 , 22, 56	5	6
198	The modification of quantity and quality of muscle mass improves the cognitive impairment after TIPS. <i>Liver International</i> , 2019 , 39, 871-877	7.9	26
197	Erectile dysfunction in patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2019 , 51, 856-857	3.3	0
196	Prevalence and impact of sarcopenia in non-cirrhotic portal hypertension. <i>Liver International</i> , 2019 , 39, 1937-1942	7.9	8
195	Muscle Alterations Are Associated With Minimal and Overt Hepatic Encephalopathy in Patients With Liver Cirrhosis. <i>Hepatology</i> , 2019 , 70, 1704-1713	11.2	49
194	Reply. <i>Hepatology</i> , 2019 , 70, 762-763	11.2	1
193	Long-term albumin administration in patients with cirrhosis and uncomplicated ascites: the use of serum albumin concentration for personalizing treatment. <i>Digestive and Liver Disease</i> , 2019 , 51, e9	3.3	2
192	Incidence of portal hypertension in patients exposed to oxaliplatin. <i>Digestive and Liver Disease</i> , 2019 , 51, 1348-1350	3.3	6
191	PS-083-Serum albumin concentration as guide for long-term albumin treatment in patients with cirrhosis and uncomplicated ascites: Lessons from the ANSWER study. <i>Journal of Hepatology</i> , 2019 , 70, e53	13.4	5
190	The additive value of sarcopenia, myosteatorsis and hepatic encephalopathy in the predictivity of model for end-stage liver disease. <i>Digestive and Liver Disease</i> , 2019 , 51, 1508-1512	3.3	9
189	Sarcopenia and cognitive impairment in liver cirrhosis: A viewpoint on the clinical impact of minimal hepatic encephalopathy. <i>World Journal of Gastroenterology</i> , 2019 , 25, 5257-5265	5.6	15
188	Hepatitis C virus eradication with directly acting antivirals improves health-related quality of life and psychological symptoms. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6928-6938	5.6	10
187	Is porto sinusoidal vascular disease to be actively searched in patients with portal vein thrombosis?. <i>World Journal of Hepatology</i> , 2019 , 11, 613-618	3.4	4
186	P: 25 Muscle Alterations Are Associated With Minimal and Overt Hepatic Encephalopathy in Patients With Liver Cirrhosis. <i>American Journal of Gastroenterology</i> , 2019 , 114, S13-S13	0.7	1

185	P: 26 The Modification of Quantity and Quality of Muscle Mass Improves the Cognitive Impairment After TIPS. <i>American Journal of Gastroenterology</i> , 2019 , 114, S14-S14	0.7	
184	Hepatic encephalopathy 2018: A clinical practice guideline by the Italian Association for the Study of the Liver (AISF). <i>Digestive and Liver Disease</i> , 2019 , 51, 190-205	3.3	36
183	Letter to the Editor: Liver Stiffness in Noncirrhotic Portal Hypertension: The Devil Is in the Diagnosis. <i>Hepatology</i> , 2019 , 70, 444-445	11.2	3
182	Proton Pump Inhibitors Are Associated With Minimal and Overt Hepatic Encephalopathy and Increased Mortality in Patients With Cirrhosis. <i>Hepatology</i> , 2019 , 70, 640-649	11.2	46
181	How to Design a Multicenter Clinical Trial in Hepatic Encephalopathy. <i>Journal of Clinical and Experimental Hepatology</i> , 2019 , 9, 137-145	4.1	6
180	May sarcopenia and/or hepatic encephalopathy improve the predictivity of model for end-stage liver disease?. <i>Journal of Hepatology</i> , 2018 , 68, 1324-1325	13.4	1
179	Natural history of patients with non cirrhotic portal hypertension: Comparison with patients with compensated cirrhosis. <i>Digestive and Liver Disease</i> , 2018 , 50, 839-844	3.3	26
178	Prediction of hepatic encephalopathy: Why disregard well-known risk factors?. <i>Hepatology</i> , 2018 , 67, 1637	11.2	1
177	A low muscle mass increases mortality in compensated cirrhotic patients with sepsis. <i>Liver International</i> , 2018 , 38, 851-857	7.9	33
176	Management of Hepatic Encephalopathy Not Responsive to First-Line Treatments. <i>Current Treatment Options in Gastroenterology</i> , 2018 , 16, 253-259	2.5	8
175	Modification of splenic stiffness on acoustic radiation force impulse parallels the variation of portal pressure induced by transjugular intrahepatic portosystemic shunt. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 704-709	4	20
174	Radiological Intervention for Shunt Related Encephalopathy. <i>Journal of Clinical and Experimental Hepatology</i> , 2018 , 8, 452-459	4.1	12
173	Quality of life in patients with minimal hepatic encephalopathy. <i>World Journal of Gastroenterology</i> , 2018 , 24, 5446-5453	5.6	28
172	The burden of minimal hepatic encephalopathy: from diagnosis to therapeutic strategies. <i>Annals of Gastroenterology</i> , 2018 , 31, 151-164	2.2	28
171	Long-term albumin administration in decompensated cirrhosis (ANSWER): an open-label randomised trial. <i>Lancet, The</i> , 2018 , 391, 2417-2429	40	176
170	Proton pump inhibitors increase the risk of minimal and overt hepatic encephalopathy and they are associated with high mortality in cirrhotic patients. <i>Journal of Hepatology</i> , 2018 , 68, S732-S733	13.4	2
169	The animal naming test: An easy tool for the assessment of hepatic encephalopathy. <i>Hepatology</i> , 2017 , 66, 198-208	11.2	70
168	Hepatic Encephalopathy Is Associated with Persistent Learning Impairments Despite Adequate Medical Treatment: A Multicenter, International Study. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 794-800		13

167	A cost analysis of a broad-spectrum antibiotic therapy in the empirical treatment of health care-associated infections in cirrhotic patients. <i>ClinicoEconomics and Outcomes Research</i> , 2017 , 9, 385-390	1.7	4
166	Small-for-flow liver failure after extended hepatectomy: hot questions and an update. <i>Gastroenterology Insights</i> , 2017 , 8,	2.1	1
165	Gut-derived endotoxin stimulates factor VIII secretion from endothelial cells. Implications for hypercoagulability in cirrhosis. <i>Journal of Hepatology</i> , 2017 , 67, 950-956	13.4	49
164	Antithrombotic treatment with direct-acting oral anticoagulants in patients with splanchnic vein thrombosis and cirrhosis. <i>Liver International</i> , 2017 , 37, 694-699	7.9	128
163	Sarcopenia Is Risk Factor for Development of Hepatic Encephalopathy After Transjugular Intrahepatic Portosystemic Shunt Placement. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 934-936	6.9	94
162	Survival at 2 years among liver cirrhotic patients is influenced by left atrial volume and left ventricular mass. <i>Liver International</i> , 2017 , 37, 700-706	7.9	20
161	Low-grade endotoxemia and platelet activation in cirrhosis. <i>Hepatology</i> , 2017 , 65, 571-581	11.2	71
160	No effect of albumin infusion on the prevention of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt. <i>Metabolic Brain Disease</i> , 2016 , 31, 1275-1281	3.9	17
159	Hepatic encephalopathy in patients with non-cirrhotic portal hypertension: Description, prevalence and risk factors. <i>Digestive and Liver Disease</i> , 2016 , 48, 1072-7	3.3	13
158	Hepatic encephalopathy expands the predictivity of model for end-stage liver disease in liver transplant setting: Evidence by means of 2 independent cohorts. <i>Liver Transplantation</i> , 2016 , 22, 1333-42	4.5	24
157	AISF-SIMTI Position Paper: The appropriate use of albumin in patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2016 , 48, 4-15	3.3	15
156	Hemostatic balance in patients with liver cirrhosis: Report of a consensus conference. <i>Digestive and Liver Disease</i> , 2016 , 48, 455-467	3.3	41
155	Cognitive Impairment Predicts The Occurrence Of Hepatic Encephalopathy After Transjugular Intrahepatic Portosystemic Shunt. <i>American Journal of Gastroenterology</i> , 2016 , 111, 523-8	0.7	40
154	Idiopathic noncirrhotic portal hypertension: current perspectives. <i>Hepatic Medicine: Evidence and Research</i> , 2016 , 8, 81-8	3.4	17
153	Portal Hypertension Related to Schistosomiasis Treated With a Transjugular Intrahepatic Portosystemic Shunt. <i>Journal of Clinical Gastroenterology</i> , 2016 , 50, 608-10	3	5
152	An empirical broad spectrum antibiotic therapy in health-care-associated infections improves survival in patients with cirrhosis: A randomized trial. <i>Hepatology</i> , 2016 , 63, 1632-9	11.2	48
151	Long-term use of human albumin for the treatment of ascites in patients with hepatic cirrhosis: The interim analysis of the ANSWER study. <i>Digestive and Liver Disease</i> , 2015 , 47, e6	3.3	3
150	Albumin infusion in cirrhotic patients with infections other than spontaneous bacterial peritonitis: End of the story?. <i>Journal of Hepatology</i> , 2015 , 63, 767-8	13.4	3

149	Beta-blockers in patients with cirrhosis and infections: don't blame too soon!. <i>Liver International</i> , 2015 , 35, 1778-9	7.9	
148	The chronic use of beta-blockers and proton pump inhibitors may affect the rate of bacterial infections in cirrhosis. <i>Liver International</i> , 2015 , 35, 362-9	7.9	68
147	Management of hepatic encephalopathy as an inpatient. <i>Clinical Liver Disease</i> , 2015 , 5, 79-82	2.2	3
146	The spread of multi drug resistant infections is leading to an increase in the empirical antibiotic treatment failure in cirrhosis: a prospective survey. <i>PLoS ONE</i> , 2015 , 10, e0127448	3.7	60
145	Interaction between infection and hepatic encephalopathy. <i>Journal of Hepatology</i> , 2015 , 62, 746-7	13.4	2
144	A Model for Predicting Development of Overt Hepatic Encephalopathy in Patients With Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 1346-52	6.9	36
143	Reply: To PMID 23707462. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 707-8	6.9	
142	P473 BACTERIAL INFECTIONS IN CIRRHOTIC PATIENTS: RISK FACTORS AND RATE OF FAILURE OF THE EMPIRICAL ANTIBIOTIC THERAPY. <i>Journal of Hepatology</i> , 2014 , 60, S227	13.4	4
141	Hepatocellular carcinoma in cirrhotic patients with transjugular intrahepatic portosystemic shunt: a retrospective case-control study. <i>Digestive and Liver Disease</i> , 2014 , 46, 726-30	3.3	7
140	Idiopathic non cirrhotic portal hypertension and spleno-portal axis abnormalities in patients with severe primary antibody deficiencies. <i>Journal of Immunology Research</i> , 2014 , 2014, 672458	4.5	17
139	Polyunsaturated fatty acids balance affects platelet NOX2 activity in patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2014 , 46, 632-8	3.3	9
138	Small hepatic veins Budd-Chiari syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2014 , 37, 536-9	5.1	9
137	Depression, anxiety and alexithymia symptoms are major determinants of health related quality of life (HRQoL) in cirrhotic patients. <i>Metabolic Brain Disease</i> , 2013 , 28, 239-43	3.9	71
136	Muscle depletion increases the risk of overt and minimal hepatic encephalopathy: results of a prospective study. <i>Metabolic Brain Disease</i> , 2013 , 28, 281-4	3.9	158
135	Cognitive dysfunction is associated with poor socioeconomic status in patients with cirrhosis: an international multicenter study. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1511-6	6.9	40
134	Cardiac dysfunction in cirrhosis is not associated with the severity of liver disease. <i>European Journal of Internal Medicine</i> , 2013 , 24, 172-6	3.9	51
133	Increased risk of cognitive impairment in cirrhotic patients with bacterial infections. <i>Journal of Hepatology</i> , 2013 , 59, 243-50	13.4	54
132	D-Lactic acidosis 25 years after bariatric surgery due to Salmonella enteritidis. <i>Nutrition</i> , 2012 , 28, 108-114.8	11.8	10

131	Simple tools for complex syndromes: a three-level difficulty test for hepatic encephalopathy. <i>Digestive and Liver Disease</i> , 2012 , 44, 957-60	3.3	30
130	Hepatic encephalopathy after transjugular intrahepatic portosystemic shunt. <i>Clinics in Liver Disease</i> , 2012 , 16, 133-46	4.6	91
129	Rifaximin therapy and hepatic encephalopathy: Pros and cons. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2012 , 3, 62-7	3	24
128	Nutrition and Hepatic Encephalopathy 2012 , 199-209		1
127	A simplified psychometric evaluation for the diagnosis of minimal hepatic encephalopathy. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 613-6.e1	6.9	22
126	Evidence of persistent cognitive impairment after resolution of overt hepatic encephalopathy. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 181-3	6.9	81
125	Transjugular intrahepatic portosystemic shunt with expanded-polytetrafluoroethylene-covered stents in non-cirrhotic patients with portal cavernoma. <i>Digestive and Liver Disease</i> , 2011 , 43, 78-84	3.3	54
124	Vascular disorders of the liver: recommendations from the Italian Association for the Study of the Liver (AISF) ad hoc committee. <i>Digestive and Liver Disease</i> , 2011 , 43, 503-14	3.3	43
123	Improvement of nutritional status in malnourished cirrhotic patients one year after liver transplantation. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2011 , 6, e142-e147		19
122	Diagnosis, treatment and survival of patients with hepatorenal syndrome: a survey on daily medical practice. <i>Journal of Hepatology</i> , 2011 , 55, 1241-8	13.4	65
121	Nutritional status and liver transplantation. <i>Journal of Clinical and Experimental Hepatology</i> , 2011 , 1, 190-8	4.1	22
120	Previous overt hepatic encephalopathy rather than minimal hepatic encephalopathy impairs health-related quality of life in cirrhotic patients. <i>Liver International</i> , 2011 , 31, 1505-10	7.9	34
119	NADPH oxidase-mediated platelet isoprostane over-production in cirrhotic patients: implication for platelet activation. <i>Liver International</i> , 2011 , 31, 1533-40	7.9	33
118	Kupffer cells are activated in cirrhotic portal hypertension and not normalised by TIPS. <i>Gut</i> , 2011 , 60, 1389-93	19.2	93
117	Nutritional status: its influence on the outcome of patients undergoing liver transplantation. <i>Liver International</i> , 2010 , 30, 208-14	7.9	170
116	Peripheral and splanchnic indole and oxindole levels in cirrhotic patients: a study on the pathophysiology of hepatic encephalopathy. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1374-81	0.7	32
115	Emerging issues in the use of transjugular intrahepatic portosystemic shunt (TIPS) for management of portal hypertension: time to update the guidelines?. <i>Digestive and Liver Disease</i> , 2010 , 42, 462-7	3.3	33
114	Improving the inhibitory control task to detect minimal hepatic encephalopathy. <i>Gastroenterology</i> , 2010 , 139, 510-8, 518.e1-2	13.3	71

113	Clinical efficacy of transjugular intrahepatic portosystemic shunt created with covered stents with different diameters: results of a randomized controlled trial. <i>Journal of Hepatology</i> , 2010 , 53, 267-72	13.4	100
112	Cirrhotic patients are at risk for health care-associated bacterial infections. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 979-85	6.9	232
111	Hepatic encephalopathy: you should only comment on what you have actually measured. <i>Journal of Gastroenterology</i> , 2010 , 45, 342-3; author reply 344-5	6.9	1
110	Can an incomplete stent expansion modulate the effects of TIPS?. <i>Journal of Gastroenterology</i> , 2010 , 45, 346-7; author reply 348	6.9	4
109	Hepatic encephalopathy after transjugular intrahepatic portosystemic shunt: still a major problem. <i>Hepatology</i> , 2010 , 51, 2237-8	11.2	3
108	Drug therapy: rifaximin. <i>Hepatology</i> , 2010 , 52, 1484-8	11.2	32
107	Hepatic encephalopathy therapy: An overview. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2010 , 1, 54-63	3	15
106	Emerging drugs for hepatic encephalopathy. <i>Expert Opinion on Emerging Drugs</i> , 2009 , 14, 537-49	3.7	3
105	Management of refractory hepatic encephalopathy after insertion of TIPS: long-term results of shunt reduction with hourglass-shaped balloon-expandable stent-graft. <i>American Journal of Roentgenology</i> , 2009 , 193, 1696-702	5.4	64
104	Dietary and nutritional indications in hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2009 , 24, 211-21	3.9	30
103	Phagocytosis of gadolinium chloride or zymosan induces simultaneous upregulation of hepcidin- and downregulation of hemojuvelin- and Fpn-1-gene expression in murine liver. <i>Laboratory Investigation</i> , 2009 , 89, 1252-60	5.9	15
102	Do we really need alternatives to polymorphonuclear cells counting in ascitic fluid?. <i>Gastroenterology</i> , 2009 , 136, 728-9; author reply 729	13.3	1
101	Incidence, natural history, and risk factors of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt with polytetrafluoroethylene-covered stent grafts. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2738-46	0.7	183
100	Efficacy of current guidelines for the treatment of spontaneous bacterial peritonitis in the clinical practice. <i>World Journal of Gastroenterology</i> , 2008 , 14, 2757-62	5.6	65
99	Accuracy of the automated cell counters for management of spontaneous bacterial peritonitis. <i>World Journal of Gastroenterology</i> , 2008 , 14, 5689-94	5.6	15
98	Reply to Dr. Andus letter. <i>Clinical Nutrition</i> , 2007 , 26, 273-274	5.9	6
97	The treatment of hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2007 , 22, 389-405	3.9	50
96	JAK2 (V617F) Mutation Levels and Marrow Fibrosis in Patients Affected by Budd-Chiari Syndrome and Non-Cirrhotic Extra-Hepatic Portal Vein Obstruction.. <i>Blood</i> , 2007 , 110, 4652-4652	2.2	

95	ESPEN Guidelines on Enteral Nutrition: Liver disease. <i>Clinical Nutrition</i> , 2006 , 25, 285-94	5.9	502
94	Pharmacological prophylaxis of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt: a randomized controlled study. <i>Journal of Hepatology</i> , 2005 , 42, 674-9	13.4	161
93	Predictive factors of outcome after liver transplantation in patients with cirrhosis and hepatocellular carcinoma. <i>Transplantation Proceedings</i> , 2005 , 37, 2535-40	1.1	29
92	High prevalence of spontaneous portal-systemic shunts in persistent hepatic encephalopathy: a case-control study. <i>Hepatology</i> , 2005 , 42, 1158-65	11.2	122
91	The natural history of portal hypertensive gastropathy in patients with liver cirrhosis and mild portal hypertension. <i>American Journal of Gastroenterology</i> , 2004 , 99, 1959-65	0.7	76
90	Randomized controlled study of TIPS versus paracentesis plus albumin in cirrhosis with severe ascites. <i>Hepatology</i> , 2004 , 40, 629-35	11.2	257
89	Polytetrafluoroethylene-covered nitinol stent-graft for transjugular intrahepatic portosystemic shunt creation: 3-year experience. <i>Radiology</i> , 2004 , 231, 820-30	20.5	109
88	Polytetrafluoroethylene-covered stent grafts for TIPS procedure: 1-year patency and clinical results. <i>American Journal of Gastroenterology</i> , 2004 , 99, 280-5	0.7	61
87	Is hyperammonemia really the true cause of altered neuropsychology, brain MR spectroscopy and magnetization transfer after an oral amino acid load in cirrhosis?. <i>Hepatology</i> , 2003 , 38, 777; author reply 778	11.2	4
86	Effect of blood ammonia elevation following oral glutamine load on the psychometric performance of cirrhotic patients. <i>Metabolic Brain Disease</i> , 2003 , 18, 27-35	3.9	16
85	Malnutrition is not related to alterations in energy balance in patients with stable liver cirrhosis. <i>Clinical Nutrition</i> , 2003 , 22, 553-9	5.9	48
84	TIPS for patients awaiting orthotopic liver transplantation. <i>Liver Transplantation</i> , 2003 , 9, 999-1000	4.5	2
83	Is spontaneous bacterial peritonitis an inducer of vasopressin analogue side-effects? A case report. <i>Digestive and Liver Disease</i> , 2003 , 35, 503-6	3.3	7
82	Validation of automated blood cell counter for the determination of polymorphonuclear cell count in the ascitic fluid of cirrhotic patients with or without spontaneous bacterial peritonitis. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1844-8	0.7	54
81	Incidence and natural history of small esophageal varices in cirrhotic patients. <i>Journal of Hepatology</i> , 2003 , 38, 266-72	13.4	362
80	Role of determination of partial pressure of ammonia in cirrhotic patients with and without hepatic encephalopathy. <i>Journal of Hepatology</i> , 2003 , 38, 441-6	13.4	84
79	QT interval in patients with non-cirrhotic portal hypertension and in cirrhotic patients treated with transjugular intrahepatic porto-systemic shunt. <i>Journal of Hepatology</i> , 2003 , 38, 461-7	13.4	70
78	<emph type="2">Intractable Hepatic Encephalopathy After Tips with Polytetrafluoroethylene-covered Stent-Graft</emph>. <i>Scandinavian Journal of Gastroenterology</i> , 2003 , 38, 570-572	2.4	8

77	Intractable hepatic encephalopathy after tips with polytetrafluoroethylene-covered stent-graft. <i>Scandinavian Journal of Gastroenterology</i> , 2003 , 38, 570-2	2.4	2
76	Malnutrition is a risk factor in cirrhotic patients undergoing surgery. <i>Nutrition</i> , 2002 , 18, 978-86	4.8	96
75	Endoscopic screening for esophageal varices in cirrhotic patients. <i>Hepatology</i> , 2002 , 35, 501-2	11.2	27
74	Modifications of cardiac function in cirrhotic patients treated with transjugular intrahepatic portosystemic shunt (TIPS). <i>American Journal of Gastroenterology</i> , 2002 , 97, 142-8	0.7	80
73	Iron reduction and sustained response to interferon- α therapy in patients with chronic hepatitis C: results of an Italian multicenter randomized study. <i>American Journal of Gastroenterology</i> , 2002 , 97, 1204-1210	0.7	97
72	MELD score is better than Child-Pugh score in predicting 3-month survival of patients undergoing transjugular intrahepatic portosystemic shunt. <i>Journal of Hepatology</i> , 2002 , 36, 494-500	13.4	212
71	Iron reduction and sustained response to interferon-alpha therapy in patients with chronic hepatitis C: results of an Italian multicenter randomized study. <i>American Journal of Gastroenterology</i> , 2002 , 97, 1204-10	0.7	63
70	Hyperdynamic circulation after tips implantation: its effects on neurohumoral system. <i>Journal of Hepatology</i> , 2002 , 36, 201-202	13.4	
69	Response to Drs. Piscaglia et al.. <i>American Journal of Gastroenterology</i> , 2001 , 96, 2504-2505	0.7	
68	Effect of sodium benzoate on blood ammonia response to oral glutamine challenge in cirrhotic patients: a note of caution. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3574-8	0.7	26
67	Modification of cardiac function in cirrhotic patients with and without ascites. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3200-5	0.7	109
66	TIPS versus paracentesis in the treatment of refractory ascites: Preliminary results of a randomized controlled trial. <i>Gastroenterology</i> , 2000 , 118, A980	13.3	3
65	Clinical nutrition practice in Italian Gastroenterology Units. <i>Digestive and Liver Disease</i> , 2000 , 32, 473-9	3.3	6
64	Zinc, ammonia, and Helicobacter pylori infection in liver cirrhosis. <i>Digestive and Liver Disease</i> , 2000 , 32, 836-8	3.3	13
63	TIPS: Refractory Ascites and Encephalopathy. <i>Medical Radiology</i> , 2000 , 297-303	0.2	1
62	Clotting Activation after Transjugular Intrahepatic Portosystemic Stent Shunt. <i>Thrombosis and Haemostasis</i> , 1999 , 81, 711-714	7	7
61	Effect of lactitol on blood ammonia response to oral glutamine challenge in cirrhotic patients: evidence for an effect of nonabsorbable disaccharides on small intestine ammonia generation. <i>American Journal of Gastroenterology</i> , 1999 , 94, 3323-7	0.7	20
60	Cost analysis for the prevention of variceal rebleeding: a comparison between transjugular intrahepatic portosystemic shunt and endoscopic sclerotherapy in a selected group of Italian cirrhotic patients. <i>Hepatology</i> , 1999 , 29, 1074-7	11.2	52

59	Glucose intolerance and insulin resistance in cirrhosis are normalized after liver transplantation. <i>Hepatology</i> , 1999 , 30, 649-54	11.2	73
58	A comparison of skinfold anthropometry and dual-energy X-ray absorptiometry for the evaluation of body fat in cirrhotic patients. <i>Clinical Nutrition</i> , 1999 , 18, 349-51	5.9	33
57	Clotting activation after transjugular intrahepatic portosystemic stent shunt. <i>Thrombosis and Haemostasis</i> , 1999 , 81, 711-4	7	2
56	Clinical practice guidelines for the management of cirrhotic patients with ascites. Committee on Ascites of the Italian Association for the Study of the Liver. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1999 , 31, 626-34		11
55	Transjugular intrahepatic portosystemic shunt versus endoscopic sclerotherapy for the prevention of variceal bleeding in cirrhosis: a randomized multicenter trial. Gruppo Italiano Studio TIPS (G.I.S.T.). <i>Hepatology</i> , 1998 , 27, 48-53	11.2	140
54	Use of the stable isotope ⁶⁵ Cu test for the screening of Wilson's disease in a family with two affected members. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1998 , 30, 270-5		8
53	Impaired nonoxidative glucose metabolism in patients with liver cirrhosis: effects of two insulin doses. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 840-3	12.7	13
52	Whole body and regional body composition analysis by dual-energy X-ray absorptiometry in cirrhotic patients. <i>European Journal of Clinical Nutrition</i> , 1997 , 51, 810-4	5.2	42
51	Liver metabolic zonation and hepatic microcirculation in carbon tetrachloride-induced experimental cirrhosis. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 167-77	4	17
50	Plasma tryptophan levels and anorexia in liver cirrhosis. <i>International Journal of Eating Disorders</i> , 1997 , 21, 181-6	6.3	41
49	Ongoing Prothrombotic State in the Portal Circulation of Cirrhotic Patients. <i>Thrombosis and Haemostasis</i> , 1997 , 77, 044-047	7	47
48	Increased nonoxidative glucose metabolism in idiopathic reactive hypoglycemia. <i>Metabolism: Clinical and Experimental</i> , 1996 , 45, 606-10	12.7	15
47	Hepatic encephalopathy after transjugular intrahepatic portosystemic shunt. Incidence and risk factors. <i>Digestive Diseases and Sciences</i> , 1996 , 41, 578-84	4	105
46	Does malnutrition affect survival in cirrhosis? PINC (Policentrica Italiana Nutrizione Cirrosi). <i>Hepatology</i> , 1996 , 23, 1041-6	11.2	268
45	Prevalence of chronic liver disease in northern Italy. <i>Hepatology</i> , 1996 , 23, 1710-2	11.2	
44	Does malnutrition affect survival in cirrhosis? 1996 , 23, 1041		2
43	Intravascular hemolysis and transjugular intrahepatic portosystemic stent shunt. <i>Journal of Hepatology</i> , 1994 , 20, 152-3	13.4	5
42	Ticlopidine-induced cholestasis. <i>European Journal of Gastroenterology and Hepatology</i> , 1994 , 6, 943-950	2.2	6

41	A scanning electron microscopic study of liver microcirculation disarrangement in experimental rat cirrhosis. <i>Hepatology</i> , 1993 , 17, 477-485	11.2	31
40	Nutritional status in liver cirrhosis. <i>The Italian Journal of Gastroenterology</i> , 1993 , 25, 400-1		9
39	Macronutrient oxidation in liver disease. <i>The Italian Journal of Gastroenterology</i> , 1993 , 25, 272-5		1
38	A scanning electron microscopic study of liver microcirculation disarrangement in experimental rat cirrhosis. <i>Hepatology</i> , 1993 , 17, 477-85	11.2	11
37	Zinc supplementation in experimental liver cirrhosis: a morphological, structural and ultrastructural study. <i>International Journal of Experimental Pathology</i> , 1993 , 74, 463-9	2.8	6
36	A scanning electron microscopic study of liver microcirculation disarrangement in experimental rat cirrhosis 1993 , 17, 477		1
35	Early postprandial energy expenditure and macronutrient use after a mixed meal in cirrhotic patients. <i>Journal of Parenteral and Enteral Nutrition</i> , 1992 , 16, 445-50	4.2	17
34	The effect of lactulose and lactitol administration on fecal fat excretion in patients with liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 1992 , 15, 125-7	3	16
33	Zinc supplementation reduces blood ammonia and increases liver ornithine transcarbamylase activity in experimental cirrhosis. <i>Hepatology</i> , 1992 , 16, 785-9	11.2	75
32	Increased energy expenditure in cirrhotic patients with hepatocellular carcinoma. <i>Nutrition</i> , 1992 , 8, 321-5	4.8	8
31	Impaired hepatic handling and processing of lysophosphatidylcholine in rats with liver cirrhosis. <i>Gastroenterology</i> , 1991 , 101, 228-37	13.3	10
30	Short-term oral zinc supplementation does not improve chronic hepatic encephalopathy. Results of a double-blind crossover trial. <i>Digestive Diseases and Sciences</i> , 1991 , 36, 1204-8	4	94
29	Insulin and glucagon levels in fulminant hepatic failure in man. <i>Digestive Diseases and Sciences</i> , 1991 , 36, 801-8	4	7
28	Zinc and other trace elements in liver cirrhosis. <i>The Italian Journal of Gastroenterology</i> , 1991 , 23, 386-91		13
27	The hepatic microcirculation in experimental cirrhosis. A scanning electron microscopy study of microcorrosion casts. <i>Scanning Microscopy</i> , 1991 , 5, 495-502; discussion 502-3		8
26	Effect of lactitol and lactulose administration on the fecal flora in cirrhotic patients. <i>Journal of Clinical Gastroenterology</i> , 1990 , 12, 433-6	3	79
25	Basal energy production rate and substrate use in stable cirrhotic patients. <i>Hepatology</i> , 1990 , 12, 106-12	11.2	129
24	Nonabsorbable disaccharides plus neomycin in hepatic encephalopathy: do they enhance each other?. <i>Hepatology</i> , 1990 , 12, 368-70	11.2	3

23	Resistance to insulin suppression of plasma free fatty acids in liver cirrhosis. <i>Journal of Endocrinological Investigation</i> , 1990 , 13, 787-95	5.2	9
22	Malabsorption and nutritional abnormalities in patients with liver cirrhosis. <i>The Italian Journal of Gastroenterology</i> , 1990 , 22, 118-23		43
21	Lactitol in the treatment of chronic hepatic encephalopathy--a randomized cross-over comparison with lactulose. <i>Hepato-Gastroenterology</i> , 1990 , 37, 524-7		10
20	Lactitol in prevention of recurrent episodes of hepatic encephalopathy in cirrhotic patients with portal-systemic shunt. <i>Digestive Diseases and Sciences</i> , 1989 , 34, 823-9	4	34
19	Carbon tetrachloride-induced experimental cirrhosis in the rat: a reappraisal of the model. <i>European Surgical Research</i> , 1989 , 21, 280-6	1.1	38
18	Circadian rhythmicity of plasma amino acid variations in healthy subjects. <i>Recenti Progressi in Medicina</i> , 1989 , 80, 591-3	0.7	6
17	Optimal nutritional indexes in chronic liver disease. <i>Journal of Parenteral and Enteral Nutrition</i> , 1987 , 11, 130S-134S	4.2	81
16	Composition of free fatty acids and adipose tissue triglycerides in portacaval shunted rats. <i>European Surgical Research</i> , 1987 , 19, 151-8	1.1	1
15	Hepatic encephalopathy: lack of changes of gamma-aminobutyric acid content in plasma and cerebrospinal fluid. <i>Hepatology</i> , 1987 , 7, 816-20	11.2	30
14	Fatty acid composition of adipose tissue in patients with chronic liver disease. <i>Journal of Hepatology</i> , 1986 , 3, 104-10	13.4	11
13	Aminoacid imbalance and malnutrition in liver cirrhosis. <i>Clinical Nutrition</i> , 1985 , 4, 249-53	5.9	16
12	Total and individual free fatty acid concentrations in liver cirrhosis. <i>Metabolism: Clinical and Experimental</i> , 1984 , 33, 646-51	12.7	49
11	The Pros and the Cons of the Amino Acid Neurotransmitter Hypothesis 1984 , 460-471		
10	Branched-Chain Amino Acids in the Treatment of Severe Hepatic Encephalopathy 1984 , 335-344		7
9	Effects of Branched Chain Amino Acids on Biochemical Variables and Clinical Symptoms of Hepatic Encephalopathy* 1983 , 400-411		
8	Glucose intolerance in liver cirrhosis. <i>Metabolism: Clinical and Experimental</i> , 1982 , 31, 627-34	12.7	62
7	Plasma and cerebrospinal fluid amino acid patterns in hepatic encephalopathy. <i>Digestive Diseases and Sciences</i> , 1982 , 27, 828-32	4	73
6	Branched-chain amino acids vs lactulose in the treatment of hepatic coma: a controlled study. <i>Digestive Diseases and Sciences</i> , 1982 , 27, 929-35	4	143

5	Is the blood-brain barrier really intact in portal-systemic encephalopathy?. <i>Lancet, The</i> , 1981 , 1, 1367	40	6
4	Simultaneous radioenzymatic determination of phenylethylamine, phenylethanolamine, tyramine and octopamine in plasma of patients with hepatic encephalopathy. <i>Clinical Biochemistry</i> , 1981 , 14, 187-90	35	3
3	Effect of glucose and/or branched chain amino acid infusion on plasma amino acid imbalance in chronic liver failure. <i>Journal of Parenteral and Enteral Nutrition</i> , 1981 , 5, 414-9	42	32
2	Prevention of hepatic encephalopathy after porto-systemic shunt	551-554	
1	Session 1: Definition of Key Events [Last Attempt]	11-39	1