
## Hisashi Iwai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7297288/publications.pdf Version: 2024-02-01



Ніслені Імлі

#	Article	IF	CITATIONS
1	Effects of coinfection with East Asian Passiflora virus and East Asian Passiflora distortion virus on Passiflora foetida. Journal of General Plant Pathology, 2020, 86, 211-218.	1.0	3
2	Functions and mechanisms: polygalacturonases from plant pathogenic fungi as pathogenicity and virulence factors. Journal of General Plant Pathology, 2019, 85, 243-250.	1.0	9
3	East Asian Passiflora distortion virus: a novel potyvirus species causing deformation of passionfruits in Japan. Journal of General Plant Pathology, 2019, 85, 221-231.	1.0	10
4	Plasmid-based and -free methods using CRISPR/Cas9 system for replacement of targeted genes in Colletotrichum sansevieriae. Scientific Reports, 2019, 9, 18947.	3.3	23
5	Draft genome sequence of Colletotrichum sansevieriae Sa-1–2, the anthracnose pathogen of Sansevieria trifasciata. Data in Brief, 2018, 18, 691-695.	1.0	8
6	Functional characterization of unique enzymes in Xanthomonas euvesicatoria related to degradation of arabinofurano-oligosaccharides on hydroxyproline-rich glycoproteins. PLoS ONE, 2018, 13, e0201982.	2.5	10
7	Studies on the diagnosis and genomic analysis of plant viral diseases in southern Japan. Journal of General Plant Pathology, 2017, 83, 414-418.	1.0	2
8	Population genetics analysis of East Asian Passiflora virus on Amami Oshima Island. European Journal of Plant Pathology, 2016, 144, 109-120.	1.7	2
9	Detection of Cucurbit chlorotic yellows virus from Bemisia tabaci captured on sticky traps using reverse transcription loop-mediated isothermal amplification (RT-LAMP) and simple template preparation. Journal of Virological Methods, 2015, 221, 9-14.	2.1	14
10	Genetic structure and diversity of the Banana bunchy top virus population on Sumatra Island, Indonesia. European Journal of Plant Pathology, 2015, 143, 113-122.	1.7	11
11	New editorial office. Journal of General Plant Pathology, 2014, 80, 1-1.	1.0	0
12	Competence of Frankliniella occidentalis and Frankliniella intonsa strains as vectors for Chrysanthemum stem necrosis virus. European Journal of Plant Pathology, 2013, 136, 355-362.	1.7	16
13	Complete nucleotide sequence of a new isolate of passion fruit woodiness virus from Western Australia. Archives of Virology, 2013, 158, 1821-1824.	2.1	8
14	Resistance in melon to Cucurbit chlorotic yellows virus, a whitefly-transmitted crinivirus. European Journal of Plant Pathology, 2013, 135, 313-321.	1.7	25
15	Molecular characterization and specific detection of two genetically distinguishable strains of East Asian Passiflora virus (EAPV) and their distribution in southern Japan. Virus Genes, 2012, 44, 141-148.	1.6	20
16	Agrobacterium tumefaciens-Mediated Transformation for Investigating Pathogenicity Genes of the Phytopathogenic Fungus Colletotrichum sansevieriae. Current Microbiology, 2012, 65, 176-182.	2.2	15
17	Genetic Structure and Variability of <i>East Asian Passiflora virus</i> Population in Amamiâ€Oâ€shima, Japan. Journal of Phytopathology, 2012, 160, 404-411.	1.0	5
18	Production of Virus-free Bulblets by Meristematic Tip Culture with Antiviral Chemical in Lilium brownii var. colchesteri. Japanese Society for Horticultural Science, 2011, 80, 469-474.	0.8	5

HISASHI IWAI

#	Article	IF	CITATIONS
19	Establishment of heterologous expression of polygalacturonase S63PG1 from nonpathogenic isolate S63 of Geotrichum candidum. Journal of General Plant Pathology, 2009, 75, 276-280.	1.0	1
20	Differentiation of pathogenic and nonpathogenic isolates of Geotrichum candidum sensu Suprapta et al. (1995) on citrus fruit based on PCR-RFLP analysis of rDNA ITS and PCR using specific primers designed in polygalacturonase genes. Mycoscience, 2008, 49, 155-158.	0.8	8
21	Anthracnose of belmore sentry palm (Howea belmoreana Becc.) caused by Colletotrichum gloeosporioides (Penzig) Penzig et Saccardo. Journal of General Plant Pathology, 2008, 74, 86-87.	1.0	1
22	Establishing a testing method for the aphid transmission of SPFMV and evaluating viral resistance in transgenic sweet potatoes. Breeding Science, 2008, 58, 465-468.	1.9	1
23	Anthracnose of Sansevieria trifasciata caused by Colletotrichum sansevieriae sp. nov Journal of General Plant Pathology, 2006, 72, 253-256.	1.0	27
24	Polygalacturonase S31PG1 from Geotrichum candidum citrus race S31 expressed in Schizosaccharomyces pombe versus S31PG2 regarding soft rot on lemon fruit. Journal of General Plant Pathology, 2003, 69, 283-291.	1.0	7
25	First Report of Pepper mottle virus on Capsicum annuum in Japan. Journal of General Plant Pathology, 2003, 69, 348-350.	1.0	8
26	Cloning and Characterization of a Polygalacturonase Gene Ap2pg1 from Geotrichum candidum Citrus Race Ap2 Pathogenic to Apple Fruit. Journal of General Plant Pathology, 2002, 68, 333-337.	1.0	3
27	Comparison of endo-polygalacturonase activities of citrus and non-citrus races of Geotrichum candidum, and cloning and expression of the corresponding genes. Molecular Plant Pathology, 2001, 2, 265-274.	4.2	15
28	Comparison of Pathogenicity and Nucleotide Sequences of 3′-terminal Regions of Bean yellow mosaic virus Isolates from Gladiolus. Journal of General Plant Pathology, 2000, 66, 345-352.	1.0	20
29	Movement of Ralstonia solanacearum within Solanum toxicarium Resistant to Bacterial Wilt Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1999, 65, 315-317.	0.1	2
30	Effects of volatile compounds on arthrospore germination and mycelial growth of Geotrichum candidum citrus race. Mycoscience, 1997, 38, 31-35.	0.8	17
31	Nucleotide Sequence of the Coat Protein Gene and 3'-noncoding Region of the Passionfruit Woodiness Virus-Amami Ohshima Isolate Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1997, 63, 475-478.	0.1	8
32	New Record of Passionfruit Woodiness Virus in Japan Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1996, 62, 459-465.	0.1	16
33	Some physiological properties of citrus and noncitrus races of Geotrichum candidum isolated from soil in Japan. Mycoscience, 1996, 37, 401-407.	0.8	7
34	Change in susceptibility of satsuma mandarin fruit to sour rot pathogen (Geotrichum candidum) Tj ETQq0 0 0 rgE 37, 209-216.	3T /Overlo 0.8	ck 10 Tf 50 1 5
35	Parasitic specialization of Geotrichum candidum citrus race. Mycoscience, 1996, 37, 105-107.	0.8	5

36Distribution of Geotrichum candidum citrus race in citrus groves and non-citrus fields in Japan.0.81836Mycoscience, 1995, 36, 277-282.18

HISASHI IWAI

#	Article	IF	CITATIONS
37	Studies on the Multiplication and Movement of Soybean Mosaic Virus within Soybean Plant Tissues. Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1991, 57, 299-299.	0.1	Ο
38	Multiplication, translocation and inactivation patterns of soybean mosaic virus strains B and D in soybean plants Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1990, 56, 177-184.	0.1	2
39	Distribution patterns of soybean mosaic virus strains B and D in soybean seeds at different growth stages Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1985, 51, 475-481.	0.1	6
40	An improved method for purification of soybean mosaic virus Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1985, 51, 465-474.	0.1	0