

Marjan A Versnel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7298097/publications.pdf>

Version: 2024-02-01

52
papers

2,232
citations

279701

23
h-index

233338

45
g-index

52
all docs

52
docs citations

52
times ranked

2947
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum interferon- λ 2 measured by single-molecule array associates with systemic disease manifestations in Sjögren's syndrome. <i>Rheumatology</i> , 2022, 61, 2156-2166.	0.9	8
2	Hyperresponsive cytosolic DNA-sensing pathway in monocytes from primary Sjögren's syndrome. <i>Rheumatology</i> , 2022, 61, 3491-3496.	0.9	11
3	Gene signature fingerprints stratify SLE patients in groups with similar biological disease profiles: a multicentre longitudinal study. <i>Rheumatology</i> , 2022, 61, 4344-4354.	0.9	9
4	Blood myxovirus resistance protein-1 measurement in the diagnostic workup of suspected COVID-19 infection in the emergency department. <i>Immunity, Inflammation and Disease</i> , 2022, 10, e609.	1.3	4
5	Genetic Variants of the BAFF Gene and Risk of Fatigue Among Patients With Primary Sjögren's Syndrome. <i>Frontiers in Immunology</i> , 2022, 13, 836824.	2.2	5
6	Innate immunity and interferons in the pathogenesis of Sjögren's syndrome. <i>Rheumatology</i> , 2021, 60, 2561-2573.	0.9	41
7	Making Sense of Intracellular Nucleic Acid Sensing in Type I Interferon Activation in Sjögren's Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 532.	1.0	7
8	Activation and deactivation steps in the tryptophan breakdown pathway in major depressive disorder: A link to the monocyte inflammatory state of patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110226.	2.5	12
9	Revisiting the JOQUER trial: stratification of primary Sjögren's syndrome and the clinical and interferon response to hydroxychloroquine. <i>Rheumatology International</i> , 2021, 41, 1593-1600.	1.5	13
10	LLDAS is an attainable treat-to-target goal in childhood-onset SLE. <i>Lupus Science and Medicine</i> , 2021, 8, e000571.	1.1	16
11	Hydroxychloroquine treatment downregulates systemic interferon activation in primary Sjögren's syndrome in the JOQUER randomized trial. <i>Rheumatology</i> , 2020, 59, 107-111.	0.9	50
12	Inverse correlation between serum complement component C1q levels and whole blood type I interferon signature in active tuberculosis and QuantiFERON-positive uveitis: implications for diagnosis. <i>Clinical and Translational Immunology</i> , 2020, 9, e1196.	1.7	5
13	Efficacy of Baricitinib in the Treatment of Chilblains Associated With Aicardi-Goutières Syndrome, a Type I Interferonopathy. <i>Arthritis and Rheumatology</i> , 2019, 71, 829-831.	2.9	41
14	Associations of cigarette smoking with disease phenotype and type I interferon expression in primary Sjögren's syndrome. <i>Rheumatology International</i> , 2019, 39, 1575-1584.	1.5	7
15	MxA is a clinically applicable biomarker for type I interferon activation in systemic lupus erythematosus and systemic sclerosis. <i>Rheumatology</i> , 2019, 58, 1302-1303.	0.9	11
16	Fatigue in Sjögren's Syndrome: A Search for Biomarkers and Treatment Targets. <i>Frontiers in Immunology</i> , 2019, 10, 312.	2.2	18
17	THU0240...GENE EXPRESSION SIGNATURES ARE RELATED TO SPECIFIC SUBSETS OF PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		0
18	Systemic interferon type I and type II signatures in primary Sjögren's syndrome reveal differences in biological disease activity. <i>Rheumatology</i> , 2018, 57, 921-930.	0.9	102

#	ARTICLE	IF	CITATIONS
19	TBK1: A key regulator and potential treatment target for interferon positive Sjögren's syndrome, systemic lupus erythematosus and systemic sclerosis. <i>Journal of Autoimmunity</i> , 2018, 91, 97-102.	3.0	58
20	Type 1 interferon-inducible gene expression in QuantiFERON Gold TB-positive uveitis: A tool to stratify a high versus low risk of active tuberculosis?. <i>PLoS ONE</i> , 2018, 13, e0206073.	1.1	6
21	Interferon activation in primary Sjögren's syndrome: recent insights and future perspective as novel treatment target. <i>Expert Review of Clinical Immunology</i> , 2018, 14, 817-829.	1.3	25
22	Type I IFN signature in childhood-onset systemic lupus erythematosus: a conspiracy of DNA- and RNA-sensing receptors?. <i>Arthritis Research and Therapy</i> , 2018, 20, 4.	1.6	41
23	Contrasting expression pattern of RNA-sensing receptors TLR7, RIG-I and MDA5 in interferon-positive and interferon-negative patients with primary Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 721-730.	0.5	77
24	The Immune Pathogenesis of Type 1 Diabetes: Not Only Thinking Outside the Cell but Also Outside the Islet and Out of the Box. <i>Diabetes</i> , 2016, 65, 2130-2133.	0.3	16
25	Monocyte type I interferon signature in antiphospholipid syndrome is related to proinflammatory monocyte subsets, hydroxychloroquine and statin use. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, e81-e81.	0.5	50
26	Association of Increased Treg Cell Levels With Elevated Indoleamine 2,3-dioxygenase Activity and an Imbalanced Kynurenine Pathway in Interferon-Positive Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2016, 68, 1688-1699.	2.9	45
27	Bone Mineral Density in Sjögren Syndrome Patients with and Without Distal Renal Tubular Acidosis. <i>Calcified Tissue International</i> , 2016, 98, 573-579.	1.5	9
28	The interferon type I signature is present in systemic sclerosis before overt fibrosis and might contribute to its pathogenesis through high BAFF gene expression and high collagen synthesis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1567-1573.	0.5	126
29	The clinical relevance of animal models in Sjögren's syndrome: the interferon signature from mouse to man. <i>Arthritis Research and Therapy</i> , 2015, 17, 172.	1.6	26
30	Prevalence of distal renal tubular acidosis in primary Sjögren's syndrome. <i>Rheumatology</i> , 2015, 54, 933-939.	0.9	40
31	The Gene Expression Profile of CD11c ⁺ CD81 ⁺ Dendritic Cells in the Pre-Diabetic Pancreas of the NOD Mouse. <i>PLoS ONE</i> , 2014, 9, e103404.	1.1	7
32	T-helper 17 cell cytokines and interferon type I: partners in crime in systemic lupus erythematosus?. <i>Arthritis Research and Therapy</i> , 2014, 16, R62.	1.6	37
33	Type I IFN signature in primary Sjögren's syndrome patients. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 457-467.	1.3	33
34	MxA as a clinically applicable biomarker for identifying systemic interferon type I in primary Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1052-1059.	0.5	98
35	Prevalence of interferon type I signature in CD14 monocytes of patients with Sjögren's syndrome and association with disease activity and BAFF gene expression. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 728-735.	0.5	263
36	The Kinetics of Plasmacytoid Dendritic Cell Accumulation in the Pancreas of the NOD Mouse during the Early Phases of Insulinitis. <i>PLoS ONE</i> , 2013, 8, e55071.	1.1	18

#	ARTICLE	IF	CITATIONS
37	Reduced numbers of dendritic cells with a tolerogenic phenotype in the prediabetic pancreas of NOD mice. <i>Journal of Leukocyte Biology</i> , 2012, 92, 1207-1213.	1.5	19
38	The mononuclear phagocyte system and its cytokine inflammatory networks in schizophrenia and bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 59-76.	1.4	245
39	Systemic increase in type I interferon activity in Sjögren's syndrome: A putative role for plasmacytoid dendritic cells. <i>European Journal of Immunology</i> , 2008, 38, 2024-2033.	1.6	163
40	NOD mice have a severely impaired ability to recruit leukocytes into sites of inflammation. <i>European Journal of Immunology</i> , 2005, 35, 225-235.	1.6	39
41	Evidence for an enhanced adhesion of DC to fibronectin and a role of CCL19 and CCL21 in the accumulation of DC around the pre-diabetic islets in NOD mice. <i>European Journal of Immunology</i> , 2005, 35, 2386-2396.	1.6	39
42	Increased Serum Levels of MRP-8/14 in Type 1 Diabetes Induce an Increased Expression of CD11b and an Enhanced Adhesion of Circulating Monocytes to Fibronectin. <i>Diabetes</i> , 2004, 53, 1979-1986.	0.3	102
43	Id3 Knockout Mice as a New Model for Sjögren's Syndrome. <i>Immunity</i> , 2004, 21, 457-458.	6.6	9
44	Proapoptosis and Antiapoptosis-Related Molecules During Postnatal Pancreas Development in Control and Nonobese Diabetic Mice: Relationship with Innervation. <i>Laboratory Investigation</i> , 2003, 83, 227-239.	1.7	17
45	Localization and Potential Role of Matrix Metalloproteinase-1 and Tissue Inhibitors of Metalloproteinase-1 and -2 in Different Phases of Bronchopulmonary Dysplasia. <i>Pediatric Research</i> , 2001, 50, 761-766.	1.1	24
46	Two Different Types of Sialoadenitis in the NOD- and MRL/lpr Mouse Models for Sjögren's Syndrome: A Differential Role for Dendritic Cells in the Initiation of Sialoadenitis?. <i>Laboratory Investigation</i> , 2000, 80, 575-585.	1.7	52
47	Professional Antigen Presenting Cells in Minor Salivary Glands in Sjögren's Syndrome: Potential Contribution to the Histopathological Diagnosis?. <i>Laboratory Investigation</i> , 2000, 80, 1935-1941.	1.7	29
48	The gene for the cyclin-dependent-kinase-4 inhibitor, CDKN2A, is preferentially deleted in malignant mesothelioma. , 1998, 75, 649-653.		84
49	Stimulatory effects of pleural fluids from mesothelioma patients on CD44 expression, hyaluronan production and cell proliferation in primary cultures of normal mesothelial and transformed cells. <i>International Journal of Cancer</i> , 1996, 67, 393-398.	2.3	10
50	Expression of the wilms' tumor gene WT1 in human malignant mesothelioma cell lines and relationship to platelet-derived growth factor A and insulin-like growth factor 2 expression. <i>Genes Chromosomes and Cancer</i> , 1995, 12, 87-96.	1.5	47
51	Splicing of the platelet-derived-growth-factor A-chain mRNA in human malignant mesothelioma cell lines and regulation of its expression. <i>FEBS Journal</i> , 1992, 208, 589-596.	0.2	15
52	Trained Immunity in Primary Sjögren's Syndrome: Linking Type I Interferons to a Pro-Atherogenic Phenotype. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	3