## Xiao-Hui Zhang

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7298157/xiao-hui-zhang-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

356
papers

5,021
citations

416
ext. papers

5,021
33
h-index

58
g-index

5.1
5.5
L-index

| #   | Paper   | IF      | Citations             |
|-----|---|---------|-----------------------|
| 356 | Preemptive Interferon-Therapy Could Protect Against Relapse and Improve Survival of Acute Myeloid Leukemia Patients After Allogeneic Hematopoietic Stem Cell Transplantation: Long-Term Results of Two Registry Studies <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 757002 | 8.4     | 1                     |
| 355 | Monitoring of post-transplant MLL-PTD as minimal residual disease can predict relapse after allogeneic HSCT in patients with acute myeloid leukemia and myelodysplastic syndrome <i>BMC Cancer</i> , <b>2022</b> , 22, 11   | 4.8     | 1                     |
| 354 | Efficacy and safety of mesenchymal stem cells treatment for multidrug-resistant grafthost disease after haploidentical allogeneic hematopoietic stem cell transplantation <i>Therapeutic Advances in Hematology</i> , <b>2022</b> , 13, 20406207211072838                         | 5.7     | 2                     |
| 353 | Basiliximab for steroid-refractory acute graft-versus-host disease: a real-world analysis <i>American Journal of Hematology</i> , <b>2022</b> ,   | 7.1     | 2                     |
| 352 | Recipient and donor PTX3 rs2305619 polymorphisms increase the susceptibility to invasive fungal disease following haploidentical stem cell transplantation: a prospective study <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 292  | 4       |                       |
| 351 | A Predicted Model for Refractory/Recurrent Cytomegalovirus Infection in Acute Leukemia Patients After Haploidentical Hematopoietic Stem Cell Transplantation <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2022</b> , 12, 862526                                   | 5.9     | О                     |
| 350 | Mesenchymal stromal cells plus basiliximab, calcineurin inhibitor as treatment of steroid-resistant acute graft-versus-host disease: a multicenter, randomized, phase 3, open-label trial <i>Journal of Hematology and Oncology</i> , <b>2022</b> , 15, 22                        | 22.4    | ,<br>O                |
| 349 | Dysfunctional bone marrow endothelial progenitor cells are involved in patients with myelodysplastic syndromes <i>Journal of Translational Medicine</i> , <b>2022</b> , 20, 144   | 8.5     |                       |
| 348 | Prednisone plus IVIg compared with prednisone or IVIg for immune thrombocytopenia in pregnancy: a national retrospective cohort study <i>Therapeutic Advances in Hematology</i> , <b>2022</b> , 13, 2040  | 6250722 | 21 <del>0</del> 95226 |
| 347 | The Interaction of HLA-C1/KIR2DL2/L3 Promoted KIR2DL2/L3 Single-Positive/NKG2C-Positive Natural Killer Cell Reconstitution, Raising the Incidence of aGVHD after Hematopoietic Stem Cell Transplantation <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 814334                | 8.4     | О                     |
| 346 | Prophylactic NAC promoted hematopoietic reconstitution by improving endothelial cells after haploidentical HSCT: a phase 3, open-label randomized trial <i>BMC Medicine</i> , <b>2022</b> , 20, 140   | 11.4    | 2                     |
| 345 | A comprehensive model to predict severe acute graft-versus-host disease in acute leukemia patients after haploidentical hematopoietic stem cell transplantation <i>Experimental Hematology and Oncology</i> , <b>2022</b> , 11, 25  | 7.8     | 1                     |
| 344 | Clinical practice of precision medicine in lymphoma. Clinical and Translational Discovery, 2022, 2,   |         |                       |
| 343 | Cell Softness Prevents Cytolytic T-cell Killing of Tumor-Repopulating Cells. <i>Cancer Research</i> , <b>2021</b> , 81, 476-488   | 10.1    | 22                    |
| 342 | Chimeric Antigens Receptor T Cell Therapy Improve the Prognosis of Pediatric Acute Lymphoblastic Leukemia With Persistent/Recurrent Minimal Residual Disease in First Complete Remission <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 731435                                | 8.4     | O                     |
| 341 | Preemptive Immunotherapy for Minimal Residual Disease in Patients With t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 773394  | 5.3     | 1                     |
| 340 | All-trans retinoic acid plus low-dose rituximab vs low-dose rituximab in corticosteroid-resistant or relapsed ITP. <i>Blood</i> , <b>2021</b> ,   | 2.2     | 2                     |

### (2021-2021)

| Dose tapering to withdrawal stage and long-term efficacy and safety of hetrombopag for the treatment of immune thrombocytopenia: results from an open-label extension study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> ,   | 15.4   | 1  |
|---|--|--|
| All-Trans Retinoic Acid Plus Low-Dose Rituximab Vs Low-Dose Rituximab in Corticosteroid-Resistant or Relapsed ITP. <i>Blood</i> , <b>2021</b> , 138, 15-15  | 2.2  |  |
| Detection of CSRP2 Transcript Levels By Real-Time Quantitative PCR May be a Useful Tool for Monitoring Minimal Residual Disease in B-Cell ALL. <i>Blood</i> , <b>2021</b> , 138, 3998-3998  | 2.2  |  |
| Mesenchymal Stromal Cells Plus Anti-CD25 Antibody and Calcineurin Inhibitors for Steroid-Resistant Acute Graft-Versus-Host Disease: A Multicenter, Randomized, Phase 3 Trial. <i>Blood</i> , 2021, 138, 260-260   | 2.2  |  |
| Tacrolimus Plus High-Dose Dexamethasone Versus High-Dose Dexamethasone Alone As First-Line Treatment for Adult Immune Thrombocytopenia: The Phase 2, Open Label, Randomized Trial (TARGET 020). <i>Blood</i> , <b>2021</b> , 138, 13-13   | 2.2  | 0  |
| A modified conditioning regimen based on low-dose cyclophosphamide and fludarabine for haploidentical hematopoietic stem cell transplant in severe aplastic anemia patients at risk of severe cardiotoxicity. <i>Clinical Transplantation</i> , <b>2021</b> , e14514                      | 3.8  | 1  |
| A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation. <i>Chinese Medical Journal</i> , <b>2021</b> , 134, 1199-1208  | 2.9  | 1  |
| G-CSF-Primed Peripheral Blood Stem Cell Haploidentical Transplantation Could Achieve Satisfactory Clinical Outcomes for Acute Leukemia Patients in the First Complete Remission: A Registered Study. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 631625                              | 5.3  | 2  |
| Acute Cholecystitis Following Allogeneic Hematopoietic Stem Cell Transplantation: Clinical Features, Outcomes, Risk Factors, and Prediction Model. <i>Transplantation and Cellular Therapy</i> , <b>2021</b> , 27, 253.e1-253.e9  |  | 0  |
| The Prognostic Significance of Fusions in Adult Ph-Negative B-Cell Precursor Acute Lymphoblastic Leukemia: A Comprehensive Cohort Study From a Single Chinese Center. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 632532   | 5.3  | 3  |
| Prediction of postpartum hemorrhage in pregnant women with immune thrombocytopenia: Development and validation of the MONITOR model in a nationwide multicenter study. <i>American Journal of Hematology</i> , <b>2021</b> , 96, 561-570  | 7.1  | 2  |
| Minimal residual disease monitoring and preemptive immunotherapies for frequent 11q23 rearranged acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2021</b> , 100, 1267-1281  | 3  | 1  |
| Risk factors and outcomes of diffuse alveolar haemorrhage after allogeneic haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 2097-2107   | 4.4  | 2  |
| Unmanipulated haploidentical hematopoietic stem cell transplantation is an excellent option for children and young adult relapsed/refractory Philadelphia chromosome-negative B-cell acute lymphoblastic leukemia after CAR-T-cell therapy. <i>Leukemia</i> , <b>2021</b> , 35, 3092-3100 | 10.7   | 7  |
| The impact of the combination of KIT mutation and minimal residual disease on outcome in t(8;21) acute myeloid leukemia. <i>Blood Cancer Journal</i> , <b>2021</b> , 11, 67   | 7  | 3  |
| Single-cell analysis of ploidy and the transcriptome reveals functional and spatial divergency in murine megakaryopoiesis. <i>Blood</i> , <b>2021</b> , 138, 1211-1224  | 2.2  | 10   |
| Predictive Value of Dynamic Peri-Transplantation MRD Assessed By MFC Either Alone or in Combination with Other Variables for Outcomes of Patients with T-Cell Acute Lymphoblastic Leukemia. <i>Current Medical Science</i> , <b>2021</b> , 41, 443-453                                    | 2.8  | 1  |
| Graft Failure in Patients With Hematological Malignancies: A Successful Salvage With a Second Transplantation From a Different Haploidentical Donor. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 604085   | 4.9  | 2  |
|   | treatment of immune thrombocytopenia: results from an open-label extension study. <i>Journal of Thrombosis and Haemostasis</i> , 2021,  All-Trans Retinoic Acid Plus Low-Dose Rituximab Vs Low-Dose Rituximab in Corticosteroid-Resistant or Relapsed ITP. <i>Blood</i> , 2021, 138, 15-15  Detection of CSRP2 Transcript Levels By Real-Time Quantitative PCR May be a Useful Tool for Monitoring Minimal Residual Disease in B-Cell ALL. <i>Blood</i> , 2021, 138, 3998-3998  Mesenchymal Stromal Cells Plus Anti-CD25 Antibody and Calcineurin Inhibitors for Steroid-Resistant Acute Graft-Versus-Host Disease: A Multicenter, Randomized, Phase 3 Trial. <i>Blood</i> , 2021, 138, 260-260  Tacrolimus Plus High-Dose Dexamethasone Versus High-Dose Dexamethasone Alone As First-Line Treatment for Adult Immune Thrombocytopenia: The Phase 2, Open Label, Randomized Trial (TARCET 020). <i>Blood</i> , 2021, 138, 13-13  A modified conditioning regimen based on low-dose cyclophosphamide and fludarabine for haploidentical hematopoietic stem cell transplant in severe aplastic anemia patients at risk of severe cardiotoxicity. <i>Clinical Transplantation</i> , 2021, e14514  A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation, 2021, e14514  A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation, 2021, e14514  A risk score cystem for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation. <i>Could Achieve</i> Salisfactory Clinical Outcomes for Acute Leukemia Patients in the First Complete Remission: A Registered Study, <i>Frontiers in Oncology</i> , 2021, 116, 631625  Acute Cholecystitis Following Allogeneic Hematopoietic Stem Cell Transplantation: Clinical Features, Outcomes, Risk Factors, and Prediction Model. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 253-e1-253-e9  The Prognostic Significance of Fusions in Adult Ph-Negative B-Cell Precursor Acute | treatment of immune thrombocytopenia: results from an open-label extension study. Journal of Thrombosis and Haemostasis, 2021.  All-Trans Retinoic Acid Plus Low-Dose Rituximab Vs Low-Dose Rituximab in Corticosteroid-Resistant or Relapsed ITP. Blood, 2021, 138, 15-15  Detection of CSRP2 Transcript Levels By Real-Time Quantitative PCR May be a Useful Tool for Monitoring Minimal Residual Disease in B-Cell ALL. Blood, 2021, 138, 3998-3998  Mesenchymal Stromal Cells Plus Anti-CD25 Antibody and Calderurin Inhibitors for Steroid-Resistant Acute Graft-Versus-Host Disease: A Multicenter, Randomized, Phase 3 Trial. Blood, 2021, 138, 260-260  Tacrolimus Plus High-Dose Dexamethasone Versus High-Dose Dexamethasone Alone As First-Line Treatment for Adult Immune Thrombocytopenia: The Phase 2, Open Label, Randomized Trial (TARGET 020). Blood, 2021, 138, 13-13  A modified conditioning regimen based on low-dose cyclophosphamide and fludarabine for haploidentical hematopoietic stem cell transplant in severe aplastic anemia patients at risk of severe cardiotoxicity. Clinical Transplantation, 2021, e14514  A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation. Chinese Medical Journal, 2021, 134, 1199-1208  2-9  C-CSP-Primed Peripheral Blood Stem Cell Haploidentical Transplantation Could Achieve satisfactory Clinical Outcomes for Acute Leukemia Patients in the First Complete Remission: A Registered Study. Frontiers in Oncology, 2021, 11, 631625  Acute Cholecystitis Following Allogeneic Hematopoietic Stem Cell Transplantation: Clinical Features, Outcomes, Risk Pactors, and Prediction Model. Transplantation and Cellular Therapy, 2021, 127, 253.e1-253.e9  The Prognostic Significance of Fusions in Adult Ph-Negative B-Cell Precursor Acute Lymphoblastic Leukemia A Comprehensive Cohort Study From a Single Chinese Center. Frontiers in Oncology, 2021, 110, 167-1781  Risk factors and outcomes of diffuse alveolar haemorrhage after allogeneic haematopoieti |

| 321 | M2 macrophages, but not M1 macrophages, support megakaryopoiesis by upregulating PI3K-AKT pathway activity. <i>Signal Transduction and Targeted Therapy</i> , <b>2021</b> , 6, 234  | 21   | 12 |
|-----|---|------|----|
| 320 | IT Cells May Aggravate Acute Graft-Versus-Host Disease Through CXCR4 Signaling After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 687961  | 8.4  | 2  |
| 319 | The loss or absence of minimal residual disease of . British Journal of Haematology, 2021, 192, 265-271   | 4.5  | 6  |
| 318 | Risk stratification and outcomes of intracranial hemorrhage in patients with immune thrombocytopenia under 60 years of age. <i>Platelets</i> , <b>2021</b> , 32, 633-641  | 3.6  | 0  |
| 317 | Ruxolitinib is an effective salvage treatment for multidrug-resistant graft-versus-host disease after haploidentical allogeneic hematopoietic stem cell transplantation without posttransplant cyclophosphamide. <i>Annals of Hematology</i> , <b>2021</b> , 100, 169-180 | 3    | 7  |
| 316 | Donor-derived CD19 CAR-T cell therapy of relapse of CD19-positive B-ALL post allotransplant.<br>Leukemia, <b>2021</b> , 35, 1563-1570   | 10.7 | 16 |
| 315 | The incidence, clinical outcome, and protective factors of mixed chimerism following hematopoietic stem cell transplantation for severe aplastic anemia. <i>Clinical Transplantation</i> , <b>2021</b> , 35, e14160   | 3.8  | 1  |
| 314 | Clodronate-liposomes aggravate irradiation-induced myelosuppression by promoting myeloid differentiation. <i>International Journal of Radiation Biology</i> , <b>2021</b> , 97, 240-248   | 2.9  |    |
| 313 | Gut microbiome alterations and its link to corticosteroid resistance in immune thrombocytopenia. <i>Science China Life Sciences</i> , <b>2021</b> , 64, 766-783   | 8.5  | 3  |
| 312 | High expression predicts poor outcomes in adult acute myeloid leukemia patients with intermediate cytogenetic risk: a comprehensive cohort study from a single Chinese center. <i>Leukemia and Lymphoma</i> , <b>2021</b> , 62, 185-193                                   | 1.9  | 1  |
| 311 | Haploidentical hematopoietic stem cell transplantation for patients with myeloid sarcoma: a single center retrospective study. <i>Annals of Hematology</i> , <b>2021</b> , 100, 799-808   | 3    | 1  |
| 310 | Human herpesvirus 6 reactivation in unmanipulated haploidentical hematopoietic stem cell transplantation predicts the occurrence of grade II to IV acute graft-versus-host disease. <i>Transplant Infectious Disease</i> , <b>2021</b> , 23, e13544                       | 2.7  | 2  |
| 309 | Prognosis and risk factors for central nervous system relapse after allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Annals of Hematology</i> , <b>2021</b> , 100, 505-516  | 3    | 2  |
| 308 | Both the subtypes of KIT mutation and minimal residual disease are associated with prognosis in core binding factor acute myeloid leukemia: a retrospective clinical cohort study in single center. <i>Annals of Hematology</i> , <b>2021</b> , 100, 1203-1212            | 3    | 1  |
| 307 | Efficacy of acupuncture for sciatica: study protocol for a randomized controlled pilot trial. <i>Trials</i> , <b>2021</b> , 22, 34  | 2.8  | 1  |
| 306 | Pre-transplantation cytoreduction does not benefit advanced myelodysplastic syndrome patients after myeloablative transplantation with grafts from family donors. <i>Cancer Communications</i> , <b>2021</b> , 41, 333-344  | 9.4  | 3  |
| 305 | Haploidentical Stem Cell Transplantation With a Novel Conditioning Regimen in Older Patients: A Prospective Single-Arm Phase 2 Study. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 639502   | 5.3  | 2  |
| 304 | A multicenter, randomized phase III trial of hetrombopag: a novel thrombopoietin receptor agonist for the treatment of immune thrombocytopenia. <i>Journal of Hematology and Oncology</i> , <b>2021</b> , 14, 37  | 22.4 | 12 |

| 303 | HCMV modulates c-Mpl/IEX-1 pathway-mediated megakaryo/thrombopoiesis via PDGFR[and IIB receptors after allo-HSCT. <i>Journal of Cellular Physiology</i> , <b>2021</b> , 236, 6726-6741  | 7    | 1  |
|-----|---|------|----|
| 302 | WilmsQumor gene 1 is an independent prognostic factor for pediatric acute myeloid leukemia following allogeneic hematopoietic stem cell transplantation. <i>BMC Cancer</i> , <b>2021</b> , 21, 292  | 4.8  | 1  |
| 301 | Preemptive donor-derived anti-CD19 CAR T-cell infusion showed a promising anti-leukemia effect against relapse in MRD-positive B-ALL after allogeneic hematopoietic stem cell transplantation. <i>Leukemia</i> , <b>2021</b> ,  | 10.7 | 2  |
| 300 | Second unmanipulated allogeneic transplantation could be used as a salvage option for patients with relapsed acute leukemia post-chemotherapy plus modified donor lymphocyte infusion. <i>Frontiers of Medicine</i> , <b>2021</b> , 15, 728-739                             | 12   |    |
| 299 | Comparison of the clinical outcomes between NIMA-mismatched and NIPA-mismatched haploidentical hematopoietic stem cell transplantation for patients with hematological malignancies. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 2723-2731                       | 4.4  | 0  |
| 298 | Improved function and balance in T cell modulation by endothelial cells in young people. <i>Clinical and Experimental Immunology</i> , <b>2021</b> , 206, 196-207   | 6.2  | 2  |
| 297 | Risk Stratification of Cytogenetically Normal Acute Myeloid Leukemia With Biallelic Mutations Based on a Multi-Gene Panel and Nomogram Model. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 706935   | 5.3  | 1  |
| 296 | Hepatitis B Seropositive Status in Recipients or Donors Is Not Related to Worse Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , <b>2021</b> , 27, 668.e1-668.e9  |      | O  |
| 295 | Hematopoietic stem cell transplantation activity in China 2019: a report from the Chinese Blood and Marrow Transplantation Registry Group. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 2940-2947   | 4.4  | 7  |
| 294 | Predicting mortality from intracranial hemorrhage in patients who undergo allogeneic hematopoietic stem cell transplantation. <i>Blood Advances</i> , <b>2021</b> , 5, 4910-4921  | 7.8  | O  |
| 293 | Clinical risk factors and prognostic model for idiopathic inflammatory demyelinating diseases after haploidentical hematopoietic stem cell transplantation in patients with hematological malignancies. <i>American Journal of Hematology</i> , <b>2021</b> , 96, 1407-1419 | 7.1  | 0  |
| 292 | Meta-Analysis of Interleukin-2 Receptor Antagonists as the Treatment for Steroid-Refractory Acute GraftHost Disease. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 749266  | 8.4  | 1  |
| 291 | The consensus from The Chinese Society of Hematology on indications, conditioning regimens and donor selection for allogeneic hematopoietic stem cell transplantation: 2021 update. <i>Journal of Hematology and Oncology</i> , <b>2021</b> , 14, 145                       | 22.4 | 19 |
| 290 | A prognostic model (BATAP) with external validation for patients with transplant-associated thrombotic microangiopathy. <i>Blood Advances</i> , <b>2021</b> ,   | 7.8  | 1  |
| 289 | All-trans retinoic acid plus high-dose dexamethasone as first-line treatment for patients with newly diagnosed immune thrombocytopenia: a multicentre, open-label, randomised, controlled, phase 2 trial. <i>Lancet Haematology,the</i> , <b>2021</b> , 8, e688-e699        | 14.6 | 5  |
| 288 | Overt gastrointestinal bleeding following haploidentical haematopoietic stem cell transplantation: incidence, outcomes and predictive models. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 1341-1351  | 4.4  | 1  |
| 287 | Allogeneic hematopoietic stem cell transplantation for intermediate-risk acute myeloid leukemia in the first remission: outcomes using haploidentical donors are similar to those using matched siblings. <i>Annals of Hematology</i> , <b>2021</b> , 100, 555-562          | 3    | 2  |
| 286 | Functional Competence of NK Cells via the KIR/MHC Class I Interaction Correlates with DNAM-1 Expression <i>Journal of Immunology</i> , <b>2021</b> ,  | 5.3  | 2  |

| 285         | A risk score for predicting hospitalization for community-acquired pneumonia in ITP using nationally representative data. <i>Blood Advances</i> , <b>2020</b> , 4, 5846-5857   | 7.8                | 2  |
|-------------|--|--------------------|----|
| 284         | Comparison of haplo-SCT and chemotherapy for young adults with standard-risk Ph-negative acute lymphoblastic leukemia in CR1. <i>Journal of Hematology and Oncology</i> , <b>2020</b> , 13, 52   | 22.4               | 6  |
| 283         | Comparison of hemorrhagic and ischemic stroke after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 2087-2097   | 4.4                | 3  |
| 282         | Arsenic trioxide alleviates acute graft-versus-host disease by modulating macrophage polarization. <i>Science China Life Sciences</i> , <b>2020</b> , 63, 1744-1754  | 8.5                | 3  |
| 281         | Posterior reversible encephalopathy syndrome (PRES) after haploidentical haematopoietic stem cell transplantation: incidence, risk factors and outcomes. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 2035   | - <del>2</del> 042 | 6  |
| <b>2</b> 80 | Development and validation of a prediction model (AHC) for early identification of refractory thrombotic thrombocytopenic purpura using nationally representative data. <i>British Journal of Haematology</i> , <b>2020</b> , 191, 269-281   | 4.5                | 3  |
| 279         | miRNA-98-5p Targeting IGF2BP1 Induces Mesenchymal Stem Cell Apoptosis by Modulating PI3K/Akt and p53 in Immune Thrombocytopenia. <i>Molecular Therapy - Nucleic Acids</i> , <b>2020</b> , 20, 764-776  | 10.7               | 13 |
| 278         | Haploidentical- versus identical-sibling transplant for high-risk pediatric AML: A multi-center study. <i>Cancer Communications</i> , <b>2020</b> , 40, 93-104   | 9.4                | 12 |
| 277         | CD8CD161 T cells are associated with acute graft-versus-host disease after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1652-1654  | 4.4                | 1  |
| 276         | Monocyte subsets in bone marrow grafts may contribute to a low incidence of acute graft-vs-host disease for young donors. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 9204-9216  | 5.6                | 1  |
| 275         | Recent advances in CAR-T cell engineering. Journal of Hematology and Oncology, 2020, 13, 86  | 22.4               | 71 |
| 274         | Outcomes of symptomatic venous thromboembolism after haploidentical donor hematopoietic stem cell transplantation and comparison with human leukocyte antigen-identical sibling transplantation. <i>Thrombosis Research</i> , <b>2020</b> , 194, 168-175                                 | 8.2                | O  |
| 273         | Monosomal karyotype is associated with poor outcomes in patients with Philadelphia chromosome-negative acute lymphoblastic leukemia receiving chemotherapy but not allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2020</b> , 99, 1833-1843         | 3                  | 2  |
| 272         | Impact of ABO incompatibility on outcomes after haploidentical hematopoietic stem cell transplantation for severe aplastic anemia. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1068-1075  | 4.4                | 3  |
| 271         | Detection of measurable residual disease may better predict outcomes than mutations based on next-generation sequencing in acute myeloid leukaemia with biallelic mutations of CEBPA. <i>British Journal of Haematology</i> , <b>2020</b> , 190, 533-544                                 | 4.5                | 7  |
| 270         | Mutation topography and risk stratification for de novo acute myeloid leukaemia with normal cytogenetics and no nucleophosmin 1 (NPM1) mutation or Fms-like tyrosine kinase 3 internal tandem duplication (FLT3-ITD). <i>British Journal of Haematology</i> , <b>2020</b> , 190, 274-283 | 4.5                | 4  |
| 269         | DPEP1 expression promotes proliferation and survival of leukaemia cells and correlates with relapse in adults with common B cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , <b>2020</b> , 190, 67-78   | 4.5                | 3  |
| 268         | Haploidentical stem cell transplantation in patients with chronic myelomonocytic leukemia. <i>Science China Life Sciences</i> , <b>2020</b> , 63, 1261-1264  | 8.5                | 1  |

### (2020-2020)

| 267         | Impact of prophylactic/preemptive donor lymphocyte infusion and intensified conditioning for relapsed/refractory leukemia: a real-world study. <i>Science China Life Sciences</i> , <b>2020</b> , 63, 1552-1564  | 8.5 | 6   |
|-------------|--|-----|-----|
| 266         | Frequency, Risk Factors, and Outcome of Active Tuberculosis following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 1203-1209   | 4.7 | 6   |
| 265         | Autophagy in endothelial cells regulates their haematopoiesis-supporting ability. <i>EBioMedicine</i> , <b>2020</b> , 53, 102677   | 8.8 | 9   |
| 264         | Gasdermin E-mediated target cell pyroptosis by CAR T cells triggers cytokine release syndrome. <i>Science Immunology</i> , <b>2020</b> , 5,  | 28  | 114 |
| 263         | Comparable survival outcome between transplantation from haploidentical donor and matched related donor or unrelated donor for severe aplastic anemia patients aged 40 years and older: A retrospective multicenter cohort study. <i>Clinical Transplantation</i> , <b>2020</b> , 34, e13810 | 3.8 | 9   |
| 262         | Incidence, risk factors, and outcomes of cytomegalovirus retinitis after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1147-1160  | 4.4 | 11  |
| 261         | Incidence, Risk Factors, and Outcomes of Primary Prolonged Isolated Thrombocytopenia after Haploidentical Hematopoietic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 1452-1458   | 4.7 | 2   |
| <b>2</b> 60 | A retrospective analysis on anti-CD20 antibody-treated Epstein-Barr virus-related posttransplantation lymphoproliferative disorder following ATG-based haploidentical T-replete hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2020</b> , 99, 2649-2657           | 3   | 1   |
| 259         | Immunosuppressant indulges EBV reactivation and related lymphoproliferative disease by inhibiting $V \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $   |     | 9   |
| 258         | Long-Term Follow-up of a Randomized Trial of Two Dose Levels of Antithymocyte Globulin in Haploidentical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2020</b> , 136, 20-20  | 2.2 | 3   |
| 257         | Mutations Based on Next-Generation Sequencing May be Complementally to Prognostic Risk in Myelodysplastic Syndromes. <i>Blood</i> , <b>2020</b> , 136, 42-43   | 2.2 |     |
| 256         | M2 Macrophages, but Not M1 Macrophages, Support Megakaryopoiesis Via up-Regulating PI3K-AKT Pathway. <i>Blood</i> , <b>2020</b> , 136, 1-1   | 2.2 |     |
| 255         | M1 and M2 Macrophages Play Different Roles in the Pathogenesis of Acute Graft-Versus-Host Disease Post-Allotransplant By Modulating Immune Microenvironment. <i>Blood</i> , <b>2020</b> , 136, 19-20   | 2.2 |     |
| 254         | Both the Subtypes of Kit Mutation and Minimal Residual Disease Are Associated with Prognosis in Core Banding Factor Acute Myeloid Leukemia. <i>Blood</i> , <b>2020</b> , 136, 4-5  | 2.2 |     |
| 253         | Different Subsets of Haematopoietic Cells and Immune Cells in Bone Marrow between Young and Old Donors. <i>Blood</i> , <b>2020</b> , 136, 33-34  | 2.2 |     |
| 252         | Risk and Prognostic Factors for Intracranial Hemorrhage in Elderly Patients with Immune Thrombocytopenia. <i>Blood</i> , <b>2020</b> , 136, 14-15  | 2.2 |     |
| 251         | Comparison of central nervous system relapse outcomes following haploidentical vs identical-sibling transplant for acute lymphoblastic leukemia. <i>Annals of Hematology</i> , <b>2020</b> , 99, 1643-165  | 533 | 2   |
| 250         | Prognostic significance of SET-NUP214 fusion gene in acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Medicine (United States)</i> , <b>2020</b> , 99, e23569   | 1.8 | 2   |

| 249 | Improved survival after offspring donor transplant compared with older aged-matched siblings for older leukaemia patients. <i>British Journal of Haematology</i> , <b>2020</b> , 189, 153-161   | 4.5   | 4  |
|-----|---|-------|----|
| 248 | Basiliximab as Treatment for Steroid-Refractory Acute Graft-versus-Host Disease in Pediatric Patients after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 351-357  | 4.7   | 9  |
| 247 | Incidence, Risk Factors, Outcomes, and Risk Score Model of Acute Pancreatitis after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 1171-  | ·1478 | 4  |
| 246 | Superior survival of unmanipulated haploidentical haematopoietic stem cell transplantation compared with intensive chemotherapy as post-remission treatment for children with very high-risk philadelphia chromosome negative B-cell acute lymphoblastic leukaemia in first complete  | 4.5   | 11 |
| 245 | Subgroup Analysis Can Optimize the Relapse-Prediction Cutoff Value for WT1 Expression After Allogeneic Hematologic Stem Cell Transplantation in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , <b>2020</b> , 22, 188-195   | 5.1   | 2  |
| 244 | Unmanipulated haploidentical hematopoietic stem cell transplantation for children with myelodysplastic syndrome. <i>Pediatric Transplantation</i> , <b>2020</b> , 24, e13864  | 1.8   | 2  |
| 243 | Long-term follow-up of CD19 chimeric antigen receptor T-cell therapy for relapsed/refractory acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Cytotherapy</i> , <b>2020</b> , 22, 755-761  | 4.8   | 7  |
| 242 | Preemptive interferon-Itreatment could protect against relapse and improve long-term survival of ALL patients after allo-HSCT. <i>Scientific Reports</i> , <b>2020</b> , 10, 20148  | 4.9   | 3  |
| 241 | The incidence, risk factors, and outcomes of acute graft-vs-host disease in pediatric T-cell-replete haploidentical hematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , <b>2020</b> , 24, e13793  | 1.8   |    |
| 240 | Comparison of different cytomegalovirus diseases following haploidentical hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2020</b> , 99, 2659-2670  | 3     | 4  |
| 239 | Incidence, Risk Factors, and Outcomes of Chronic Graft-versus-Host Disease in Pediatric Patients with Hematologic Malignancies after T Cell-Replete Myeloablative Haploidentical Hematopoietic Stem Cell Transplantation with Antithymocyte Globulin/Granulocyte Colony-Stimulating Factor.  Biology of Blood and Marrow Transplantation, 2020, 26, 1655-1662 | 4.7   | 2  |
| 238 | Current and emerging treatments based on novel mechanisms for immune thrombocytopenia.  Science China Life Sciences, <b>2020</b> , 63, 1597-1599  | 8.5   |    |
| 237 | Efficacy and safety of eltrombopag in Chinese patients with chronic immune thrombocytopenia: stage 2 results from a multicenter phase III study. <i>Platelets</i> , <b>2020</b> , 1-7   | 3.6   | 11 |
| 236 | First-line Therapy With Donor-derived Human Cytomegalovirus (HCMV)-specific T Cells Reduces Persistent HCMV Infection by Promoting Antiviral Immunity After Allogenic Stem Cell Transplantation. <i>Clinical Infectious Diseases</i> , <b>2020</b> , 70, 1429-1437  | 11.6  | 16 |
| 235 | Comparison of the clinical outcomes of hematologic malignancies after myeloablative haploidentical transplantation with G-CSF/ATG and posttransplant cyclophosphamide: results from the Chinese Bone Marrow Transplantation Registry Group (CBMTRG). Science China Life Sciences,   | 8.5   | 14 |
| 234 | The Quantification of Minimal Residual Disease Pre- and Post-Unmanipulated Haploidentical Allograft by Multiparameter Flow Cytometry in Pediatric Acute Lymphoblastic Leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , <b>2020</b> , 98, 75-87  | 3.4   | 11 |
| 233 | Influence of the degree of donor bone marrow hyperplasia on patient clinical outcomes after allogeneic hematopoietic stem cell transplantation. <i>Science China Life Sciences</i> , <b>2020</b> , 63, 138-147  | 8.5   | O  |
| 232 | Prognostic factors and long-term follow-up of basiliximab for steroid-refractory acute graft-versus-host disease: Updated experience from a large-scale study. <i>American Journal of Hematology</i> , <b>2020</b> , 95, 927-936  | 7.1   | 16 |

| 231 | Haploidentical donor is preferred over matched sibling donor for pre-transplantation MRD positive ALL: a phase 3 genetically randomized study. <i>Journal of Hematology and Oncology</i> , <b>2020</b> , 13, 27   | 22.4 | 19 |
|-----|---|------|----|
| 230 | Different Effects of Pre-transplantation Measurable Residual Disease on Outcomes According to Transplant Modality in Patients With Philadelphia Chromosome Positive ALL. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 320   | 5.3  | 9  |
| 229 | Co-Reactivation of Cytomegalovirus and Epstein-Barr Virus Was Associated With Poor Prognosis After Allogeneic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 620891  | 8.4  | 7  |
| 228 | Low-dose post-transplant cyclophosphamide and anti-thymocyte globulin as an effective strategy for GVHD prevention in haploidentical patients. <i>Journal of Hematology and Oncology</i> , <b>2019</b> , 12, 88   | 22.4 | 33 |
| 227 | Who is the best haploidentical donor for acquired severe aplastic anemia? Experience from a multicenter study. <i>Journal of Hematology and Oncology</i> , <b>2019</b> , 12, 87   | 22.4 | 10 |
| 226 | The prognostic significance of WilmsQumor gene 1 (WT1) expression at diagnosis in adults with Ph-negative B cell precursor acute lymphoblastic leukemia. <i>Annals of Hematology</i> , <b>2019</b> , 98, 2551-2559  | 3    | 4  |
| 225 | Risk factors for chronic graft-versus-host disease after anti-thymocyte globulin-based haploidentical hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Frontiers of Medicine</i> , <b>2019</b> , 13, 667-679   | 12   | О  |
| 224 | Eltrombopag is an effective and safe therapy for refractory thrombocytopenia after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1310-1318   | 4.4  | 24 |
| 223 | Minimal residual disease status determined by multiparametric flow cytometry pretransplantation predicts the outcome of patients with ALL receiving unmanipulated haploidentical allografts.  American Journal of Hematology, 2019, 94, 512-521                               | 7.1  | 26 |
| 222 | All- retinoic acid protects mesenchymal stem cells from immune thrombocytopenia by regulating the complement-interleukin-1[loop. <i>Haematologica</i> , <b>2019</b> , 104, 1661-1675  | 6.6  | 12 |
| 221 | Immunosuppressive therapy versus haploidentical transplantation in adults with acquired severe aplastic anemia. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1319-1326  | 4.4  | 17 |
| 220 | G-CSF-induced macrophage polarization and mobilization may prevent acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1419-1433   | 4.4  | 19 |
| 219 | Minimal residual disease-directed immunotherapy for high-risk myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , <b>2019</b> , 13, 354-364   | 12   | 7  |
| 218 | FLT3 internal tandem duplication does not impact prognosis after haploidentical allogeneic hematopoietic stem cell transplantation in AML patients. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1462-  | 1470 | 4  |
| 217 | Virus reactivation and low dose of CD34+ cell, rather than haploidentical transplantation, were associated with secondary poor graft function within the first 100 days after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1877-1883 | 3    | 8  |
| 216 | Study on the Prognostic Value of Aberrant Antigen in Patients With Acute B Lymphocytic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2019</b> , 19, e349-e358   | 2    | 4  |
| 215 | Incidence, risk factors and outcomes of sinusoidal obstruction syndrome after haploidentical allogeneic stem cell transplantation. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1733-1742  | 3    | 3  |
| 214 | Incidence, Risk Factors, and Outcome of Immune-Mediated Neuropathies (IMNs) following Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 1629-1636  | 4.7  | 1  |

| 213 | Early myeloid-derived suppressor cells (HLA-DR/CD33CD16) expanded by granulocyte colony-stimulating factor prevent acute graft-versus-host disease (GVHD) in humanized mouse and might contribute to lower GVHD in patients post allo-HSCT. <i>Journal of Hematology and Oncology</i> , | 22.4               | 21 |
|-----|---|--------------------|----|
| 212 | <b>2019</b> , 12, 31 Incidence and predictors of severe cardiotoxicity in patients with severe aplastic anaemia after haploidentical haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1694-   | 1 <del>1</del> 700 | 4  |
| 211 | S100A16 suppresses the growth and survival of leukaemia cells and correlates with relapse and relapse free survival in adults with Philadelphia chromosome-negative B-cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , <b>2019</b> , 185, 836-851            | 4.5                | 4  |
| 210 | Donor-Derived CD19-Targeted T Cell Infusion Eliminates B Cell Acute Lymphoblastic Leukemia Minimal Residual Disease with No Response to Donor Lymphocytes after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Engineering</i> , <b>2019</b> , 5, 150-155                       | 9.7                | 5  |
| 209 | Reduced <b>I</b> -GPI is associated with increased platelet aggregation and activation in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Science China Life Sciences</i> , <b>2019</b> , 62, 921-929   | 8.5                | 2  |
| 208 | Positive stool culture could predict the clinical outcomes of haploidentical hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , <b>2019</b> , 13, 492-503  | 12                 | 1  |
| 207 | Comparable Outcomes after Hematopoietic Stem Cell Transplantation from Mother Donors and Matched Unrelated Donors in Patients with Hematopoietic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 1210-1217   | 4.7                | 1  |
| 206 | Comparison of efficacy between HLA6/6- and HLA3/6-matched haploidentical hematopoietic stem cell transplant in T-cell-replete transplants between parents and children. <i>Science China Life Sciences</i> , <b>2019</b> , 62, 104-111  | 8.5                | 4  |
| 205 | The significance of peri-transplantation minimal residual disease assessed by multiparameter flow cytometry on outcomes for adult AML patients receiving haploidentical allografts. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 567-577                                      | 4.4                | 6  |
| 204 | High aldehyde dehydrogenase activity at diagnosis predicts relapse in patients with t(8;21) acute myeloid leukemia. <i>Cancer Medicine</i> , <b>2019</b> , 8, 5459-5467   | 4.8                | 3  |
| 203 | The Lost or Absence of MRD. <i>Blood</i> , <b>2019</b> , 134, 2616-2616   | 2.2                |    |
| 202 | Autophagy in Endothelial Cells Regulates Their Hematopoiesis Supporting Ability. <i>Blood</i> , <b>2019</b> , 134, 442  | 2 <u>5-4</u> 42    | 5  |
| 201 | Dysregulated megakaryocyte distribution associated with nestin mesenchymal stem cells in immune thrombocytopenia. <i>Blood Advances</i> , <b>2019</b> , 3, 1416-1428  | 7.8                | 5  |
| 200 | Prophylactic oral NAC reduced poor hematopoietic reconstitution by improving endothelial cells after haploidentical transplantation. <i>Blood Advances</i> , <b>2019</b> , 3, 1303-1317   | 7.8                | 24 |
| 199 | Donor and host coexpressing KIR ligands promote NK education after allogeneic hematopoietic stem cell transplantation. <i>Blood Advances</i> , <b>2019</b> , 3, 4312-4325   | 7.8                | 18 |
| 198 | Overexpression of WT1 and PRAME predicts poor outcomes of patients with myelodysplastic syndromes with thrombocytopenia. <i>Blood Advances</i> , <b>2019</b> , 3, 3406-3418   | 7.8                | 3  |
| 197 | Comparison analysis between haplo identical stem cell transplantation and matched sibling donor stem cell transplantation for high-risk acute myeloid leukemia in first complete remission. <i>Science China Life Sciences</i> , <b>2019</b> , 62, 691-697                              | 8.5                | 14 |
| 196 | A novel recombinant human thrombopoietin for treating prolonged isolated thrombocytopenia after allogeneic stem cell transplantation. <i>Platelets</i> , <b>2019</b> , 30, 994-1000   | 3.6                | 6  |

| 195 | Myeloablative Haploidentical Transplantation Is Superior to Chemotherapy for Patients with Intermediate-risk Acute Myelogenous Leukemia in First Complete Remission. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 1737-1748  | 12.9             | 13 |
|-----|---|------------------|----|
| 194 | Hepatitis E virus infection after haploidentical haematopoietic stem cell transplantation: incidence and clinical course. <i>British Journal of Haematology</i> , <b>2019</b> , 184, 788-796  | 4.5              | 7  |
| 193 | Developing role of B cells in the pathogenesis and treatment of chronic GVHD. <i>British Journal of Haematology</i> , <b>2019</b> , 184, 323-336  | 4.5              | 17 |
| 192 | Use of chimeric antigen receptor T cells in allogeneic hematopoietic stem cell transplantation. <i>Immunotherapy</i> , <b>2019</b> , 11, 37-44  | 3.8              | 4  |
| 191 | ADAM28 promotes tumor growth and dissemination of acute myeloid leukemia through IGFBP-3 degradation and IGF-I-induced cell proliferation. <i>Cancer Letters</i> , <b>2019</b> , 442, 193-201   | 9.9              | 8  |
| 190 | Chemotherapy plus DLI for relapse after haploidentical HSCT: the biological characteristics of relapse influences clinical outcomes of acute leukemia patients. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1198-1207  | 4.4              | 5  |
| 189 | A multicenter, prospective evaluation of the Chinese Society of Thrombosis and Hemostasis Scoring System for disseminated intravascular coagulation. <i>Thrombosis Research</i> , <b>2019</b> , 173, 131-140  | 8.2              | 10 |
| 188 | Occurrence and Severity of Donor Lymphocyte Infusion-Associated Chronic Graft-versus-Host Disease Influence the Clinical Outcomes in Relapsed Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 912-9 | 4.7<br>20        | 3  |
| 187 | Comments on the article: <b>@</b> onor-derived CD19-targeted T cell infusion induces minimal residual disease-negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantationQ     | 4.5              |    |
| 186 | Interferon-Balvage treatment is effective for patients with acute leukemia/myelodysplastic syndrome with unsatisfactory response to minimal residual disease-directed donor lymphocyte infusion after allogeneic hematopoietic stem cell transplantation. Frontiers of Medicine, 2019, 13, 238-2.   | 12<br>49         | 13 |
| 185 | The impact of donor characteristics on the invariant natural killer T cells of granulocyte-colony-stimulating factor-mobilized marrow grafts and peripheral blood grafts. <i>Transplant Immunology</i> , <b>2018</b> , 48, 55-59  | 1.7              | 1  |
| 184 | N-acetyl-L-cysteine improves mesenchymal stem cell function in prolonged isolated thrombocytopenia post-allotransplant. <i>British Journal of Haematology</i> , <b>2018</b> , 180, 863-878  | 4.5              | 14 |
| 183 | Integrated mRNA and miRNA profiling revealed deregulation of cellular stress response in bone marrow mesenchymal stem cells derived from patients with immune thrombocytopenia. <i>Functional and Integrative Genomics</i> , <b>2018</b> , 18, 287-299  | 3.8              | 11 |
| 182 | N-acetyl-L-cysteine improves bone marrow endothelial progenitor cells in prolonged isolated thrombocytopenia patients post allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , <b>2018</b> , 93, 931-942  | 7.1              | 16 |
| 181 | Optimal donor for severe aplastic anemia patient requiring allogeneic hematopoietic stem cell transplantation: A large-sample study from China. <i>Scientific Reports</i> , <b>2018</b> , 8, 2479   | 4.9              | 12 |
| 180 | Impact of pre-transplantation minimal residual disease determined by multiparameter flow cytometry on the outcome of AML patients with FLT3-ITD after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , <b>2018</b> , 97, 967-975   | 3                | 17 |
| 179 | Diminished expression of <code>I</code> -GPI is associated with a reduced ability to mitigate complement activation in anti-GPIIb/IIIa-mediated immune thrombocytopenia. <i>Annals of Hematology</i> , <b>2018</b> , 97, 641-6  | <br>5 <b>3</b> 4 | 6  |
| 178 | Inverse correlation of VI T-cell recovery with EBV reactivation after haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , <b>2018</b> , 180, 276-285  | 4.5              | 16 |

| 177 | Atorvastatin enhances bone marrow endothelial cell function in corticosteroid-resistant immune thrombocytopenia patients. <i>Blood</i> , <b>2018</b> , 131, 1219-1233   | 2.2 | 26 |
|-----|---|-----|----|
| 176 | Congenital hypofibrinogenemia in pregnancy: a report of 11 cases. <i>Blood Coagulation and Fibrinolysis</i> , <b>2018</b> , 29, 155-159   | 1   | 13 |
| 175 | First-line choice for severe aplastic anemia in children: Transplantation from a haploidentical donor vs immunosuppressive therapy. <i>Clinical Transplantation</i> , <b>2018</b> , 32, e13179  | 3.8 | 16 |
| 174 | Perianal Infections in the Phase before Engraftment after Allogeneic Hematopoietic Stem Cell Transplantations: A Study of the Incidence, Risk Factors, and Clinical Outcomes. <i>Acta Haematologica</i> , <b>2018</b> , 139, 19-27  | 2.7 | 6  |
| 173 | Acute kidney injury following haplo stem cell transplantation: incidence, risk factors and outcome.<br>Bone Marrow Transplantation, <b>2018</b> , 53, 483-486   | 4.4 | 7  |
| 172 | Mesenchymal stem cell deficiency influences megakaryocytopoiesis through the TNFAIP3/NF- <b>B</b> /SMAD pathway in patients with immune thrombocytopenia. <i>British Journal of Haematology</i> , <b>2018</b> , 180, 395-411  | 4.5 | 22 |
| 171 | Safety and efficacy of haploidentical stem cell transplantation for multiple myeloma. <i>Bone Marrow Transplantation</i> , <b>2018</b> , 53, 507-510  | 4.4 | 4  |
| 170 | Impact of HLA allele mismatch at HLA-A, -B, -C, -DRB1, and -DQB1 on outcomes in haploidentical stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2018</b> , 53, 600-608  | 4.4 | 7  |
| 169 | The prognostic role of E2A-PBX1 expression detected by real-time quantitative reverse transcriptase polymerase chain reaction (RQ-PCR) in B cell acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2018</b> , 97, 1547-1554 | 3   | 12 |
| 168 | IgG synthesis rate and anti-myelin oligodendrocyte glycoprotein antibody in CSF may be associated with the onset of CNS demyelination after haplo-HSCT. <i>Annals of Hematology</i> , <b>2018</b> , 97, 1399-1406   | 3   | 6  |
| 167 | Comparative Analysis of Flow Cytometry and RQ-PCR for the Detection of Minimal Residual Disease in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 1936-1943  | 4.7 | 11 |
| 166 | T cell exhaustion characterized by compromised MHC class I and II restricted cytotoxic activity associates with acute B lymphoblastic leukemia relapse after allogeneic hematopoietic stem cell transplantation. <i>Clinical Immunology</i> , <b>2018</b> , 190, 32-40                            | 9   | 14 |
| 165 | Combined prednisone and levothyroxine improve treatment of severe thrombocytopenia in hepatitis B with compensatory cirrhosis accompanied by subclinical and overt hypothyroidism. <i>Science China Life Sciences</i> , <b>2018</b> , 61, 924-933   | 8.5 | 1  |
| 164 | Treatment of late-onset hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation: the role of corticosteroids. <i>Annals of Hematology</i> , <b>2018</b> , 97, 1209-1217   | 3   | 6  |
| 163 | Monitoring of post-transplant CBFB-MYH11 as minimal residual disease, rather than KIT mutations, can predict relapselafter allogeneic haematopoietic cell transplantation in adults with inv(16) acute myeloid leukaemia. <i>British Journal of Haematology</i> , <b>2018</b> , 180, 448-451      | 4.5 | 16 |
| 162 | Outcome and Minimal Residual Disease Monitoring in Patients with t(16;21) Acute Myelogenous Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 163-168  | 4.7 | 5  |
| 161 | Dysfunctional Bone Marrow Mesenchymal Stem Cells in Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 1981-1989  | 4.7 | 16 |
| 160 | Evaluation of glucocorticoid compared with immunoglobulin therapy of severe immune thrombocytopenia during pregnancy: Response rate and complication. <i>American Journal of Reproductive Immunology</i> , <b>2018</b> , 80, e13000   | 3.8 | 3  |

| 159 | Impairment of bone marrow endothelial progenitor cells in acute graft-versus-host disease patients after allotransplant. <i>British Journal of Haematology</i> , <b>2018</b> , 182, 870-886   | 4.5  | 11 |
|-----|---|------|----|
| 158 | Busulfan, Fludarabine, and Cyclophosphamide (BFC) conditioning allowed stable engraftment after haplo-identical allogeneic stem cell transplantation in children with adrenoleukodystrophy and mucopolysaccharidosis. <i>Bone Marrow Transplantation</i> , <b>2018</b> , 53, 770-773  | 4.4  | 9  |
| 157 | Heterogeneous prognosis among KIT mutation types in adult acute myeloid leukemia patients with t(8;21). <i>Blood Cancer Journal</i> , <b>2018</b> , 8, 76   | 7    | 10 |
| 156 | Efficacy of Caspofungin in Unclassified Invasive Fungal Infection Cases: A Retrospective Analysis of Patients with Hematological Malignancies in China. <i>Medical Science Monitor</i> , <b>2018</b> , 24, 5258-5270  | 3.2  | 1  |
| 155 | Hepatitis E Virus Infection after Haploidentical Hematopoietic Stem Cell Transplantation:Incidence and Clinical Course. <i>Blood</i> , <b>2018</b> , 132, 5734-5734   | 2.2  |    |
| 154 | Comparable Outcomes after Hematopoietic Stem Cell Transplantation from Mother Donors and Matched Unrelated Donors in Patients with Hematopoietic Malignancies. <i>Blood</i> , <b>2018</b> , 132, 3463-3463  | 2.2  |    |
| 153 | Haplo-SCT Mediates Stronger GVL Effect Than HLA-Matched Sibling Allograft By Significantly Reducing Leukemia Burden. <i>Blood</i> , <b>2018</b> , 132, 2186-2186  | 2.2  |    |
| 152 | Osteoclast Stimulatory Transmembrane Protein (OCSTAMP) mRNA Levels and Clinical Variables in Persons with Plasma Cell Myeloma. <i>Blood</i> , <b>2018</b> , 132, 5264-5264  | 2.2  |    |
| 151 | Clonal Trajectories in Persons with Acute Myeloid Leukemia and Normal Cytogenetics Relapsing after Intensive Chemotherapy and after Allotransplants. Does Pretransplant Conditioning Contribute to Mutation Topography?. <i>Blood</i> , <b>2018</b> , 132, 2813-2813                  | 2.2  |    |
| 150 | Poor NKG2C+ Adaptive NK Cell Recovery at Early Stage after Allo-HSCT Increased the Occurrence of Refractory Cytomegalovirus Infection. <i>Blood</i> , <b>2018</b> , 132, 360-360  | 2.2  |    |
| 149 | Allogeneic Stem Cell Transplantation versus Tyrosine Kinase Inhibitors Combined with Chemotherapy in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 741-750                      | 4.7  | 27 |
| 148 | Thrombotic microangiopathy with concomitant GI aGVHD after allogeneic hematopoietic stem cell transplantation: Risk factors and outcome. <i>European Journal of Haematology</i> , <b>2018</b> , 100, 171-181  | 3.8  | 8  |
| 147 | Utility of flexible bronchoscopy with polymerase chain reaction in the diagnosis and management of pulmonary infiltrates in allogeneic HSCT patients. <i>Clinical Transplantation</i> , <b>2018</b> , 32, e13146  | 3.8  | 6  |
| 146 | Association of Persistent Minimal Residual Disease with Poor Outcomes of Patients with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Chinese Medical Journal</i> , <b>2018</b> , 131, 2808-2816  | 2.9  | 5  |
| 145 | Relationship of Cell Compositions in Allografts with Outcomes after Haploidentical Transplantation for Acquired Severe Aplastic Anemia: Effects of CD34 and CD14 Cell Doses. <i>Chinese Medical Journal</i> , <b>2018</b> , 131, 2185-2192  | 2.9  | 3  |
| 144 | Dendritic Cells Are Critical for the Activation and Expansion of VØ T Cells After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2528  | 8.4  | 7  |
| 143 | Incidence, Risk Factors, Microbiology and Outcomes of Pre-engraftment Bloodstream Infection After Haploidentical Hematopoietic Stem Cell Transplantation and Comparison With HLA-identical Sibling Transplantation. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 67, S162-S173 | 11.6 | 14 |
| 142 | Endothelial nitric oxide synthase enhancer AVE3085 reverses endothelial dysfunction induced by homocysteine in human internal mammary arteries. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2018</b> , 81, 21-27   | 5    | 9  |

| 141 | Interferon-IIs Effective for Treatment of Minimal Residual Disease in Patients with t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Prospective Registry Study. <i>Oncologist</i> , <b>2018</b> , 23, 1349-1357  | 5.7  | 12 |
|-----|--|------|----|
| 140 | The consensus on the monitoring, treatment, and prevention of leukemia relapse after allogeneic hematopoietic stem cell transplantation in China. <i>Cancer Letters</i> , <b>2018</b> , 438, 63-75   | 9.9  | 73 |
| 139 | The role of collateral related donors in haploidentical hematopoietic stem cell transplantation. <i>Science Bulletin</i> , <b>2018</b> , 63, 1376-1382   | 10.6 | 21 |
| 138 | Evaluation of HistoCheck as a Predictor of Clinical Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 1866-1872  | 4.7  | 1  |
| 137 | An unbalanced monocyte macrophage polarization in the bone marrow microenvironment of patients with poor graft function after allogeneic haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , <b>2018</b> , 182, 679-692  | 4.5  | 24 |
| 136 | Association between C-reactive protein levels in the first 1-3 days post-transplant and allogeneic immune reactions. <i>Biomarkers in Medicine</i> , <b>2017</b> , 11, 117-124   | 2.3  | 1  |
| 135 | The dynamics of RUNX1-RUNX1T1 transcript levels after allogeneic hematopoietic stem cell transplantation predict relapse in patients with t(8;21) acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , <b>2017</b> , 10, 44   | 22.4 | 32 |
| 134 | Upfront haploidentical transplant for acquired severe aplastic anemia: registry-based comparison with matched related transplant. <i>Journal of Hematology and Oncology</i> , <b>2017</b> , 10, 25   | 22.4 | 92 |
| 133 | Viral encephalitis after haplo-identical hematopoietic stem cell transplantation: Causative viral spectrum, characteristics, and risk factors. <i>European Journal of Haematology</i> , <b>2017</b> , 98, 450-458  | 3.8  | 17 |
| 132 | Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-versus-Host Disease-Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia.  | 4.7  | 43 |
| 131 | IFN-IIs Effective for Treatment of Minimal Residual Disease in Patients with Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Registry Study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 1303-1310  | 4.7  | 29 |
| 130 | Recipient-donor KIR ligand matching prevents CMV reactivation post-haploidentical T cell-replete transplantation. <i>British Journal of Haematology</i> , <b>2017</b> , 177, 766-781   | 4.5  | 9  |
| 129 | A Retrospective Study of Central Nervous System Invasive Fungal Disease after Allogeneic Stem Cell Transplantation: Risk Factors, Clinical Characteristics, and Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 1158-1164   | 4.7  | 6  |
| 128 | Aberrant T cell responses in the bone marrow microenvironment of patients with poor graft function after allogeneic hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , <b>2017</b> , 15, 57   | 8.5  | 22 |
| 127 | Comparison of outcomes after donor lymphocyte infusion with or without prior chemotherapy for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2017</b> , 96, 829-838                                | 3    | 28 |
| 126 | Abnormalities of the Bone Marrow Immune Microenvironment in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 906-912   | 4.7  | 17 |
| 125 | Optimal dose of rabbit thymoglobulin in conditioning regimens for unmanipulated, haploidentical, hematopoietic stem cell transplantation: Long-term outcomes of a prospective randomized trial. <i>Cancer</i> , <b>2017</b> , 123, 2881-2892   | 6.4  | 35 |
| 124 | Donor-derived CD19-targeted T cell infusion induces minimal residual disease-negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , <b>2017</b> | 4.5  | 59 |

| 123 | Low-dose post-transplant cyclophosphamide can mitigate GVHD and enhance the G-CSF/ATG induced GVHD protective activity and improve haploidentical transplant outcomes. <i>Oncolmmunology</i> , <b>2017</b> , 6, e1356152  | 7.2  | 17 |
|-----|---|------|----|
| 122 | Impaired Function of Bone Marrow Mesenchymal Stem Cells from Immune Thrombocytopenia Patients in Inducing Regulatory Dendritic Cell Differentiation Through the Notch-1/Jagged-1 Signaling Pathway. <i>Stem Cells and Development</i> , <b>2017</b> , 26, 1648-1661                       | 4.4  | 27 |
| 121 | Cytomegalovirus-Specific T-Cell Transfer for Refractory Cytomegalovirus Infection After Haploidentical Stem Cell Transplantation: The Quantitative and Qualitative Immune Recovery for Cytomegalovirus. <i>Journal of Infectious Diseases</i> , <b>2017</b> , 216, 945-956                | 7    | 49 |
| 120 | Haploidentical allograft is superior to matched sibling donor allograft in eradicating pre-transplantation minimal residual disease of AML patients as determined by multiparameter flow cytometry: a retrospective and prospective analysis. <i>Journal of Hematology and Oncology</i> , | 22.4 | 74 |
| 119 | Evaluation of the new Chinese Disseminated Intravascular Coagulation Scoring System in critically ill patients: A multicenter prospective study. <i>Scientific Reports</i> , <b>2017</b> , 7, 9057  | 4.9  | 9  |
| 118 | Oral all-trans retinoic acid plus danazol versus danazol as second-line treatment in adults with primary immune thrombocytopenia: a multicentre, randomised, open-label, phase 2 trial. <i>Lancet Haematology,the</i> , <b>2017</b> , 4, e487-e496  | 14.6 | 24 |
| 117 | Effects of pre- and post-transplantation minimal residual disease on outcomes in pediatric patients with acute myeloid leukemia receiving human leukocyte antigen-matched or mismatched related donor allografts. <i>American Journal of Hematology</i> , <b>2017</b> , 92, E659-E661     | 7.1  | 11 |
| 116 | Caspofungin Treatment for Pulmonary Invasive Fungal Disease in Hematology Patients: A Retrospective Study in a Clinical Practice Setting in China. <i>Clinical Therapeutics</i> , <b>2017</b> , 39, 1758-1768   | 3.5  | 2  |
| 115 | Haploidentical hematopoietic stem cell transplantation for pediatric Philadelphia chromosome-positive acute lymphoblastic leukemia in the imatinib era. <i>Leukemia Research</i> , <b>2017</b> , 59, 136-141  | 2.7  | 6  |
| 114 | The impact of minimal residual disease prior to unmanipulated haploidentical hematopoietic stem cell transplantation in patients with acute myeloid leukemia in complete remission. <i>Leukemia and Lymphoma</i> , <b>2017</b> , 58, 1135-1143  | 1.9  | 10 |
| 113 | Multicentre, randomised phase III study of the efficacy and safety of eltrombopag in Chinese patients with chronic immune thrombocytopenia. <i>British Journal of Haematology</i> , <b>2017</b> , 176, 101-110  | 4.5  | 35 |
| 112 | Endothelial progenitor cells improve the quality of transplanted hematopoietic stem cells and maintain longer term effects in mice. <i>Annals of Hematology</i> , <b>2017</b> , 96, 107-114   | 3    | 2  |
| 111 | Higher dose of CD34+ peripheral blood stem cells is associated with better survival after haploidentical stem cell transplantation in pediatric patients. <i>Clinical Transplantation</i> , <b>2017</b> , 31, e12880  | 3.8  | O  |
| 110 | Risk factors for herpes simplex virus-1/2 viremia and clinical outcomes following unmanipulated haploidentical haematopoietic stem cell transplantation. <i>Journal of Clinical Virology</i> , <b>2017</b> , 95, 20-25  | 14.5 | 7  |
| 109 | Inflammation-Related Gene Polymorphisms Associated With Primary Immune Thrombocytopenia. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 744  | 8.4  | 16 |
| 108 | Cysteine and glycine-rich protein 2 (CSRP2) transcript levels correlate with leukemia relapse and leukemia-free survival in adults with B-cell acute lymphoblastic leukemia and normal cytogenetics. <i>Oncotarget</i> , <b>2017</b> , 8, 35984-36000                                     | 3.3  | 12 |
| 107 | Haploidentical Hematopoietic Stem Cell Transplantation for Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 2143-2150   | 4.7  | 13 |
| 106 | Prophylactic use of low-dose interleukin-2 and the clinical outcomes of hematopoietic stem cell transplantation: A randomized study. <i>OncoImmunology</i> , <b>2016</b> , 5, e1250992  | 7.2  | 15 |

| 105 | Minimal residual disease- and graft-vshost disease-guided multiple consolidation chemotherapy and donor lymphocyte infusion prevent second acute leukemia relapse after allotransplant. <i>Journal of Hematology and Oncology</i> , <b>2016</b> , 9, 87                | 22.4 | 41 |
|-----|--|------|----|
| 104 | Poor CMV-specific CD8+ T central memory subset recovery at early stage post-HSCT associates with refractory and recurrent CMV reactivation. <i>Journal of Infection</i> , <b>2016</b> , 73, 261-70   | 18.9 | 8  |
| 103 | Comparison of outcomes after umbilical cord blood and unmanipulated haploidentical hematopoietic stem cell transplantation in children with high-risk acute lymphoblastic leukemia. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 2106-15                | 7.5  | 35 |
| 102 | Haplo-identical transplantation for acquired severe aplastic anaemia in a multicentre prospective study. <i>British Journal of Haematology</i> , <b>2016</b> , 175, 265-274  | 4.5  | 75 |
| 101 | Lower incidence of acute GVHD is associated with the rapid recovery of CD4CD25CD45RA regulatory T cells in patients who received haploidentical allografts from NIMA-mismatched donors: A retrospective (development) and prospective (validation) cohort-based study. | 7.2  | 9  |
| 100 | Low WT1 transcript levels at diagnosis predicted poor outcomes of acute myeloid leukemia patients with t(8;21) who received chemotherapy or allogeneic hematopoietic stem cell transplantation. <i>Chinese Journal of Cancer</i> , <b>2016</b> , 35, 46                |      | 10 |
| 99  | Minimal residual disease monitoring and preemptive immunotherapy in myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2016</b> , 95, 1233-40   | 3    | 11 |
| 98  | Increased Type 1 Immune Response in the Bone Marrow Immune Microenvironment of Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2016</b> , 22, 1376-1382            | 4.7  | 22 |
| 97  | Allogeneic hematopoietic cell transplantation for adult patients with treatment-related acute myeloid leukemia during first remission: Comparable to de novo acute myeloid leukemia. <i>Leukemia Research</i> , <b>2016</b> , 47, 8-15                                 | 2.7  | 6  |
| 96  | Prognostic impact of IKZF1 deletion in adults with common B-cell acute lymphoblastic leukemia. <i>BMC Cancer</i> , <b>2016</b> , 16, 269   | 4.8  | 26 |
| 95  | Characterization of thrombopoietin kinetics within 60 days after allogeneic hematopoietic stem cell transplantation and its correlation with megakaryocyte ploidy distribution. <i>Clinical Transplantation</i> , <b>2016</b> , 30, 170-8                              | 3.8  | 8  |
| 94  | Increased prostacyclin levels inhibit the aggregation and activation of platelets via the PI3K-AKT pathway in prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , <b>2016</b> , 139, 1-9        | 8.2  | 5  |
| 93  | Combined model of the EBMT score modified model and the HCT-CI improves the stratification of high-risk patients undergoing unmanipulated haploidentical blood and marrow transplantation.<br>Leukemia and Lymphoma, 2016, 57, 2133-9                                  | 1.9  | 6  |
| 92  | Risk factors for cytomegalovirus DNAemia following haploidentical stem cell transplantation and its association with host hepatitis B virus serostatus. <i>Journal of Clinical Virology</i> , <b>2016</b> , 75, 10-5   | 14.5 | 17 |
| 91  | Helicobacter pylori infection influences the severity of thrombocytopenia and its treatment response in chronic hepatitis B patients with compensatory cirrhosis: A multicenter, observational study. <i>Platelets</i> , <b>2016</b> , 27, 223-9                       | 3.6  | 3  |
| 90  | Aberrant TNFAIP3 Induces Mesenchymal Stem Cell Impairment Via the NF-Kb/SMAD7 Signaling Pathway in Immune Thrombocytopenia. <i>Blood</i> , <b>2016</b> , 128, 364-364  | 2.2  | 1  |
| 89  | Increased reactive oxygen species and exhaustion of quiescent CD34-positive bone marrow cells may contribute to poor graft function after allotransplants. <i>Oncotarget</i> , <b>2016</b> , 7, 30892-906  | 3.3  | 35 |
| 88  | The Clinical Significance of Monitoring Expression Level of Sil-TAL1 Fusion Gene after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2016</b> , 128, 5800-5800   | 2.2  |    |

| 87 | Haploidentical Stem Cell Transplantation for Rare Pediatric Diseases at Peking University People@ Hospital. <i>Blood</i> , <b>2016</b> , 128, 5848-5848  | 2.2              |    |  |
|----|--|------------------|----|--|
| 86 | Abnormalities of the Bone Marrow Immune Microenvironment in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2016</b> , 128, 4602-4   | 160 <del>2</del> |    |  |
| 85 | Desialylation of Megakaryocytes Diminishes Platelet Production By Disrupting Megakaryocyte Adhesion, Migration and Proplatelet Formation in Chronic Immune Thrombocytopenia. <i>Blood</i> , <b>2016</b> , 128, 165-165   | 2.2              |    |  |
| 84 | ADAM28 Enhanced the Growth and Dissemination of AML and Identified a Subgroup of AML Patients with a High Risk of Relapse in a Prospective Clinical Study. <i>Blood</i> , <b>2016</b> , 128, 2902-2902   | 2.2              |    |  |
| 83 | Crucial Role of Complement Activation and IL-1[In Bone Marrow Niche of Immune Thrombocytopenia. <i>Blood</i> , <b>2016</b> , 128, 166-166  | 2.2              |    |  |
| 82 | Optimal Dose of Antithymocyte Globulin in Conditioning Regimens for Unmanipulated Haploidentical Haematopoietic Stem Cell Transplantation: Long-Term Outcomes of a Prospective Randomised Trial. <i>Blood</i> , <b>2016</b> , 128, 3433-3433                               | 2.2              |    |  |
| 81 | Association Between C-Reactive Protein in the First 1-3 Days Post-Transplant and Allogeneic Immune Reactions in Pediatric Haploidentical Stem Cell Transplantation. <i>Blood</i> , <b>2016</b> , 128, 5794-5794  | 2.2              |    |  |
| 80 | Dysfunction of Bone Marrow Endothelial Progenitor Cells from Subjects with Poor Graft Function Following Allogeneic Hematopoietic Stem Cell Transplantation Can be Improved By Atorvastatin. <i>Blood</i> , <b>2016</b> , 128, 3386-3386                                   | 2.2              |    |  |
| 79 | Impact of pre-transplant pulmonary infection developed in horizontal laminar flow unit on the outcome of subsequent allogeneic hematopoietic stem cell transplantation. <i>Journal of Thoracic Disease</i> , <b>2016</b> , 8, 2219-25                                      | 2.6              | 2  |  |
| 78 | Transplantation from haploidentical donor is not inferior to that from identical sibling donor for patients with chronic myeloid leukemia in blast crisis or chronic phase from blast crisis. <i>Clinical Transplantation</i> , <b>2016</b> , 30, 994-1001                 | 3.8              | 9  |  |
| 77 | Haploidentical hematopoietic stem cell transplantation for paediatric high-risk T-cell acute lymphoblastic leukaemia. <i>Pediatric Transplantation</i> , <b>2016</b> , 20, 572-80  | 1.8              | 5  |  |
| 76 | Salvage chemotherapy followed by granulocyte colony-stimulating factor-primed donor leukocyte infusion with graft-vshost disease control for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation: | 3.8              | 30 |  |
| 75 | High incidence of engraftment syndrome after haploidentical allogeneic stem cell transplantation. <i>European Journal of Haematology</i> , <b>2016</b> , 96, 517-26  | 3.8              | 7  |  |
| 74 | Atorvastatin enhances endothelial cell function in posttransplant poor graft function. <i>Blood</i> , <b>2016</b> , 128, 2988-2999   | 2.2              | 52 |  |
| 73 | Allogeneic Stem Cell Transplantation for Patients with T315I BCR-ABL Mutated Chronic Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2016</b> , 22, 1080-1086  | 4.7              | 12 |  |
| 72 | High-dose corticosteroid associated with catheter-related thrombosis after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , <b>2016</b> , 144, 6-11  | 8.2              | 3  |  |
| 71 | Haploidentical versus Matched-Sibling Transplant in Adults with Philadelphia-Negative High-Risk Acute Lymphoblastic Leukemia: A Biologically Phase III Randomized Study. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 3467-76                                       | 12.9             | 96 |  |
| 70 | Controlled, Randomized, Open-Label Trial of Risk-Stratified Corticosteroid Prevention of Acute Graft-Versus-Host Disease After Haploidentical Transplantation. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 1855-63   | 2.2              | 57 |  |

| 69 | Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation in First Complete Remission Can Abrogate the Poor Outcomes of Children with Acute Myeloid Leukemia Resistant to the First Course of Induction Chemotherapy. <i>Biology of Blood and Marrow Transplantation</i> , <b>2016</b> ,             | 4.7  | 8   |
|----|---|------|-----|
| 68 | Factors affecting the CD34 cell yields from the second donations of healthy donors: The steady-state lymphocyte count is a good predictive factor. <i>Transfusion and Apheresis Science</i> , <b>2016</b> , 55, 311-317   | 2.4  | 2   |
| 67 | Platelet-Derived Growth Factor-BB Protects Mesenchymal Stem Cells (MSCs) Derived From Immune Thrombocytopenia Patients Against Apoptosis and Senescence and Maintains MSC-Mediated Immunosuppression. <i>Stem Cells Translational Medicine</i> , <b>2016</b> , 5, 1631-1643                                     | 6.9  | 38  |
| 66 | Clinical characteristics and risk factors of Intracranial hemorrhage in patients following allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2016</b> , 95, 1637-43  | 3    | 18  |
| 65 | Recruitment of CD8(+) T cells into bone marrow might explain the suppression of megakaryocyte apoptosis through high expression of CX3CR1(+) in prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2015</b> , 94, 1689-98           | 3    | 14  |
| 64 | The incidence, risk factors, and outcomes of primary poor graft function after unmanipulated haploidentical stem cell transplantation. <i>Annals of Hematology</i> , <b>2015</b> , 94, 1699-705   | 3    | 47  |
| 63 | Combination of FVIII and low-dose rFVIIa improves haemostasis in acquired haemophilia A patients: a collaborative controlled study. <i>Thrombosis Research</i> , <b>2015</b> , 135, 835-40  | 8.2  | 2   |
| 62 | Haploidentical vs identical-sibling transplant for AML in remission: a multicenter, prospective study. <i>Blood</i> , <b>2015</b> , 125, 3956-62  | 2.2  | 268 |
| 61 | Haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 1110-6  | 4.7  | 26  |
| 60 | Epidemiology, management, and outcome of invasive fungal disease in patients undergoing hematopoietic stem cell transplantation in China: a multicenter prospective observational study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 1117-26   | 4.7  | 54  |
| 59 | ADAM28 overexpression regulated via the PI3K/Akt pathway is associated with relapse in de novo adult B-cell acute lymphoblastic leukemia. <i>Leukemia Research</i> , <b>2015</b> ,  | 2.7  | 15  |
| 58 | Allogeneic stem cell transplant may improve the outcome of adult patients with inv(16) acute myeloid leukemia in first complete remission with poor molecular responses to chemotherapy.<br>Leukemia and Lymphoma, <b>2015</b> , 56, 3116-23  | 1.9  | 19  |
| 57 | IL-35 inhibits acute graft-versus-host disease in a mouse model. <i>International Immunopharmacology</i> , <b>2015</b> , 29, 383-392  | 5.8  | 11  |
| 56 | Epstein-Barr Virus-Related Post-Transplantation Lymphoproliferative Disorder after<br>Unmanipulated Human Leukocyte Antigen Haploidentical Hematopoietic Stem Cell<br>Transplantation: Incidence, Risk Factors, Treatment, and Clinical Outcomes. <i>Biology of Blood and</i>                                   | 4.7  | 36  |
| 55 | Donor-specific anti-human leukocyte antigen antibodies were associated with primary graft failure after unmanipulated haploidentical blood and marrow transplantation: a prospective study with randomly assigned training and validation sets. <i>Journal of Hematology and Oncology</i> , <b>2015</b> , 8, 84 | 22.4 | 106 |
| 54 | Haploidentical hematopoietic stem cell transplantation in adults with Philadelphia-negative acute lymphoblastic leukemia: no difference in the high- and low-risk groups. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1697-707  | 7.5  | 33  |
| 53 | Haploidentical stem cell transplantation in patients aged 50 yr and older with leukemia: similar outcomes compared to younger adults. <i>Clinical Transplantation</i> , <b>2015</b> , 29, 523-30  | 3.8  | 11  |
| 52 | Infusion-related febrile reaction after haploidentical stem cell transplantation in children is associated with higher rates of engraftment syndrome and acute graft-versus-host disease. <i>Pediatric Transplantation</i> , <b>2015</b> , 19, 918-24   | 1.8  | 10  |

| 51 | Differential impact of two doses of antithymocyte globulin conditioning on lymphocyte recovery upon haploidentical hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , <b>2015</b> , 13, 391   | 8.5  | 14  |
|----|--|------|-----|
| 50 | Desialylation is associated with apoptosis and phagocytosis of platelets in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Journal of Hematology and Oncology</i> , <b>2015</b> , 8, 116  | 22.4 | 27  |
| 49 | Recipient expression of ligands for donor inhibitory KIRs enhances NK-cell function to control leukemic relapse after haploidentical transplantation. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 2396-  | 408  | 30  |
| 48 | Febrile reaction associated with the infusion of haploidentical peripheral blood stem cells: incidence, clinical features, and risk factors. <i>Transfusion</i> , <b>2015</b> , 55, 2023-31  | 2.9  | 14  |
| 47 | The impact of donor characteristics on the immune cell composition of mixture allografts of granulocyte-colony-stimulating factor-mobilized marrow harvests and peripheral blood harvests. <i>Transfusion</i> , <b>2015</b> , 55, 2874-81  | 2.9  | 14  |
| 46 | Reduced IL-35 levels are associated with increased platelet aggregation and activation in patients with acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation.  Annals of Hematology, <b>2015</b> , 94, 837-45  | 3    | 5   |
| 45 | Stem-Cell Transplantation in Adults with Philadelphia-Negative High-Risk Acute Lymphoblastic Leukemia in First Complete Remission: A Prospective Multicenter Trial Comparing Haploidentical Donors with Identical Sibling Donors. <i>Blood</i> , <b>2015</b> , 126, 62-62  | 2.2  | 1   |
| 44 | Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation Might Overcome the Adverse Effect of Minimal Residue Disease Pretransplant in Patients with Standard-Risk Acute Myeloid Leukemia. <i>Blood</i> , <b>2015</b> , 126, 1970-1970   | 2.2  |     |
| 43 | Superior survival of unmanipulated haploidentical hematopoietic stem cell transplantation compared with chemotherapy alone used as post-remission therapy in adults with standard-risk acute lymphoblastic leukemia in first complete remission. <i>Biology of Blood and Marrow</i>                                | 4.7  | 27  |
| 42 | Extramedullary relapse of acute leukemia after haploidentical hematopoietic stem cell transplantation: incidence, risk factors, treatment, and clinical outcomes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 2023-8  | 4.7  | 18  |
| 41 | Who is the best donor for a related HLA haplotype-mismatched transplant?. <i>Blood</i> , <b>2014</b> , 124, 843-50   | 2.2  | 215 |
| 40 | Association between an impaired bone marrow vascular microenvironment and prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 1190-7  | 4.7  | 37  |
| 39 | Total body irradiation and cyclophosphamide plus antithymocyte globulin regimen is well tolerated and promotes stable engraftment as a preparative regimen before T cell-replete haploidentical transplantation for acute leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 1176-82 | 4.7  | 14  |
| 38 | IL-35 and Rapamycin Reduce Acute Graft-Versus-Host Disease Associated with Decreased Platelet Aggregation in a Mouse Model. <i>Blood</i> , <b>2014</b> , 124, 3814-3814  | 2.2  | 1   |
| 37 | Hepatocyte growth factor gene-modified adipose-derived mesenchymal stem cells ameliorate radiation induced liver damage in a rat model. <i>PLoS ONE</i> , <b>2014</b> , 9, e114670   | 3.7  | 37  |
| 36 | PDGFR-Mediated Cytomegalovirus Infection of Megakaryocytes Induces Thrombocytopenia Via Demethylation of AML1 and IEX-1 in the TPO/c-Mpl Signaling Pathway Following Allo-HSCT. <i>Blood</i> , <b>2014</b> , 124, 3937-3937  | 2.2  |     |
| 35 | Immunosuppressive Treatment Combined with Nucleoside Analogues Is Superior to Nucleoside Analogues Alone in the Treatment of Severe Thrombocytopenia in Patients with Cirrhosis-Associated with Hepatitis B in China: A Multicenter, Observational Study. <i>Blood</i> , <b>2014</b> ,                             | 2.2  |     |
| 34 | Adipose-Derived Mesenchymal Stem Cells with Potential to Ameliorate Platelet Recovery and Enhance Megakaryopoiesis in a Mouse Model of Radiation-Induced Thrombocytopenia Via the PI3k/Akt Pathway. <i>Blood</i> , <b>2014</b> , 124, 2931-2931  | 2.2  |     |

| 33 | Desialylation Induces Apoptosis and Phagocytosis of Platelets in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2014</b> , 124, 432-43   | 2 <sup>2.2</sup>   |     |
|----|---|--------------------|-----|
| 32 | Reduced IL-35 Levels Are Associated with Increased Platelet Aggregation and Activation in Patients with Acute Graft-Versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2014</b> , 124, 1174-1174   | 2.2                | 1   |
| 31 | Interferon Elthe salvage therapy for patients with unsatisfactory response to minimal residual disease-directed modified donor lymphocyte infusion. <i>Chinese Medical Journal</i> , <b>2014</b> , 127, 2583-7  | 2.9                | 12  |
| 30 | Negative association of donor age with CD34+ cell dose in mixture allografts of G-CSF-primed bone marrow and G-CSF-mobilized peripheral blood harvests. <i>Chinese Medical Journal</i> , <b>2014</b> , 127, 3597-601  | 2.9                | 5   |
| 29 | Long-term follow-up of haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of leukemia: nine years of experience at a single center. <i>Cancer</i> , <b>2013</b> , 119, 978-85   | 6.4                | 182 |
| 28 | Arsenic trioxide induces apoptosis in B-cell chronic lymphocytic leukemic cells through down-regulation of survivin via the p53-dependent signaling pathway. <i>Leukemia Research</i> , <b>2013</b> , 37, 17  | 1 <del>3:</del> 25 | 9   |
| 27 | Epileptic seizures in patients following allogeneic hematopoietic stem cell transplantation: a retrospective analysis of incidence, risk factors, and survival rates. <i>Clinical Transplantation</i> , <b>2013</b> , 27, 80-9  | 3.8                | 15  |
| 26 | Nonmalignant late effects in survivors of partially matched donor hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 777-83  | 4.7                | 8   |
| 25 | High-dose cyclophosphamide therapy associated with diffuse alveolar hemorrhage after allogeneic hematopoietic stem cell transplantation. <i>Respiration</i> , <b>2013</b> , 86, 453-61  | 3.7                | 5   |
| 24 | Hybrid Bayesian inference on HIV viral dynamic models. <i>Journal of Applied Statistics</i> , <b>2013</b> , 40, 2516-253  | 21                 | 2   |
| 23 | MRD-directed risk stratification treatment may improve outcomes of t(8;21) AML in the first complete remission: results from the AML05 multicenter trial. <i>Blood</i> , <b>2013</b> , 121, 4056-62   | 2.2                | 206 |
| 22 | Intracranial Hemorrhage and Mortality In 1461 Patients After Allogeneic Hematopoietic Stem Cell Transplantation For 6-Year Follow-Up: Study Of 44 Cases. <i>Blood</i> , <b>2013</b> , 122, 3322-3322  | 2.2                | 3   |
| 21 | Low WT1 Expression At Diagnosis Is a Strong Predictor On Poor Outcome In Patients With t(8;21) Acute Myeloid Leukemia. <i>Blood</i> , <b>2013</b> , 122, 1346-1346  | 2.2                |     |
| 20 | Increased ADAM28 Levels In Plasmaland Bone Marrow Cells of Patients With Adult Acute Leukemia. <i>Blood</i> , <b>2013</b> , 122, 4990-4990  | 2.2                |     |
| 19 | Idiopathic inflammatory demyelinating diseases of the central nervous system in patients following allogeneic hematopoietic stem cell transplantation: a retrospective analysis of incidence, risk factors and survival. <i>Chinese Medical Journal</i> , <b>2013</b> , 126, 1096-102 | 2.9                | 4   |
| 18 | The effect of HLA disparity on clinical outcome after HLA-haploidentical blood and marrow transplantation. <i>Clinical Transplantation</i> , <b>2012</b> , 26, 284-91   | 3.8                | 31  |
| 17 | The superiority of haploidentical related stem cell transplantation over chemotherapy alone as postremission treatment for patients with intermediate- or high-risk acute myeloid leukemia in first complete remission. <i>Blood</i> , <b>2012</b> , 119, 5584-90                     | 2.2                | 84  |
| 16 | A Clinical Study On Rituximab for Probable and Proven EBV Disease Post Haematopoietic Stem-Cell Transplantation. <i>Blood</i> , <b>2012</b> , 120, 4512-4512  | 2.2                |     |

#### LIST OF PUBLICATIONS

| 15 | Risk-Stratification Treatment Directed by Minimal Residual Disease Improves the Outcome of Acute Myeloid Leukemia with t(8;21) in First Complete Remission: Results of the AML05 Multicentre Trial. <i>Blood</i> , <b>2012</b> , 120, 139-139                       | 2.2                  |     |
|----|---|----------------------|-----|
| 14 | Allo-hematopoietic stem cell transplantation is a potential treatment for a patient with a combined disorder of hereditary spherocytosis. <i>Chinese Medical Journal</i> , <b>2012</b> , 125, 947-50  | 2.9                  | 1   |
| 13 | Prolonged thrombocytopenia following allogeneic hematopoietic stem cell transplantation and its association with a reduction in ploidy and an immaturation of megakaryocytes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2011</b> , 17, 274-80         | 4.7                  | 33  |
| 12 | Simulating energy efficient wireless sensor networks using cellular automata 2011,  |                      | 3   |
| 11 | Diarrhea during the conditioning regimen is correlated with the occurrence of severe acute graft-versus-host disease through systemic release of inflammatory cytokines. <i>Biology of Blood and Marrow Transplantation</i> , <b>2010</b> , 16, 1567-75             | 4.7                  | 22  |
| 10 | Imatinib Mesylate Versus Allogeneic HSCT for Patients with Chronic Myelogenous Leukemia In Accelerated Phase: A Single Center Experience In China After a 9-Year Follow-up. <i>Blood</i> , <b>2010</b> , 116, 234   | 47 <del>-23</del> 47 | 7   |
| 9  | Prolonged Thrombocytopenia Following Allogeneic Hematopoietic Stem Cell Transplantation: Association with Reduced Ploidy and Immaturation of Megakaryocytes. <i>Blood</i> , <b>2010</b> , 116, 4695-4695  | 2.2                  |     |
| 8  | Haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for treatment of hematologic malignancies in children. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 91-4   | 4.7                  | 22  |
| 7  | Treatment of acute leukemia with unmanipulated HLA-mismatched/haploidentical blood and bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 257-65   | 4.7                  | 235 |
| 6  | Platelet engraftment in patients with hematologic malignancies following unmanipulated haploidentical blood and marrow transplantation: effects of CD34+ cell dose and disease status. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 632-8 | 4.7                  | 51  |
| 5  | Partially Matched Related Donor Transplantation Can Achieve Outcomes Comparable to Unrelated Donor Transplantation for Patients with Hematologic Malignancies <i>Blood</i> , <b>2009</b> , 114, 1197-1197   | 2.2                  |     |
| 4  | Modified conditioning regimen busulfan-cyclophosphamide followed by allogeneic stem cell transplantation in patients with multiple myeloma. <i>Chinese Medical Journal</i> , <b>2007</b> , 120, 463-8   | 2.9                  | 1   |
| 3  | HLA Mismatched/Haploidentical Haematopoietic Stem Cell Transplantation for the Treatment of Chronic Myelogenous Leukemia <i>Blood</i> , <b>2006</b> , 108, 3154-3154  | 2.2                  |     |
| 2  | Early detection of cognitive impairment in patients with obstructive sleep apnea syndrome: an event-related potential study. <i>Neuroscience Letters</i> , <b>2002</b> , 325, 99-102  | 3.3                  | 31  |
| 1  | Flow Characteristics of the Liquid Film During Centrifugal Granulation of Liquid Slag on the Surface of Rotary Cup. <i>Journal of Sustainable Metallurgy</i> ,1   | 2.7                  | О   |