

Ho-Ming Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7298975/publications.pdf>

Version: 2024-02-01

141
papers

1,744
citations

304743

22
h-index

377865

34
g-index

143
all docs

143
docs citations

143
times ranked

2393
citing authors

#	ARTICLE	IF	CITATIONS
1	Brachial-Ankle Pulse Wave Velocity and Rate of Renal Function Decline and Mortality in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 724-732.	4.5	96
2	Echocardiographic Parameters are Independently Associated with Rate of Renal Function Decline and Progression to Dialysis in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2750-2758.	4.5	85
3	Echocardiographic parameters are independently associated with increased cardiovascular events in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1064-1070.	0.7	67
4	Association of Interarm Systolic Blood Pressure Difference with Atherosclerosis and Left Ventricular Hypertrophy. <i>PLoS ONE</i> , 2012, 7, e41173.	2.5	63
5	Correlation of Tei Index Obtained from Tissue Doppler Echocardiography with Invasive Measurements of Left Ventricular Performance. <i>Echocardiography</i> , 2007, 24, 252-257.	0.9	51
6	Ankle brachial index as a predictor for mortality in patients with chronic kidney disease and undergoing haemodialysis. <i>Nephrology</i> , 2010, 15, 294-299.	1.6	50
7	Differentiation of Left Ventricular Diastolic Dysfunction, Identification of Pseudonormal/Restrictive Mitral Inflow Pattern and Determination of Left Ventricular Filling Pressure by Tei Index Obtained from Tissue Doppler Echocardiography. <i>Echocardiography</i> , 2006, 23, 287-294.	0.9	49
8	Global left ventricular longitudinal systolic strain as a major predictor of cardiovascular events in patients with atrial fibrillation. <i>Heart</i> , 2013, 99, 1588-1596.	2.9	44
9	Prognostic Cardiovascular Markers in Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1388-1407.	2.0	43
10	Association of Increased Epicardial Adipose Tissue Thickness With Adverse Cardiovascular Outcomes in Patients With Atrial Fibrillation. <i>Medicine (United States)</i> , 2016, 95, e2874.	1.0	40
11	The Ratio of Early Mitral Inflow Velocity to Global Diastolic Strain Rate as a Useful Predictor of Cardiac Outcomes in Patients with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 717-725.	2.8	38
12	Measuring Left Ventricular Peak Longitudinal Systolic Strain from a Single Beat in Atrial Fibrillation: Validation of the Index Beat Method. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 945-952.	2.8	37
13	Anemia and Left Ventricular Hypertrophy With Renal Function Decline and Cardiovascular Events in Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , 2014, 347, 183-189.	1.1	35
14	Association of Interleg BP Difference with Overall and Cardiovascular Mortality in Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1646-1653.	4.5	33
15	Framingham Risk Score with Cardiovascular Events in Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e60008.	2.5	31
16	Effects of Heart Rate on Brachial-Ankle Pulse Wave Velocity and Ankle-Brachial Pressure Index in Patients Without Significant Organic Heart Disease. <i>Angiology</i> , 2007, 58, 67-74.	1.8	28
17	The ratio of observed to predicted left ventricular mass is independently associated with increased cardiovascular events in patients with chronic kidney disease. <i>Hypertension Research</i> , 2012, 35, 832-838.	2.7	27
18	Hormone replacement therapy and risk of atrial fibrillation in Taiwanese menopause women: A nationwide cohort study. <i>Scientific Reports</i> , 2016, 6, 24132.	3.3	27

#	ARTICLE	IF	CITATIONS
19	Prognostic role of left atrial strain and its combination index with transmitral E-wave velocity in patients with atrial fibrillation. <i>Scientific Reports</i> , 2016, 6, 17318.	3.3	26
20	Anemia as an Independent Predictor of Adverse Cardiac Outcomes in Patients with Atrial Fibrillation. <i>International Journal of Medical Sciences</i> , 2015, 12, 618-624.	2.5	25
21	Influence of Different Measurement Time Points on Brachial-Ankle Pulse Wave Velocity and Ankle-Brachial Index in Hemodialysis Patients. <i>Hypertension Research</i> , 2007, 30, 965-970.	2.7	24
22	Myocardial Performance Index Derived From Brachial-Ankle Pulse Wave Velocity: A Novel and Feasible Parameter in Evaluation of Cardiac Performance. <i>American Journal of Hypertension</i> , 2009, 22, 871-876.	2.0	22
23	Ratio of Transmitral E-Wave Velocity to Early Diastole Mitral Annulus Velocity with Cardiovascular and Renal Outcomes in Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2013, 123, 52-60.	2.3	22
24	Determinants of Peripheral Arterial Stiffness in Patients With Chronic Kidney Disease in Southern Taiwan. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 366-373.	1.9	21
25	Cardiovascular Events in Patients with Atherothrombotic Disease: A Population-Based Longitudinal Study in Taiwan. <i>PLoS ONE</i> , 2014, 9, e92577.	2.5	19
26	CHADS ₂ Score and Risk of New-onset Peripheral Arterial Occlusive Disease in Patients without Atrial Fibrillation: A Nationwide Cohort Study in Taiwan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 490-498.	2.0	19
27	Impact of systolic time intervals on the relationship between arterial stiffness and left ventricular hypertrophy. <i>Atherosclerosis</i> , 2012, 223, 171-176.	0.8	18
28	Association of Arterial Stiffness and Electrocardiography-Determined Left Ventricular Hypertrophy with Left Ventricular Diastolic Dysfunction. <i>PLoS ONE</i> , 2012, 7, e49100.	2.5	18
29	Association of Interankle Systolic Blood Pressure Difference With Peripheral Vascular Disease and Left Ventricular Mass Index. <i>American Journal of Hypertension</i> , 2014, 27, 32-37.	2.0	18
30	A new systolic parameter defined as the ratio of brachial pre-ejection period to brachial ejection time predicts overall and cardiovascular mortality in hemodialysis patients. <i>Hypertension Research</i> , 2010, 33, 492-498.	2.7	16
31	Association of Brachial-Ankle Pulse Wave Velocity With Cardiovascular Events in Atrial Fibrillation. <i>American Journal of Hypertension</i> , 2016, 29, 348-356.	2.0	16
32	Brachial-ankle pulse wave velocity and brachial pre-ejection period to ejection time ratio with renal outcomes in chronic kidney disease. <i>Hypertension Research</i> , 2012, 35, 1159-1163.	2.7	15
33	Association of Bilateral Brachial-Ankle Pulse Wave Velocity Difference with Peripheral Vascular Disease and Left Ventricular Mass Index. <i>PLoS ONE</i> , 2014, 9, e88331.	2.5	15
34	Longitudinal study of the ageing trends in QT interval and dispersion in healthy elderly subjects. <i>Age and Ageing</i> , 2006, 35, 636-638.	1.6	14
35	A Systolic Parameter Defined as the Ratio of Brachial Pre-Ejection Period to Brachial Ejection Time Predicts Cardiovascular Events in Patients With Chronic Kidney Disease. <i>Circulation Journal</i> , 2010, 74, 2206-2210.	1.6	14
36	Association between the CHADS ₂ Score and an Ankle-Brachial Index of ≥ 0.9 in Patients without Atrial Fibrillation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 322-328.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Association between C-reactive protein, corrected QT interval and presence of QT prolongation in hypertensive patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 310-315.	1.9	14
38	Atrial fibrillation per se was a major determinant of global left ventricular longitudinal systolic strain. <i>Medicine (United States)</i> , 2016, 95, e4038.	1.0	14
39	Increasing Prevalence of Peripheral Artery Occlusive Disease in Hemodialysis Patients: A 2-Year Follow-Up. <i>American Journal of the Medical Sciences</i> , 2012, 343, 440-445.	1.1	13
40	Heart Rate Significantly Influences the Relationship between Atrial Fibrillation and Arterial Stiffness. <i>International Journal of Medical Sciences</i> , 2013, 10, 1295-1300.	2.5	13
41	Association of Brachial-Ankle Pulse Wave Velocity, Ankle-Brachial Index and Ratio of Brachial Pre-Ejection Period to Ejection Time With Left Ventricular Hypertrophy. <i>American Journal of the Medical Sciences</i> , 2014, 347, 289-294.	1.1	13
42	Impact of a systolic parameter, defined as the ratio of right brachial pre-ejection period to ejection time, on the relationship between brachial-ankle pulse wave velocity and left ventricular diastolic function. <i>Hypertension Research</i> , 2011, 34, 462-467.	2.7	12
43	Brachial-Ankle Pulse Wave Velocity and Systolic Time Intervals in Risk Stratification for Progression of Renal Function Decline. <i>American Journal of Hypertension</i> , 2012, 25, 1002-1010.	2.0	12
44	P Wave Dispersion and Maximum P Wave Duration Are Independently Associated with Rapid Renal Function Decline. <i>PLoS ONE</i> , 2012, 7, e42815.	2.5	12
45	Performance of the Framingham Risk Score in patients receiving hemodialysis. <i>Nephrology</i> , 2013, 18, 510-515.	1.6	12
46	The Impact of Chronic Kidney Disease on Lipid Management and Goal Attainment in Patients with Atherosclerosis Diseases in Taiwan. <i>International Journal of Medical Sciences</i> , 2014, 11, 381-388.	2.5	12
47	Deduction of novel genes potentially involved in hypoxic AC16 human cardiomyocytes using next-generation sequencing and bioinformatics approaches. <i>International Journal of Molecular Medicine</i> , 2018, 42, 2489-2502.	4.0	12
48	Comparison between estimated and brachial-ankle pulse wave velocity for cardiovascular and overall mortality prediction. <i>Journal of Clinical Hypertension</i> , 2021, 23, 106-113.	2.0	12
49	Usefulness of Estimated Pulse Wave Velocity in Prediction of Cardiovascular Mortality in Patients With Acute Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2021, 361, 479-484.	1.1	12
50	A Comparison between Brachial and Echocardiographic Systolic Time Intervals. <i>PLoS ONE</i> , 2013, 8, e55840.	2.5	12
51	Significant correlation between ratio of brachial pre-ejection period to ejection time and left ventricular ejection fraction and mass index in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1895-1902.	0.7	11
52	Arterial Stiffness in Patients With Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , 2012, 343, 109-113.	1.1	11
53	Coronary Collateral Circulation in Patients of Coronary Ectasia with Significant Coronary Artery Disease. <i>PLoS ONE</i> , 2014, 9, e87001.	2.5	11
54	Acute Thrombosis after Elective Direct Intracoronary Stenting in Primary Antiphospholipid Syndrome: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2003, 19, 177-181.	1.9	10

#	ARTICLE	IF	CITATIONS
55	Abnormally Low and High Ankle-Brachial Indices Are Independently Associated with Increased Left Ventricular Mass Index in Chronic Kidney Disease. <i>PLoS ONE</i> , 2012, 7, e44732.	2.5	10
56	The hOGG1 Ser326Cys Gene Polymorphism and the Risk of Coronary Ectasia in the Chinese Population. <i>International Journal of Molecular Sciences</i> , 2014, 15, 1671-1682.	4.1	10
57	Associations of Pulse Pressure Index With Left Ventricular Filling Pressure and Diastolic Dysfunction in Patients With Chronic Kidney Disease. <i>American Journal of Hypertension</i> , 2014, 27, 454-459.	2.0	10
58	Association of Heavy Metals with Overall Mortality in a Taiwanese Population. <i>Nutrients</i> , 2021, 13, 2070.	4.1	10
59	P Wave Dispersion and Maximum P Wave Duration Are Associated with Renal Outcomes in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e101962.	2.5	10
60	Ankle-Brachial Pressure Index Measured Using an Automated Oscillometric Method as a Predictor of the Severity of Coronary Atherosclerosis in Patients with Coronary Artery Disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 268-272.	1.9	9
61	Incremental prognostic value of identifying mitral L wave in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2013, 168, 4501-4503.	1.7	9
62	Association of hyperuricemia with cardiac events in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014, 172, 464-465.	1.7	9
63	Myocardial performance index derived from pre-ejection period as a novel and useful predictor of cardiovascular events in atrial fibrillation. <i>Journal of Cardiology</i> , 2015, 65, 466-473.	1.9	9
64	Ratio of Early Mitral Inflow Velocity to the Global Diastolic Strain Rate and Global Left Ventricular Longitudinal Systolic Strain Predict Overall Mortality and Major Adverse Cardiovascular Events in Hemodialysis Patients. <i>Disease Markers</i> , 2019, 2019, 1-12.	1.3	9
65	Using CHADS2 and CHA2DS2-VASc scores for mortality prediction in patients with chronic kidney disease. <i>Scientific Reports</i> , 2020, 10, 18942.	3.3	9
66	Heparin-Induced Cardiac Tamponade and Life-Threatening Hyperkalemia in a Patient with Chronic Hemodialysis. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 128-133.	1.9	8
67	Hyperuricemia Is Associated with Left Ventricular Dysfunction and Inappropriate Left Ventricular Mass in Chronic Kidney Disease. <i>Diagnostics</i> , 2020, 10, 514.	2.6	8
68	An Avoidable Complication of Percutaneous Coronary Intervention—Entrapment of Stent and Disconnected Balloon Catheter. <i>Kaohsiung Journal of Medical Sciences</i> , 2006, 22, 184-188.	1.9	7
69	Mismatch between arterial stiffness increase and left ventricular diastolic dysfunction. <i>Heart and Vessels</i> , 2010, 25, 485-492.	1.2	7
70	Myocardial Performance Index Derived from Preejection Period: A Novel and Feasible Parameter in Evaluation of Cardiac Performance in Patients with Permanent Atrial Fibrillation. <i>Echocardiography</i> , 2011, 28, 1081-1087.	0.9	7
71	Decrease in Ankle-Brachial Index Over Time and Cardiovascular Outcomes in Patients With Hemodialysis. <i>American Journal of the Medical Sciences</i> , 2012, 344, 457-461.	1.1	7
72	Risk factors of accelerated progression of peripheral artery disease in hemodialysis. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 82-87.	1.9	7

#	ARTICLE	IF	CITATIONS
73	Association between modified CHA2DS2-VASc Score with Ankle-Brachial index ≤ 0.9. Scientific Reports, 2018, 8, 1175.	3.3	7
74	Comparison of different ankle-brachial indices in the prediction of overall and cardiovascular mortality. Atherosclerosis, 2020, 304, 57-63.	0.8	7
75	Significant association between blood lead (Pb) level and haemoglobin A1c in non-diabetic population. Diabetes and Metabolism, 2021, 47, 101233.	2.9	7
76	Significant Correlation between Brachial Pulse Pressure Index and Renal Resistive Index. Acta Cardiologica Sinica, 2015, 31, 98-105.	0.2	7
77	Ratio of Transmitral E Wave Velocity to Left Atrial Strain as a Useful Predictor of Total and Cardiovascular Mortality in Hemodialysis Patients. Journal of Clinical Medicine, 2020, 9, 85.	2.4	6
78	Association of Increased Arterial Stiffness and P Wave Dispersion with Left Ventricular Diastolic Dysfunction. International Journal of Medical Sciences, 2013, 10, 1437-1444.	2.5	6
79	High Skin Sympathetic Nerve Activity in Patients with Recurrent Syncope. Journal of Personalized Medicine, 2021, 11, 1053.	2.5	6
80	Plasma High-Sensitivity C-Reactive Protein Level is Associated with Impaired Estimated Glomerular Filtration Rate in Hypertensives. Acta Cardiologica Sinica, 2015, 31, 91-7.	0.2	6
81	R2CHADS2 score is significantly associated with ankle-brachial index <math>< 0.9</math> in patients without atrial fibrillation. Atherosclerosis, 2014, 236, 307-311.	0.8	5
82	Systolic time intervals derived from electrocardiographic gated intra-renal artery Doppler waveform associated with left ventricular systolic function. Scientific Reports, 2016, 6, 29293.	3.3	5
83	Body Mass Index, Left Ventricular Mass Index and Cardiovascular Events in Chronic Kidney Disease. American Journal of the Medical Sciences, 2016, 351, 91-96.	1.1	5
84	Association of body mass index and left ventricular mass index with abnormally low and high ankle-brachial indices in chronic kidney disease. Hypertension Research, 2016, 39, 166-170.	2.7	5
85	Dengue virus infection complicated with simultaneous multivessel ST elevation myocardial infarction. Journal of Microbiology, Immunology and Infection, 2016, 49, 619-620.	3.1	5
86	Usefulness of four-limb blood pressure measurement in prediction of overall and cardiovascular mortality in acute myocardial infarction. International Journal of Medical Sciences, 2020, 17, 1300-1306.	2.5	5
87	Epicardial adipose tissue thickness is not associated with adverse cardiovascular events in patients undergoing haemodialysis. Scientific Reports, 2020, 10, 6281.	3.3	5
88	Areca Nut Chewing Complicated with Non-Obstructive and Obstructive ST Elevation Myocardial Infarction. Acta Cardiologica Sinica, 2016, 32, 103-7.	0.2	5
89	Recurrent Thrombosis in a Case of Coronary Ectasia with Large Thrombus Burden Successfully Treated by Adjunctive Warfarin Therapy. Acta Cardiologica Sinica, 2013, 29, 462-6.	0.2	5
90	Determination of Pulmonary Capillary Wedge Pressure Using Pulsed Wave Doppler Echocardiography: Clinical Application of Range Ambiguity Phenomenon. Journal of the American Society of Echocardiography, 2005, 18, 1023-1029.	2.8	4

#	ARTICLE	IF	CITATIONS
91	Isovolumic Relaxation Flow Propagation Velocity: A Promising Load-Independent Relaxation Parameter in Hemodialysis Patients. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1889-1894.	1.5	4
92	Usefulness of the Ratio of Transmitral E Wave Velocity to Isovolumic Relaxation Flow Propagation Velocity for Predicting Left Ventricular End-Diastolic Pressure. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1752-1757.	1.5	4
93	Fulminant dengue myocarditis complicated with profound shock and fatal outcome under intra-aortic balloon pumping support. <i>American Journal of Emergency Medicine</i> , 2015, 33, 1716.e1-1716.e3.	1.6	4
94	Association of the Ratio of Early Mitral Inflow Velocity to the Global Diastolic Strain Rate with a Rapid Renal Function Decline in Atrial Fibrillation. <i>PLoS ONE</i> , 2016, 11, e0147446.	2.5	4
95	The effects of secondary prevention after coronary revascularization in Taiwan. <i>PLoS ONE</i> , 2019, 14, e0215811.	2.5	4
96	Mitral Tissue Inhibitor of Metalloproteinase 2 Is Associated with Mitral Valve Surgery Outcome. <i>PLoS ONE</i> , 2014, 9, e86287.	2.5	4
97	Association of Chronic Kidney Disease and Peripheral Artery Disease with Inappropriate Left Ventricular Mass. <i>PLoS ONE</i> , 2012, 7, e48422.	2.5	3
98	Heart rate significantly influences the relationship between atrial fibrillation and ankle-brachial index. <i>Journal of Cardiology</i> , 2015, 66, 143-147.	1.9	3
99	Association of Pulse Volume Recording at Ankle with Total and Cardiovascular Mortality in Hemodialysis Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 2045.	2.4	3
100	Usefulness of ankle-brachial index calculated using diastolic blood pressure for prediction of mortality in patients with acute myocardial infarction. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2044-2050.	2.0	3
101	Gender differences in major adverse cardiovascular outcomes among aged over 60 year-old patients with atherosclerotic cardiovascular disease. <i>Medicine (United States)</i> , 2020, 99, e19912.	1.0	3
102	Upstroke Time as a Novel Predictor of Mortality in Patients with Chronic Kidney Disease. <i>Diagnostics</i> , 2020, 10, 422.	2.6	3
103	Upstroke Time Per Cardiac Cycle as A Novel Parameter for Mortality Prediction in Patients with Acute Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020, 9, 904.	2.4	3
104	Aortic Arch Calcification and Cardiomegaly Are Associated with Overall and Cardiovascular Mortality in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2021, 11, 657.	2.5	3
105	Skin sympathetic nerve activity and ventricular arrhythmias in acute coronary syndrome. <i>Heart Rhythm</i> , 2022, 19, 1613-1619.	0.7	3
106	Ventricular Septal Rupture After Early Successful Thrombolytic Therapy in Acute Myocardial Infarction: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 235-239.	1.9	2
107	Coronary Artery Aneurysms in a Young Patient with Acute Myocardial Infarction: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 399-403.	1.9	2
108	Effect of Preload Alterations by Hemodialysis on the Time Interval between the Onsets of Early Diastolic Mitral Inflow and Annular Waveforms. <i>Echocardiography</i> , 2007, 24, 20-5.	0.9	2

#	ARTICLE	IF	CITATIONS
109	An unusual cause of dyspnea: Giant hiatal hernia followed by Takotsubo cardiomyopathy. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 484-485.	1.9	2
110	Renal systolic time intervals derived from intra-renal artery Doppler as a novel predictor of adverse cardiac outcomes. <i>Scientific Reports</i> , 2017, 7, 43825.	3.3	2
111	Infective endocarditis complicated with nonobstructive ST elevation myocardial infarction related to septic embolism with intracranial hemorrhage. <i>Medicine (United States)</i> , 2018, 97, e13089.	1.0	2
112	Tricuspid Regurgitation Pressure Gradient as a Useful Predictor of Adverse Cardiovascular Events and All-Cause Mortality in Patients With Atrial Fibrillation. <i>American Journal of the Medical Sciences</i> , 2018, 356, 147-151.	1.1	2
113	Usefulness of Ankle-Brachial Index Calculated Using Diastolic Blood Pressure and Mean Arterial Pressure in Predicting Overall and Cardiovascular Mortality in Hemodialysis Patients. <i>International Journal of Medical Sciences</i> , 2021, 18, 65-72.	2.5	2
114	Combination of low ankle-brachial index and high ankle-brachial index difference for mortality prediction. <i>Hypertension Research</i> , 2021, 44, 850-857.	2.7	2
115	Association between Reduced Serum Zinc and Diastolic Dysfunction in Maintenance Hemodialysis Patients. <i>Nutrients</i> , 2021, 13, 2077.	4.1	2
116	Low Albumin, Low Bilirubin, and High Alfa-Fetoprotein Are Associated with a Rapid Renal Function Decline in a Large Population Follow-Up Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 781.	2.5	2
117	Association of renal systolic time intervals with brachial-ankle pulse wave velocity. <i>International Journal of Medical Sciences</i> , 2018, 15, 1235-1240.	2.5	2
118	The Current Status of Performing Left Ventriculography in Taiwan. <i>Acta Cardiologica Sinica</i> , 2016, 32, 49-54.	0.2	2
119	Longitudinal Stent Deformation Caused by Retraction of the Looped Main Branch Guidewire. <i>Acta Cardiologica Sinica</i> , 2016, 32, 616-618.	0.2	2
120	Single-beat Differentiation Among Left Ventricular Filling Patterns by Pulsed Wave Doppler Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 274-279.	2.8	1
121	Usefulness of Time Interval Between End of Diastolic Mitral Annular Velocity Pattern and Onset of QRS for Predicting Left Ventricular End-Diastolic Pressure. <i>American Journal of Cardiology</i> , 2007, 99, 119-123.	1.6	1
122	Mid-Diastolic Mitral Annular Motion: A Useful Marker in the Evaluation of Left Ventricular Relaxation and End-Diastolic Pressure. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1909-1913.	1.5	1
123	Ping-Pong Guide Catheters to Facilitate Real-Time Intravascular Ultrasound-Guided Recanalization of Stumpless Chronic Total Occlusion. <i>JACC: Case Reports</i> , 2019, 1, 792-795.	0.6	1
124	Nonbacterial thrombotic endocarditis in multiple heart valves. <i>Kaohsiung Journal of Medical Sciences</i> , 2020, 36, 220-221.	1.9	1
125	Usefulness of Upstroke Time per Cardiac Cycle for Cardiovascular and All-Cause Mortality Prediction in Patients with Normal Ankle-Brachial Index. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, , .	2.0	1
126	Usefulness of the ratio of brachial pre-ejection period to brachial ejection time in prediction of cardiovascular and overall mortality in patients with acute myocardial infarction. <i>PLoS ONE</i> , 2021, 16, e0245860.	2.5	1

#	ARTICLE	IF	CITATIONS
127	Association of Pulmonary Function Decline over Time with Longitudinal Change of Glycated Hemoglobin in Participants without Diabetes Mellitus. <i>Journal of Personalized Medicine</i> , 2021, 11, 994.	2.5	1
128	Combined Doppler index to track instantaneous changes in left ventricular filing pressure. <i>Acta Cardiologica</i> , 2005, 60, 421-425.	0.9	1
129	Nightmare: Simultaneous Subacute Stent Thrombosis of Different New-Generation Drug-Eluting Stents in Multiple Coronary Arteries. <i>Acta Cardiologica Sinica</i> , 2015, 31, 175-8.	0.2	1
130	Liver-function parameters are associated with incident hypertension in a large Taiwanese population follow-up study. <i>Journal of Human Hypertension</i> , 2023, 37, 496-501.	2.2	1
131	Acute Respiratory Distress Syndrome after Early Successful Primary Percutaneous Coronary Intervention Therapy in Acute Myocardial Infarction: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 78-83.	1.9	0
132	Differentiation of Left Ventricular Diastolic Function by Mid-Diastolic Mitral Annular Motion Patterns. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 753-759.	1.5	0
133	Mediastinal Mass and Air Bubble in Two Elderly Patients. <i>International Journal of Gerontology</i> , 2013, 7, 236-238.	0.6	0
134	Impact of the duration of the evidence-based medicine use in acute heart failure: A nationwide cohort study. <i>PLoS ONE</i> , 2018, 13, e0205440.	2.5	0
135	Impact of Simultaneous Consideration of Cardiac and Vascular Function on Long-Term All-Cause and Cardiovascular Mortality. <i>Journal of Clinical Medicine</i> , 2019, 8, 2145.	2.4	0
136	Unilateral extensive purpura resulting from chronic iliofemoral deep venous thrombosis successfully treated by endovascular therapy with iliac vein stenting. <i>Kaohsiung Journal of Medical Sciences</i> , 2021, 37, 920-921.	1.9	0
137	Determinants of Longitudinal Change of Glycated Hemoglobin in a Large Non-Diabetic Population. <i>Journal of Personalized Medicine</i> , 2021, 11, 648.	2.5	0
138	Aortic Root Dilatation Is Attenuated with Diabetes but Is Not Associated with Renal Progression in Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 972.	2.5	0
139	Using CHADS2, R2CHADS2, CHA2DS2-VASc score for mortality prediction in patients with abnormal low and high ankle-brachial index. <i>International Journal of Medical Sciences</i> , 2021, 18, 276-283.	2.5	0
140	CHADS-VASc Score and Risk of New-Onset Peripheral Arterial Occlusive Disease in Patients without Atrial Fibrillation. <i>Acta Cardiologica Sinica</i> , 2021, 37, 261-268.	0.2	0
141	A Rare Case of Buerger's Disease Successfully Treated by Rotarex Mechanical Thrombectomy in Bilateral Lower Extremities. <i>Acta Cardiologica Sinica</i> , 2021, 37, 657-660.	0.2	0