

Hongxia Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7299322/hongxia-wang-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110 papers	6,521 citations	41 h-index	80 g-index
112 ext. papers	7,392 ext. citations	8.2 avg, IF	6.05 L-index

#	Paper	IF	Citations
110	Fluoroalkyl silane modified silicone rubber/nanoparticle composite: a super durable, robust superhydrophobic fabric coating. <i>Advanced Materials</i> , 2012 , 24, 2409-12	24	484
109	Durable, self-healing superhydrophobic and superoleophobic surfaces from fluorinated-decyl polyhedral oligomeric silsesquioxane and hydrolyzed fluorinated alkyl silane. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 11433-6	16.4	409
108	Robust, Self-Healing Superamphiphobic Fabrics Prepared by Two-Step Coating of Fluoro-Containing Polymer, Fluoroalkyl Silane, and Modified Silica Nanoparticles. <i>Advanced Functional Materials</i> , 2013 , 23, 1664-1670	15.6	364
107	Magnetic liquid marbles: a "precise" miniature reactor. <i>Advanced Materials</i> , 2010 , 22, 4814-8	24	271
106	The charge effect of cationic surfactants on the elimination of fibre beads in the electrospinning of polystyrene. <i>Nanotechnology</i> , 2004 , 15, 1375-1381	3.4	261
105	Magnetic liquid marbles: manipulation of liquid droplets using highly hydrophobic Fe ₃ O ₄ nanoparticles. <i>Advanced Materials</i> , 2010 , 22, 707-10	24	256
104	A superamphiphobic coating with an ammonia-triggered transition to superhydrophilic and superoleophobic for oil-water separation. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 4527-30	16.4	254
103	One-step coating of fluoro-containing silica nanoparticles for universal generation of surface superhydrophobicity. <i>Chemical Communications</i> , 2008 , 877-9	5.8	229
102	Thermoelectric fabrics: toward power generating clothing. <i>Scientific Reports</i> , 2015 , 5, 6411	4.9	193
101	Enhanced mechanical energy harvesting using needleless electrospun poly(vinylidene fluoride) nanofibre webs. <i>Energy and Environmental Science</i> , 2013 , 6, 2196	35.4	185
100	A Waterborne Coating System for Preparing Robust, Self-healing, Superamphiphobic Surfaces. <i>Advanced Functional Materials</i> , 2017 , 27, 1604261	15.6	181
99	Fluorine-Free Superhydrophobic Coatings with pH-induced Wettability Transition for Controllable Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 5661-7	9.5	158
98	Directional water-transfer through fabrics induced by asymmetric wettability. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7938		147
97	Robust, superamphiphobic fabric with multiple self-healing ability against both physical and chemical damages. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 10221-6	9.5	143
96	Effect of electrospinning parameters and polymer concentrations on mechanical-to-electrical energy conversion of randomly-oriented electrospun poly(vinylidene fluoride) nanofiber mats. <i>RSC Advances</i> , 2015 , 5, 14345-14350	3.7	139
95	Superphobicity/phility Janus fabrics with switchable, spontaneous, directional transport ability to water and oil fluids. <i>Scientific Reports</i> , 2013 , 3, 2964	4.9	135
94	Directional Fluid Transport in Thin Porous Materials and its Functional Applications. <i>Small</i> , 2017 , 13, 1601070		131

93	Dual-Layer Superamphiphobic/Superhydrophobic-Oleophilic Nanofibrous Membranes with Unidirectional Oil-Transport Ability and Strengthened Oil/Water Separation Performance. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1400506	4.6	123
92	High-performance supercapacitor electrode from cellulose-derived, inter-bonded carbon nanofibers. <i>Journal of Power Sources</i> , 2016 , 324, 302-308	8.9	100
91	Robust, electro-conductive, self-healing superamphiphobic fabric prepared by one-step vapour-phase polymerisation of poly(3,4-ethylenedioxythiophene) in the presence of fluorinated decyl polyhedral oligomeric silsesquioxane and fluorinated alkyl silane. <i>Soft Matter</i> , 2013 , 9, 277-282	3.6	93
90	The effects of dye dopants on the conductivity and optical absorption properties of polypyrrole. <i>Synthetic Metals</i> , 2006 , 156, 1194-1202	3.6	82
89	One-step vapour-phase formation of patternable, electrically conductive, superamphiphobic coatings on fibrous materials. <i>Soft Matter</i> , 2011 , 7, 8158	3.6	78
88	Superhydrophobic electrospun POSS-PMMA copolymer fibres with highly ordered nanofibrillar and surface structures. <i>Chemical Communications</i> , 2009 , 6418-20	5.8	78
87	Superstrong, Chemically Stable, Superamphiphobic Fabrics from Particle-Free Polymer Coatings. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1400559	4.6	76
86	Selective, Spontaneous One-Way Oil-Transport Fabrics and Their Novel Use for Gauging Liquid Surface Tension. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 22874-80	9.5	71
85	Unexpectedly high piezoelectricity of electrospun polyacrylonitrile nanofiber membranes. <i>Nano Energy</i> , 2019 , 56, 588-594	17.1	70
84	Polymer-Metal Schottky Contact with Direct-Current Outputs. <i>Advanced Materials</i> , 2016 , 28, 1461-6	24	67
83	Experimental and theoretical investigation on corrosion inhibition of AA5052 aluminium alloy by l-cysteine in alkaline solution. <i>Materials Chemistry and Physics</i> , 2016 , 169, 142-151	4.4	65
82	Self-cleaning, superhydrophobic cotton fabrics with excellent washing durability, solvent resistance and chemical stability prepared from an SU-8 derived surface coating. <i>RSC Advances</i> , 2015 , 5, 61044-61050	3.7	63
81	A Superamphiphobic Coating with an Ammonia-Triggered Transition to Superhydrophilic and Superoleophobic for Oil/Water Separation. <i>Angewandte Chemie</i> , 2015 , 127, 4610-4613	3.6	62
80	Using chitosan as a thickener for electrospinning dilute PVA solutions to improve fibre uniformity. <i>Nanotechnology</i> , 2006 , 17, 3718-3723	3.4	61
79	High Performance Supercapacitor Electrode Materials from Electrospun Carbon Nanofibers in Situ Activated by High Decomposition Temperature Polymer. <i>ACS Applied Energy Materials</i> , 2018 , 1, 431-439	6.1	59
78	Polypyrrole-coated electrospun nanofibre membranes for recovery of Au(III) from aqueous solution. <i>Journal of Membrane Science</i> , 2007 , 303, 119-125	9.6	57
77	Directional Water Transport Fabrics with Durable Ultra-High One-Way Transport Capacity. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600036	4.6	57
76	Magnet-induced temporary superhydrophobic coatings from one-pot synthesized hydrophobic magnetic nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 1449-55	9.5	53

75	Superhydrophobic fabrics from hybrid silica sol-gel coatings: Structural effect of precursors on wettability and washing durability. <i>Journal of Materials Research</i> , 2010 , 25, 1336-1343	2.5	53
74	Durable, self-healing, superhydrophobic fabrics from fluorine-free, waterborne, polydopamine/alkyl silane coatings. <i>RSC Advances</i> , 2017 , 7, 33986-33993	3.7	48
73	High-Efficiency Low-Resistance Oil-Mist Coalescence Filtration Using Fibrous Filters with Thickness-Direction Asymmetric Wettability. <i>Advanced Functional Materials</i> , 2019 , 29, 1806302	15.6	44
72	Argon Plasma Treatment of Fluorine-Free Silane Coatings: A Facile, Environment-Friendly Method to Prepare Durable, Superhydrophobic Fabrics. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700027	4.6	43
71	Polypyrrole nanoparticles and dye absorption properties. <i>Synthetic Metals</i> , 2005 , 151, 136-140	3.6	43
70	High-output acoustoelectric power generators from poly(vinylidene fluoride-co-trifluoroethylene) electrospun nano-nonwovens. <i>Nano Energy</i> , 2017 , 35, 146-153	17.1	41
69	Micro-meso porous structured carbon nanofibers with ultra-high surface area and large supercapacitor electrode capacitance. <i>Journal of Power Sources</i> , 2021 , 482, 228986	8.9	41
68	Robust Mechanical-to-Electrical Energy Conversion from Short-Distance Electrospun Poly(vinylidene fluoride) Fiber Webs. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 22551-7	9.5	39
67	Conversion of carbon dioxide into cyclic carbonates using wool powder-KI as catalyst. <i>Journal of CO2 Utilization</i> , 2018 , 24, 174-179	7.6	38
66	Recent Progress in Durable and Self-Healing Super-Nonwetable Fabrics. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800461	4.6	35
65	Efficient removal of aerosol oil-mists using superoleophobic filters. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 871-877	13	33
64	Argon-Plasma Reinforced Superamphiphobic Fabrics. <i>Small</i> , 2017 , 13, 1701891	11	31
63	Efficient conversion of sound noise into electric energy using electrospun polyacrylonitrile membranes. <i>Nano Energy</i> , 2020 , 75, 104956	17.1	30
62	Amphibious superamphiphilic fabrics with self-healing underwater superoleophilicity. <i>Materials Horizons</i> , 2019 , 6, 122-129	14.4	30
61	Magnet-responsive, superhydrophobic fabrics from waterborne, fluoride-free coatings.. <i>RSC Advances</i> , 2018 , 8, 717-723	3.7	28
60	Ultrafine PDMS fibers: preparation from in situ curing-electrospinning and mechanical characterization. <i>RSC Advances</i> , 2014 , 4, 11782-11787	3.7	28
59	Evolution of fiber morphology during electrospinning. <i>Journal of Applied Polymer Science</i> , 2010 , 118, 2553-2561	2.9	28
58	Direct current energy generators from a conducting polymer/Inorganic oxide junction. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 8267-8273	13	27

57	Multicolor Electrochromic Fibers with Helix-Patterned Electrodes. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800104	6.4	27
56	One-Way Water-Transport Cotton Fabrics with Enhanced Cooling Effect. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600283	4.6	27
55	Highly sensitive detection of subtle movement using a flexible strain sensor from helically wrapped carbon yarns. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 10049-10058	7.1	27
54	Recent Development in Durable Super-Liquid-Repellent Fabrics. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600402	4.6	26
53	Superhydrophobic nanofibre membranes: effects of particulate coating on hydrophobicity and surface properties. <i>Journal of the Textile Institute</i> , 2012 , 103, 937-944	1.5	26
52	Novel Water Harvesting Fibrous Membranes with Directional Water Transport Capability. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801529	4.6	25
51	Three-dimensional tissue scaffolds from interbonded poly(E-caprolactone) fibrous matrices with controlled porosity. <i>Tissue Engineering - Part C: Methods</i> , 2011 , 17, 209-18	2.9	23
50	Polypyrrole-Coated PDMS Fibrous Membrane: Flexible Strain Sensor with Distinctive Resistance Responses at Different Strain Ranges. <i>Macromolecular Materials and Engineering</i> , 2016 , 301, 707-713	3.9	23
49	Layer-by-layer assembly of antibacterial coating on interbonded 3D fibrous scaffolds and its cytocompatibility assessment. <i>Journal of Biomedical Materials Research - Part A</i> , 2012 , 100, 2071-8	5.4	22
48	Doping Effect on Conducting Polymer-Metal Schottky DC Generators. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800675	6.4	22
47	Schottky direct-current energy harvesters with large current output density. <i>Nano Energy</i> , 2019 , 62, 171-180	1.80	20
46	Electroless synthesis of nano-structured gold particles using conducting polymer nanoparticles. <i>Synthetic Metals</i> , 2008 , 158, 585-589	3.6	20
45	Multifunctional Directional Water Transport Fabrics with Moisture Sensing Capability. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 22878-22884	9.5	18
44	Unidirectional water transfer effect from fabrics having a superhydrophobic-to-hydrophilic gradient. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 839-42	1.3	18
43	Succinimide-KI: An efficient binary catalyst system for mild, solvent-free cycloaddition of CO ₂ to epoxides. <i>Molecular Catalysis</i> , 2019 , 469, 111-117	3.3	17
42	Preparation of self-healing hydrophobic coating on AA6061 alloy surface and its anti-corrosion property. <i>Journal of Alloys and Compounds</i> , 2019 , 774, 495-501	5.7	17
41	Wool powder: An efficient additive to improve mechanical and thermal properties of poly(propylene carbonate). <i>Composites Science and Technology</i> , 2017 , 153, 119-127	8.6	16
40	Improving Supercapacitance of Electrospun Carbon Nanofibers through Increasing Micropores and Microporous Surface Area. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801900	4.6	14

39	Durable superoleophobic-superhydrophilic fabrics with high anti-oil-fouling property.. <i>RSC Advances</i> , 2018 , 8, 26939-26947	3.7	14
38	Polyvinyl alcohol-potassium iodide: An efficient binary catalyst for cycloaddition of epoxides with CO ₂ . <i>Molecular Catalysis</i> , 2018 , 449, 25-30	3.3	13
37	Electrospun Fibrous Membranes with Super-large-strain Electric Superhydrophobicity. <i>Scientific Reports</i> , 2015 , 5, 15863	4.9	13
36	Improvement of light harvesting and device performance of dye-sensitized solar cells using rod-like nanocrystal TiO ₂ overlay coating on TiO ₂ nanoparticle working electrode. <i>Materials Chemistry and Physics</i> , 2015 , 151, 330-336	4.4	12
35	Highly Permeable, Directional Water Transport Cotton Fabrics. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800815	4.6	12
34	Pore size effect on one-way water-transport cotton fabrics. <i>Applied Surface Science</i> , 2018 , 455, 924-930	6.7	12
33	Mechanical Energy-to-Electricity Conversion of Electron/Hole-Transfer Agent-Doped Poly(Vinylidene Fluoride) Nanofiber Webs. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1600451	3.9	10
32	Superhydrophilic, Underwater Directional Oil-Transport Fabrics with a Novel Oil Trapping Function. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 27402-27409	9.5	10
31	Direct-current energy generators from polypyrrole-coated fabric/metal Schottky diodes with considerably improved output. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 24166-24174	13	10
30	Improving Nanofiber Production and Application Performance by Electrospinning at Elevated Temperatures. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 12337-12343	3.9	9
29	Electro-aerodynamic field aided needleless electrospinning. <i>Nanotechnology</i> , 2018 , 29, 235302	3.4	9
28	Whispering gallery mode emission generated in tunable quantum dot doped glycerol/water and ionic liquid/water microdroplets formed on a superhydrophobic coating. <i>Journal of Materials Chemistry</i> , 2011 , 21, 10823		8
27	High-Performance Voice Recognition Based on Piezoelectric Polyacrylonitrile Nanofibers. <i>Advanced Electronic Materials</i> , 2021 , 7, 2100206	6.4	8
26	Highly Efficient Solvent-free Conversion of CO ₂ into Cyclic Carbonates by Acrylamide ^{II} . <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 8136-8144	3.9	6
25	Super Water Repellent Fabrics Produced by Silica Nanoparticle-containing Coating. <i>Research Journal of Textile and Apparel</i> , 2010 , 14, 30-37	1.1	6
24	A versatile, highly effective nanofibrous separation membrane. <i>Nanoscale</i> , 2020 , 12, 2359-2365	7.7	6
23	High-precision detection of ordinary sound by electrospun polyacrylonitrile nanofibers. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3477-3485	7.1	6
22	Substantial Improvement of Oil Aerosol Filtration Performance Using In-Plane Asymmetric Wettability. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28852-28860	9.5	5

21	Fabrics with Novel Air-Oil Amphibious, Spontaneous One-Way Water-Transport Capability for Oil/Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 29150-29157	9.5	5
20	High-temperature piezoelectric conversion using thermally stabilized electrospun polyacrylonitrile membranes. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 20395-20404	13	5
19	Single-layer piezoelectric nanofiber membrane with substantially enhanced noise-to-electricity conversion from endogenous triboelectricity. <i>Nano Energy</i> , 2021 , 89, 106427	17.1	5
18	Tape Extrusion of Heterogeneous Polymer Blends: Polymer Films with Highly Oriented Nanoribbons, Structural Optical Property, and Anisotropic Mechanical Strength. <i>Macromolecular Materials and Engineering</i> , 2014 , 299, 878-884	3.9	4
17	Energy generation from airborne noise: Improving electrical outputs of single-layer polyvinylidene difluoride nanofiber membranes by incorporating a small number of nylon-6 nanofibers. <i>Nano Energy</i> , 2021 , 90, 106618	17.1	4
16	Superoleophobic Filters: Improvement of Filtration Performance by Front Attachment of Oil-Guiding Fabric. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901808	4.6	4
15	Motion sensors achieved from a conducting polymer-metal Schottky contact.. <i>RSC Advances</i> , 2019 , 9, 6576-6582	3.7	3
14	Effect Of Static Charges On Mechanical-To-Electrical Energy Conversion Of Electrospun PVDF Nanofiber Mats. <i>Advanced Materials Letters</i> , 2017 , 8, 418-422	2.4	3
13	Schottky DC generators with considerable enhanced power output and energy conversion efficiency based on polypyrrole-TiO ₂ nanocomposite. <i>Nano Energy</i> , 2021 , 89, 106367	17.1	3
12	A novel Janus fabric with stable amphibious directional oil transport function. <i>Chemical Engineering Journal</i> , 2022 , 427, 131936	14.7	3
11	Evolution of Fiber Morphologies during Poly (acrylonitrile) Electrospinning. <i>Macromolecular Symposia</i> , 2010 , 287, 155-161	0.8	2
10	Super-robust self-healing superhydrophobic coating with triboelectrification induced liquid self-repellency. <i>Materials and Design</i> , 2021 , 211, 110145	8.1	2
9	Heat Transfer in Directional Water Transport Fabrics. <i>Fibers</i> , 2016 , 4, 26	3.7	2
8	Power Generation: PolymerMetal Schottky Contact with Direct-Current Outputs (Adv. Mater. 7/2016). <i>Advanced Materials</i> , 2016 , 28, 1524-1524	24	2
7	Thermoacoustic energy harvesting using thermally-stabilized polyacrylonitrile nanofibers. <i>Nano Energy</i> , 2022 , 95, 106995	17.1	1
6	Enhancement of Coil Electrospinning Using Two-Level Coil Structure. <i>Industrial & Engineering Chemistry Research</i> , 2018 ,	3.9	1
5	Desalination of Water by using Superhydrophobic Fabric. <i>Research Journal of Textile and Apparel</i> , 2015 , 19, 1-8	1.1	0
4	An Easy-to-Install Textile Bending Sensor with High Sensitivity, Linearity, and Multidirection Direction Capability. <i>Advanced Materials Technologies</i> , 2100830	6.8	0

- 3 Improvement of Air Filtration Performance Using Nanofibrous Membranes with a Periodic Variation in Packing Density. *Advanced Materials Interfaces*, **2022**, 9, 2101848 4.6 o
- 2 Competitive Wetting: A New Approach to Prevent Liquid Penetration through Porous Materials with Superior Synergistic Effect. *Small*, **2021**, 17, e2103695 11
- 1 A novel and efficient catalyst system composed of detonation nanodiamond and potassium iodide for chemical fixation of carbon dioxide. *Diamond and Related Materials*, **2021**, 116, 108430 3.5