

Manuel J Cuesta

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7300571/manuel-j-cuesta-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

4,962
citations

39
h-index

63
g-index

178
ext. papers

5,796
ext. citations

4.4
avg, IF

5.57
L-index

#	Paper	IF	Citations
167	Psychometric properties of the positive and negative syndrome scale (PANSS) in schizophrenia. <i>Psychiatry Research</i> , 1994 , 53, 31-40	9.9	373
166	Are there more than two syndromes in schizophrenia? A critique of the positive-negative dichotomy. <i>British Journal of Psychiatry</i> , 1992 , 161, 335-43	5.4	255
165	How many and which are the psychopathological dimensions in schizophrenia? Issues influencing their ascertainment. <i>Schizophrenia Research</i> , 2001 , 49, 269-85	3.6	159
164	New evidence of association between COMT gene and prefrontal neurocognitive function in healthy individuals from sibling pairs discordant for psychosis. <i>American Journal of Psychiatry</i> , 2004 , 161, 1110-2	11.9	153
163	Dimensional structure of psychotic symptoms: an item-level analysis of SAPS and SANS symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 1999 , 38, 13-26	3.6	150
162	Effects of olanzapine and other antipsychotics on cognitive function in chronic schizophrenia: a longitudinal study. <i>Schizophrenia Research</i> , 2001 , 48, 17-28	3.6	124
161	Diagnostic significance of Schneider's first-rank symptoms in schizophrenia. Comparative study between schizophrenic and non-schizophrenic psychotic disorders. <i>British Journal of Psychiatry</i> , 1999 , 174, 243-8	5.4	111
160	Cognitive disorders in the positive, negative, and disorganization syndromes of schizophrenia. <i>Psychiatry Research</i> , 1995 , 58, 227-35	9.9	105
159	An empirical analysis of latent structures underlying schizophrenic symptoms: a four-syndrome model. <i>Biological Psychiatry</i> , 1994 , 36, 726-36	7.9	98
158	Motor behavior abnormalities in drug-naïve patients with schizophrenia spectrum disorders. <i>Movement Disorders</i> , 2010 , 25, 1068-76	7	93
157	Lack of insight in mood disorders. <i>Journal of Affective Disorders</i> , 1998 , 49, 55-8	6.6	83
156	Reappraising insight in psychosis. Multi-scale longitudinal study. <i>British Journal of Psychiatry</i> , 2000 , 177, 233-40	5.4	82
155	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental</i> , 2013 , 6, 4-16	2.7	78
154	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
153	Motor features in psychotic disorders. I. Factor structure and clinical correlates. <i>Schizophrenia Research</i> , 2001 , 47, 107-16	3.6	72
152	The Val66Met polymorphism of the brain-derived neurotrophic factor gene is associated with risk for psychosis: evidence from a family-based association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 135-8	3.5	70
151	Differentiating primary from secondary negative symptoms in schizophrenia: a study of neuroleptic-naïve patients before and after treatment. <i>American Journal of Psychiatry</i> , 2000 , 157, 1461-6	11.9	69

150	Motor features in psychotic disorders. II. Development of diagnostic criteria for catatonia. <i>Schizophrenia Research</i> , 2001 , 47, 117-26	3.6	68
149	Motor Abnormalities: From Neurodevelopmental to Neurodegenerative Through "Functional" (Neuro)Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2017 , 43, 956-971	1.3	67
148	Factor structure of symptoms in functional psychoses. <i>Biological Psychiatry</i> , 1997 , 42, 806-15	7.9	67
147	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 139-48	3.6	60
146	Characterization of the deficit syndrome in drug-naive schizophrenia patients: the role of spontaneous movement disorders and neurological soft signs. <i>Schizophrenia Bulletin</i> , 2014 , 40, 214-24	1.3	59
145	Interleukin-1beta (IL-1beta) gene and increased risk for the depressive symptom-dimension in schizophrenia spectrum disorders 2004 , 124B, 10-4		59
144	DSM-IV catatonia signs and criteria in first-episode, drug-naive, psychotic patients: psychometric validity and response to antipsychotic medication. <i>Schizophrenia Research</i> , 2010 , 118, 168-75	3.6	56
143	The nosology of psychotic disorders: a comparison among competing classification systems. <i>Schizophrenia Bulletin</i> , 2003 , 29, 413-25	1.3	55
142	Spontaneous parkinsonism is associated with cognitive impairment in antipsychotic-naive patients with first-episode psychosis: a 6-month follow-up study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1164-73	1.3	50
141	Exploring the borders of the schizoaffective spectrum: a categorical and dimensional approach. <i>Journal of Affective Disorders</i> , 2008 , 108, 71-86	6.6	50
140	Lack of insight: its status within schizophrenic psychopathology. <i>Biological Psychiatry</i> , 1994 , 36, 559-61	7.9	50
139	Formal thought disorder in schizophrenia: a factor analytic study. <i>Comprehensive Psychiatry</i> , 1992 , 33, 105-10	7.3	46
138	Examining the course of hallucinatory experiences in children and adolescents: a systematic review. <i>Schizophrenia Research</i> , 2012 , 138, 248-54	3.6	45
137	Neuromotor abnormalities in neuroleptic-naive psychotic patients: antecedents, clinical correlates, and prediction of treatment response. <i>Comprehensive Psychiatry</i> , 2011 , 52, 139-45	7.3	45
136	Schizophrenic syndrome and Wisconsin Card Sorting Test dimensions. <i>Psychiatry Research</i> , 1995 , 58, 45-51	7.9	45
135	Cognitive effectiveness of olanzapine and risperidone in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2009 , 194, 439-45	5.4	44
134	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 240-7	3.6	43
133	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42

132	The Kahlbaum syndrome: a study of its clinical validity, nosological status, and relationship with schizophrenia and mood disorder. <i>Comprehensive Psychiatry</i> , 1997 , 38, 61-7	7.3	42
131	Abnormal subjective experiences in schizophrenia: its relationships with neuropsychological disturbances and frontal signs. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1996 , 246, 101-5	5.1	41
130	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010 , 116, 243-51	3.6	40
129	Duration of untreated negative and positive symptoms of psychosis and cognitive impairment in first episode psychosis. <i>Schizophrenia Research</i> , 2012 , 141, 222-7	3.6	38
128	The meaning of childhood attention-deficit hyperactivity symptoms in patients with a first-episode of schizophrenia-spectrum psychosis. <i>Schizophrenia Research</i> , 2011 , 126, 28-35	3.6	38
127	Negative parkinsonian, depressive and catatonic symptoms in schizophrenia: a conflict of paradigms revisited. <i>Schizophrenia Research</i> , 1999 , 40, 245-53	3.6	37
126	The underlying structure of diagnostic systems of schizophrenia: a comprehensive polydiagnostic approach. <i>Schizophrenia Research</i> , 2005 , 79, 217-29	3.6	36
125	The low- and higher-order factor structure of symptoms in patients with a first episode of psychosis. <i>Schizophrenia Research</i> , 2013 , 147, 116-124	3.6	34
124	Cycloid psychosis: a clinical and nosological study. <i>Psychological Medicine</i> , 2003 , 33, 443-53	6.9	34
123	Neurological soft-signs in psychosis: threshold criteria for discriminating normal controls and for predicting cognitive impairment. <i>Schizophrenia Research</i> , 2002 , 58, 263-71	3.6	34
122	Serum iron in catatonic and noncatatonic psychotic patients. <i>Biological Psychiatry</i> , 1999 , 45, 788-90	7.9	34
121	A taxometric analysis of schizophrenia symptoms. <i>Psychiatry Research</i> , 2007 , 150, 245-53	9.9	33
120	Psychopathological dimensions and lack of insight in schizophrenia. <i>Psychological Reports</i> , 1998 , 83, 895-86		33
119	Subjective experiences in schizophrenia: a critical review. <i>Comprehensive Psychiatry</i> , 1994 , 35, 198-204	7.3	32
118	Insight dimensions and cognitive function in psychosis: a longitudinal study. <i>BMC Psychiatry</i> , 2006 , 6, 26	4.2	31
117	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
116	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013 , 13, 127	4.2	30
115	Testing the hypothesis that formal thought disorders are severe mood disorders. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1136-46	1.3	30

114	Classifying psychotic disorders: issues regarding categorial vs. dimensional approaches and time frame to assess symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 12-8	5.1	30
113	Brief cognitive assessment instruments in schizophrenia and bipolar patients, and healthy control subjects: a comparison study between the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS) and the Screen for Cognitive Impairment in Psychiatry (SCIP). <i>Schizophrenia Research</i> , 2011 , 130, 137-42	3.6	29
112	Neurological frontal signs and neuropsychological deficits in schizophrenic patients. <i>Schizophrenia Research</i> , 1996 , 20, 15-20	3.6	29
111	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 28	3	28
110	Thought disorder in schizophrenia. Testing models through confirmatory factor analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999 , 249, 55-61	5.1	28
109	Factor analysis of the Frankfurt Complaint Questionnaire in a Spanish sample. <i>Psychopathology</i> , 1996 , 29, 46-53	3.4	28
108	Disability in bipolar I disorder: the 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015 , 174, 353-60	6.6	26
107	Duration of untreated psychotic illness: the role of premorbid social support networks. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 345-9	4.5	26
106	Premorbid personality and psychopathological dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2002 , 58, 273-80	3.6	26
105	A dimensional and categorical architecture for the classification of psychotic disorders. <i>World Psychiatry</i> , 2007 , 6, 100-1	14.4	26
104	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
103	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
102	Can insight be predicted in first-episode psychosis patients? A longitudinal and hierarchical analysis of predictors in a drug-naïve sample. <i>Schizophrenia Research</i> , 2011 , 130, 148-56	3.6	24
101	The relationship between syndromes of the psychotic illness and familial liability to schizophrenia and major mood disorders. <i>Schizophrenia Research</i> , 2007 , 91, 200-9	3.6	23
100	Motor abnormalities in first-episode psychosis patients and long-term psychosocial functioning. <i>Schizophrenia Research</i> , 2018 , 200, 97-103	3.6	22
99	Neuropsychiatric symptoms in Alzheimer's disease and vascular dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 33, 715-21	4.3	22
98	Positive versus negative schizophrenia and basic symptoms. <i>Comprehensive Psychiatry</i> , 1992 , 33, 202-6	7.3	21
97	The effect of antipsychotic medication on neuromotor abnormalities in neuroleptic-naïve nonaffective psychotic patients: a naturalistic study with haloperidol, risperidone, or olanzapine. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010 , 12,		21

96	Characterization of affective domains within the nonaffective psychotic disorders. <i>Schizophrenia Research</i> , 2009 , 111, 61-9	3.6	20
95	Familiality of Psychotic Disorders: A Polynologic Study in Multiplex Families. <i>Schizophrenia Bulletin</i> , 2016 , 42, 975-83	1.3	19
94	Lifetime cannabis use and cognition in patients with schizophrenia spectrum disorders and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 643-53	5.1	19
93	Subjective experiences in psychotic disorders: diagnostic value and clinical correlates. <i>Comprehensive Psychiatry</i> , 1998 , 39, 11-5	7.3	19
92	Clinical models of schizophrenia: a critical approach to competing conceptions. <i>Psychopathology</i> , 2000 , 33, 252-8	3.4	19
91	Schizophrenic syndromes associated with treatment response. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994 , 18, 87-99	5.5	19
90	Eugen Bleuler and the schizophrenias: 100 years after. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1118-20	1.3	18
89	Cycloid psychosis: an examination of the validity of the concept. <i>Current Psychiatry Reports</i> , 2007 , 9, 184-92	9.2	18
88	Movement disorder and sensorimotor abnormalities in schizophrenia and other psychoses - European consensus on assessment and perspectives. <i>European Neuropsychopharmacology</i> , 2020 , 38, 25-39	1.2	18
87	Premorbid personality and insight in first-episode psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 52-60	1.3	17
86	Executive functioning in schizophrenia spectrum disorder patients and their unaffected siblings: a ten-year follow-up study. <i>Schizophrenia Research</i> , 2013 , 143, 291-6	3.6	16
85	Cycloid psychosis. <i>International Review of Psychiatry</i> , 2005 , 17, 53-62	3.6	16
84	The deficit syndrome of the psychotic illness. A clinical and nosological study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 165-71	5.1	16
83	Motor abnormalities and cognitive impairment in first-episode psychosis patients, their unaffected siblings and healthy controls. <i>Schizophrenia Research</i> , 2018 , 200, 50-55	3.6	16
82	Psychopathological dimensions in first-episode psychoses. From the trunk to the branches and leaves. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 73-9	5.1	15
81	Classification issues in catatonia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251 Suppl 1, 114-6	5.1	15
80	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
79	Basal ganglia and ventricle volume in first-episode psychosis. A family and clinical study. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 269, 90-96	2.9	14

78	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019 , 210, 21-29	3.6	14
77	Dermatoglyphic anomalies and neurocognitive deficits in sibling pairs discordant for schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2005 , 137, 215-21	9.9	14
76	Ten-year stability of self-reported schizotypal personality features in patients with psychosis and their healthy siblings. <i>Psychiatry Research</i> , 2015 , 227, 283-9	9.9	13
75	Characterization of spontaneous Parkinsonism in drug-naive patients with nonaffective psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 131-8	5.1	13
74	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
73	Phenomenological differences between spontaneous and drug-related extrapyramidal syndromes in patients with schizophrenia-spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 438-40	1.7	12
72	Controversies surrounding the diagnosis of schizophrenia and other psychoses. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 1475-86	4.3	12
71	Empirical validation of competing definitions of schizophrenia: a poly-diagnostic study of cognitive impairment in non-affective psychosis. <i>Schizophrenia Research</i> , 2007 , 95, 39-47	3.6	12
70	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
69	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1019-1025	1.3	11
68	Familial liability and schizophrenia phenotypes: a polydiagnostic approach. <i>Schizophrenia Research</i> , 2007 , 96, 125-34	3.6	11
67	Involvement of NRN1 gene in schizophrenia-spectrum and bipolar disorders and its impact on age at onset and cognitive functioning. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 129-39	3.8	10
66	Obstetric complications and neurological abnormalities in neuroleptic-naive psychotic patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 407-13	5.1	10
65	Patterns of symptoms in neuroleptic-naive patients with schizophrenia and related psychotic disorders before and after treatment. <i>Psychiatry Research</i> , 2001 , 105, 97-105	9.9	10
64	Are positive and negative symptoms relevant to cross-sectional diagnosis of schizophrenic and schizoaffective patients?. <i>Comprehensive Psychiatry</i> , 1995 , 36, 353-61	7.3	10
63	Secondary seizures from water intoxication in anorexia nervosa. <i>General Hospital Psychiatry</i> , 1992 , 14, 212-3	5.6	10
62	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 514-523	4.6	8
61	Psychopathological assessment of schizophrenia: relevance for classification. <i>Current Psychiatry Reports</i> , 2009 , 11, 324-31	9.1	8

60	Delusions and hallucinations in schizophrenic patients. <i>Psychopathology</i> , 1993 , 26, 286-91	3.4	8
59	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
58	Covariation between motor signs and negative symptoms in drug-naive subjects with schizophrenia-spectrum disorders before and after antipsychotic treatment. <i>Schizophrenia Research</i> , 2018 , 200, 85-91	3.6	7
57	Using the cognitive assessment interview to screen cognitive impairment in psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 629-37	5.1	7
56	The dynamic relationship between insight and suicidal behavior in first episode psychosis patients over 3-year follow-up. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1161-1172	1.2	7
55	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 435-40	5.1	7
54	Lifetime psychopathological dimensions, cognitive impairment and functional outcome in psychosis. <i>Schizophrenia Research</i> , 2017 , 179, 30-35	3.6	7
53	The association of lifetime insight and cognition in psychosis. <i>Schizophrenia Research</i> , 2015 , 162, 183-8	3.6	7
52	Treatment response of neurological soft signs in drug-naïve patients with a first psychotic episode. <i>Schizophrenia Research</i> , 2012 , 139, 144-50	3.6	7
51	Symptoms of the schizophrenic negative syndrome. <i>British Journal of Psychiatry</i> , 1996 , 169, 209-12	5.4	7
50	PSYCHOPATHOLOGICAL DIMENSIONS AND LACK OF INSIGHT IN SCHIZOPHRENIA. <i>Psychological Reports</i> , 1998 , 83, 895	1.6	7
49	Utility of the MoCA for cognitive impairment screening in long-term psychosis patients. <i>Schizophrenia Research</i> , 2020 , 216, 429-434	3.6	7
48	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
47	The Cognitive Assessment Interview: A comparative study in first episode and chronic patients with psychosis. <i>Schizophrenia Research</i> , 2016 , 178, 80-85	3.6	7
46	An empirical study of five sets of diagnostic criteria for delusional disorder. <i>Schizophrenia Research</i> , 2019 , 209, 164-170	3.6	6
45	The Symptom and Domain Structure of Psychotic Disorders: A Network Analysis Approach. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	6
44	Dissecting the catatonia phenotype in psychotic and mood disorders on the basis of familial-genetic factors. <i>Schizophrenia Research</i> , 2018 , 200, 20-25	3.6	6
43	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6

42	Motor abnormalities and basal ganglia in first-episode psychosis (FEP). <i>Psychological Medicine</i> , 2021 , 51, 1625-1636	6.9	5
41	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
40	Characteristics and clinical correlates of dimensions of delusional experience in schizophrenia and delusional disorder. <i>Schizophrenia Research</i> , 2016 , 176, 404-410	3.6	5
39	Identifying key transcription factors for pharmacogenetic studies of antipsychotics induced extrapyramidal symptoms. <i>Psychopharmacology</i> , 2020 , 237, 2151-2159	4.7	4
38	Test-retest reliability of the Frankfurt Complaint Questionnaire. <i>Psychological Reports</i> , 2011 , 108, 503-6	1.6	4
37	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
36	Cognitive, community functioning and clinical correlates of the Clinical Assessment Interview for Negative Symptoms (CAINS) in psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1537-1546	5.1	4
35	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
34	An analysis of the possible protective effect of antipsychotics for SARS-CoV-2 in patients under treatment for severe mental illnesses. <i>Schizophrenia Research</i> , 2021 , 233, 99-100	3.6	4
33	Assessing clinical and functional outcomes in a geneEnvironment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2013 , 6, 4-16	0.2	3
32	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68	1.2	3
31	Familial liability to schizophrenia and mood disorders and cognitive impairment in psychosis. <i>Psychiatry Research</i> , 2015 , 227, 258-64	9.9	2
30	Clinical & diagnostic issues in catatonia. <i>Future Neurology</i> , 2015 , 10, 405-416	1.5	2
29	Hidalgo Borrajo, R., et al., Validity of maternal recall of obstetric complications in mothers of patients with schizophrenia spectrum disorders and their healthy siblings, <i>Schizophr. Res.</i> (2010), doi:10.1016/j.schres.2010.09.017. <i>Schizophrenia Research</i> , 2011 , 126, 308-9	3.6	2
28	The network and dimensionality structure of affective psychoses: an exploratory graph analysis approach. <i>Journal of Affective Disorders</i> , 2020 , 277, 182-191	6.6	2
27	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2020 , 223, 345-352	3.6	2
26	Validity and utility of a set of clinical criteria for cognitive impairment associated with psychosis (CIAPs). <i>Psychiatry Research</i> , 2020 , 293, 113404	9.9	2
25	Schneider's first-rank symptoms have neither diagnostic value for schizophrenia nor higher clinical validity than other delusions and hallucinations in psychotic disorders. <i>Psychological Medicine</i> , 2020 , 1-4	6.9	2

24	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
23	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
22	A New Step Forward in "Carving Nature by its Joints" in Psychopathology/Psychosis. <i>Neuropsychobiology</i> , 2017 , 75, 117-118	4	1
21	A comparative study of the working memory multicomponent model in psychosis and healthy controls. <i>Comprehensive Psychiatry</i> , 2015 , 61, 97-105	7.3	1
20	Influence of genetic variability at the COMT gene on TMT-B performance in psychotic patients and their healthy siblings. <i>Psychiatric Genetics</i> , 2012 , 22, 92-5	2.9	1
19	Olanzapine, risperidone and quetiapine: Do these atypical antipsychotics have a protective effect for SARS-CoV-2?. <i>Schizophrenia Research</i> , 2022 , 241, 140-141	3.6	1
18	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
17	The polysemous concepts of psychomotricity and catatonia: A European multi-consensus perspective.. <i>European Neuropsychopharmacology</i> , 2021 , 56, 60-73	1.2	1
16	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
15	Prospective Long-Term Cohort Study of Subjects With First-Episode Psychosis Examining Eight Major Outcome Domains and Their Predictors: Study Protocol. <i>Frontiers in Psychiatry</i> , 2021 , 12, 643112	5	1
14	Neuroimaging correlates of insight in non-affective psychosis: A systematic review and meta-analysis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 ,	2.7	1
13	A neuropsychological study on Leonhard's nosological system. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
12	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 243, 32-42	3.6	1
11	Clinical relevance of general and specific dimensions in bifactor models of psychotic disorders. <i>World Psychiatry</i> , 2021 , 20, 306-307	14.4	0
10	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	0
9	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
8	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
7	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022 , 244, 46-54	3.6	0

6	Metabolic polygenic risk scores effect on antipsychotic-induced metabolic dysregulation: A longitudinal study in a first episode psychosis cohort. <i>Schizophrenia Research</i> , 2022 , 244, 101-110	3.6	o
5	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	
4	Dependence Graphs Based on Association Rules to Explore Delusional Experiences. <i>Multivariate Behavioral Research</i> , 2021 , 1-29	2.3	
3	A network analysis and empirical validation of executive deficits in patients with psychosis and their healthy siblings. <i>Schizophrenia Research</i> , 2021 , 237, 122-130	3.6	
2	Assessment of cognitive impairment in psychosis spectrum disorders through self-reported and interview-based measures.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	
1	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 105-117	1.2	