

Manuel J Cuesta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7300571/manuel-j-cuesta-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

4,962
citations

39
h-index

63
g-index

178
ext. papers

5,796
ext. citations

4.4
avg, IF

5.57
L-index

#	Paper	IF	Citations
167	Olanzapine, risperidone and quetiapine: Do these atypical antipsychotics have a protective effect for SARS-CoV-2?. <i>Schizophrenia Research</i> , 2022 , 241, 140-141	3.6	1
166	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
165	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
164	Assessment of cognitive impairment in psychosis spectrum disorders through self-reported and interview-based measures.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	
163	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 105-117	1.2	
162	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 243, 32-42	3.6	1
161	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022 , 244, 46-54	3.6	0
160	Metabolic polygenic risk scores effect on antipsychotic-induced metabolic dysregulation: A longitudinal study in a first episode psychosis cohort. <i>Schizophrenia Research</i> , 2022 , 244, 101-110	3.6	0
159	Motor abnormalities and basal ganglia in first-episode psychosis (FEP). <i>Psychological Medicine</i> , 2021 , 51, 1625-1636	6.9	5
158	The polysemous concepts of psychomotricity and catatonia: A European multi-consensus perspective.. <i>European Neuropsychopharmacology</i> , 2021 , 56, 60-73	1.2	1
157	Cognitive, community functioning and clinical correlates of the Clinical Assessment Interview for Negative Symptoms (CAINS) in psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1537-1546	5.1	4
156	Clinical relevance of general and specific dimensions in bifactor models of psychotic disorders. <i>World Psychiatry</i> , 2021 , 20, 306-307	14.4	0
155	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
154	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
153	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
152	Dependence Graphs Based on Association Rules to Explore Delusional Experiences. <i>Multivariate Behavioral Research</i> , 2021 , 1-29	2.3	
151	Prospective Long-Term Cohort Study of Subjects With First-Episode Psychosis Examining Eight Major Outcome Domains and Their Predictors: Study Protocol. <i>Frontiers in Psychiatry</i> , 2021 , 12, 643112	5	1

150	Neuroimaging correlates of insight in non-affective psychosis: A systematic review and meta-analysis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 ,	2.7	1
149	An analysis of the possible protective effect of antipsychotics for SARS-CoV-2 in patients under treatment for severe mental illnesses. <i>Schizophrenia Research</i> , 2021 , 233, 99-100	3.6	4
148	A neuropsychological study on Leonhard's nosological system. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
147	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68 ^{1,2}	3.2	3
146	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	0
145	A network analysis and empirical validation of executive deficits in patients with psychosis and their healthy siblings. <i>Schizophrenia Research</i> , 2021 , 237, 122-130	3.6	
144	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
143	Identifying key transcription factors for pharmacogenetic studies of antipsychotics induced extrapyramidal symptoms. <i>Psychopharmacology</i> , 2020 , 237, 2151-2159	4.7	4
142	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1019-1025	1.3	11
141	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 514-523	4.6	8
140	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
139	The Symptom and Domain Structure of Psychotic Disorders: A Network Analysis Approach. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	6
138	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
137	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
136	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
135	Utility of the MoCA for cognitive impairment screening in long-term psychosis patients. <i>Schizophrenia Research</i> , 2020 , 216, 429-434	3.6	7
134	The network and dimensionality structure of affective psychoses: an exploratory graph analysis approach. <i>Journal of Affective Disorders</i> , 2020 , 277, 182-191	6.6	2
133	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2020 , 223, 345-352	3.6	2

132	Movement disorder and sensorimotor abnormalities in schizophrenia and other psychoses - European consensus on assessment and perspectives. <i>European Neuropsychopharmacology</i> , 2020 , 38, 25-39	1.2	18
131	Validity and utility of a set of clinical criteria for cognitive impairment associated with psychosis (CIAPs). <i>Psychiatry Research</i> , 2020 , 293, 113404	9.9	2
130	Schneider's first-rank symptoms have neither diagnostic value for schizophrenia nor higher clinical validity than other delusions and hallucinations in psychotic disorders. <i>Psychological Medicine</i> , 2020 , 1-4	6.9	2
129	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
128	An empirical study of five sets of diagnostic criteria for delusional disorder. <i>Schizophrenia Research</i> , 2019 , 209, 164-170	3.6	6
127	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
126	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019 , 210, 21-29	3.6	14
125	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
124	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
123	Dissecting the catatonia phenotype in psychotic and mood disorders on the basis of familial-genetic factors. <i>Schizophrenia Research</i> , 2018 , 200, 20-25	3.6	6
122	Covariation between motor signs and negative symptoms in drug-naive subjects with schizophrenia-spectrum disorders before and after antipsychotic treatment. <i>Schizophrenia Research</i> , 2018 , 200, 85-91	3.6	7
121	Motor abnormalities in first-episode psychosis patients and long-term psychosocial functioning. <i>Schizophrenia Research</i> , 2018 , 200, 97-103	3.6	22
120	The dynamic relationship between insight and suicidal behavior in first episode psychosis patients over 3-year follow-up. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1161-1172	1.2	7
119	Motor abnormalities and cognitive impairment in first-episode psychosis patients, their unaffected siblings and healthy controls. <i>Schizophrenia Research</i> , 2018 , 200, 50-55	3.6	16
118	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
117	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
116	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
115	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	

114	Basal ganglia and ventricle volume in first-episode psychosis. A family and clinical study. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 269, 90-96	2.9	14
113	Motor Abnormalities: From Neurodevelopmental to Neurodegenerative Through "Functional" (Neuro)Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2017 , 43, 956-971	1.3	67
112	Lifetime psychopathological dimensions, cognitive impairment and functional outcome in psychosis. <i>Schizophrenia Research</i> , 2017 , 179, 30-35	3.6	7
111	A New Step Forward in "Carving Nature by its Joints" in Psychopathology/Psychosis. <i>Neuropsychobiology</i> , 2017 , 75, 117-118	4	1
110	Using the cognitive assessment interview to screen cognitive impairment in psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 629-37	5.1	7
109	Familiality of Psychotic Disorders: A Polynologic Study in Multiplex Families. <i>Schizophrenia Bulletin</i> , 2016 , 42, 975-83	1.3	19
108	Involvement of NRN1 gene in schizophrenia-spectrum and bipolar disorders and its impact on age at onset and cognitive functioning. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 129-39	3.8	10
107	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
106	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
105	Characteristics and clinical correlates of dimensions of delusional experience in schizophrenia and delusional disorder. <i>Schizophrenia Research</i> , 2016 , 176, 404-410	3.6	5
104	The Cognitive Assessment Interview: A comparative study in first episode and chronic patients with psychosis. <i>Schizophrenia Research</i> , 2016 , 178, 80-85	3.6	7
103	Familial liability to schizophrenia and mood disorders and cognitive impairment in psychosis. <i>Psychiatry Research</i> , 2015 , 227, 258-64	9.9	2
102	Ten-year stability of self-reported schizotypal personality features in patients with psychosis and their healthy siblings. <i>Psychiatry Research</i> , 2015 , 227, 283-9	9.9	13
101	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
100	Clinical & diagnostic issues in catatonia. <i>Future Neurology</i> , 2015 , 10, 405-416	1.5	2
99	A comparative study of the working memory multicomponent model in psychosis and healthy controls. <i>Comprehensive Psychiatry</i> , 2015 , 61, 97-105	7.3	1
98	Disability in bipolar I disorder: the 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015 , 174, 353-60	6.6	26
97	The association of lifetime insight and cognition in psychosis. <i>Schizophrenia Research</i> , 2015 , 162, 183-8	3.6	7

96	Characterization of the deficit syndrome in drug-naïve schizophrenia patients: the role of spontaneous movement disorders and neurological soft signs. <i>Schizophrenia Bulletin</i> , 2014 , 40, 214-24	1.3	59
95	Spontaneous parkinsonism is associated with cognitive impairment in antipsychotic-naïve patients with first-episode psychosis: a 6-month follow-up study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1164-73	1.3	50
94	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013 , 13, 127	4.2	30
93	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 435-40	5.1	7
92	Executive functioning in schizophrenia spectrum disorder patients and their unaffected siblings: a ten-year follow-up study. <i>Schizophrenia Research</i> , 2013 , 143, 291-6	3.6	16
91	The low- and higher-order factor structure of symptoms in patients with a first episode of psychosis. <i>Schizophrenia Research</i> , 2013 , 147, 116-124	3.6	34
90	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental</i> , 2013 , 6, 4-16	2.7	78
89	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2013 , 6, 4-16	0.2	3
88	Lifetime cannabis use and cognition in patients with schizophrenia spectrum disorders and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 643-53	5.1	19
87	Neuropsychiatric symptoms in Alzheimer's disease and vascular dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 33, 715-21	4.3	22
86	Phenomenological differences between spontaneous and drug-related extrapyramidal syndromes in patients with schizophrenia-spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 438-40	1.7	12
85	Characterization of spontaneous Parkinsonism in drug-naïve patients with nonaffective psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 131-8	5.1	13
84	Examining the course of hallucinatory experiences in children and adolescents: a systematic review. <i>Schizophrenia Research</i> , 2012 , 138, 248-54	3.6	45
83	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 240-7	3.6	43
82	Treatment response of neurological soft signs in drug-naïve patients with a first psychotic episode. <i>Schizophrenia Research</i> , 2012 , 139, 144-50	3.6	7
81	Duration of untreated negative and positive symptoms of psychosis and cognitive impairment in first episode psychosis. <i>Schizophrenia Research</i> , 2012 , 141, 222-7	3.6	38
80	Influence of genetic variability at the COMT gene on TMT-B performance in psychotic patients and their healthy siblings. <i>Psychiatric Genetics</i> , 2012 , 22, 92-5	2.9	1
79	The meaning of childhood attention-deficit hyperactivity symptoms in patients with a first-episode of schizophrenia-spectrum psychosis. <i>Schizophrenia Research</i> , 2011 , 126, 28-35	3.6	38

78	Hidalgo Borrajo, R., et al., Validity of maternal recall of obstetric complications in mothers of patients with schizophrenia spectrum disorders and their healthy siblings, <i>Schizophr. Res.</i> (2010), doi:10.1016/j.schres.2010.09.017. <i>Schizophrenia Research</i> , 2011 , 126, 308-9	3.6	2
77	Can insight be predicted in first-episode psychosis patients? A longitudinal and hierarchical analysis of predictors in a drug-naïve sample. <i>Schizophrenia Research</i> , 2011 , 130, 148-56	3.6	24
76	Brief cognitive assessment instruments in schizophrenia and bipolar patients, and healthy control subjects: a comparison study between the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS) and the Screen for Cognitive Impairment in Psychiatry (SCIP). <i>Schizophrenia Research</i> , 2011 , 130, 137-42	3.6	29
75	Neuromotor abnormalities in neuroleptic-naïve psychotic patients: antecedents, clinical correlates, and prediction of treatment response. <i>Comprehensive Psychiatry</i> , 2011 , 52, 139-45	7.3	45
74	Premorbid personality and insight in first-episode psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 52-60	1.3	17
73	Eugen Bleuler and the schizophrenias: 100 years after. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1118-20	1.3	18
72	Testing the hypothesis that formal thought disorders are severe mood disorders. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1136-46	1.3	30
71	Test-retest reliability of the Frankfurt Complaint Questionnaire. <i>Psychological Reports</i> , 2011 , 108, 503-6	1.6	4
70	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010 , 116, 243-51	3.6	40
69	DSM-IV catatonia signs and criteria in first-episode, drug-naïve, psychotic patients: psychometric validity and response to antipsychotic medication. <i>Schizophrenia Research</i> , 2010 , 118, 168-75	3.6	56
68	Motor behavior abnormalities in drug-naïve patients with schizophrenia spectrum disorders. <i>Movement Disorders</i> , 2010 , 25, 1068-76	7	93
67	The effect of antipsychotic medication on neuromotor abnormalities in neuroleptic-naïve nonaffective psychotic patients: a naturalistic study with haloperidol, risperidone, or olanzapine. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010 , 12,		21
66	Controversies surrounding the diagnosis of schizophrenia and other psychoses. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 1475-86	4.3	12
65	Psychopathological assessment of schizophrenia: relevance for classification. <i>Current Psychiatry Reports</i> , 2009 , 11, 324-31	9.1	8
64	Characterization of affective domains within the nonaffective psychotic disorders. <i>Schizophrenia Research</i> , 2009 , 111, 61-9	3.6	20
63	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 28	3	28
62	Cognitive effectiveness of olanzapine and risperidone in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2009 , 194, 439-45	5.4	44
61	Exploring the borders of the schizoaffective spectrum: a categorical and dimensional approach. <i>Journal of Affective Disorders</i> , 2008 , 108, 71-86	6.6	50

60	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 139-48	3.6	60
59	The relationship between syndromes of the psychotic illness and familial liability to schizophrenia and major mood disorders. <i>Schizophrenia Research</i> , 2007 , 91, 200-9	3.6	23
58	Empirical validation of competing definitions of schizophrenia: a poly-diagnostic study of cognitive impairment in non-affective psychosis. <i>Schizophrenia Research</i> , 2007 , 95, 39-47	3.6	12
57	Familial liability and schizophrenia phenotypes: a polydiagnostic approach. <i>Schizophrenia Research</i> , 2007 , 96, 125-34	3.6	11
56	Cycloid psychosis: an examination of the validity of the concept. <i>Current Psychiatry Reports</i> , 2007 , 9, 184-92	3.6	18
55	A taxometric analysis of schizophrenia symptoms. <i>Psychiatry Research</i> , 2007 , 150, 245-53	9.9	33
54	A dimensional and categorical architecture for the classification of psychotic disorders. <i>World Psychiatry</i> , 2007 , 6, 100-1	14.4	26
53	Insight dimensions and cognitive function in psychosis: a longitudinal study. <i>BMC Psychiatry</i> , 2006 , 6, 26	4.2	31
52	The Val66Met polymorphism of the brain-derived neurotrophic factor gene is associated with risk for psychosis: evidence from a family-based association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 135-8	3.5	70
51	Obstetric complications and neurological abnormalities in neuroleptic-naive psychotic patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 407-13	5.1	10
50	Cycloid psychosis. <i>International Review of Psychiatry</i> , 2005 , 17, 53-62	3.6	16
49	Dermatoglyphic anomalies and neurocognitive deficits in sibling pairs discordant for schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2005 , 137, 215-21	9.9	14
48	The underlying structure of diagnostic systems of schizophrenia: a comprehensive polydiagnostic approach. <i>Schizophrenia Research</i> , 2005 , 79, 217-29	3.6	36
47	Duration of untreated psychotic illness: the role of premorbid social support networks. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 345-9	4.5	26
46	The deficit syndrome of the psychotic illness. A clinical and nosological study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 165-71	5.1	16
45	Interleukin-1beta (IL-1beta) gene and increased risk for the depressive symptom-dimension in schizophrenia spectrum disorders 2004 , 124B, 10-4		59
44	New evidence of association between COMT gene and prefrontal neurocognitive function in healthy individuals from sibling pairs discordant for psychosis. <i>American Journal of Psychiatry</i> , 2004 , 161, 1110-2	11.9	153
43	The nosology of psychotic disorders: a comparison among competing classification systems. <i>Schizophrenia Bulletin</i> , 2003 , 29, 413-25	1.3	55

42	Cycloid psychosis: a clinical and nosological study. <i>Psychological Medicine</i> , 2003 , 33, 443-53	6.9	34
41	Psychopathological dimensions in first-episode psychoses. From the trunk to the branches and leaves. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 73-9	5.1	15
40	Classifying psychotic disorders: issues regarding categorial vs. dimensional approaches and time frame to assess symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 12-8	5.1	30
39	Neurological soft-signs in psychosis: threshold criteria for discriminating normal controls and for predicting cognitive impairment. <i>Schizophrenia Research</i> , 2002 , 58, 263-71	3.6	34
38	Premorbid personality and psychopathological dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2002 , 58, 273-80	3.6	26
37	Motor features in psychotic disorders. I. Factor structure and clinical correlates. <i>Schizophrenia Research</i> , 2001 , 47, 107-16	3.6	72
36	Motor features in psychotic disorders. II. Development of diagnostic criteria for catatonia. <i>Schizophrenia Research</i> , 2001 , 47, 117-26	3.6	68
35	How many and which are the psychopathological dimensions in schizophrenia? Issues influencing their ascertainment. <i>Schizophrenia Research</i> , 2001 , 49, 269-85	3.6	159
34	Effects of olanzapine and other antipsychotics on cognitive function in chronic schizophrenia: a longitudinal study. <i>Schizophrenia Research</i> , 2001 , 48, 17-28	3.6	124
33	Classification issues in catatonia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251 Suppl 1, 114-6	5.1	15
32	Patterns of symptoms in neuroleptic-naïve patients with schizophrenia and related psychotic disorders before and after treatment. <i>Psychiatry Research</i> , 2001 , 105, 97-105	9.9	10
31	Differentiating primary from secondary negative symptoms in schizophrenia: a study of neuroleptic-naïve patients before and after treatment. <i>American Journal of Psychiatry</i> , 2000 , 157, 1461-6 ^{11.9}	11.9	69
30	Reappraising insight in psychosis. Multi-scale longitudinal study. <i>British Journal of Psychiatry</i> , 2000 , 177, 233-40	5.4	82
29	Clinical models of schizophrenia: a critical approach to competing conceptions. <i>Psychopathology</i> , 2000 , 33, 252-8	3.4	19
28	Thought disorder in schizophrenia. Testing models through confirmatory factor analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999 , 249, 55-61	5.1	28
27	Diagnostic significance of Schneider's first-rank symptoms in schizophrenia. Comparative study between schizophrenic and non-schizophrenic psychotic disorders. <i>British Journal of Psychiatry</i> , 1999 , 174, 243-8	5.4	111
26	Serum iron in catatonic and noncatatonic psychotic patients. <i>Biological Psychiatry</i> , 1999 , 45, 788-90	7.9	34
25	Dimensional structure of psychotic symptoms: an item-level analysis of SAPS and SANS symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 1999 , 38, 13-26	3.6	150

24	Negative parkinsonian, depressive and catatonic symptoms in schizophrenia: a conflict of paradigms revisited. <i>Schizophrenia Research</i> , 1999 , 40, 245-53	3.6	37
23	Lack of insight in mood disorders. <i>Journal of Affective Disorders</i> , 1998 , 49, 55-8	6.6	83
22	Subjective experiences in psychotic disorders: diagnostic value and clinical correlates. <i>Comprehensive Psychiatry</i> , 1998 , 39, 11-5	7.3	19
21	Psychopathological dimensions and lack of insight in schizophrenia. <i>Psychological Reports</i> , 1998 , 83, 895-86	8.6	33
20	PSYCHOPATHOLOGICAL DIMENSIONS AND LACK OF INSIGHT IN SCHIZOPHRENIA. <i>Psychological Reports</i> , 1998 , 83, 895	1.6	7
19	The Kahlbaum syndrome: a study of its clinical validity, nosological status, and relationship with schizophrenia and mood disorder. <i>Comprehensive Psychiatry</i> , 1997 , 38, 61-7	7.3	42
18	Factor structure of symptoms in functional psychoses. <i>Biological Psychiatry</i> , 1997 , 42, 806-15	7.9	67
17	Neurological frontal signs and neuropsychological deficits in schizophrenic patients. <i>Schizophrenia Research</i> , 1996 , 20, 15-20	3.6	29
16	Factor analysis of the Frankfurt Complaint Questionnaire in a Spanish sample. <i>Psychopathology</i> , 1996 , 29, 46-53	3.4	28
15	Abnormal subjective experiences in schizophrenia: its relationships with neuropsychological disturbances and frontal signs. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1996 , 246, 101-5	5.1	41
14	Symptoms of the schizophrenic negative syndrome. <i>British Journal of Psychiatry</i> , 1996 , 169, 209-12	5.4	7
13	Schizophrenic syndrome and Wisconsin Card Sorting Test dimensions. <i>Psychiatry Research</i> , 1995 , 58, 45-51	5.9	45
12	Cognitive disorders in the positive, negative, and disorganization syndromes of schizophrenia. <i>Psychiatry Research</i> , 1995 , 58, 227-35	9.9	105
11	Are positive and negative symptoms relevant to cross-sectional diagnosis of schizophrenic and schizoaffective patients?. <i>Comprehensive Psychiatry</i> , 1995 , 36, 353-61	7.3	10
10	An empirical analysis of latent structures underlying schizophrenic symptoms: a four-syndrome model. <i>Biological Psychiatry</i> , 1994 , 36, 726-36	7.9	98
9	Lack of insight: its status within schizophrenic psychopathology. <i>Biological Psychiatry</i> , 1994 , 36, 559-61	7.9	50
8	Psychometric properties of the positive and negative syndrome scale (PANSS) in schizophrenia. <i>Psychiatry Research</i> , 1994 , 53, 31-40	9.9	373
7	Subjective experiences in schizophrenia: a critical review. <i>Comprehensive Psychiatry</i> , 1994 , 35, 198-204	7.3	32

6	Schizophrenic syndromes associated with treatment response. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994 , 18, 87-99	5.5	19
5	Delusions and hallucinations in schizophrenic patients. <i>Psychopathology</i> , 1993 , 26, 286-91	3.4	8
4	Are there more than two syndromes in schizophrenia? A critique of the positive-negative dichotomy. <i>British Journal of Psychiatry</i> , 1992 , 161, 335-43	5.4	255
3	Secondary seizures from water intoxication in anorexia nervosa. <i>General Hospital Psychiatry</i> , 1992 , 14, 212-3	5.6	10
2	Formal thought disorder in schizophrenia: a factor analytic study. <i>Comprehensive Psychiatry</i> , 1992 , 33, 105-10	7.3	46
1	Positive versus negative schizophrenia and basic symptoms. <i>Comprehensive Psychiatry</i> , 1992 , 33, 202-6	7.3	21