

# Bill T Vicenzino

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7302016/publications.pdf>

Version: 2024-02-01

432  
papers

19,669  
citations

10373

72  
h-index

16164

124  
g-index

446  
all docs

446  
docs citations

446  
times ranked

8957  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and safety of corticosteroid injections and other injections for management of tendinopathy: a systematic review of randomised controlled trials. <i>Lancet</i> , The, 2010, 376, 1751-1767.	6.3	700
2	Prevalence of hallux valgus in the general population: a systematic review and meta-analysis. <i>Journal of Foot and Ankle Research</i> , 2010, 3, 21.	0.7	569
3	Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. <i>Pain</i> , 2003, 104, 509-517.	2.0	425
4	Mobilisation with movement and exercise, corticosteroid injection, or wait and see for tennis elbow: randomised trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 939.	2.4	425
5	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>British Journal of Sports Medicine</i> , 2016, 50, 839-843.	3.1	388
6	Evidence review for the 2016 International Ankle Consortium consensus statement on the prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016, 50, 1496-1505.	3.1	374
7	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium: Table 1. <i>British Journal of Sports Medicine</i> , 2014, 48, 1014-1018.	3.1	363
8	Selection Criteria for Patients With Chronic Ankle Instability in Controlled Research: A Position Statement of the International Ankle Consortium. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 585-591.	1.7	355
9	A systematic review and meta-analysis of clinical trials on physical interventions for lateral epicondylalgia * Commentary. <i>British Journal of Sports Medicine</i> , 2005, 39, 411-422.	3.1	336
10	Physical and psychological factors predict outcome following whiplash injury. <i>Pain</i> , 2005, 114, 141-148.	2.0	333
11	The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia. <i>Pain</i> , 1996, 68, 69-74.	2.0	302
12	Effect of Neck Exercise on Sitting Posture in Patients With Chronic Neck Pain. <i>Physical Therapy</i> , 2007, 87, 408-417.	1.1	300
13	Development of motor system dysfunction following whiplash injury. <i>Pain</i> , 2003, 103, 65-73.	2.0	293
14	Effect of Corticosteroid Injection, Physiotherapy, or Both on Clinical Outcomes in Patients With Unilateral Lateral Epicondylalgia. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 461.	3.8	281
15	The effect of therapeutic exercise on activation of the deep cervical flexor muscles in people with chronic neck pain. <i>Manual Therapy</i> , 2009, 14, 696-701.	1.6	260
16	Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. <i>Manual Therapy</i> , 2001, 6, 205-212.	1.6	221
17	Initial Changes in Posterior Talar Glide and Dorsiflexion of the Ankle After Mobilization With Movement in Individuals with Recurrent Ankle Sprain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006, 36, 464-471.	1.7	220
18	Retraining cervical joint position sense: The effect of two exercise regimes. <i>Journal of Orthopaedic Research</i> , 2007, 25, 404-412.	1.2	215

#	ARTICLE	IF	CITATIONS
19	Running in a minimalist and lightweight shoe is not the same as running barefoot: a biomechanical study. <i>British Journal of Sports Medicine</i> , 2013, 47, 387-392.	3.1	209
20	2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. <i>British Journal of Sports Medicine</i> , 2018, 52, 1170-1178.	3.1	207
21	Hypoalgesic and Sympathoexcitatory Effects of Mobilization With Movement for Lateral Epicondylalgia. <i>Physical Therapy</i> , 2003, 83, 374-383.	1.1	200
22	The initial effects of a Mulligan's mobilization with movement technique on dorsiflexion and pain in subacute ankle sprains. <i>Manual Therapy</i> , 2004, 9, 77-82.	1.6	199
23	An investigation of the interrelationship between manipulative therapy-induced hypoalgesia and sympathoexcitation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1998, 21, 448-53.	0.4	193
24	The development of psychological changes following whiplash injury. <i>Pain</i> , 2003, 106, 481-489.	2.0	185
25	2016 consensus statement of the International Ankle Consortium: prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016, 50, 1493-1495.	3.1	185
26	Factors that predict a poor outcome 5â€“8â€“years after the diagnosis of patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2016, 50, 881-886.	3.1	182
27	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2009, 43, 163-168.	3.1	166
28	Prognostic factors for patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2013, 47, 227-233.	3.1	159
29	Characterization of Acute Whiplash-Associated Disorders. <i>Spine</i> , 2004, 29, 182-188.	1.0	153
30	Sports and exercise-related tendinopathies: a review of selected topical issues by participants of the second International Scientific Tendinopathy Symposium (ISTS) Vancouver 2012. <i>British Journal of Sports Medicine</i> , 2013, 47, 536-544.	3.1	148
31	Early Knee Osteoarthritis Is Evident One Year Following Anterior Cruciate Ligament Reconstruction: A Magnetic Resonance Imaging Evaluation. <i>Arthritis and Rheumatology</i> , 2015, 67, 946-955.	2.9	147
32	Foot orthoses and gait: a systematic review and meta-analysis of literature pertaining to potential mechanisms. <i>British Journal of Sports Medicine</i> , 2010, 44, 1035-1046.	3.1	146
33	The psychological features of patellofemoral pain: a systematic review. <i>British Journal of Sports Medicine</i> , 2017, 51, 732-742.	3.1	146
34	Clinical assessment of acute lateral ankle sprain injuries (ROAST): 2019 consensus statement and recommendations of the International Ankle Consortium. <i>British Journal of Sports Medicine</i> , 2018, 52, 1304-1310.	3.1	146
35	A new integrative model of lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2009, 43, 252-258.	3.1	141
36	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <i>British Journal of Sports Medicine</i> , 2022, 56, 175-195.	3.1	140

#	ARTICLE	IF	CITATIONS
37	An endurance-strength training regime is effective in reducing myoelectric manifestations of cervical flexor muscle fatigue in females with chronic neck pain. <i>Clinical Neurophysiology</i> , 2006, 117, 828-837.	0.7	137
38	Reliability of the Modified Foot Posture Index. <i>Journal of the American Podiatric Medical Association</i> , 2008, 98, 7-13.	0.2	133
39	ICON 2019: International Scientific Tendinopathy Symposium Consensus: Clinical Terminology. <i>British Journal of Sports Medicine</i> , 2020, 54, 260-262.	3.1	133
40	Mulligan's mobilization-with-movement, positional faults and pain relief: Current concepts from a critical review of literature. <i>Manual Therapy</i> , 2007, 12, 98-108.	1.6	129
41	Patterns of leg muscle recruitment vary between novice and highly trained cyclists. <i>Journal of Electromyography and Kinesiology</i> , 2008, 18, 359-371.	0.7	116
42	Reliability and normative values for the foot mobility magnitude: a composite measure of vertical and medial-lateral mobility of the midfoot. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 6.	0.7	116
43	Specific Therapeutic Exercise of the Neck Induces Immediate Local Hypoalgesia. <i>Journal of Pain</i> , 2007, 8, 832-839.	0.7	115
44	The Validity of Upper-Limb Neurodynamic Tests for Detecting Peripheral Neuropathic Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 413-424.	1.7	113
45	Evidence of Nervous System Sensitization in Commonly Presenting and Persistent Painful Tendinopathies: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 864-875.	1.7	112
46	Management of Lateral Elbow Tendinopathy: One Size Does Not Fit All. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 938-949.	1.7	109
47	The initial effects of a Mulligan's mobilization with movement technique on range of movement and pressure pain threshold in pain-limited shoulders. <i>Manual Therapy</i> , 2008, 13, 37-42.	1.6	105
48	Diagnostic accuracy of power Doppler ultrasound in patients with chronic tennis elbow. <i>British Journal of Sports Medicine</i> , 2008, 42, 572-576.	3.1	104
49	Cranio-cervical flexor muscle impairment at maximal, moderate, and low loads is a feature of neck pain. <i>Manual Therapy</i> , 2007, 12, 34-39.	1.6	103
50	Lateral epicondylalgia: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2003, 8, 66-79.	1.6	102
51	Thermal Hyperalgesia Distinguishes Those With Severe Pain and Disability in Unilateral Lateral Epicondylalgia. <i>Clinical Journal of Pain</i> , 2012, 28, 595-601.	0.8	102
52	Gluteal Tendinopathy: A Review of Mechanisms, Assessment and Management. <i>Sports Medicine</i> , 2015, 45, 1107-1119.	3.1	101
53	Sensory and motor deficits exist on the non-injured side of patients with unilateral tendon pain and disability—implications for central nervous system involvement: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2014, 48, 1400-1406.	3.1	100
54	Foot Orthoses in Lower Limb Overuse Conditions: A Systematic Review and Meta-Analysis. <i>Foot and Ankle International</i> , 2007, 28, 396-412.	1.1	99

#	ARTICLE	IF	CITATIONS
55	Identifying Clinically Meaningful Tools for Measuring Comfort Perception of Footwear. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1966-1971.	0.2	96
56	Physiotherapy management of lateral epicondylalgia. <i>Journal of Physiotherapy</i> , 2015, 61, 174-181.	0.7	95
57	Consensus for experimental design in electromyography (CEDE) project: Electrode selection matrix. <i>Journal of Electromyography and Kinesiology</i> , 2019, 48, 128-144.	0.7	95
58	Characteristics of foot structure and footwear associated with hallux valgus: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1059-1074.	0.6	91
59	Efficacy of Nonsurgical Interventions for Anterior Knee Pain. <i>Sports Medicine</i> , 2012, 42, 31-49.	3.1	90
60	Achilles and patellar tendinopathy display opposite changes in elastic properties: A shear wave elastography study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1201-1208.	1.3	89
61	A clinical prediction rule for identifying patients with patellofemoral pain who are likely to benefit from foot orthoses: a preliminary determination. <i>British Journal of Sports Medicine</i> , 2010, 44, 862-866.	3.1	88
62	Take your shoes off to reduce patellofemoral joint stress during running. <i>British Journal of Sports Medicine</i> , 2014, 48, 425-428.	3.1	87
63	Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 435-439.	3.1	87
64	Neural tissue management provides immediate clinically relevant benefits without harmful effects for patients with nerve-related neck and arm pain: a randomised trial. <i>Journal of Physiotherapy</i> , 2012, 58, 23-31.	0.7	85
65	ICON 2019 "International Scientific Tendinopathy Symposium Consensus: There are nine core health-related domains for tendinopathy (CORE DOMAINS): Delphi study of healthcare professionals and patients. <i>British Journal of Sports Medicine</i> , 2020, 54, 444-451.	3.1	85
66	Bilateral Sensorimotor Abnormalities in Unilateral Lateral Epicondylalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 490-495.	0.5	82
67	Muscle specificity in tests of cervical flexor muscle performance. <i>Journal of Electromyography and Kinesiology</i> , 2007, 17, 35-40.	0.7	82
68	Is There a Biomechanical Link Between Patellofemoral Pain and Osteoarthritis? A Narrative Review. <i>Sports Medicine</i> , 2016, 46, 1797-1808.	3.1	82
69	Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. <i>Manual Therapy</i> , 1995, 1, 30-35.	1.6	79
70	Effect of using truncated versus total foot length to calculate the arch height ratio. <i>Foot</i> , 2008, 18, 220-227.	0.4	77
71	Cervical lateral glide increases nociceptive flexion reflex threshold but not pressure or thermal pain thresholds in chronic whiplash associated disorders: A pilot randomised controlled trial. <i>Manual Therapy</i> , 2010, 15, 149-153.	1.6	76
72	Predictors of short and long term outcome in patellofemoral pain syndrome: a prospective longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 11.	0.8	74

#	ARTICLE	IF	CITATIONS
73	Foot pain and functional limitation in healthy adults with hallux valgus: a cross-sectional study. BMC Musculoskeletal Disorders, 2012, 13, 197.	0.8	74
74	Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history. Physical Therapy Reviews, 1996, 1, 23-34.	0.3	72
75	Gait parameters associated with hallux valgus: a systematic review. Journal of Foot and Ankle Research, 2013, 6, 9.	0.7	72
76	Is Patellofemoral Osteoarthritis Common in Middle-aged People With Chronic Patellofemoral Pain?. Arthritis Care and Research, 2014, 66, 1252-1257.	1.5	72
77	Novel Adaptations in Motor Cortical Maps. Medicine and Science in Sports and Exercise, 2015, 47, 681-690.	0.2	72
78	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. BMJ: British Medical Journal, 2018, 361, k1662.	2.4	71
79	Naloxone Fails to Antagonize Initial Hypoalgesic Effect of a Manual Therapy Treatment for Lateral Epicondylalgia. Journal of Manipulative and Physiological Therapeutics, 2004, 27, 180-185.	0.4	70
80	Measures of central hyperexcitability in chronic whiplash associated disorder – A systematic review and meta-analysis. Manual Therapy, 2013, 18, 111-117.	1.6	69
81	Hyperalgesia in Tennis Elbow Patients. Journal of Musculoskeletal Pain, 1994, 2, 83-97.	0.3	68
82	Criteria-Based Return to Sport Decision-Making Following Lateral Ankle Sprain Injury: a Systematic Review and Narrative Synthesis. Sports Medicine, 2019, 49, 601-619.	3.1	67
83	Influence of a cervical mobilization technique on respiratory and cardiovascular function. Manual Therapy, 1997, 2, 216-220.	1.6	66
84	Specificity in Retraining Craniocervical Flexor Muscle Performance. Journal of Orthopaedic and Sports Physical Therapy, 2007, 37, 3-9.	1.7	66
85	Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: A systematic review. Pain, 2011, 152, 1811-1820.	2.0	66
86	A study of the effects of mulligan's mobilization with movement treatment of lateral ankle pain using a case study design. Manual Therapy, 1998, 3, 78-84.	1.6	65
87	Arch height change during sit-to-stand: an alternative for the navicular drop test. Journal of Foot and Ankle Research, 2008, 1, 3.	0.7	65
88	A randomised control trial of short term efficacy of in-shoe foot orthoses compared with a wait and see policy for anterior knee pain and the role of foot mobility. British Journal of Sports Medicine, 2012, 46, 247-252.	3.1	63
89	Neuromuscular Adaptations to Training, Injury and Passive Interventions. Sports Medicine, 2009, 39, 903-921.	3.1	62
90	Initial Effects of Elbow Taping on Pain-Free Grip Strength and Pressure Pain Threshold. Journal of Orthopaedic and Sports Physical Therapy, 2003, 33, 400-407.	1.7	61

#	ARTICLE	IF	CITATIONS
91	Utility of clinical tests to diagnose MRI-confirmed gluteal tendinopathy in patients presenting with lateral hip pain. <i>British Journal of Sports Medicine</i> , 2017, 51, 519-524.	3.1	60
92	Cold Hyperalgesia Associated With Poorer Prognosis in Lateral Epicondylalgia. <i>Clinical Journal of Pain</i> , 2015, 31, 30-35.	0.8	59
93	Hypoalgesia induced by elbow manipulation in lateral epicondylalgia does not exhibit tolerance. <i>Journal of Pain</i> , 2003, 4, 448-454.	0.7	57
94	Patellofemoral Pain in Adolescence and Adulthood: Same Same, but Different?. <i>Sports Medicine</i> , 2015, 45, 1489-1495.	3.1	57
95	Patellar and Achilles tendinopathies are predominantly peripheral pain states: a blinded case control study of somatosensory and psychological profiles. <i>British Journal of Sports Medicine</i> , 2018, 52, 284-291.	3.1	57
96	Cardiovascular and respiratory changes produced by lateral glide mobilization of the cervical spine. <i>Manual Therapy</i> , 1998, 3, 67-71.	1.6	56
97	Foot orthotics in the treatment of lower limb conditions: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2004, 9, 185-196.	1.6	56
98	Conservative treatments for tennis elbow do subgroups of patients respond differently?. <i>Rheumatology</i> , 2007, 46, 1601-1605.	0.9	56
99	Intramuscular fine-wire electromyography during cycling: Repeatability, normalisation and a comparison to surface electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 108-117.	0.7	56
100	Exercise, education, manual-therapy and taping compared to education for patellofemoral osteoarthritis: a blinded, randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1457-1464.	0.6	56
101	The effects of a cervical mobilisation technique on sympathetic outflow to the upper limb in normal subjects. <i>Physiotherapy Theory and Practice</i> , 1993, 9, 149-156.	0.6	54
102	Dose Optimization for Spinal Treatment Effectiveness: A Randomized Controlled Trial Investigating the Effects of High and Low Mobilization Forces in Patients With Neck Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 141-152.	1.7	54
103	Exploration of the Extent of Somato-Sensory Impairment in Patients with Unilateral Lateral Epicondylalgia. <i>Journal of Pain</i> , 2009, 10, 1179-1185.	0.7	53
104	Effect of Antipronation Tape and Temporary Orthotic on Vertical Navicular Height Before and After Exercise. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2000, 30, 333-339.	1.7	52
105	Leg muscle recruitment in highly trained cyclists. <i>Journal of Sports Sciences</i> , 2006, 24, 115-124.	1.0	52
106	Early Patellofemoral Osteoarthritis Features One Year After Anterior Cruciate Ligament Reconstruction: Symptoms and Quality of Life at Three Years. <i>Arthritis Care and Research</i> , 2016, 68, 784-792.	1.5	52
107	ICON PART-T 2019â€“International Scientific Tendinopathy Symposium Consensus: recommended standards for reporting participant characteristics in tendinopathy research (PART-T). <i>British Journal of Sports Medicine</i> , 2020, 54, 627-630.	3.1	52
108	Sudomotor Changes Induced by Neural Mobilisation Techniques in Asymptomatic Subjects. <i>Journal of Manual and Manipulative Therapy</i> , 1994, 2, 66-74.	0.7	51

#	ARTICLE	IF	CITATIONS
109	Activity of deep abdominal muscles increases during submaximal flexion and extension efforts but antagonist co-contraction remains unchanged. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, 754-762.	0.7	51
110	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. <i>Pain</i> , 2018, 159, 1833-1842.	2.0	51
111	The relationship of foot and ankle mobility to the frontal plane projection angle in asymptomatic adults. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 3.	0.7	50
112	Functional Impairments Characterizing Mild, Moderate, and Severe Hallux Valgus. <i>Arthritis Care and Research</i> , 2015, 67, 80-88.	1.5	49
113	Is chronic ankle instability associated with impaired muscle strength? Ankle, knee and hip muscle strength in individuals with chronic ankle instability: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 839-847.	3.1	49
114	The influence of body position on leg kinematics and muscle recruitment during cycling. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 519-526.	0.6	48
115	An investigation of the anti-pronation effect of two taping methods after application and exercise. <i>Gait and Posture</i> , 1997, 5, 1-5.	0.6	47
116	Do differences in muscle recruitment between novice and elite cyclists reflect different movement patterns or less skilled muscle recruitment?. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, 31-34.	0.6	47
117	Leg muscle recruitment during cycling is less developed in triathletes than cyclists despite matched cycling training loads. <i>Experimental Brain Research</i> , 2007, 181, 503-518.	0.7	46
118	A Physiological and Psychological Basis for Anti-Pronation Taping from a Critical Review of the Literature. <i>Sports Medicine</i> , 2008, 38, 617-631.	3.1	46
119	â€˜Sympathetic Slumpâ€™™: The Effects of a Novel Manual Therapy Technique on Peripheral Sympathetic Nervous System Function. <i>Journal of Manual and Manipulative Therapy</i> , 1994, 2, 156-162.	0.7	45
120	Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running * Commentary. <i>British Journal of Sports Medicine</i> , 2005, 39, 939-943.	3.1	45
121	Joint Manipulation in the Management of Lateral Epicondylalgia: A Clinical Commentary. <i>Journal of Manual and Manipulative Therapy</i> , 2007, 15, 50-56.	0.7	45
122	Hypoalgesic and sympathoexcitatory effects of mobilization with movement for lateral epicondylalgia. <i>Physical Therapy</i> , 2003, 83, 374-83.	1.1	45
123	A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. <i>Clinical Biomechanics</i> , 2002, 17, 304-308.	0.5	44
124	Does cycling effect motor coordination of the leg during running in elite triathletes?. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 371-380.	0.6	44
125	Validity and Reliability of Hallux Valgus Angle Measured on Digital Photographs. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 642-648.	1.7	44
126	Management of plantar heel pain: a best practice guide informed by a systematic review, expert clinical reasoning and patient values. <i>British Journal of Sports Medicine</i> , 2021, 55, 1106-1118.	3.1	44



#	ARTICLE	IF	CITATIONS
127	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: A randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 27.	0.8	42
128	Hip Abductor Muscle Weakness in Individuals with Gluteal Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 346-352.	0.2	42
129	The displacement, velocity and frequency profile of the frontal plane motion produced by the cervical lateral glide treatment technique. <i>Clinical Biomechanics</i> , 1999, 14, 515-521.	0.5	41
130	A New Method of Isometric Dynamometry for the Craniocervical Flexor Muscles. <i>Physical Therapy</i> , 2005, 85, 556-564.	1.1	41
131	Predictors and effects of patellofemoral pain following hamstring-tendon ACL reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 518-523.	0.6	41
132	The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 574-578.	0.6	41
133	Prevalence of Radiographic and Magnetic Resonance Imaging Features of Patellofemoral Osteoarthritis in Young and Middle-Aged Adults With Persistent Patellofemoral Pain. <i>Arthritis Care and Research</i> , 2019, 71, 1068-1073.	1.5	41
134	Mulligan's mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. <i>Manual Therapy</i> , 2002, 7, 44-49.	1.6	40
135	Targeted physiotherapy for patellofemoral joint osteoarthritis: A protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 122.	0.8	39
136	Tape That Increases Medial Longitudinal Arch Height Also Reduces Leg Muscle Activity. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 593-600.	0.2	39
137	Exercise and load modification versus corticosteroid injection versus "wait and see"™ for persistent gluteus medius/minimus tendinopathy (the LEAP trial): a protocol for a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 196.	0.8	39
138	The Ability to Predict Dynamic Foot Posture from Static Measurements. <i>Journal of the American Podiatric Medical Association</i> , 2007, 97, 115-120.	0.2	38
139	Kinematics and kinetics during walking in individuals with gluteal tendinopathy. <i>Clinical Biomechanics</i> , 2016, 32, 56-63.	0.5	38
140	Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. <i>British Journal of Sports Medicine</i> , 2017, 51, 1650-1660.	3.1	38
141	The psychological features of patellofemoral pain: a cross-sectional study. <i>Scandinavian Journal of Pain</i> , 2018, 18, 261-271.	0.5	38
142	Evidence of Spinal Cord Hyperexcitability as Measured With Nociceptive Flexion Reflex (NFR) Threshold in Chronic Lateral Epicondylalgia With or Without a Positive Neurodynamic Test. <i>Journal of Pain</i> , 2012, 13, 676-684.	0.7	37
143	Dry-needling and exercise for chronic whiplash-associated disorders. <i>Pain</i> , 2015, 156, 635-643.	2.0	37
144	Optimising corticosteroid injection for lateral epicondylalgia with the addition of physiotherapy: A protocol for a randomised control trial with placebo comparison. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 76.	0.8	36

#	ARTICLE	IF	CITATIONS
145	Sensorimotor Deficits Remain Despite Resolution of Symptoms Using Conservative Treatment in Patients With Tennis Elbow: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1-8.	0.5	36
146	Training Mode-Dependent Changes in Motor Performance in Neck Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1225-1233.	0.5	36
147	Outcome Predictors for Conservative Patellofemoral Pain Management: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2014, 44, 1703-1716.	3.1	36
148	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2018, 52, 1464-1472.	3.1	36
149	Return to sport decisions after an acute lateral ankle sprain injury: introducing the PAASS framework-an international multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2021-104087.	3.1	36
150	Influence of Contouring and Hardness of Foot Orthoses on Ratings of Perceived Comfort. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1507-1512.	0.2	35
151	Change in running kinematics after cycling are related to alterations in running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, 460-464.	0.6	33
152	Movement Evoked Pain and Mechanical Hyperalgesia after Intramuscular Injection of Nerve Growth Factor: A Model of Sustained Elbow Pain. <i>Pain Medicine</i> , 2015, 16, 2180-2191.	0.9	33
153	Single leg stance control in individuals with symptomatic gluteal tendinopathy. <i>Gait and Posture</i> , 2016, 49, 108-113.	0.6	33
154	The effect of isometric exercise on pain in individuals with plantar fasciopathy: A randomized crossover trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2643-2650.	1.3	33
155	One-week time course of the effects of Mulligan's Mobilisation with Movement and taping in painful shoulders. <i>Manual Therapy</i> , 2013, 18, 372-377.	1.6	32
156	Long-term effects of sport: preventing and managing OA in the athlete. <i>Nature Reviews Rheumatology</i> , 2012, 8, 747-752.	3.5	31
157	Are Knee Biomechanics Different in Those With and Without Patellofemoral Osteoarthritis After Anterior Cruciate Ligament Reconstruction?. <i>Arthritis Care and Research</i> , 2014, 66, 1566-1570.	1.5	31
158	Psychological factors not strength deficits are associated with severity of gluteal tendinopathy: A cross-sectional study. <i>European Journal of Pain</i> , 2018, 22, 1124-1133.	1.4	31
159	Gait retraining versus foot orthoses for patellofemoral pain: a pilot randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 457-461.	0.6	31
160	Less Efficacious Conditioned Pain Modulation and Sensory Hypersensitivity in Chronic Whiplash-associated Disorders in Singapore. <i>Clinical Journal of Pain</i> , 2014, 30, 436-442.	0.8	30
161	Is "plantar heel pain" a more appropriate term than "plantar fasciitis"? Time to move on. <i>British Journal of Sports Medicine</i> , 2017, 51, 1576-1577.	3.1	30
162	Muscle size and composition in people with articular hip pathology: a systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 181-195.	0.6	30

#	ARTICLE	IF	CITATIONS
163	Treatment of osteitis pubis via the pelvic muscles. <i>Manual Therapy</i> , 2003, 8, 257-260.	1.6	29
164	Non-surgical treatment of hallux valgus: a current practice survey of Australian podiatrists. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 16.	0.7	29
165	Polarized vs. Threshold Training Intensity Distribution on Endurance Sport Performance: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 3491-3500.	1.0	29
166	Effect of Strength Training on Biomechanical and Neuromuscular Variables in Distance Runners: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020, 50, 133-150.	3.1	29
167	Use of anti-pronation taping to assess suitability of orthotic prescription: Case report. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 111-113.	0.9	28
168	Economic evaluation favours physiotherapy but not corticosteroid injection as a first-line intervention for chronic lateral epicondylalgia: evidence from a randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2016, 50, 1400-1405.	3.1	28
169	Hip abductor muscle activity during walking in individuals with gluteal tendinopathy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 686-695.	1.3	28
170	Comfort and midfoot mobility rather than orthosis hardness or contouring influence their immediate effects on lower limb function in patients with anterior knee pain. <i>Clinical Biomechanics</i> , 2012, 27, 202-208.	0.5	27
171	Unsupervised Isometric Exercise versus Wait-and-See for Lateral Elbow Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 287-295.	0.2	27
172	Neuromuscular control and running economy is preserved in elite international triathletes after cycling. <i>Sports Biomechanics</i> , 2011, 10, 59-71.	0.8	26
173	Self-dosed and pre-determined progressive heavy-slow resistance training have similar effects in people with plantar fasciopathy: a randomised trial. <i>Journal of Physiotherapy</i> , 2019, 65, 144-151.	0.7	26
174	Development of a clinical prediction rule to identify initial responders to mobilisation with movement and exercise for lateral epicondylalgia. <i>Manual Therapy</i> , 2009, 14, 550-554.	1.6	25
175	Distinct patterns of variation in the distribution of knee pain. <i>Scientific Reports</i> , 2018, 8, 16522.	1.6	25
176	A Definition of "Flare" in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019, 20, 1267-1275.	0.7	25
177	Antipronation taping and temporary orthoses. Effects on tibial rotation position after exercise. <i>Journal of the American Podiatric Medical Association</i> , 1999, 89, 118-123.	0.2	24
178	A Comparison of Craniocervical and Cervicothoracic Muscle Strength in Healthy Individuals. <i>Journal of Applied Biomechanics</i> , 2010, 26, 400-406.	0.3	24
179	Variations in Foot Posture and Mobility Between Individuals with Patellofemoral Pain and Those in a Control Group. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 289-296.	0.2	24
180	Physical Impairments in Adults With Ankle Osteoarthritis: A Systematic Review and Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 449-459.	1.7	24

#	ARTICLE	IF	CITATIONS
181	Exercise for posterior tibial tendon dysfunction: a systematic review of randomised clinical trials and clinical guidelines. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000430.	1.4	24
182	An investigation of stress and pain perception during manual therapy in asymptomatic subjects. <i>European Journal of Pain</i> , 1999, 3, 13-18.	1.4	23
183	Characterisation of chronic lateral epicondylalgia using the McGill pain questionnaire, visual analog scales, and quantitative sensory tests. <i>The Pain Clinic</i> , 2001, 13, 251-259.	0.1	23
184	A protocol for measuring the direct effect of cycling on neuromuscular control of running in triathletes. <i>Journal of Sports Sciences</i> , 2009, 27, 767-782.	1.0	23
185	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: A preliminary randomised controlled trial. <i>Physical Therapy in Sport</i> , 2011, 12, 15-21.	0.8	23
186	Contoured in-shoe foot orthoses increase mid-foot plantar contact area when compared with a flat insert during cycling. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 60-64.	0.6	23
187	Diagnostic Ultrasound Imaging for Lateral Epicondylalgia. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 2070-2076.	0.2	23
188	Isometric Exercise Above but not Below an Individual's Pain Threshold Influences Pain Perception in People With Lateral Epicondylalgia. <i>Clinical Journal of Pain</i> , 2016, 32, 1069-1075.	0.8	23
189	Forearm Muscle Activity in Lateral Epicondylalgia: A Systematic Review with Quantitative Analysis. <i>Sports Medicine</i> , 2016, 46, 1833-1845.	3.1	23
190	Pain During Prolonged Sitting Is a Common Problem in Persons With Patellofemoral Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 658-663.	1.7	23
191	Efficacy of a Combination of Conservative Therapies vs an Education Comparator on Clinical Outcomes in Thumb Base Osteoarthritis. <i>JAMA Internal Medicine</i> , 2021, 181, 429.	2.6	23
192	The influence of an anteroposterior accessory glide of the glenohumeral joint on measures of peripheral sympathetic nervous system function in the upper limb. <i>Manual Therapy</i> , 1997, 2, 18-23.	1.6	22
193	Is Running Less Skilled in Triathletes Than Runners Matched for Running Training History?. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 557-565.	0.2	22
194	Elbow flexor and extensor muscle weakness in lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2012, 46, 449-453.	3.1	22
195	Facilitatory and inhibitory pain mechanisms are altered in patients with carpal tunnel syndrome. <i>PLoS ONE</i> , 2017, 12, e0183252.	1.1	22
196	Feedback Leads to Better Exercise Quality in Adolescents with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 28-35.	0.2	22
197	Psychological and pain profiles in persons with patellofemoral pain as the primary symptom. <i>European Journal of Pain</i> , 2020, 24, 1182-1196.	1.4	22
198	Augmented low-Dye tape alters foot mobility and neuromotor control of gait in individuals with and without exercise related leg pain. <i>Journal of Foot and Ankle Research</i> , 2010, 3, 5.	0.7	21

#	ARTICLE	IF	CITATIONS
199	Deloading Tape Reduces Muscle Stress at Rest and during Contraction. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 2317-2325.	0.2	21
200	Group education, night splinting and home exercises reduce conversion to surgery for carpal tunnel syndrome: a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2020, 66, 97-104.	0.7	21
201	Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 369-377.	3.1	21
202	Adults with patellofemoral pain do not exhibit manifestations of peripheral and central sensitization when compared to healthy pain-free age and sex matched controls – An assessor blinded cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0188930.	1.1	21
203	Exploring the Characteristics and Preferences for Online Support Groups: Mixed Method Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e15987.	2.1	21
204	Tennis elbow. <i>Clinical Evidence</i> , 2011, 2011, .	0.2	21
205	Lateral epicondylalgia II: therapeutic management. <i>Physical Therapy Reviews</i> , 1997, 2, 39-48.	0.3	20
206	Dry needling and exercise for chronic whiplash - a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 160.	0.8	20
207	Continual use of augmented low-Dye taping increases arch height in standing but does not influence neuromotor control of gait. <i>Gait and Posture</i> , 2010, 31, 247-250.	0.6	20
208	Plantar foot pressures after the augmented low dye taping technique. <i>Journal of Athletic Training</i> , 2007, 42, 374-80.	0.9	20
209	Is synergistic organisation of muscle coordination altered in people with lateral epicondylalgia? A case-control study. <i>Clinical Biomechanics</i> , 2016, 35, 124-131.	0.5	19
210	Reported selection criteria for adult acquired flatfoot deformity and posterior tibial tendon dysfunction: Are they one and the same? A systematic review. <i>PLoS ONE</i> , 2017, 12, e0187201.	1.1	19
211	Effect of exercise on pain processing and motor output in people with knee osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1501-1513.	0.6	19
212	Effect of Foot Orthoses Contour on Pain Perception in Individuals with Patellofemoral Pain. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 7-16.	0.2	18
213	Baseline Characteristics of Patients With Nerve-Related Neck and Arm Pain Predict the Likely Response to Neural Tissue Management. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 379-391.	1.7	18
214	Correlates of foot pain severity in adults with hallux valgus: a cross-sectional study. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 32.	0.7	18
215	Efficacy of combined conservative therapies on clinical outcomes in patients with thumb base osteoarthritis: protocol for a randomised, controlled trial (COMBO). <i>BMJ Open</i> , 2017, 7, e014498.	0.8	18
216	Adding mobilisation with movement to exercise and advice hastens the improvement in range, pain and function after non-operative cast immobilisation for distal radius fracture: a multicentre, randomised trial. <i>Journal of Physiotherapy</i> , 2020, 66, 105-112.	0.7	18

#	ARTICLE	IF	CITATIONS
217	LOAD-intensity and time-under-tension of exercises for men who have Achilles tendinopathy (the Tj ETQq1 1 0.784314 rgBT /Overload 57.	0.7	18
218	Effects of Adding an Internet-Based Pain Coping Skills Training Protocol to a Standardized Education and Exercise Program for People With Persistent Hip Pain (HOPE Trial): Randomized Controlled Trial Protocol. <i>Physical Therapy</i> , 2015, 95, 1408-1422.	1.1	17
219	The initial effects of a sustained glenohumeral postero-lateral glide during elevation on shoulder muscle activity: A repeated measures study on asymptomatic shoulders. <i>Manual Therapy</i> , 2016, 22, 101-108.	1.6	17
220	Comparison of corticosteroid, autologous blood or sclerosant injections for chronic tennis elbow. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 528-533.	0.6	17
221	Isometric exercise for acute pain relief: is it relevant in tendinopathy management?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1330-1331.	3.1	17
222	Quality of life, function and disability in individuals with chronic ankle symptoms: a cross-sectional online survey. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 67.	0.7	17
223	Individuals with Persistent Greater Trochanteric Pain Syndrome Exhibit Impaired Pain Modulation, as well as Poorer Physical and Psychological Health, Compared with Pain-Free Individuals: A Cross-Sectional Study. <i>Pain Medicine</i> , 2020, 21, 2964-2974.	0.9	17
224	A novel protocol to develop a prediction model that identifies patients with nerve-related neck and arm pain who benefit from the early introduction of neural tissue management. <i>Contemporary Clinical Trials</i> , 2011, 32, 760-770.	0.8	16
225	Foot and ankle characteristics and dynamic knee valgus in individuals with patellofemoral osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 65.	0.7	16
226	Disability, Physical Impairments, and Poor Quality of Life, Rather Than Radiographic Changes, Are Related to Symptoms in Individuals With Ankle Osteoarthritis: A Cross-sectional Laboratory Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 711-722.	1.7	16
227	Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 1416-1422.	3.1	16
228	Capturing patient-reported area of knee pain: a concurrent validity study using digital technology in patients with patellofemoral pain. <i>PeerJ</i> , 2018, 6, e4406.	0.9	16
229	Altered Neuromuscular Control in Individuals with Exercise-Related Leg Pain. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 546-555.	0.2	15
230	Kinematics and kinetics during stair ascent in individuals with Gluteal Tendinopathy. <i>Clinical Biomechanics</i> , 2016, 40, 37-44.	0.5	15
231	A novel tool for measuring ankle dorsiflexion: A study of its reliability in patients following ankle fractures. <i>Foot and Ankle Surgery</i> , 2016, 22, 274-277.	0.8	15
232	Taking the pain out of the patellofemoral joint: articulating a bone of contention. <i>British Journal of Sports Medicine</i> , 2019, 53, 268-269.	3.1	15
233	Hip and knee muscle torque and its relationship with dynamic balance in chronic ankle instability, copers and controls. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 647-652.	0.6	15
234	Design, Delivery, Maintenance, and Outcomes of Peer-to-Peer Online Support Groups for People With Chronic Musculoskeletal Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e15822.	2.1	15

#	ARTICLE	IF	CITATIONS
235	ICON 2020â€™International Scientific Tendinopathy Symposium Consensus: A Systematic Review of Outcome Measures Reported in Clinical Trials of Achilles Tendinopathy. <i>Sports Medicine</i> , 2022, 52, 613-641.	3.1	15
236	Can foot anthropometric measurements predict dynamic plantar surface contact area?. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 28.	0.7	14
237	Altered movement patterns but not muscle recruitment in moderately trained triathletes during running after cycling. <i>Journal of Sports Sciences</i> , 2010, 28, 1477-1487.	1.0	14
238	Functional differences between anatomical regions of the anconeus muscle in humans. <i>Journal of Electromyography and Kinesiology</i> , 2013, 23, 1391-1397.	0.7	14
239	How Much Does the Talocrural Joint Contribute to Ankle Dorsiflexion Range of Motion During the Weight-Bearing Lunge Test? A Cross-sectional Radiographic Validity Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 934-941.	1.7	14
240	REPORT-PFP: a consensus from the International Patellofemoral Research Network to improve REPORTing of quantitative PatelloFemoral Pain studies. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2020-103700.	3.1	14
241	Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history. <i>Physical Therapy Reviews</i> , 1996, 1, 23-34.	0.3	14
242	The Influence of Regional Sympathetic Blockade with Guanethidine on Hyperalgesia in Patients with Lateral Epicondylalgia. <i>Journal of Musculoskeletal Pain</i> , 1999, 7, 55-71.	0.3	13
243	Exercise Professionals with Advanced Clinical Training Should be Afforded Greater Responsibility in Pre-Participation Exercise Screening: A New Collaborative Model between Exercise Professionals and Physicians. <i>Sports Medicine</i> , 2018, 48, 1293-1302.	3.1	13
244	Self-reported social and activity restrictions accompany local impairments in posterior tibial tendon dysfunction: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 49.	0.7	13
245	Developing Clinical and Research Priorities for Pain and Psychological Features in People With Patellofemoral Pain: An International Consensus Process With Health Care Professionals. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 29-39.	1.7	13
246	Rationale and design of the PRSM study: Pulmonary rehabilitation or self management for chronic obstructive pulmonary disease (COPD), what is the best approach?. <i>Contemporary Clinical Trials</i> , 2008, 29, 796-800.	0.8	12
247	Neuromuscular Control and Exercise-Related Leg Pain in Triathletes. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 233-243.	0.2	12
248	Rating of perceived exertion during cycling is associated with subsequent running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 49-53.	0.6	12
249	Forearm muscle activity is modified bilaterally in unilateral lateral epicondylalgia: A case-control study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 1382-1390.	1.3	12
250	The Foot Orthoses versus Hip eXercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. <i>Journal of Foot and Ankle Research</i> , 2017, 10, 5.	0.7	12
251	Iliocapsularis: Technical application of fine-wire electromyography, and direction specific action during maximum voluntary isometric contractions. <i>Gait and Posture</i> , 2017, 54, 300-303.	0.6	12
252	Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics. <i>Gait and Posture</i> , 2018, 61, 459-465.	0.6	12

#	ARTICLE	IF	CITATIONS
253	A radiographic and anthropometric study of the effect of a contoured sandal and foot orthosis on supporting the medial longitudinal arch. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 38.	0.7	11
254	Tendinopathy: Evidence-Informed Physical Therapy Clinical Reasoning. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 816-818.	1.7	11
255	Education, night splinting and exercise versus usual care on recovery and conversion to surgery for people awaiting carpal tunnel surgery: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012053.	0.8	11
256	Physical findings differ between individuals with greater trochanteric pain syndrome and healthy controls: A systematic review with meta-analysis. <i>Musculoskeletal Science and Practice</i> , 2019, 43, 83-90.	0.6	11
257	The effect of altered stride length on iliocapsularis and pericapsular muscles of the anterior hip: An electromyography investigation during asymptomatic gait. <i>Gait and Posture</i> , 2019, 71, 26-31.	0.6	11
258	Does movement variability increase or decrease when a simple wrist task is performed during acute wrist extensor muscle pain?. <i>European Journal of Applied Physiology</i> , 2014, 114, 385-393.	1.2	10
259	Efficacy of live feedback to improve objectively monitored compliance to prescribed, home-based, exercise therapy-dosage in 15 to 19-year old adolescents with patellofemoral pain- a study protocol of a randomized controlled superiority trial (The XRCISE-AS-INSTRUcted-1 trial). <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 242.	0.8	10
260	Development of a core outcome set for lateral elbow tendinopathy (COS-LET) using best available evidence and an international consensus process. <i>British Journal of Sports Medicine</i> , 2022, 56, 657-666.	3.1	10
261	Physiotherapy for tennis elbow. <i>Evidence-Based Medicine</i> , 2007, 12, 37-38.	0.6	9
262	Physiotherapists' Beliefs About Whiplash-associated Disorder: A Comparison Between Singapore and Queensland, Australia. <i>Physiotherapy Research International</i> , 2015, 20, 77-86.	0.7	9
263	Orthosis-Shaped Sandals Are as Efficacious as In-Shoe Orthoses and Better than Flat Sandals for Plantar Heel Pain: A Randomized Control Trial. <i>PLoS ONE</i> , 2015, 10, e0142789.	1.1	9
264	A single-blind, randomized, parallel group superiority trial investigating the effects of footwear and custom foot orthoses versus footwear alone in individuals with patellofemoral joint osteoarthritis: a phase II pilot trial protocol. <i>Journal of Foot and Ankle Research</i> , 2017, 10, 19.	0.7	9
265	Tensor Fascia Latae Muscle Structure and Activation in Individuals With Lower Limb Musculoskeletal Conditions: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020, 50, 965-985.	3.1	9
266	A new method of isometric dynamometry for the craniocervical flexor muscles. <i>Physical Therapy</i> , 2005, 85, 556-64.	1.1	9
267	The effect of soft tissue deloading tape on thoracic spine pressure pain thresholds in asymptomatic subjects. <i>Manual Therapy</i> , 2002, 7, 150-153.	1.6	8
268	Bilateral Cervical Dysfunction in Patients With Unilateral Lateral Epicondylalgia Without Concomitant Cervical or Upper Limb Symptoms: A Cross-Sectional Case-Control Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014, 37, 79-86.	0.4	8
269	The relationship between immediate comfort and plantar foot sensitivity during running in cushioned versus minimal shoes. <i>Footwear Science</i> , 2018, 10, 21-27.	0.8	8
270	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019, 9, e025315.	0.8	8



#	ARTICLE	IF	CITATIONS
271	Feasibility and impact of sit-stand workstations with and without exercise in office workers at risk of low back pain: A pilot comparative effectiveness trial. <i>Applied Ergonomics</i> , 2019, 76, 82-89.	1.7	8
272	New insights into intrinsic foot muscle morphology and composition using ultra-high-field (7-Tesla) magnetic resonance imaging. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 97.	0.8	8
273	Foot orthoses in Patellofemoral Pain Syndrome: A Randomized Clinical Trial. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S61.	0.2	8
274	Leuko and Nessa Ankle braces: effectiveness before and after exercise. <i>Australian Journal of Science and Medicine in Sport</i> , 1994, 26, 62-6.	0.2	8
275	Differential Diagnosis of a Soft Tissue Mass in the Calf. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2005, 35, 88-94.	1.7	7
276	Do Dorsal Head Contact Forces Have the Potential to Identify Impairment During Graded Craniocervical Flexor Muscle Contractions?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1763-1766.	0.5	7
277	Laypersons' expectations of recovery and beliefs about whiplash injury: A cross-cultural comparison between Australians and Singaporeans. <i>European Journal of Pain</i> , 2013, 17, 1234-1242.	1.4	7
278	Physiotherapy students' perceptions and experiences of clinical prediction rules. <i>Physiotherapy</i> , 2017, 103, 296-303.	0.2	7
279	Heavy-slow resistance training in addition to an ultrasound-guided corticosteroid injection for individuals with plantar fasciopathy: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 105.	0.5	7
280	Efficacy of different load intensity and time-under-tension calf loading protocols for Achilles tendinopathy (the LOADIT trial): protocol for a randomised pilot study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 99.	0.5	7
281	Pericapsular hip muscle activity in people with and without femoroacetabular impingement. A comparison in dynamic tasks. <i>Physical Therapy in Sport</i> , 2020, 45, 135-144.	0.8	7
282	Footwear and Cadence Affect Gait Variability in Runners with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1354-1360.	0.2	7
283	Contralateral mechanical hyperalgesia and altered pain modulation in men who have unilateral insertional Achilles tendinopathy: A cross-sectional study. <i>Musculoskeletal Science and Practice</i> , 2021, 52, 102353.	0.6	7
284	Proximal Hamstring Tendinopathy: A Systematic Review of Interventions. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 288-305.	0.5	7
285	Effect of a Consumer-Focused Website for Low Back Pain on Health Literacy, Treatment Choices, and Clinical Outcomes: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e27860.	2.1	7
286	Distinct displacement of the superficial and deep fascial layers of the iliotibial band during a weight shift task in runners: An exploratory study. <i>Journal of Anatomy</i> , 2022, 240, 579-588.	0.9	7
287	Effect of gait retraining on segment coordination and joint variability in individuals with patellofemoral pain. <i>Clinical Biomechanics</i> , 2020, 80, 105179.	0.5	7
288	How Do Hip Exercises Improve Pain in Individuals With Patellofemoral Pain? Secondary Mediation Analysis of Strength and Psychological Factors as Mechanisms. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 602-610.	1.7	7

#	ARTICLE	IF	CITATIONS
289	A study of the immediate effects of glycerine-filled insoles, contoured prefabricated orthoses and flat insoles on single-leg balance, gait patterns and perceived comfort in healthy adults. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 47.	0.7	6
290	Chronic Lateral Epicondylalgia Does Not Exhibit Mechanical Pain Modulation in Response to Noxious Conditioning Heat Stimulus. <i>Clinical Journal of Pain</i> , 2017, 33, 932-938.	0.8	6
291	Which treatment is most effective for patients with patellofemoral pain? A protocol for a living systematic review including network meta-analysis. <i>BMJ Open</i> , 2018, 8, e022920.	0.8	6
292	Age-related differences in foot mobility in individuals with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 5.	0.7	6
293	Local hyperalgesia, normal endogenous modulation with pain report beyond its origin: a pilot study prompting further exploration into plantar fasciopathy. <i>Scandinavian Journal of Pain</i> , 2020, 20, 375-385.	0.5	6
294	HAPPi Kneecaps! Protocol for a participant and assessor-blinded, randomised, parallel group feasibility trial of foot orthoses for adolescents with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 50.	0.7	6
295	Proximal hamstring tendinopathy; expert physiotherapists' perspectives on diagnosis, management and prevention. <i>Physical Therapy in Sport</i> , 2021, 48, 67-75.	0.8	6
296	Clinical Tests of Tibialis Posterior Tendinopathy: Are They Reliable, and How Well Are They Reflected in Structural Changes on Imaging?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 253-260.	1.7	6
297	Infographic. Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2021-104360.	3.1	6
298	INTERVENTION AT THE FOOT-SHOE-PEDAL INTERFACE IN COMPETITIVE CYCLISTS. <i>International Journal of Sports Physical Therapy</i> , 2016, 11, 637-50.	0.5	6
299	Effect of concurrent strength and endurance training on run performance and biomechanics: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 543-558.	1.3	6
300	Anti-pronation tape changes foot posture but not plantar ground contact during gait. <i>Foot</i> , 2006, 16, 91-97.	0.4	5
301	A single botulinum toxin injection at a precise anatomic point on the forearm reduces pain at rest, compared to placebo injection in patients with chronic refractory lateral epicondylitis. <i>Evidence-Based Medicine</i> , 2010, 15, 149-150.	0.6	5
302	Pragmatic Study of Corticosteroid Injections and Manual Physical Therapy for the Shoulder Impingement Syndrome. <i>Annals of Internal Medicine</i> , 2014, 161, 224.	2.0	5
303	Cortisone injections for tennis elbow should be an "avoid", rather than a recommended procedure. <i>Medical Journal of Australia</i> , 2017, 207, 453-453.	0.8	5
304	No abatement of steroid injections for tennis elbow in Australian General Practice: A 15-year observational study with random general practitioner sampling. <i>PLoS ONE</i> , 2017, 12, e0181631.	1.1	5
305	Neuromotor control during stair ambulation in individuals with patellofemoral osteoarthritis compared to asymptomatic controls. <i>Gait and Posture</i> , 2019, 71, 92-97.	0.6	5
306	Hip muscle activity in male football players with hip-related pain; a comparison with asymptomatic controls during walking. <i>Physical Therapy in Sport</i> , 2021, 52, 209-216.	0.8	5

#	ARTICLE	IF	CITATIONS
307	Expert-Moderated Peer-to-Peer Online Support Group for People With Knee Osteoarthritis: Mixed Methods Randomized Controlled Pilot and Feasibility Study. <i>JMIR Formative Research</i> , 2022, 6, e32627.	0.7	5
308	Targeted physiotherapy treatment for patellofemoral osteoarthritis: a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S431.	0.6	4
309	Prevalence and factors associated with radiographic PFJ OA in young to middle-aged adults with chronic patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2015, 19, e85.	0.6	4
310	Hardness and posting of foot orthoses modify plantar contact area, plantar pressure, and perceived comfort when cycling. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 691-696.	0.6	4
311	A comparison of fine wire insertion techniques for deep finger flexor muscle electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2018, 41, 77-81.	0.7	4
312	A randomised pilot equivalence trial to evaluate diamagnetically enhanced transdermal delivery of key ground substance components in comparison to an established transdermal non-steroidal anti-inflammatory formulation in males with prior knee injury. <i>PLoS ONE</i> , 2019, 14, e0211999.	1.1	4
313	Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. <i>BMJ Open</i> , 2020, 10, e037070.	0.8	4
314	Protocol for the development of a core outcome set for lateral elbow tendinopathy (COS-LET). <i>Trials</i> , 2021, 22, 339.	0.7	4
315	Influence of transducer orientation on shear wave velocity measurements of the iliotibial band. <i>Journal of Biomechanics</i> , 2021, 120, 110346.	0.9	4
316	Exploration of shear wave elastography measures of the iliotibial band during different tasks in pain-free runners. <i>Physical Therapy in Sport</i> , 2021, 50, 121-129.	0.8	4
317	Balance is impaired in symptomatic ankle osteoarthritis: A cross-sectional study. <i>Gait and Posture</i> , 2021, 90, 61-66.	0.6	4
318	Outcome measures in the management of gluteal tendinopathy: a systematic review of their measurement properties. <i>British Journal of Sports Medicine</i> , 2022, 56, 877-887.	3.1	4
319	“Taking action” to reduce pain” Has interpretation of the motor adaptation to pain been too simplistic?. <i>PLoS ONE</i> , 2021, 16, e0260715.	1.1	4
320	HAPPi Kneecaps! A double-blind, randomised, parallel group superiority trial investigating the effects of sHoe inserts for adolescents with patellofemoral Pain: phase II feasibility study. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 64.	0.7	4
321	Heterogeneous adiposity within gluteus minimus in healthy young adults. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 55.	0.6	3
322	MyBackPain” evaluation of an innovative consumer-focused website for low back pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e027516.	0.8	3
323	Infographic. International Ankle Consortium Rehabilitation-Oriented Assessment. <i>British Journal of Sports Medicine</i> , 2019, 53, 1248-1249.	3.1	3
324	Corticosteroid injection plus exercise versus exercise, beyond advice and a heel cup for patients with plantar fasciopathy: protocol for a randomised clinical superiority trial (the FIX-Heel trial). <i>Trials</i> , 2020, 21, 5.	0.7	3

#	ARTICLE	IF	CITATIONS
325	Psychological and Pain Sensitization Characteristics Are Associated With Patellofemoral Osteoarthritis Symptoms: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2020, 47, 1696-1703.	1.0	3
326	Foot Orthoses and Footwear for the Management of Patellofemoral Osteoarthritis: A Pilot Randomized Trial. <i>Arthritis Care and Research</i> , 2021, 73, 240-249.	1.5	3
327	Effectiveness of Mobilization of the Talus and Distal Fibula in the Management of Acute Lateral Ankle Sprain. <i>Physical Therapy</i> , 2021, 101, .	1.1	3
328	Perspectives and experiences of people who were randomly assigned to wait-and-see approach in a gluteal tendinopathy trial: a qualitative follow-up study. <i>BMJ Open</i> , 2021, 11, e044934.	0.8	3
329	Symptom characteristics in office workers using standing workstations: A cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100393.	1.1	3
330	Throwing in the deep end: athletes, coaches and support staff experiences, perceptions and beliefs of upper limb injuries and training load in elite women's water polo. <i>BMJ Open Sport and Exercise Medicine</i> , 2022, 8, e001214.	1.4	3
331	Adolescent perspectives on participating in a feasibility trial investigating shoe inserts for patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2022, 15, 37.	0.7	3
332	ICON 2020's International Scientific Tendinopathy Symposium Consensus: A Scoping Review of Psychological and Psychosocial Constructs and Outcome Measures Reported in Tendinopathy Clinical Trials. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 375-388.	1.7	3
333	Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplification". <i>Pain</i> , 2004, 107, 277-278.	2.0	2
334	Clinically relevant and stable tools to measure footwear comfort. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e107-e108.	0.6	2
335	Prevalence of radiographic patellofemoral and tibiofemoral osteoarthritis in individuals with chronic anterior knee pain: data from a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S266-S267.	0.6	2
336	THE CHALLENGE OF TENDON PAIN. <i>British Journal of Sports Medicine</i> , 2013, 47, e2.1-e2.	3.1	2
337	Single leg squat hip pathomechanics are associated with ankle dorsiflexion restriction in people with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2014, 18, e18.	0.6	2
338	Estimating the Monetary Value of Relief of Tennis Elbow: A Contingent Valuation Study of Willingness-To-Pay. <i>Value in Health</i> , 2015, 18, A654.	0.1	2
339	Kinematic Measures Of The Knee While Cycling. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 377.	0.2	2
340	Stretching the evidence behind tennis elbow: mobile app user guide. <i>British Journal of Sports Medicine</i> , 2018, 52, e5-e5.	3.1	2
341	Shear wave elastography of the iliotibial band: Reliability of measures in different anatomical regions and tasks. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, S77-S78.	0.6	2
342	Effect of combined conservative therapies on clinical outcomes in patients with thumb base osteoarthritis (COMBO): A randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2019, 27, S32-S33.	0.6	2

#	ARTICLE	IF	CITATIONS
343	The design, user characteristics and efficacy of online support groups for arthritis and other chronic musculoskeletal disorders: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2019, 27, S451.	0.6	2
344	ICON 2019"international scientific tendinopathy symposium: building an ICONic tendon tower"launching a new era in clinical tendinopathy research. <i>British Journal of Sports Medicine</i> , 2020, 54, 442-443.	3.1	2
345	Response profile of fibular repositioning tape on ankle osteokinematics, arthrokinematics, perceived stability and confidence in chronic ankle instability. <i>Musculoskeletal Science and Practice</i> , 2020, 50, 102272.	0.6	2
346	A multisite longitudinal evaluation of patient characteristics associated with a poor response to non-surgical multidisciplinary management of low back pain in an advanced practice physiotherapist-led tertiary service. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 807.	0.8	2
347	Foot exercise plus education versus wait and see for the treatment of plantar heel pain (FEET trial): a protocol for a feasibility study. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 20.	0.7	2
348	Upper limb position affects pain-free grip strength in individuals with lateral elbow tendinopathy. <i>Physiotherapy Research International</i> , 2021, 26, e1906.	0.7	2
349	Cycling Impairs Neuromuscular Coordination During Running In Triathletes, Which Reduces Performance And Is Likely Injury-related. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S87.	0.2	2
350	Occupational Therapists, Physiotherapists and Orthopaedic Surgeons Agree on the Decision for Carpal Tunnel Surgery. <i>International Journal of Health Policy and Management</i> , 2020, , .	0.5	2
351	Comparing what the clinician draws on a digital pain map to that of persons who have greater trochanteric pain syndrome. <i>Scandinavian Journal of Pain</i> , 2022, 22, 506-514.	0.5	2
352	Response to Drs Greve and Bianchini. <i>Pain</i> , 2004, 110, 501-502.	2.0	1
353	Do contoured in-shoe foot orthoses reduce foot plantar pressures by increasing plantar contact area during cycling?. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 4.	0.6	1
354	Amplitude normalisation for intramuscular fine-wire electromyography of the leg during cycling. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 13.	0.6	1
355	A pilot study of the initial effects of anti-pronation taping on electromyographic activity of lower leg muscles during walking. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 33-34.	0.6	1
356	Does the effect of cadence on muscle recruitment in triathletes reflect less-skilled neuromuscular control relative to cyclists?. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, S61-S62.	0.6	1
357	Elbow tendinopathy. , 2011, , 312-318.		1
358	Does knee external rotation differ according to frontal plane knee alignment and the presence of patellofemoral osteoarthritis after anterior cruciate ligament reconstruction?. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S95.	0.6	1
359	66"Gluteal Tendinopathy " Clinical Diagnosis Vs. Mri Diagnosis?: Abstract 66 Table 1. <i>British Journal of Sports Medicine</i> , 2014, 48, A43.1-A43.	3.1	1
360	Foot orthoses induce immediate changes in lower limb neuromotor control of gait in people with patellofemoral joint osteoarthritis: a pilot study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S119.	0.6	1

#	ARTICLE	IF	CITATIONS
361	An Investigation of the Asymptomatic Limb in Unilateral Lateral Epicondylalgia. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2268-2272.	0.2	1
362	Gait kinematics and kinetics in individuals with gluteal tendinopathy. <i>Journal of Science and Medicine in Sport</i> , 2015, 19, e69.	0.6	1
363	The initial effects of sustained glenohumeral postero-lateral glide on shoulder muscle activity: a repeated measures study on asymptomatic shoulders. <i>Physiotherapy</i> , 2015, 101, e1278-e1279.	0.2	1
364	Tudents' experiences and perceptions of clinical prediction rules. <i>Physiotherapy</i> , 2015, 101, e768.	0.2	1
365	Is immediate comfort while running in cushioned versus minimal footwear related to plantar foot sensitivity?. <i>Footwear Science</i> , 2017, 9, S83-S84.	0.8	1
366	14€...Isometric exercise or wait-and-see on pain, disability and global improvement in patients with lateral epicondylalgia: a randomised clinical trial. , 2018, , .		1
367	Foot orthoses and footwear in individuals with patellofemoral osteoarthritis: a pilot randomised trial. <i>Osteoarthritis and Cartilage</i> , 2019, 27, S488.	0.6	1
368	An evidence-based evaluation of mobile health apps for the management of individuals with lateral elbow tendinopathy using a systematic review framework. <i>Physical Therapy Reviews</i> , 2021, 26, 243-253.	0.3	1
369	Exploring translational gaps between basic scientists, clinical researchers, clinicians, and consumers: Proceedings and recommendations arising from the 2020 mine the gap online workshop. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100163.	0.9	1
370	Initial Neuromotor and Postural Effects After Continual Use of Augmented Low-Dye Taping. <i>Athletic Training &amp; Sports Health Care</i> , 2011, 3, 21-28.	0.4	1
371	A comparison of plantarflexor musculotendon unit output between plyometric exercises and running. <i>Journal of Science and Medicine in Sport</i> , 2022, 25, 334-339.	0.6	1
372	Core outcome set development for proximal hamstring tendinopathy (COS-PHT): a study protocol. <i>Physical Therapy Reviews</i> , 2022, 27, 313-319.	0.3	1
373	Protocol for a randomised, assessor-blinded, parallel group feasibility trial of flat flexible school shoes for adolescents with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2022, 15, .	0.7	1
374	Letter to the editor   Manual Therapy - Volume 8, Issue 4. <i>Manual Therapy</i> , 2003, 8, 264-265.	1.6	0
375	Apparent effects of massage could be due to positioning. (Comment on van den Dolder and Roberts.) <i>Tj ETQq1 1 0,784314 rgBT /Ove</i>	0,9	
376	Comment on Sterling, M., et al., Motor system dysfunction following whiplash injury, <i>PAIN</i> 103 (2003) 65-73. <i>Pain</i> , 2003, 105, 507.	2.0	0
377	Response to comment by Kwan and Friel. <i>Pain</i> , 2003, 105, 508.	2.0	0
378	Sensorimotor deficits in lateral epicondylalgia" So what?. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 24-25.	0.6	0

#	ARTICLE	IF	CITATIONS
379	Lower limb overuse injuries and foot orthoses: A systematic review. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 32-33.	0.6	0
380	Manual therapy treatment of tennis elbow. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, S1-S2.	0.6	0
381	A pilot investigation of muscle activation patterns in individuals with exercise-related leg pain compared to uninjured individuals. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, S44-S45.	0.6	0
382	Predicting success following treatment of anterior knee pain with foot orthoses. <i>Journal of Science and Medicine in Sport</i> , 2009, 12, S73-S74.	0.6	0
383	Conservative Management of Patellofemoral Pain: New Evidence From a Systematic Review and Meta-analysis. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 96.	0.2	0
384	The direct effect of cycling on neuromuscular control during running in lesser trained triathletes. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e50-e51.	0.6	0
385	Characterising anterior knee pain using baseline data from participants in a randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e165-e166.	0.6	0
386	Long duration and greater baseline severity predict poor short and long term outcome in anterior knee pain. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e166-e167.	0.6	0
387	Repeated exposure does not alter the immediate effects of augmented low-dye taping on foot posture, foot mobility and neuromotor control of gait. <i>Journal of Science and Medicine in Sport</i> , 2010, 12, e214.	0.6	0
388	Run performance and neuromuscular control is not affected by cycling in elite international triathletes. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, e26-e27.	0.6	0
389	Foot function in healthy adults with hallux abducto valgus compared to controls: Preliminary results. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, e46-e47.	0.6	0
390	Compared with usual care, supervised exercise in primary care for people with patellofemoral syndrome does not significantly increase self-reported recovery but improves pain and function in the short term and pain in the long term. <i>Evidence-Based Medicine</i> , 2010, 15, 56-57.	0.6	0
391	The relationship between measures of cycle intensity and running economy. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, e113-e114.	0.6	0
392	Invited Commentary: The role of physiotherapists in implementing in-shoe foot orthoses in managing overuse musculoskeletal injuries: using patellofemoral pain as an example. <i>Physiotherapy Practice and Research</i> , 2012, 33, 6-8.	0.1	0
393	People with patellofemoral osteoarthritis have smaller hip muscle volumes than healthy controls. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S265-S266.	0.6	0
394	The immediate effects of foot orthoses on lower limb neuromotor control in patellofemoral joint osteoarthritis: A pilot study. <i>Journal of Science and Medicine in Sport</i> , 2014, 18, e110.	0.6	0
395	Factors associated with anterior knee pain 12 months follow hamstring tendon autograft ACL reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2014, 18, e44.	0.6	0
396	Reply. <i>Arthritis and Rheumatology</i> , 2015, 67, 2551-2552.	2.9	0

#	ARTICLE	IF	CITATIONS
397	Reply. Pain, 2015, 156, 1827-1828.	2.0	0
398	Prognostic factors or treatment effect modifiers in patellofemoral pain: A systematic review. Journal of Science and Medicine in Sport, 2015, 19, e87.	0.6	0
399	Determining the effective dose of mobilisation for patients with chronic non-specific neck pain (the) Tj ETQq1 1 0.784314 rgBT /Over	0.2	0
400	Randomised clinical trial on efficacy of combining hand splinting with physiotherapy or ultrasound treatment for patients with carpal tunnel syndrome. Physiotherapy, 2015, 101, e1422-e1423.	0.2	0
401	Dry needling and exercise for chronic whiplash " a randomised controlled trial with economic evaluation. Physiotherapy, 2015, 101, e1440.	0.2	0
402	Cross-cultural comparison of the physical presentation of Australians and Singaporeans with chronic whiplash-associated disorders. Physiotherapy, 2015, 101, e1085-e1086.	0.2	0
403	Five- to eight-year course and prognosis of patellofemoral pain. Osteoarthritis and Cartilage, 2015, 23, A375.	0.6	0
404	People with patellofemoral OA walk with different knee, hip and pelvic kinematics, compared to healthy aged matched controls. Osteoarthritis and Cartilage, 2015, 23, A100.	0.6	0
405	Knee osteoarthritis features on MRI and lower extremity performance 1 year following ACL reconstruction: Impact on knee symptoms at 3 years. Osteoarthritis and Cartilage, 2015, 23, A322-A323.	0.6	0
406	Rearfoot Entities. , 2015, , 110-144.		0
407	Is foot mobility related to age in people with anterior knee pain?. Osteoarthritis and Cartilage, 2016, 24, S473-S474.	0.6	0
408	People with patellofemoral osteoarthritis have greater foot pronation and mobility, and lower ankle dorsiflexion, compared to controls. Journal of Science and Medicine in Sport, 2017, 20, e102.	0.6	0
409	P29...Proximal lower limb strength and balance in chronic ankle instability. , 2017, , .		0
410	Response to considerations on "Achilles tendinopathy and patellar tendinopathy display opposite changes in elastic properties" Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 1471-1472.	1.3	0
411	The effect of footwear and cadence on lower limb variability in runners with patellofemoral pain. Journal of Science and Medicine in Sport, 2018, 21, S51-S52.	0.6	0
412	A systematic review of clinical trials of exercise for tibialis posterior tendinopathy. Journal of Science and Medicine in Sport, 2018, 21, S82.	0.6	0
413	Psychological characteristics and pain sensitization in people with symptomatic and MRI features of patellofemoral osteoarthritis: the multicenter osteoarthritis study. Osteoarthritis and Cartilage, 2018, 26, S59.	0.6	0
414	The Effectiveness of Platelet-Rich Plasma Injections in Gluteal Tendinopathy: Letter to the Editor. American Journal of Sports Medicine, 2018, 46, NP32-NP33.	1.9	0



#	ARTICLE	IF	CITATIONS
415	Do insertional and midportion Achilles tendinopathy display different material properties?. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 2247-2248.	1.3	0
416	Establishing return to play criteria after acute lateral ankle sprain injuries: An international Delphi study. Journal of Science and Medicine in Sport, 2019, 22, S108-S109.	0.6	0
417	The multimodal nature of persistent greater trochanteric pain syndrome. Journal of Science and Medicine in Sport, 2019, 22, S24.	0.6	0
418	Shear elastic modulus of the iliotibial band differs between postures and tasks in runners. Journal of Science and Medicine in Sport, 2019, 22, S72.	0.6	0
419	Development and evaluation of online education for greater trochanteric pain syndrome. Protocol for a randomized control trial. Journal of Science and Medicine in Sport, 2019, 22, S102.	0.6	0
420	Diagnostic accuracy of clinical tests to diagnose ultrasound-confirmed tibialis posterior tendinopathy in patients presenting with medial foot/ankle pain. Journal of Science and Medicine in Sport, 2019, 22, S25.	0.6	0
421	Intrinsic foot muscle structure and function: Rethinking our approach to managing plantar heel pain. Journal of Science and Medicine in Sport, 2019, 22, S14.	0.6	0
422	Elephant in the room: how much pain is ok? If physiotherapy exercise RCTs do not report it, we will never answer the question. British Journal of Sports Medicine, 2020, 54, 821-822.	3.1	0
423	Infographic. Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. British Journal of Sports Medicine, 2021, 55, 281-282.	3.1	0
424	Implementation of good life with osteoarthritis in denmark (GLA:DÂ®) is feasible in australian tertiary public hospital facilities. Osteoarthritis and Cartilage, 2021, 29, S30.	0.6	0
425	Hip and knee muscle torque is not impaired in the first three months of a first-time lateral ankle sprain. Physical Therapy in Sport, 2021, 53, 1-6.	0.8	0
426	Do Muscle Recruitment Patterns Differ Between Trained and Novice Cyclists?. Medicine and Science in Sports and Exercise, 2004, 36, S169.	0.2	0
427	Targeting Treatment Distally at the Foot for Bilateral Persistent Patellofemoral Pain in a 23-Year-Old. , 2019, , 164-178.		0
428	Efficacy of different exercise parameters among men with Achilles tendinopathy: a randomised pilot and feasibility trial. Journal of Science and Medicine in Sport, 2021, 24, S46.	0.6	0
429	Altered endogenous pain modulation and mechanical pressure hyperalgesia at the unaffected side Achilles tendon insertion in men. Journal of Science and Medicine in Sport, 2021, 24, S40.	0.6	0
430	Transitioning from traditional running shoes to barefoot running: probability of success and predictors of failure. Journal of Science and Medicine in Sport, 2021, 24, S41.	0.6	0
431	036â€¦Criteria-based return to sport decision-making following lateral ankle sprain injury: a relevant part of the prevention â€œ performance paradox for secondary and tertiary injury prevention?. , 2021, , .		0
432	Exploring patients' and physiotherapists' visions on modelling treatments and optimising self-management strategies for patellofemoral pain: A future workshop approach.. Musculoskeletal Science and Practice, 2022, 60, 102567.	0.6	0