

Bill T Vicenzino

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7302016/bill-t-vicenzino-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

361
papers

14,474
citations

64
h-index

107
g-index

446
ext. papers

16,909
ext. citations

4.2
avg, IF

6.71
L-index

#	Paper	IF	Citations
361	Efficacy and safety of corticosteroid injections and other injections for management of tendinopathy: a systematic review of randomised controlled trials. <i>Lancet, The</i> , 2010 , 376, 1751-67	4.0	560
360	Prevalence of hallux valgus in the general population: a systematic review and meta-analysis. <i>Journal of Foot and Ankle Research</i> , 2010 , 3, 21	3.2	365
359	Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. <i>Pain</i> , 2003 , 104, 509-517	8	365
358	Mobilisation with movement and exercise, corticosteroid injection, or wait and see for tennis elbow: randomised trial. <i>BMJ, The</i> , 2006 , 333, 939	5.9	314
357	Physical and psychological factors predict outcome following whiplash injury. <i>Pain</i> , 2005 , 114, 141-8	8	279
356	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>British Journal of Sports Medicine</i> , 2016 , 50, 839-43	10.3	269
355	The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia. <i>Pain</i> , 1996 , 68, 69-74	8	266
354	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 585-91	4.2	258
353	A systematic review and meta-analysis of clinical trials on physical interventions for lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2005 , 39, 411-22; discussion 411-22	10.3	258
352	Development of motor system dysfunction following whiplash injury. <i>Pain</i> , 2003 , 103, 65-73	8	241
351	Effect of neck exercise on sitting posture in patients with chronic neck pain. <i>Physical Therapy</i> , 2007 , 87, 408-17	3.3	240
350	Evidence review for the 2016 International Ankle Consortium consensus statement on the prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1496-1505	10.3	231
349	Effect of corticosteroid injection, physiotherapy, or both on clinical outcomes in patients with unilateral lateral epicondylalgia: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 461-9	27.4	208
348	Initial changes in posterior talar glide and dorsiflexion of the ankle after mobilization with movement in individuals with recurrent ankle sprain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006 , 36, 464-71	4.2	197
347	The effect of therapeutic exercise on activation of the deep cervical flexor muscles in people with chronic neck pain. <i>Manual Therapy</i> , 2009 , 14, 696-701		196
346	Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. <i>Manual Therapy</i> , 2001 , 6, 205-12		195
345	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1014-8	10.3	192

344	Running in a minimalist and lightweight shoe is not the same as running barefoot: a biomechanical study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 387-92	10.3	185
343	An investigation of the interrelationship between manipulative therapy-induced hypoalgesia and sympathoexcitation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1998 , 21, 448-53	1.3	178
342	Hypoalgesic and Sympathoexcitatory Effects of Mobilization With Movement for Lateral Epicondylalgia. <i>Physical Therapy</i> , 2003 , 83, 374-383	3.3	176
341	The initial effects of a Mulligan's mobilization with movement technique on dorsiflexion and pain in subacute ankle sprains. <i>Manual Therapy</i> , 2004 , 9, 77-82		171
340	Retraining cervical joint position sense: the effect of two exercise regimes. <i>Journal of Orthopaedic Research</i> , 2007 , 25, 404-12	3.8	167
339	The development of psychological changes following whiplash injury. <i>Pain</i> , 2003 , 106, 481-489	8	167
338	Factors that predict a poor outcome 5-8 years after the diagnosis of patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 881-6	10.3	129
337	2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and manual therapy) to treat patellofemoral pain: recommendations from the 5th International Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1176-1178	10.3	129
336	Prognostic factors for patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2013 , 47, 227-33	10.3	129
335	Characterization of acute whiplash-associated disorders. <i>Spine</i> , 2004 , 29, 182-8	3.3	129
334	Sports and exercise-related tendinopathies: a review of selected topical issues by participants of the second International Scientific Tendinopathy Symposium (ISTS) Vancouver 2012. <i>British Journal of Sports Medicine</i> , 2013 , 47, 536-44	10.3	123
333	Foot orthoses and gait: a systematic review and meta-analysis of literature pertaining to potential mechanisms. <i>British Journal of Sports Medicine</i> , 2010 , 44, 1035-46	10.3	122
332	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2008 , 337, a1735	10.3	117
331	An endurance-strength training regime is effective in reducing myoelectric manifestations of cervical flexor muscle fatigue in females with chronic neck pain. <i>Clinical Neurophysiology</i> , 2006 , 117, 828-37	4.3	114
330	2016 consensus statement of the International Ankle Consortium: prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1493-1495	10.3	112
329	Early knee osteoarthritis is evident one year following anterior cruciate ligament reconstruction: a magnetic resonance imaging evaluation. <i>Arthritis and Rheumatology</i> , 2015 , 67, 946-55	9.5	109
328	Reliability of the modified Foot Posture Index. <i>Journal of the American Podiatric Medical Association</i> , 2008 , 98, 7-13	1	106
327	A new integrative model of lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2009 , 43, 252-8	10.3	102

326	Specific therapeutic exercise of the neck induces immediate local hypoalgesia. <i>Journal of Pain</i> , 2007 , 8, 832-9	5.2	97
325	Mulligan's mobilization-with-movement, positional faults and pain relief: current concepts from a critical review of literature. <i>Manual Therapy</i> , 2007 , 12, 98-108		95
324	The psychological features of patellofemoral pain: a systematic review. <i>British Journal of Sports Medicine</i> , 2017 , 51, 732-742	10.3	91
323	Reliability and normative values for the foot mobility magnitude: a composite measure of vertical and medial-lateral mobility of the midfoot. <i>Journal of Foot and Ankle Research</i> , 2009 , 2, 6	3.2	89
322	Patterns of leg muscle recruitment vary between novice and highly trained cyclists. <i>Journal of Electromyography and Kinesiology</i> , 2008 , 18, 359-71	2.5	89
321	Cranio-cervical flexor muscle impairment at maximal, moderate, and low loads is a feature of neck pain. <i>Manual Therapy</i> , 2007 , 12, 34-9		87
320	Foot orthoses in lower limb overuse conditions: a systematic review and meta-analysis. <i>Foot and Ankle International</i> , 2007 , 28, 396-412	3.3	86
319	Thermal hyperalgesia distinguishes those with severe pain and disability in unilateral lateral epicondylalgia. <i>Clinical Journal of Pain</i> , 2012 , 28, 595-601	3.5	82
318	Identifying clinically meaningful tools for measuring comfort perception of footwear. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1966-71	1.2	80
317	The initial effects of a Mulligan's mobilization with movement technique on range of movement and pressure pain threshold in pain-limited shoulders. <i>Manual Therapy</i> , 2008 , 13, 37-42		80
316	Lateral epicondylalgia: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2003 , 8, 66-79		80
315	Evidence of Nervous System Sensitization in Commonly Presenting and Persistent Painful Tendinopathies: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 864-75		78
314	Gluteal Tendinopathy: A Review of Mechanisms, Assessment and Management. <i>Sports Medicine</i> , 2015 , 45, 1107-19	10.6	75
313	Take your shoes off to reduce patellofemoral joint stress during running. <i>British Journal of Sports Medicine</i> , 2014 , 48, 425-8	10.3	74
312	Efficacy of nonsurgical interventions for anterior knee pain: systematic review and meta-analysis of randomized trials. <i>Sports Medicine</i> , 2012 , 42, 31-49	10.6	74
311	A clinical prediction rule for identifying patients with patellofemoral pain who are likely to benefit from foot orthoses: a preliminary determination. <i>British Journal of Sports Medicine</i> , 2010 , 44, 862-6	10.3	74
310	The validity of upper-limb neurodynamic tests for detecting peripheral neuropathic pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 413-24	4.2	73
309	Characteristics of foot structure and footwear associated with hallux valgus: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 1059-74	6.2	73

308	Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. <i>Manual Therapy</i> , 1995 , 1, 30-5		73
307	Sensory and motor deficits exist on the non-injured side of patients with unilateral tendon pain and disability—implications for central nervous system involvement: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1400-6	10.3	71
306	Clinical assessment of acute lateral ankle sprain injuries (ROAST): 2019 consensus statement and recommendations of the International Ankle Consortium. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1304-1310	10.3	70
305	Neural tissue management provides immediate clinically relevant benefits without harmful effects for patients with nerve-related neck and arm pain: a randomised trial. <i>Journal of Physiotherapy</i> , 2012 , 58, 23-31	2.9	70
304	Muscle specificity in tests of cervical flexor muscle performance. <i>Journal of Electromyography and Kinesiology</i> , 2007 , 17, 35-40	2.5	70
303	Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014 , 48, 435-9	10.3	69
302	Diagnostic accuracy of power Doppler ultrasound in patients with chronic tennis elbow. <i>British Journal of Sports Medicine</i> , 2008 , 42, 872-6	10.3	67
301	Bilateral sensorimotor abnormalities in unilateral lateral epicondylalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 490-5	2.8	67
300	Is patellofemoral osteoarthritis common in middle-aged people with chronic patellofemoral pain?. <i>Arthritis Care and Research</i> , 2014 , 66, 1252-7	4.7	65
299	Is There a Biomechanical Link Between Patellofemoral Pain and Osteoarthritis? A Narrative Review. <i>Sports Medicine</i> , 2016 , 46, 1797-1808	10.6	65
298	Management of Lateral Elbow Tendinopathy: One Size Does Not Fit All. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 938-49	4.2	64
297	Influence of a cervical mobilization technique on respiratory and cardiovascular function. <i>Manual Therapy</i> , 1997 , 2, 216-220		63
296	Cervical lateral glide increases nociceptive flexion reflex threshold but not pressure or thermal pain thresholds in chronic whiplash associated disorders: A pilot randomised controlled trial. <i>Manual Therapy</i> , 2010 , 15, 149-53		62
295	Effect of using truncated versus total foot length to calculate the arch height ratio. <i>Foot</i> , 2008 , 18, 220-7.	1.3	62
294	Naloxone fails to antagonize initial hypoalgesic effect of a manual therapy treatment for lateral epicondylalgia. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004 , 27, 180-5	1.3	62
293	Hyperalgesia in Tennis Elbow Patients. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 83-97		61
292	ICON 2019: International Scientific Tendinopathy Symposium Consensus: Clinical Terminology. <i>British Journal of Sports Medicine</i> , 2020 , 54, 260-262	10.3	61
291	Achilles and patellar tendinopathy display opposite changes in elastic properties: A shear wave elastography study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1201-1208	4.6	60

290	A study of the effects of mulligan's mobilization with movement treatment of lateral ankle pain using a case study design. <i>Manual Therapy</i> , 1998 , 3, 78-84		58
289	Novel adaptations in motor cortical maps: the relation to persistent elbow pain. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 681-90	1.2	57
288	Physiotherapy management of lateral epicondylalgia. <i>Journal of Physiotherapy</i> , 2015 , 61, 174-81	2.9	56
287	Gait parameters associated with hallux valgus: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2013 , 6, 9	3.2	55
286	Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: a systematic review. <i>Pain</i> , 2011 , 152, 1811-1820	8	55
285	Predictors of short and long term outcome in patellofemoral pain syndrome: a prospective longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 11	2.8	55
284	Specificity in retraining craniocervical flexor muscle performance. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2007 , 37, 3-9	4.2	55
283	Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history. <i>Physical Therapy Reviews</i> , 1996 , 1, 23-34	0.7	53
282	Measures of central hyperexcitability in chronic whiplash associated disorder--a systematic review and meta-analysis. <i>Manual Therapy</i> , 2013 , 18, 111-7		52
281	A randomised control trial of short term efficacy of in-shoe foot orthoses compared with a wait and see policy for anterior knee pain and the role of foot mobility. <i>British Journal of Sports Medicine</i> , 2012 , 46, 247-52	10.3	52
280	Cardiovascular and respiratory changes produced by lateral glide mobilization of the cervical spine. <i>Manual Therapy</i> , 1998 , 3, 67-71		52
279	Hypoalgesia induced by elbow manipulation in lateral epicondylalgia does not exhibit tolerance. <i>Journal of Pain</i> , 2003 , 4, 448-54	5.2	52
278	Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2003 , 33, 400-7	4.2	51
277	Foot pain and functional limitation in healthy adults with hallux valgus: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 197	2.8	50
276	Neuromuscular adaptations to training, injury and passive interventions: implications for running economy. <i>Sports Medicine</i> , 2009 , 39, 903-21	10.6	50
275	The effects of a cervical mobilisation technique on sympathetic outflow to the upper limb in normal subjects. <i>Physiotherapy Theory and Practice</i> , 1993 , 9, 149-156	1.5	50
274	Cold hyperalgesia associated with poorer prognosis in lateral epicondylalgia: a 1-year prognostic study of physical and psychological factors. <i>Clinical Journal of Pain</i> , 2015 , 31, 30-5	3.5	48
273	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. <i>BMJ, The</i> , 2018 , 361, k1662	5.9	48

272	Intramuscular fine-wire electromyography during cycling: repeatability, normalisation and a comparison to surface electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2010 , 20, 108-117	2.5	48
271	Exploration of the extent of somato-sensory impairment in patients with unilateral lateral epicondylalgia. <i>Journal of Pain</i> , 2009 , 10, 1179-85	5.2	48
270	Conservative treatments for tennis elbow do subgroups of patients respond differently?. <i>Rheumatology</i> , 2007 , 46, 1601-5	3.9	46
269	Leg muscle recruitment in highly trained cyclists. <i>Journal of Sports Sciences</i> , 2006 , 24, 115-24	3.6	46
268	Sudomotor Changes Induced by Neural Mobilisation Techniques in Asymptomatic Subjects. <i>Journal of Manual and Manipulative Therapy</i> , 1994 , 2, 66-74	1.6	46
267	Exercise, education, manual-therapy and taping compared to education for patellofemoral osteoarthritis: a blinded, randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1457-64	6.2	45
266	Activity of deep abdominal muscles increases during submaximal flexion and extension efforts but antagonist co-contraction remains unchanged. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, 754-62	2.5	44
265	Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2000 , 30, 333-9	4.2	44
264	Consensus for experimental design in electromyography (CEDE) project: Electrode selection matrix. <i>Journal of Electromyography and Kinesiology</i> , 2019 , 48, 128-144	2.5	43
263	Foot orthotics in the treatment of lower limb conditions: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2004 , 9, 185-96		43
262	Utility of clinical tests to diagnose MRI-confirmed gluteal tendinopathy in patients presenting with lateral hip pain. <i>British Journal of Sports Medicine</i> , 2017 , 51, 519-524	10.3	42
261	Arch height change during sit-to-stand: an alternative for the navicular drop test. <i>Journal of Foot and Ankle Research</i> , 2008 , 1, 3	3.2	42
260	Leg muscle recruitment during cycling is less developed in triathletes than cyclists despite matched cycling training loads. <i>Experimental Brain Research</i> , 2007 , 181, 503-18	2.3	41
259	Patellofemoral Pain in Adolescence and Adulthood: Same Same, but Different?. <i>Sports Medicine</i> , 2015 , 45, 1489-95	10.6	40
258	A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. <i>Clinical Biomechanics</i> , 2002 , 17, 304-8	2.2	40
257	Bympathetic Slump—The Effects of a Novel Manual Therapy Technique on Peripheral Sympathetic Nervous System Function. <i>Journal of Manual and Manipulative Therapy</i> , 1994 , 2, 156-162	1.6	40
256	A physiological and psychological basis for anti-pronation taping from a critical review of the literature. <i>Sports Medicine</i> , 2008 , 38, 617-31	10.6	39
255	Criteria-Based Return to Sport Decision-Making Following Lateral Ankle Sprain Injury: a Systematic Review and Narrative Synthesis. <i>Sports Medicine</i> , 2019 , 49, 601-619	10.6	38

254	Dose optimization for spinal treatment effectiveness: a randomized controlled trial investigating the effects of high and low mobilization forces in patients with neck pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 141-52	4.2	38
253	A New Method of Isometric Dynamometry for the Craniocervical Flexor Muscles. <i>Physical Therapy</i> , 2005 , 85, 556-564	3.3	38
252	ICON 2019-International Scientific Tendinopathy Symposium Consensus: There are nine core health-related domains for tendinopathy (CORE DOMAINS): Delphi study of healthcare professionals and patients. <i>British Journal of Sports Medicine</i> , 2020 , 54, 444-451	10.3	38
251	An investigation of the anti-pronation effect of two taping methods after application and exercise. <i>Gait and Posture</i> , 1997 , 5, 1-5	2.6	37
250	The influence of body position on leg kinematics and muscle recruitment during cycling. <i>Journal of Science and Medicine in Sport</i> , 2008 , 11, 519-26	4.4	37
249	The displacement, velocity and frequency profile of the frontal plane motion produced by the cervical lateral glide treatment technique. <i>Clinical Biomechanics</i> , 1999 , 14, 515-21	2.2	37
248	The relationship of foot and ankle mobility to the frontal plane projection angle in asymptomatic adults. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 3	3.2	36
247	Do differences in muscle recruitment between novice and elite cyclists reflect different movement patterns or less skilled muscle recruitment?. <i>Journal of Science and Medicine in Sport</i> , 2009 , 12, 31-4	4.4	36
246	Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running. <i>British Journal of Sports Medicine</i> , 2005 , 39, 939-43; discussion 943	10.3	36
245	Hypoalgesic and sympathoexcitatory effects of mobilization with movement for lateral epicondylalgia. <i>Physical Therapy</i> , 2003 , 83, 374-83	3.3	36
244	Patellar and Achilles tendinopathies are predominantly peripheral pain states: a blinded case control study of somatosensory and psychological profiles. <i>British Journal of Sports Medicine</i> , 2018 , 52, 284-291	10.3	35
243	Mulligan's mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. <i>Manual Therapy</i> , 2002 , 7, 44-9		35
242	Does cycling effect motor coordination of the leg during running in elite triathletes?. <i>Journal of Science and Medicine in Sport</i> , 2008 , 11, 371-80	4.4	34
241	Tape that increases medial longitudinal arch height also reduces leg muscle activity: a preliminary study. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 593-600	1.2	34
240	Early Patellofemoral Osteoarthritis Features One Year After Anterior Cruciate Ligament Reconstruction: Symptoms and Quality of Life at Three Years. <i>Arthritis Care and Research</i> , 2016 , 68, 784-92	4.7	34
239	Targeted physiotherapy for patellofemoral joint osteoarthritis: a protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 122	2.8	33
238	Joint manipulation in the management of lateral epicondylalgia: a clinical commentary. <i>Journal of Manual and Manipulative Therapy</i> , 2007 , 15, 50-6	1.6	33
237	Hip Abductor Muscle Weakness in Individuals with Gluteal Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 346-52	1.2	32

236	Kinematics and kinetics during walking in individuals with gluteal tendinopathy. <i>Clinical Biomechanics</i> , 2016 , 32, 56-63	2.2	32
235	Prevalence of Radiographic and Magnetic Resonance Imaging Features of Patellofemoral Osteoarthritis in Young and Middle-Aged Adults With Persistent Patellofemoral Pain. <i>Arthritis Care and Research</i> , 2019 , 71, 1068-1073	4.7	31
234	Influence of contouring and hardness of foot orthoses on ratings of perceived comfort. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1507-12	1.2	31
233	Sensorimotor deficits remain despite resolution of symptoms using conservative treatment in patients with tennis elbow: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1-8	2.8	30
232	Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1650-1660	10.3	29
231	Functional impairments characterizing mild, moderate, and severe hallux valgus. <i>Arthritis Care and Research</i> , 2015 , 67, 80-8	4.7	29
230	Evidence of spinal cord hyperexcitability as measured with nociceptive flexion reflex (NFR) threshold in chronic lateral epicondylalgia with or without a positive neurodynamic test. <i>Journal of Pain</i> , 2012 , 13, 676-84	5.2	29
229	Validity and reliability of hallux valgus angle measured on digital photographs. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 642-8	4.2	29
228	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 27	2.8	29
227	The psychological features of patellofemoral pain: a cross-sectional study. <i>Scandinavian Journal of Pain</i> , 2018 , 18, 261-271	1.9	28
226	Single leg stance control in individuals with symptomatic gluteal tendinopathy. <i>Gait and Posture</i> , 2016 , 49, 108-113	2.6	28
225	Long-term effects of sport: preventing and managing OA in the athlete. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 747-52	8.1	28
224	Training mode-dependent changes in motor performance in neck pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1225-33	2.8	28
223	The ability to predict dynamic foot posture from static measurements. <i>Journal of the American Podiatric Medical Association</i> , 2007 , 97, 115-20	1	28
222	Outcome predictors for conservative patellofemoral pain management: a systematic review and meta-analysis. <i>Sports Medicine</i> , 2014 , 44, 1703-16	10.6	27
221	Are knee biomechanics different in those with and without patellofemoral osteoarthritis after anterior cruciate ligament reconstruction?. <i>Arthritis Care and Research</i> , 2014 , 66, 1566-70	4.7	27
220	Optimising corticosteroid injection for lateral epicondylalgia with the addition of physiotherapy: a protocol for a randomised control trial with placebo comparison. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 76	2.8	27
219	Use of anti-pronation taping to assess suitability of orthotic prescription: case report. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 111-3		27

218	The effect of isometric exercise on pain in individuals with plantar fasciopathy: A randomized crossover trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2643-2650	4.6	27
217	Predictors and effects of patellofemoral pain following hamstring-tendon ACL reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 518-23	4.4	26
216	Movement Evoked Pain and Mechanical Hyperalgesia after Intramuscular Injection of Nerve Growth Factor: A Model of Sustained Elbow Pain. <i>Pain Medicine</i> , 2015 , 16, 2180-91	2.8	26
215	Dry-needling and exercise for chronic whiplash-associated disorders: a randomized single-blind placebo-controlled trial. <i>Pain</i> , 2015 , 156, 635-643	8	26
214	Exercise and load modification versus corticosteroid injection versus 'wait and see' for persistent gluteus medius/minimus tendinopathy (the LEAP trial): a protocol for a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 196	2.8	26
213	Treatment of osteitis pubis via the pelvic muscles. <i>Manual Therapy</i> , 2003 , 8, 257-60		25
212	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. <i>Pain</i> , 2018 , 159, 1833-1842	8	25
211	One-week time course of the effects of Mulligan's Mobilisation with Movement and taping in painful shoulders. <i>Manual Therapy</i> , 2013 , 18, 372-7		24
210	Change in running kinematics after cycling are related to alterations in running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2010 , 13, 460-4	4.4	23
209	Is chronic ankle instability associated with impaired muscle strength? Ankle, knee and hip muscle strength in individuals with chronic ankle instability: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 839-847	10.3	22
208	The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 574-578	4.4	22
207	Comfort and midfoot mobility rather than orthosis hardness or contouring influence their immediate effects on lower limb function in patients with anterior knee pain. <i>Clinical Biomechanics</i> , 2012 , 27, 202-8	2.2	22
206	A comparison of craniocervical and cervicothoracic muscle strength in healthy individuals. <i>Journal of Applied Biomechanics</i> , 2010 , 26, 400-6	1.2	22
205	The influence of an anteroposterior accessory glide of the glenohumeral joint on measures of peripheral sympathetic nervous system function in the upper limb. <i>Manual Therapy</i> , 1997 , 2, 18-23		22
204	ICON PART-T 2019-International Scientific Tendinopathy Symposium Consensus: recommended standards for reporting participant characteristics in tendinopathy research (PART-T). <i>British Journal of Sports Medicine</i> , 2020 , 54, 627-630	10.3	22
203	Less efficacious conditioned pain modulation and sensory hypersensitivity in chronic whiplash-associated disorders in Singapore. <i>Clinical Journal of Pain</i> , 2014 , 30, 436-42	3.5	21
202	An investigation of stress and pain perception during manual therapy in asymptomatic subjects. <i>European Journal of Pain</i> , 1999 , 3, 13-18	3.7	21
201	Self-dosed and pre-determined progressive heavy-slow resistance training have similar effects in people with plantar fasciopathy: a randomised trial. <i>Journal of Physiotherapy</i> , 2019 , 65, 144-151	2.9	20

200	Psychological factors not strength deficits are associated with severity of gluteal tendinopathy: A cross-sectional study. <i>European Journal of Pain</i> , 2018 , 22, 1124-1133	3.7	20
199	Gait retraining versus foot orthoses for patellofemoral pain: a pilot randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 457-461	4.4	20
198	Hip abductor muscle activity during walking in individuals with gluteal tendinopathy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 686-695	4.6	19
197	Economic evaluation favours physiotherapy but not corticosteroid injection as a first-line intervention for chronic lateral epicondylalgia: evidence from a randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1400-1405	10.3	19
196	Elbow flexor and extensor muscle weakness in lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2012 , 46, 449-53	10.3	19
195	Augmented low-Dye tape alters foot mobility and neuromotor control of gait in individuals with and without exercise related leg pain. <i>Journal of Foot and Ankle Research</i> , 2010 , 3, 5	3.2	19
194	Characterisation of chronic lateral epicondylalgia using the McGill pain questionnaire, visual analog scales, and quantitative sensory tests. <i>The Pain Clinic</i> , 2001 , 13, 251-259		19
193	Diagnostic ultrasound imaging for lateral epicondylalgia: a case-control study. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2070-6	1.2	18
192	Continual use of augmented low-Dye taping increases arch height in standing but does not influence neuromotor control of gait. <i>Gait and Posture</i> , 2010 , 31, 247-50	2.6	18
191	Variations in foot posture and mobility between individuals with patellofemoral pain and those in a control group. <i>Journal of the American Podiatric Medical Association</i> , 2011 , 101, 289-96	1	18
190	Antipronation taping and temporary orthoses. Effects on tibial rotation position after exercise. <i>Journal of the American Podiatric Medical Association</i> , 1999 , 89, 118-23	1	18
189	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1464-1472	10.3	18
188	Lateral epicondylalgia II: therapeutic management. <i>Physical Therapy Reviews</i> , 1997 , 2, 39-48	0.7	17
187	Adults with patellofemoral pain do not exhibit manifestations of peripheral and central sensitization when compared to healthy pain-free age and sex matched controls - An assessor blinded cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0188930	3.7	17
186	Plantar foot pressures after the augmented low dye taping technique. <i>Journal of Athletic Training</i> , 2007 , 42, 374-80	4	17
185	Tennis elbow. <i>Clinical Evidence</i> , 2011 , 2011,		17
184	Isometric Exercise Above but not Below an Individual's Pain Threshold Influences Pain Perception in People With Lateral Epicondylalgia. <i>Clinical Journal of Pain</i> , 2016 , 32, 1069-1075	3.5	17
183	Forearm Muscle Activity in Lateral Epicondylalgia: A Systematic Review with Quantitative Analysis. <i>Sports Medicine</i> , 2016 , 46, 1833-1845	10.6	17

182	Is synergistic organisation of muscle coordination altered in people with lateral epicondylalgia? A case-control study. <i>Clinical Biomechanics</i> , 2016 , 35, 124-31	2.2	17
181	Deloading tape reduces muscle stress at rest and during contraction. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2317-25	1.2	16
180	Development of a clinical prediction rule to identify initial responders to mobilisation with movement and exercise for lateral epicondylalgia. <i>Manual Therapy</i> , 2009 , 14, 550-4		16
179	A protocol for measuring the direct effect of cycling on neuromuscular control of running in triathletes. <i>Journal of Sports Sciences</i> , 2009 , 27, 767-82	3.6	16
178	Muscle size and composition in people with articular hip pathology: a systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 181-195	6.2	16
177	Distinct patterns of variation in the distribution of knee pain. <i>Scientific Reports</i> , 2018 , 8, 16522	4.9	16
176	The initial effects of a sustained glenohumeral postero-lateral glide during elevation on shoulder muscle activity: A repeated measures study on asymptomatic shoulders. <i>Manual Therapy</i> , 2016 , 22, 101-8		15
175	Contoured in-shoe foot orthoses increase mid-foot plantar contact area when compared with a flat insert during cycling. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 60-4	4.4	15
174	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. <i>Physical Therapy in Sport</i> , 2011 , 12, 15-21 ³		15
173	Altered neuromuscular control in individuals with exercise-related leg pain. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 546-55	1.2	15
172	Dry needling and exercise for chronic whiplash - a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 160	2.8	15
171	Neuromuscular control and running economy is preserved in elite international triathletes after cycling. <i>Sports Biomechanics</i> , 2011 , 10, 59-71	2.2	15
170	Effect of foot orthoses contour on pain perception in individuals with patellofemoral pain. <i>Journal of the American Podiatric Medical Association</i> , 2011 , 101, 7-16	1	15
169	Is running less skilled in triathletes than runners matched for running training history?. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 557-65	1.2	15
168	Effect of Strength Training on Biomechanical and Neuromuscular Variables in Distance Runners: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020 , 50, 133-150	10.6	15
167	Non-surgical treatment of hallux valgus: a current practice survey of Australian podiatrists. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 16	3.2	14
166	Baseline characteristics of patients with nerve-related neck and arm pain predict the likely response to neural tissue management. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 379-91	4.2	14
165	Efficacy of combined conservative therapies on clinical outcomes in patients with thumb base osteoarthritis: protocol for a randomised, controlled trial (COMBO). <i>BMJ Open</i> , 2017 , 7, e014498	3	13

164	Reported selection criteria for adult acquired flatfoot deformity and posterior tibial tendon dysfunction: Are they one and the same? A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0187201	3.7	13
163	Facilitatory and inhibitory pain mechanisms are altered in patients with carpal tunnel syndrome. <i>PLoS ONE</i> , 2017 , 12, e0183252	3.7	13
162	A novel protocol to develop a prediction model that identifies patients with nerve-related neck and arm pain who benefit from the early introduction of neural tissue management. <i>Contemporary Clinical Trials</i> , 2011 , 32, 760-70	2.3	13
161	Exercise for posterior tibial tendon dysfunction: a systematic review of randomised clinical trials and clinical guidelines. <i>BMJ Open Sport and Exercise Medicine</i> , 2018 , 4, e000430	3.4	13
160	Psychological and pain profiles in persons with patellofemoral pain as the primary symptom. <i>European Journal of Pain</i> , 2020 , 24, 1182-1196	3.7	12
159	Feedback Leads to Better Exercise Quality in Adolescents with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 28-35	1.2	12
158	Pain During Prolonged Sitting Is a Common Problem in Persons With Patellofemoral Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 658-63	4.2	12
157	Effects of Adding an Internet-Based Pain Coping Skills Training Protocol to a Standardized Education and Exercise Program for People With Persistent Hip Pain (HOPE Trial): Randomized Controlled Trial Protocol. <i>Physical Therapy</i> , 2015 , 95, 1408-22	3.3	12
156	Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history		12
155	The Foot Orthoses versus Hip eXercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 5	3.2	11
154	Iliocapsularis: Technical application of fine-wire electromyography, and direction specific action during maximum voluntary isometric contractions. <i>Gait and Posture</i> , 2017 , 54, 300-303	2.6	11
153	Physical Impairments in Adults With Ankle Osteoarthritis: A Systematic Review and Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 449-459	4.2	11
152	Polarized vs. Threshold Training Intensity Distribution on Endurance Sport Performance: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Strength and Conditioning Research</i> , 2019 , 33, 3491-3500	3.2	11
151	Functional differences between anatomical regions of the anconeus muscle in humans. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1391-7	2.5	11
150	Comparison of corticosteroid, autologous blood or sclerosant injections for chronic tennis elbow. <i>Journal of Science and Medicine in Sport</i> , 2017 , 20, 528-533	4.4	11
149	Altered movement patterns but not muscle recruitment in moderately trained triathletes during running after cycling. <i>Journal of Sports Sciences</i> , 2010 , 28, 1477-87	3.6	11
148	Rationale and design of the PRSM study: pulmonary rehabilitation or self management for chronic obstructive pulmonary disease (COPD), what is the best approach?. <i>Contemporary Clinical Trials</i> , 2008 , 29, 796-800	2.3	11
147	Kinematics and kinetics during stair ascent in individuals with Gluteal Tendinopathy. <i>Clinical Biomechanics</i> , 2016 , 40, 37-44	2.2	11

146	A Definition of "Flare" in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019 , 20, 1267-1275	5.2	10
145	Exercise Professionals with Advanced Clinical Training Should be Afforded Greater Responsibility in Pre-Participation Exercise Screening: A New Collaborative Model between Exercise Professionals and Physicians. <i>Sports Medicine</i> , 2018 , 48, 1293-1302	10.6	10
144	Correlates of foot pain severity in adults with hallux valgus: a cross-sectional study. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 32	3.2	10
143	The Influence of Regional Sympathetic Blockade with Guanethidine on Hyperalgesia in Patients with Lateral Epicondylalgia. <i>Journal of Musculoskeletal Pain</i> , 1999 , 7, 55-71		10
142	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma in Exercise, Rehabilitation, Sport medicine and SporTs science) guidance. <i>British Journal of Sports Medicine</i> , 2021	10.3	10
141	Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1416-1422	10.3	9
140	A novel tool for measuring ankle dorsiflexion: A study of its reliability in patients following ankle fractures. <i>Foot and Ankle Surgery</i> , 2016 , 22, 274-277	3.1	9
139	A single-blinded, randomized, parallel group superiority trial investigating the effects of footwear and custom foot orthoses versus footwear alone in individuals with patellofemoral joint osteoarthritis: a phase II pilot trial protocol. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 19	3.2	9
138	Physiotherapists' Beliefs About Whiplash-associated Disorder: A Comparison Between Singapore and Queensland, Australia. <i>Physiotherapy Research International</i> , 2015 , 20, 77-86	1.8	9
137	A radiographic and anthropometric study of the effect of a contoured sandal and foot orthosis on supporting the medial longitudinal arch. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 38	3.2	9
136	Does movement variability increase or decrease when a simple wrist task is performed during acute wrist extensor muscle pain?. <i>European Journal of Applied Physiology</i> , 2014 , 114, 385-93	3.4	9
135	Can foot anthropometric measurements predict dynamic plantar surface contact area?. <i>Journal of Foot and Ankle Research</i> , 2009 , 2, 28	3.2	9
134	Return to sport decisions after an acute lateral ankle sprain injury: introducing the PAASS framework-an international multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1270-1276 ⁹	10.3	9
133	Forearm muscle activity is modified bilaterally in unilateral lateral epicondylalgia: A case-control study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 1382-1390	4.6	9
132	Foot and ankle characteristics and dynamic knee valgus in individuals with patellofemoral osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 65	3.2	9
131	Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics. <i>Gait and Posture</i> , 2018 , 61, 459-465	2.6	8
130	How Much Does the Talocrural Joint Contribute to Ankle Dorsiflexion Range of Motion During the Weight-Bearing Lunge Test? A Cross-sectional Radiographic Validity Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 934-941	4.2	8
129	The effect of soft tissue deloading tape on thoracic spine pressure pain thresholds in asymptomatic subjects. <i>Manual Therapy</i> , 2002 , 7, 150-3		8

128	Exploring the Characteristics and Preferences for Online Support Groups: Mixed Method Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e15987	7.6	8
127	Capturing patient-reported area of knee pain: a concurrent validity study using digital technology in patients with patellofemoral pain. <i>PeerJ</i> , 2018 , 6, e4406	3.1	8
126	Management of plantar heel pain: a best practice guide informed by a systematic review, expert clinical reasoning and patient values. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1106-1118	10.3	8
125	Leuko and Nessa Ankle braces: effectiveness before and after exercise. <i>Australian Journal of Science and Medicine in Sport</i> , 1994 , 26, 62-6		8
124	A new method of isometric dynamometry for the craniocervical flexor muscles. <i>Physical Therapy</i> , 2005 , 85, 556-64	3.3	8
123	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019 , 9, e025315 ³		7
122	The effect of altered stride length on iliocapsularis and pericapsular muscles of the anterior hip: An electromyography investigation during asymptomatic gait. <i>Gait and Posture</i> , 2019 , 71, 26-31	2.6	7
121	Individuals with Persistent Greater Trochanteric Pain Syndrome Exhibit Impaired Pain Modulation, as well as Poorer Physical and Psychological Health, Compared with Pain-Free Individuals: A Cross-Sectional Study. <i>Pain Medicine</i> , 2020 , 21, 2964-2974	2.8	7
120	Rating of perceived exertion during cycling is associated with subsequent running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 49-53	4.4	7
119	Do dorsal head contact forces have the potential to identify impairment during graded craniocervical flexor muscle contractions?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1763-6	2.8	7
118	Unsupervised Isometric Exercise versus Wait-and-See for Lateral Elbow Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 287-295	1.2	7
117	Education, night splinting and exercise versus usual care on recovery and conversion to surgery for people awaiting carpal tunnel surgery: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012053	3	7
116	Efficacy of live feedback to improve objectively monitored compliance to prescribed, home-based, exercise therapy-dosage in 15 to 19-year old adolescents with patellofemoral pain- a study protocol of a randomized controlled superiority trial (The XRCISE-AS-INSTRUCted-1 trial). <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 242	2.8	7
115	Physiotherapy students' perceptions and experiences of clinical prediction rules. <i>Physiotherapy</i> , 2017 , 103, 296-303	3	6
114	Group education, night splinting and home exercises reduce conversion to surgery for carpal tunnel syndrome: a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2020 , 66, 97-104	2.9	6
113	Physical findings differ between individuals with greater trochanteric pain syndrome and healthy controls: A systematic review with meta-analysis. <i>Musculoskeletal Science and Practice</i> , 2019 , 43, 83-90	2.4	6
112	Orthosis-Shaped Sandals Are as Efficacious as In-Shoe Orthoses and Better than Flat Sandals for Plantar Heel Pain: A Randomized Control Trial. <i>PLoS ONE</i> , 2015 , 10, e0142789	3.7	6
111	Laypersons' expectations of recovery and beliefs about whiplash injury: a cross-cultural comparison between Australians and Singaporeans. <i>European Journal of Pain</i> , 2013 , 17, 1234-42	3.7	6

110	Neuromuscular control and exercise-related leg pain in triathletes. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 233-43	1.2	6
109	Differential diagnosis of a soft tissue mass in the calf. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2005 , 35, 88-94	4.2	6
108	Tensor Fascia Latae Muscle Structure and Activation in Individuals With Lower Limb Musculoskeletal Conditions: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020 , 50, 965-985	10.6	6
107	Disability, Physical Impairments, and Poor Quality of Life, Rather Than Radiographic Changes, Are Related to Symptoms in Individuals With Ankle Osteoarthritis: A Cross-sectional Laboratory Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 711-722	4.2	6
106	Efficacy of different load intensity and time-under-tension calf loading protocols for Achilles tendinopathy (the LOADIT trial): protocol for a randomised pilot study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 99	1.9	6
105	Feasibility and impact of sit-stand workstations with and without exercise in office workers at risk of low back pain: A pilot comparative effectiveness trial. <i>Applied Ergonomics</i> , 2019 , 76, 82-89	4.2	6
104	Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 ,	10.3	6
103	Heavy-slow resistance training in addition to an ultrasound-guided corticosteroid injection for individuals with plantar fasciopathy: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 105	1.9	5
102	Adding mobilisation with movement to exercise and advice hastens the improvement in range, pain and function after non-operative cast immobilisation for distal radius fracture: a multicentre, randomised trial. <i>Journal of Physiotherapy</i> , 2020 , 66, 105-112	2.9	5
101	A study of the immediate effects of glycerine-filled insoles, contoured prefabricated orthoses and flat insoles on single-leg balance, gait patterns and perceived comfort in healthy adults. <i>Journal of Foot and Ankle Research</i> , 2015 , 8, 47	3.2	5
100	Bilateral cervical dysfunction in patients with unilateral lateral epicondylalgia without concomitant cervical or upper limb symptoms: a cross-sectional case-control study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 79-86	1.3	5
99	A single botulinum toxin injection at a precise anatomic point on the forearm reduces pain at rest, compared to placebo injection in patients with chronic refractory lateral epicondylitis. <i>Evidence-Based Medicine</i> , 2010 , 15, 149-50		5
98	Physiotherapy for tennis elbow. <i>Evidence-Based Medicine</i> , 2007 , 12, 37-8		5
97	Design, Delivery, Maintenance, and Outcomes of Peer-to-Peer Online Support Groups for People With Chronic Musculoskeletal Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15822	7.6	5
96	Efficacy of a Combination of Conservative Therapies vs an Education Comparator on Clinical Outcomes in Thumb Base Osteoarthritis: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 429-438	11.5	5
95	The relationship between immediate comfort and plantar foot sensitivity during running in cushioned versus minimal shoes. <i>Footwear Science</i> , 2018 , 10, 21-27	1.4	5
94	Self-reported social and activity restrictions accompany local impairments in posterior tibial tendon dysfunction: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 49	3.2	5
93	Chronic Lateral Epicondylalgia Does Not Exhibit Mechanical Pain Modulation in Response to Noxious Conditioning Heat Stimulus. <i>Clinical Journal of Pain</i> , 2017 , 33, 932-938	3.5	4

92	Targeted physiotherapy treatment for patellofemoral osteoarthritis: a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, S431	6.2	4
91	Anti-pronation tape changes foot posture but not plantar ground contact during gait. <i>Foot</i> , 2006 , 16, 91-97	1.3	4
90	Foot orthoses in Patellofemoral Pain Syndrome: A Randomized Clinical Trial. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S61	1.2	4
89	INTERVENTION AT THE FOOT-SHOE-PEDAL INTERFACE IN COMPETITIVE CYCLISTS. <i>International Journal of Sports Physical Therapy</i> , 2016 , 11, 637-50	1.4	4
88	Quality of life, function and disability in individuals with chronic ankle symptoms: a cross-sectional online survey. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 67	3.2	4
87	HAPPi Kneecaps! Protocol for a participant- and assessor-blinded, randomised, parallel group feasibility trial of foot orthoses for adolescents with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 50	3.2	4
86	LOAD-intensity and time-under-tension of exercises for men who have Achilles tendinopathy (the LOADIT trial): a randomised feasibility trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021 , 13, 57	2.4	4
85	Hip and knee muscle torque and its relationship with dynamic balance in chronic ankle instability, copers and controls. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 647-652	4.4	4
84	Which treatment is most effective for patients with patellofemoral pain? A protocol for a living systematic review including network meta-analysis. <i>BMJ Open</i> , 2018 , 8, e022920	3	4
83	Neuromotor control during stair ambulation in individuals with patellofemoral osteoarthritis compared to asymptomatic controls. <i>Gait and Posture</i> , 2019 , 71, 92-97	2.6	3
82	A randomised pilot equivalence trial to evaluate diamagnetically enhanced transdermal delivery of key ground substance components in comparison to an established transdermal non-steroidal anti-inflammatory formulation in males with prior knee injury. <i>PLoS ONE</i> , 2019 , 14, e0211999	3.7	3
81	Footwear and Cadence Affect Gait Variability in Runners with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1354-1360	1.2	3
80	Cortisone injections for tennis elbow should be an "avoid", rather than a recommended procedure. <i>Medical Journal of Australia</i> , 2017 , 207, 453	4	3
79	No abatement of steroid injections for tennis elbow in Australian General Practice: A 15-year observational study with random general practitioner sampling. <i>PLoS ONE</i> , 2017 , 12, e0181631	3.7	3
78	Age-related differences in foot mobility in individuals with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 5	3.2	3
77	Mirror therapy, graded motor imagery and virtual illusion for the management of chronic pain 2013 ,		3
76	Effect of gait retraining on segment coordination and joint variability in individuals with patellofemoral pain. <i>Clinical Biomechanics</i> , 2020 , 80, 105179	2.2	3
75	Pericapsular hip muscle activity in people with and without femoroacetabular impingement. A comparison in dynamic tasks. <i>Physical Therapy in Sport</i> , 2020 , 45, 135-144	3	3

74	Effect of exercise on pain processing and motor output in people with knee osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1501-1513	6.2	3
73	REPORT-PFP: a consensus from the International Patellofemoral Research Network to improve REPORTing of quantitative PatelloFemoral Pain studies. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1135-1143 ^{10.3}	10.3	3
72	Local hyperalgesia, normal endogenous modulation with pain report beyond its origin: a pilot study prompting further exploration into plantar fasciopathy. <i>Scandinavian Journal of Pain</i> , 2020 , 20, 375-385	1.9	3
71	Proximal hamstring tendinopathy; expert physiotherapists' perspectives on diagnosis, management and prevention. <i>Physical Therapy in Sport</i> , 2021 , 48, 67-75	3	3
70	Kinematic Measures Of The Knee While Cycling. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 377	1.2	2
69	MyBackPain-evaluation of an innovative consumer-focused website for low back pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027516	3	2
68	Psychological and Pain Sensitization Characteristics Are Associated With Patellofemoral Osteoarthritis Symptoms: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2020 , 47, 1696-1703 ^{4.1}	4.1	2
67	Prevalence and factors associated with radiographic PFJ OA in young to middle-aged adults with chronic patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2015 , 19, e85	4.4	2
66	Prevalence of radiographic patellofemoral and tibiofemoral osteoarthritis in individuals with chronic anterior knee pain: data from a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, S266-S267	6.2	2
65	Estimating the Monetary Value of Relief of Tennis Elbow: A Contingent Valuation Study of Willingness-To-Pay. <i>Value in Health</i> , 2015 , 18, A654	3.3	2
64	Clinically relevant and stable tools to measure footwear comfort. <i>Journal of Science and Medicine in Sport</i> , 2010 , 12, e107-e108	4.4	2
63	Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplification" <i>Pain</i> , 2004 , 107, 277-278	8	2
62	Developing Clinical and Research Priorities for Pain and Psychological Features in People With Patellofemoral Pain: An International Consensus Process With Health Care Professionals.. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 29-39	4.2	2
61	Infographic. International Ankle Consortium Rehabilitation-Oriented Assessment. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1248-1249	10.3	2
60	New insights into intrinsic foot muscle morphology and composition using ultra-high-field (7-Tesla) magnetic resonance imaging. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 97	2.8	2
59	Hardness and posting of foot orthoses modify plantar contact area, plantar pressure, and perceived comfort when cycling. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 691-696	4.4	2
58	A comparison of fine wire insertion techniques for deep finger flexor muscle electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2018 , 41, 77-81	2.5	2
57	Foot exercise plus education versus wait and see for the treatment of plantar heel pain (FEET trial): a protocol for a feasibility study. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 20	3.2	1

56	Stretching the evidence behind tennis elbow: mobile app user guide. <i>British Journal of Sports Medicine</i> , 2018 , 52, e5	10.3	1
55	An Investigation of the Asymptomatic Limb in Unilateral Lateral Epicondylalgia. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2268-72	1.2	1
54	66 Gluteal Tendinopathy [Clinical Diagnosis Vs. Mri Diagnosis?]. <i>British Journal of Sports Medicine</i> , 2014 , 48, A43.1-A43	10.3	1
53	Response to Drs Greve and Bianchini. <i>Pain</i> , 2004 , 110, 501-502	8	1
52	Expert-Moderated Peer-to-Peer Online Support Group for People With Knee Osteoarthritis: Mixed Methods Randomized Controlled Pilot and Feasibility Study.. <i>JMIR Formative Research</i> , 2022 , 6, e32627	2.5	1
51	Cycling Impairs Neuromuscular Coordination During Running In Triathletes, Which Reduces Performance And Is Likely Injury-related. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S87	1.2	1
50	ICON 2020-International Scientific Tendinopathy Symposium Consensus: A Systematic Review of Outcome Measures Reported in Clinical Trials of Achilles Tendinopathy. <i>Sports Medicine</i> , 2021 , 1	10.6	1
49	Initial Neuromotor and Postural Effects After Continual Use of Augmented Low-Dye Taping. <i>Athletic Training & Sports Health Care</i> , 2011 , 3, 21-28	0.6	1
48	Corticosteroid injection plus exercise versus exercise, beyond advice and a heel cup for patients with plantar fasciopathy: protocol for a randomised clinical superiority trial (the FIX-Heel trial). <i>Trials</i> , 2020 , 21, 5	2.8	1
47	Response profile of fibular repositioning tape on ankle osteokinematics, arthrokinematics, perceived stability and confidence in chronic ankle instability. <i>Musculoskeletal Science and Practice</i> , 2020 , 50, 102272	2.4	1
46	Perspectives and experiences of people who were randomly assigned to wait-and-see approach in a gluteal tendinopathy trial: a qualitative follow-up study. <i>BMJ Open</i> , 2021 , 11, e044934	3	1
45	Contralateral mechanical hyperalgesia and altered pain modulation in men who have unilateral insertional Achilles tendinopathy: A cross-sectional study. <i>Musculoskeletal Science and Practice</i> , 2021 , 52, 102353	2.4	1
44	Proximal Hamstring Tendinopathy: A Systematic Review of Interventions. <i>International Journal of Sports Physical Therapy</i> , 2021 , 16, 288-305	1.4	1
43	Protocol for the development of a core outcome set for lateral elbow tendinopathy (COS-LET). <i>Trials</i> , 2021 , 22, 339	2.8	1
42	Influence of transducer orientation on shear wave velocity measurements of the iliotibial band. <i>Journal of Biomechanics</i> , 2021 , 120, 110346	2.9	1
41	Effect of a Consumer-Focused Website for Low Back Pain on Health Literacy, Treatment Choices, and Clinical Outcomes: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27860	7.6	1
40	Mirror therapy, graded motor imagery and virtual illusion for the management of chronic pain. <i>The Cochrane Library</i> , 2016 ,	5.2	1
39	An evidence-based evaluation of mobile health apps for the management of individuals with lateral elbow tendinopathy using a systematic review framework. <i>Physical Therapy Reviews</i> , 2021 , 26, 243-253	0.7	1

38	Hip muscle activity in male football players with hip-related pain; a comparison with asymptomatic controls during walking. <i>Physical Therapy in Sport</i> , 2021 , 52, 209-216	3	1
37	HAPPi Kneecaps! A double-blind, randomised, parallel group superiority trial investigating the effects of sHoe inserts for adolescents with patellofemoral Pain: phase II feasibility study. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 64	3.2	1
36	Elbow tendinopathy: lateral epicondylalgia 2011 , 312-318		0
35	Symptom characteristics in office workers using standing workstations: A cross-sectional study.. <i>Brazilian Journal of Physical Therapy</i> , 2022 , 26, 100393	3.7	0
34	How Do Hip Exercises Improve Pain in Individuals With Patellofemoral Pain? Secondary Mediation Analysis of Strength and Psychological Factors as Mechanisms. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 602-610	4.2	0
33	Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. <i>BMJ Open</i> , 2020 , 10, e037070	3	0
32	Upper limb position affects pain-free grip strength in individuals with lateral elbow tendinopathy. <i>Physiotherapy Research International</i> , 2021 , 26, e1906	1.8	0
31	Clinical Tests of Tibialis Posterior Tendinopathy: Are They Reliable, and How Well Are They Reflected in Structural Changes on Imaging?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 253-260	4.2	0
30	Exploration of shear wave elastography measures of the iliotibial band during different tasks in pain-free runners. <i>Physical Therapy in Sport</i> , 2021 , 50, 121-129	3	0
29	Foot Orthoses and Footwear for the Management of Patellofemoral Osteoarthritis: A Pilot Randomized Trial. <i>Arthritis Care and Research</i> , 2021 , 73, 240-249	4.7	0
28	"Taking action" to reduce pain-Has interpretation of the motor adaptation to pain been too simplistic?. <i>PLoS ONE</i> , 2021 , 16, e0260715	3.7	0
27	Adolescent perspectives on participating in a feasibility trial investigating shoe inserts for patellofemoral pain.. <i>Journal of Foot and Ankle Research</i> , 2022 , 15, 37	3.2	0
26	ICON 2020 International Scientific Tendinopathy Symposium Consensus: A Scoping Review of Psychological and Psychosocial Constructs and Outcome Measures Reported in Tendinopathy Clinical Trials. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 375-388	4.2	0
25	Is immediate comfort while running in cushioned versus minimal footwear related to plantar foot sensitivity?. <i>Footwear Science</i> , 2017 , 9, S83-S84	1.4	
24	Rearfoot Entities 2015 , 110-144		
23	A multisite longitudinal evaluation of patient characteristics associated with a poor response to non-surgical multidisciplinary management of low back pain in an advanced practice physiotherapist-led tertiary service. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 807	2.8	
22	The Effectiveness of Platelet-Rich Plasma Injections in Gluteal Tendinopathy: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2018 , 46, NP32-NP33	6.8	
21	Do insertional and mid-portion Achilles tendinopathy display different material properties?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2247-2248	4.6	

20	Reply: To PMID 25692959. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2551-2	9.5
19	Reply: To PMID 25790454. <i>Pain</i> , 2015 , 156, 1827-1828	8
18	Invited Commentary: The role of physiotherapists in implementing in-shoe foot orthoses in managing overuse musculoskeletal injuries: using patellofemoral pain as an example. <i>Physiotherapy Practice and Research</i> , 2012 , 33, 6-8	0.8
17	The Elbow and Forearm Complex 2013 , 113-128	
16	Systematic review: Compared with usual care, supervised exercise in primary care for people with patellofemoral syndrome does not significantly increase self-reported recovery but improves pain and function in the short term and pain in the long term. <i>Evidence-Based Medicine</i> , 2010 , 15, 56-7	
15	Conservative Management of Patellofemoral Pain: New Evidence From a Systematic Review and Meta-analysis. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 96	1.2
14	Letter to the editor Manual Therapy - Volume 8, Issue 4. <i>Manual Therapy</i> , 2003 , 8, 264-265	
13	Comment on Sterling, M., et al., Motor system dysfunction following whiplash injury, Pain 103 (2003) 65-73. <i>Pain</i> , 2003 , 105, 507	8
12	Response to comment by Kwan and Friel. <i>Pain</i> , 2003 , 105, 508	8
11	Hip and knee muscle torque is not impaired in the first three months of a first-time lateral ankle sprain. <i>Physical Therapy in Sport</i> , 2021 , 53, 1-6	3
10	Do Muscle Recruitment Patterns Differ Between Trained and Novice Cyclists?. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, S169	1.2
9	Targeting Treatment Distally at the Foot for Bilateral Persistent Patellofemoral Pain in a 23-Year-Old 2019 , 164-178	
8	Exploring translational gaps between basic scientists, clinical researchers, clinicians, and consumers: Proceedings and recommendations arising from the 2020 mine the gap online workshop. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100163	1.5
7	Infographic. Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1311-1312	10.3
6	Infographic. Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2021 , 55, 281-282	10.3
5	Response to considerations on "Achilles tendinopathy and patellar tendinopathy display opposite changes in elastic properties". <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1471-1472	4.6
4	Balance is impaired in symptomatic ankle osteoarthritis: A cross-sectional study. <i>Gait and Posture</i> , 2021 , 90, 61-66	2.6
3	Throwing in the deep end: athletes, coaches and support staff experiences, perceptions and beliefs of upper limb injuries and training load in elite women's water polo.. <i>BMJ Open Sport and Exercise Medicine</i> , 2022 , 8, e001214	3.4

- 2 Exploring patients' and physiotherapists' visions on modelling treatments and optimising self-management strategies for patellofemoral pain: A future workshop approach.. *Musculoskeletal Science and Practice*, **2022**, 60, 102567 2.4
- 1 Core outcome set development for proximal hamstring tendinopathy (COS-PHT): a study protocol. *Physical Therapy Reviews*,1-7 0.7