

Bill T Vicenzino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7302016/bill-t-vicenzino-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

361
papers

14,474
citations

64
h-index

107
g-index

446
ext. papers

16,909
ext. citations

4.2
avg, IF

6.71
L-index

#	Paper	IF	Citations
361	Expert-Moderated Peer-to-Peer Online Support Group for People With Knee Osteoarthritis: Mixed Methods Randomized Controlled Pilot and Feasibility Study.. <i>JMIR Formative Research</i> , 2022 , 6, e32627	2.5	1
360	Symptom characteristics in office workers using standing workstations: A cross-sectional study.. <i>Brazilian Journal of Physical Therapy</i> , 2022 , 26, 100393	3.7	0
359	Developing Clinical and Research Priorities for Pain and Psychological Features in People With Patellofemoral Pain: An International Consensus Process With Health Care Professionals.. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 29-39	4.2	2
358	Throwing in the deep end: athletes, coaches and support staff experiences, perceptions and beliefs of upper limb injuries and training load in elite women's water polo.. <i>BMJ Open Sport and Exercise Medicine</i> , 2022 , 8, e001214	3.4	
357	Exploring patients' and physiotherapists' visions on modelling treatments and optimising self-management strategies for patellofemoral pain: A future workshop approach.. <i>Musculoskeletal Science and Practice</i> , 2022 , 60, 102567	2.4	
356	Adolescent perspectives on participating in a feasibility trial investigating shoe inserts for patellofemoral pain.. <i>Journal of Foot and Ankle Research</i> , 2022 , 15, 37	3.2	0
355	ICON 2020 International Scientific Tendinopathy Symposium Consensus: A Scoping Review of Psychological and Psychosocial Constructs and Outcome Measures Reported in Tendinopathy Clinical Trials. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 375-388	4.2	0
354	ICON 2020-International Scientific Tendinopathy Symposium Consensus: A Systematic Review of Outcome Measures Reported in Clinical Trials of Achilles Tendinopathy. <i>Sports Medicine</i> , 2021 , 1	10.6	1
353	How Do Hip Exercises Improve Pain in Individuals With Patellofemoral Pain? Secondary Mediation Analysis of Strength and Psychological Factors as Mechanisms. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 602-610	4.2	0
352	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma in Exercise, Rehabilitation, Sport medicine and SporTs science) guidance. <i>British Journal of Sports Medicine</i> , 2021 ,	10.3	10
351	Hip and knee muscle torque is not impaired in the first three months of a first-time lateral ankle sprain. <i>Physical Therapy in Sport</i> , 2021 , 53, 1-6	3	
350	Upper limb position affects pain-free grip strength in individuals with lateral elbow tendinopathy. <i>Physiotherapy Research International</i> , 2021 , 26, e1906	1.8	0
349	Management of plantar heel pain: a best practice guide informed by a systematic review, expert clinical reasoning and patient values. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1106-1118	10.3	8
348	Perspectives and experiences of people who were randomly assigned to wait-and-see approach in a gluteal tendinopathy trial: a qualitative follow-up study. <i>BMJ Open</i> , 2021 , 11, e044934	3	1
347	Contralateral mechanical hyperalgesia and altered pain modulation in men who have unilateral insertional Achilles tendinopathy: A cross-sectional study. <i>Musculoskeletal Science and Practice</i> , 2021 , 52, 102353	2.4	1
346	Proximal Hamstring Tendinopathy: A Systematic Review of Interventions. <i>International Journal of Sports Physical Therapy</i> , 2021 , 16, 288-305	1.4	1
345	Efficacy of a Combination of Conservative Therapies vs an Education Comparator on Clinical Outcomes in Thumb Base Osteoarthritis: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 429-438	11.5	5

344	Protocol for the development of a core outcome set for lateral elbow tendinopathy (COS-LET). <i>Trials</i> , 2021 , 22, 339	2.8	1
343	Clinical Tests of Tibialis Posterior Tendinopathy: Are They Reliable, and How Well Are They Reflected in Structural Changes on Imaging?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 253-260	4.2	0
342	Influence of transducer orientation on shear wave velocity measurements of the iliotibial band. <i>Journal of Biomechanics</i> , 2021 , 120, 110346	2.9	1
341	LOAD-intensity and time-under-tension of exercises for men who have Achilles tendinopathy (the LOADIT trial): a randomised feasibility trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021 , 13, 57	2.4	4
340	Exploring translational gaps between basic scientists, clinical researchers, clinicians, and consumers: Proceedings and recommendations arising from the 2020 mine the gap online workshop. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100163	1.5	
339	REPORT-PFP: a consensus from the International Patellofemoral Research Network to improve REPORTing of quantitative PatelloFemoral Pain studies. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1135-1143 ^{10.3}	10.3	43 ³
338	Return to sport decisions after an acute lateral ankle sprain injury: introducing the PAASS framework-an international multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1270-1276 ^{10.3}	10.3	9 ⁹
337	Effect of a Consumer-Focused Website for Low Back Pain on Health Literacy, Treatment Choices, and Clinical Outcomes: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27860 ^{7.6}	7.6	1
336	Infographic. Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1311-1312	10.3	
335	Hip and knee muscle torque and its relationship with dynamic balance in chronic ankle instability, copers and controls. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 647-652	4.4	4
334	Exploration of shear wave elastography measures of the iliotibial band during different tasks in pain-free runners. <i>Physical Therapy in Sport</i> , 2021 , 50, 121-129	3	0
333	Infographic. Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2021 , 55, 281-282	10.3	
332	Proximal hamstring tendinopathy; expert physiotherapists' perspectives on diagnosis, management and prevention. <i>Physical Therapy in Sport</i> , 2021 , 48, 67-75	3	3
331	Foot Orthoses and Footwear for the Management of Patellofemoral Osteoarthritis: A Pilot Randomized Trial. <i>Arthritis Care and Research</i> , 2021 , 73, 240-249	4.7	0
330	New insights into intrinsic foot muscle morphology and composition using ultra-high-field (7-Tesla) magnetic resonance imaging. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 97	2.8	2
329	An evidence-based evaluation of mobile health apps for the management of individuals with lateral elbow tendinopathy using a systematic review framework. <i>Physical Therapy Reviews</i> , 2021 , 26, 243-253	0.7	1
328	Hip muscle activity in male football players with hip-related pain; a comparison with asymptomatic controls during walking. <i>Physical Therapy in Sport</i> , 2021 , 52, 209-216	3	1
327	Balance is impaired in symptomatic ankle osteoarthritis: A cross-sectional study. <i>Gait and Posture</i> , 2021 , 90, 61-66	2.6	

326	"Taking action" to reduce pain-Has interpretation of the motor adaptation to pain been too simplistic?. <i>PLoS ONE</i> , 2021 , 16, e0260715	3.7	0
325	HAPPi Kneecaps! A double-blind, randomised, parallel group superiority trial investigating the effects of sHoe inserts for adolescents with patellofemoral Pain: phase II feasibility study. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 64	3.2	1
324	A multisite longitudinal evaluation of patient characteristics associated with a poor response to non-surgical multidisciplinary management of low back pain in an advanced practice physiotherapist-led tertiary service. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 807	2.8	
323	Foot exercise plus education versus wait and see for the treatment of plantar heel pain (FEET trial): a protocol for a feasibility study. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 20	3.2	1
322	Footwear and Cadence Affect Gait Variability in Runners with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1354-1360	1.2	3
321	Psychological and Pain Sensitization Characteristics Are Associated With Patellofemoral Osteoarthritis Symptoms: The Multicenter Osteoarthritis Study. <i>Journal of Rheumatology</i> , 2020 , 47, 1696-1703 ²	4.1	
320	Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1416-1422	10.3	9
319	Psychological and pain profiles in persons with patellofemoral pain as the primary symptom. <i>European Journal of Pain</i> , 2020 , 24, 1182-1196	3.7	12
318	Is chronic ankle instability associated with impaired muscle strength? Ankle, knee and hip muscle strength in individuals with chronic ankle instability: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 839-847	10.3	22
317	Adding mobilisation with movement to exercise and advice hastens the improvement in range, pain and function after non-operative cast immobilisation for distal radius fracture: a multicentre, randomised trial. <i>Journal of Physiotherapy</i> , 2020 , 66, 105-112	2.9	5
316	Individuals with Persistent Greater Trochanteric Pain Syndrome Exhibit Impaired Pain Modulation, as well as Poorer Physical and Psychological Health, Compared with Pain-Free Individuals: A Cross-Sectional Study. <i>Pain Medicine</i> , 2020 , 21, 2964-2974	2.8	7
315	Group education, night splinting and home exercises reduce conversion to surgery for carpal tunnel syndrome: a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2020 , 66, 97-104	2.9	6
314	Design, Delivery, Maintenance, and Outcomes of Peer-to-Peer Online Support Groups for People With Chronic Musculoskeletal Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15822	7.6	5
313	Effect of gait retraining on segment coordination and joint variability in individuals with patellofemoral pain. <i>Clinical Biomechanics</i> , 2020 , 80, 105179	2.2	3
312	ICON 2019-International Scientific Tendinopathy Symposium Consensus: There are nine core health-related domains for tendinopathy (CORE DOMAINS): Delphi study of healthcare professionals and patients. <i>British Journal of Sports Medicine</i> , 2020 , 54, 444-451	10.3	38
311	Tensor Fascia Latae Muscle Structure and Activation in Individuals With Lower Limb Musculoskeletal Conditions: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020 , 50, 965-985	10.6	6
310	Corticosteroid injection plus exercise versus exercise, beyond advice and a heel cup for patients with plantar fasciopathy: protocol for a randomised clinical superiority trial (the FIX-Heel trial). <i>Trials</i> , 2020 , 21, 5	2.8	1
309	Unsupervised Isometric Exercise versus Wait-and-See for Lateral Elbow Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 287-295	1.2	7

308	Response profile of fibular repositioning tape on ankle osteokinematics, arthrokinematics, perceived stability and confidence in chronic ankle instability. <i>Musculoskeletal Science and Practice</i> , 2020 , 50, 102272	2.4	1
307	Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. <i>BMJ Open</i> , 2020 , 10, e037070	3	0
306	Quality of life, function and disability in individuals with chronic ankle symptoms: a cross-sectional online survey. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 67	3.2	4
305	Disability, Physical Impairments, and Poor Quality of Life, Rather Than Radiographic Changes, Are Related to Symptoms in Individuals With Ankle Osteoarthritis: A Cross-sectional Laboratory Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 711-722	4.2	6
304	HAPPi Kneecaps! Protocol for a participant- and assessor-blinded, randomised, parallel group feasibility trial of foot orthoses for adolescents with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2020 , 13, 50	3.2	4
303	Efficacy of different load intensity and time-under-tension calf loading protocols for Achilles tendinopathy (the LOADIT trial): protocol for a randomised pilot study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 99	1.9	6
302	Pericapsular hip muscle activity in people with and without femoroacetabular impingement. A comparison in dynamic tasks. <i>Physical Therapy in Sport</i> , 2020 , 45, 135-144	3	3
301	Effect of exercise on pain processing and motor output in people with knee osteoarthritis: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1501-1513	6.2	3
300	ICON PART-T 2019-International Scientific Tendinopathy Symposium Consensus: recommended standards for reporting participant characteristics in tendinopathy research (PART-T). <i>British Journal of Sports Medicine</i> , 2020 , 54, 627-630	10.3	22
299	Effect of Strength Training on Biomechanical and Neuromuscular Variables in Distance Runners: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2020 , 50, 133-150	10.6	15
298	Local hyperalgesia, normal endogenous modulation with pain report beyond its origin: a pilot study prompting further exploration into plantar fasciopathy. <i>Scandinavian Journal of Pain</i> , 2020 , 20, 375-385	1.9	3
297	ICON 2019: International Scientific Tendinopathy Symposium Consensus: Clinical Terminology. <i>British Journal of Sports Medicine</i> , 2020 , 54, 260-262	10.3	61
296	Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 ,	10.3	6
295	Heavy-slow resistance training in addition to an ultrasound-guided corticosteroid injection for individuals with plantar fasciopathy: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 105	1.9	5
294	Self-dosed and pre-determined progressive heavy-slow resistance training have similar effects in people with plantar fasciopathy: a randomised trial. <i>Journal of Physiotherapy</i> , 2019 , 65, 144-151	2.9	20
293	MyBackPain-evaluation of an innovative consumer-focused website for low back pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027516	3	2
292	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019 , 9, e025315	3	7
291	A Definition of "Flare" in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019 , 20, 1267-1275	5.2	10

290	Neuromotor control during stair ambulation in individuals with patellofemoral osteoarthritis compared to asymptomatic controls. <i>Gait and Posture</i> , 2019 , 71, 92-97	2.6	3
289	The effect of altered stride length on iliocapsularis and pericapsular muscles of the anterior hip: An electromyography investigation during asymptomatic gait. <i>Gait and Posture</i> , 2019 , 71, 26-31	2.6	7
288	A randomised pilot equivalence trial to evaluate diamagnetically enhanced transdermal delivery of key ground substance components in comparison to an established transdermal non-steroidal anti-inflammatory formulation in males with prior knee injury. <i>PLoS ONE</i> , 2019 , 14, e0211999	3.7	3
287	Criteria-Based Return to Sport Decision-Making Following Lateral Ankle Sprain Injury: a Systematic Review and Narrative Synthesis. <i>Sports Medicine</i> , 2019 , 49, 601-619	10.6	38
286	Polarized vs. Threshold Training Intensity Distribution on Endurance Sport Performance: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Strength and Conditioning Research</i> , 2019 , 33, 3491-3500	3.2	11
285	Prevalence of Radiographic and Magnetic Resonance Imaging Features of Patellofemoral Osteoarthritis in Young and Middle-Aged Adults With Persistent Patellofemoral Pain. <i>Arthritis Care and Research</i> , 2019 , 71, 1068-1073	4.7	31
284	How Much Does the Talocrural Joint Contribute to Ankle Dorsiflexion Range of Motion During the Weight-Bearing Lunge Test? A Cross-sectional Radiographic Validity Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 934-941	4.2	8
283	Consensus for experimental design in electromyography (CEDE) project: Electrode selection matrix. <i>Journal of Electromyography and Kinesiology</i> , 2019 , 48, 128-144	2.5	43
282	Physical findings differ between individuals with greater trochanteric pain syndrome and healthy controls: A systematic review with meta-analysis. <i>Musculoskeletal Science and Practice</i> , 2019 , 43, 83-90	2.4	6
281	Exploring the Characteristics and Preferences for Online Support Groups: Mixed Method Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e15987	7.6	8
280	Targeting Treatment Distally at the Foot for Bilateral Persistent Patellofemoral Pain in a 23-Year-Old 2019 , 164-178		
279	Infographic. International Ankle Consortium Rehabilitation-Oriented Assessment. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1248-1249	10.3	2
278	Feasibility and impact of sit-stand workstations with and without exercise in office workers at risk of low back pain: A pilot comparative effectiveness trial. <i>Applied Ergonomics</i> , 2019 , 76, 82-89	4.2	6
277	Muscle size and composition in people with articular hip pathology: a systematic review with meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 181-195	6.2	16
276	The psychological features of patellofemoral pain: a cross-sectional study. <i>Scandinavian Journal of Pain</i> , 2018 , 18, 261-271	1.9	28
275	Physical Impairments in Adults With Ankle Osteoarthritis: A Systematic Review and Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 449-459	4.2	11
274	Gluteal tendinopathy and hip osteoarthritis: Different pathologies, different hip biomechanics. <i>Gait and Posture</i> , 2018 , 61, 459-465	2.6	8
273	Psychological factors not strength deficits are associated with severity of gluteal tendinopathy: A cross-sectional study. <i>European Journal of Pain</i> , 2018 , 22, 1124-1133	3.7	20

272	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. <i>BMJ, The</i> , 2018 , 361, k1662	5.9	48
271	Exercise Professionals with Advanced Clinical Training Should be Afforded Greater Responsibility in Pre-Participation Exercise Screening: A New Collaborative Model between Exercise Professionals and Physicians. <i>Sports Medicine</i> , 2018 , 48, 1293-1302	10.6	10
270	Patellar and Achilles tendinopathies are predominantly peripheral pain states: a blinded case control study of somatosensory and psychological profiles. <i>British Journal of Sports Medicine</i> , 2018 , 52, 284-291	10.3	35
269	Hip abductor muscle activity during walking in individuals with gluteal tendinopathy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 686-695	4.6	19
268	The influence of cadence and shoes on patellofemoral joint kinetics in runners with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 574-578	4.4	22
267	Achilles and patellar tendinopathy display opposite changes in elastic properties: A shear wave elastography study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1201-1208	4.6	60
266	Gait retraining versus foot orthoses for patellofemoral pain: a pilot randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 457-461	4.4	20
265	Feedback Leads to Better Exercise Quality in Adolescents with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 28-35	1.2	12
264	Stretching the evidence behind tennis elbow: mobile app user guide. <i>British Journal of Sports Medicine</i> , 2018 , 52, e5	10.3	1
263	The Effectiveness of Platelet-Rich Plasma Injections in Gluteal Tendinopathy: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2018 , 46, NP32-NP33	6.8	
262	Do insertional and mid-portion Achilles tendinopathy display different material properties?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2247-2248	4.6	
261	Age-related differences in foot mobility in individuals with patellofemoral pain. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 5	3.2	3
260	Clinical assessment of acute lateral ankle sprain injuries (ROAST): 2019 consensus statement and recommendations of the International Ankle Consortium. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1304-1310	10.3	70
259	2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and manual therapy) to treat patellofemoral pain: recommendations from the 5th International Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1170-1176	10.3	129
258	Capturing patient-reported area of knee pain: a concurrent validity study using digital technology in patients with patellofemoral pain. <i>PeerJ</i> , 2018 , 6, e4406	3.1	8
257	Hardness and posting of foot orthoses modify plantar contact area, plantar pressure, and perceived comfort when cycling. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 691-696	4.4	2
256	Response to considerations on "Achilles tendinopathy and patellar tendinopathy display opposite changes in elastic properties". <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1471-1472	4.6	
255	The relationship between immediate comfort and plantar foot sensitivity during running in cushioned versus minimal shoes. <i>Footwear Science</i> , 2018 , 10, 21-27	1.4	5

254	Which treatment is most effective for patients with patellofemoral pain? A protocol for a living systematic review including network meta-analysis. <i>BMJ Open</i> , 2018 , 8, e022920	3	4
253	Distinct patterns of variation in the distribution of knee pain. <i>Scientific Reports</i> , 2018 , 8, 16522	4.9	16
252	Foot and ankle characteristics and dynamic knee valgus in individuals with patellofemoral osteoarthritis. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 65	3.2	9
251	Education plus exercise versus corticosteroid injection use versus a wait and see approach on global outcome and pain from gluteal tendinopathy: prospective, single blinded, randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1464-1472	10.3	18
250	Self-reported social and activity restrictions accompany local impairments in posterior tibial tendon dysfunction: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 49	3.2	5
249	Exercise for posterior tibial tendon dysfunction: a systematic review of randomised clinical trials and clinical guidelines. <i>BMJ Open Sport and Exercise Medicine</i> , 2018 , 4, e000430	3.4	13
248	The effect of isometric exercise on pain in individuals with plantar fasciopathy: A randomized crossover trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2643-2650	4.6	27
247	A comparison of fine wire insertion techniques for deep finger flexor muscle electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2018 , 41, 77-81	2.5	2
246	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. <i>Pain</i> , 2018 , 159, 1833-1842	8	25
245	Physiotherapy students' perceptions and experiences of clinical prediction rules. <i>Physiotherapy</i> , 2017 , 103, 296-303	3	6
244	Efficacy of combined conservative therapies on clinical outcomes in patients with thumb base osteoarthritis: protocol for a randomised, controlled trial (COMBO). <i>BMJ Open</i> , 2017 , 7, e014498	3	13
243	The Foot Orthoses versus Hip eXercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 5	3.2	11
242	Is immediate comfort while running in cushioned versus minimal footwear related to plantar foot sensitivity?. <i>Footwear Science</i> , 2017 , 9, S83-S84	1.4	
241	Chronic Lateral Epicondylalgia Does Not Exhibit Mechanical Pain Modulation in Response to Noxious Conditioning Heat Stimulus. <i>Clinical Journal of Pain</i> , 2017 , 33, 932-938	3.5	4
240	Kinematic Measures Of The Knee While Cycling. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 377	1.2	2
239	Iliocapsularis: Technical application of fine-wire electromyography, and direction specific action during maximum voluntary isometric contractions. <i>Gait and Posture</i> , 2017 , 54, 300-303	2.6	11
238	The psychological features of patellofemoral pain: a systematic review. <i>British Journal of Sports Medicine</i> , 2017 , 51, 732-742	10.3	91
237	Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1650-1660	10.3	29

236	Utility of clinical tests to diagnose MRI-confirmed gluteal tendinopathy in patients presenting with lateral hip pain. <i>British Journal of Sports Medicine</i> , 2017 , 51, 519-524	10.3	42
235	Cortisone injections for tennis elbow should be an "avoid", rather than a recommended procedure. <i>Medical Journal of Australia</i> , 2017 , 207, 453	4	3
234	No abatement of steroid injections for tennis elbow in Australian General Practice: A 15-year observational study with random general practitioner sampling. <i>PLoS ONE</i> , 2017 , 12, e0181631	3.7	3
233	Reported selection criteria for adult acquired flatfoot deformity and posterior tibial tendon dysfunction: Are they one and the same? A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0187201	3.7	13
232	Facilitatory and inhibitory pain mechanisms are altered in patients with carpal tunnel syndrome. <i>PLoS ONE</i> , 2017 , 12, e0183252	3.7	13
231	A single-blinded, randomized, parallel group superiority trial investigating the effects of footwear and custom foot orthoses versus footwear alone in individuals with patellofemoral joint osteoarthritis: a phase II pilot trial protocol. <i>Journal of Foot and Ankle Research</i> , 2017 , 10, 19	3.2	9
230	Comparison of corticosteroid, autologous blood or sclerosant injections for chronic tennis elbow. <i>Journal of Science and Medicine in Sport</i> , 2017 , 20, 528-533	4.4	11
229	Adults with patellofemoral pain do not exhibit manifestations of peripheral and central sensitization when compared to healthy pain-free age and sex matched controls - An assessor blinded cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0188930	3.7	17
228	Factors that predict a poor outcome 5-8 years after the diagnosis of patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2016 , 50, 881-6	10.3	129
227	Predictors and effects of patellofemoral pain following hamstring-tendon ACL reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 518-23	4.4	26
226	Pain During Prolonged Sitting Is a Common Problem in Persons With Patellofemoral Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 658-63	4.2	12
225	Hip Abductor Muscle Weakness in Individuals with Gluteal Tendinopathy. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 346-52	1.2	32
224	Non-surgical treatment of hallux valgus: a current practice survey of Australian podiatrists. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 16	3.2	14
223	Single leg stance control in individuals with symptomatic gluteal tendinopathy. <i>Gait and Posture</i> , 2016 , 49, 108-113	2.6	28
222	Economic evaluation favours physiotherapy but not corticosteroid injection as a first-line intervention for chronic lateral epicondylalgia: evidence from a randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1400-1405	10.3	19
221	Kinematics and kinetics during walking in individuals with gluteal tendinopathy. <i>Clinical Biomechanics</i> , 2016 , 32, 56-63	2.2	32
220	A novel tool for measuring ankle dorsiflexion: A study of its reliability in patients following ankle fractures. <i>Foot and Ankle Surgery</i> , 2016 , 22, 274-277	3.1	9
219	The relationship of foot and ankle mobility to the frontal plane projection angle in asymptomatic adults. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 3	3.2	36

218	The initial effects of a sustained glenohumeral postero-lateral glide during elevation on shoulder muscle activity: A repeated measures study on asymptomatic shoulders. <i>Manual Therapy</i> , 2016 , 22, 101-8		15
217	INTERVENTION AT THE FOOT-SHOE-PEDAL INTERFACE IN COMPETITIVE CYCLISTS. <i>International Journal of Sports Physical Therapy</i> , 2016 , 11, 637-50	1.4	4
216	Isometric Exercise Above but not Below an Individual's Pain Threshold Influences Pain Perception in People With Lateral Epicondylalgia. <i>Clinical Journal of Pain</i> , 2016 , 32, 1069-1075	3.5	17
215	Mirror therapy, graded motor imagery and virtual illusion for the management of chronic pain. <i>The Cochrane Library</i> , 2016 ,	5.2	1
214	Early Patellofemoral Osteoarthritis Features One Year After Anterior Cruciate Ligament Reconstruction: Symptoms and Quality of Life at Three Years. <i>Arthritis Care and Research</i> , 2016 , 68, 784-92	4.7	34
213	Forearm muscle activity is modified bilaterally in unilateral lateral epicondylalgia: A case-control study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 1382-1390	4.6	9
212	2016 consensus statement of the International Ankle Consortium: prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1493-1495	10.3	112
211	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>British Journal of Sports Medicine</i> , 2016 , 50, 888-93	10.3	269
210	Evidence review for the 2016 International Ankle Consortium consensus statement on the prevalence, impact and long-term consequences of lateral ankle sprains. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1496-1505	10.3	231
209	Education, night splinting and exercise versus usual care on recovery and conversion to surgery for people awaiting carpal tunnel surgery: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012053	3	7
208	Efficacy of live feedback to improve objectively monitored compliance to prescribed, home-based, exercise therapy-dosage in 15 to 19-year old adolescents with patellofemoral pain- a study protocol of a randomized controlled superiority trial (The XRCISE-AS-INSTRUCted-1 trial). <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 242	2.8	7
207	Exercise and load modification versus corticosteroid injection versus 'wait and see' for persistent gluteus medius/minimus tendinopathy (the LEAP trial): a protocol for a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 196	2.8	26
206	Is There a Biomechanical Link Between Patellofemoral Pain and Osteoarthritis? A Narrative Review. <i>Sports Medicine</i> , 2016 , 46, 1797-1808	10.6	65
205	Forearm Muscle Activity in Lateral Epicondylalgia: A Systematic Review with Quantitative Analysis. <i>Sports Medicine</i> , 2016 , 46, 1833-1845	10.6	17
204	Is synergistic organisation of muscle coordination altered in people with lateral epicondylalgia? A case-control study. <i>Clinical Biomechanics</i> , 2016 , 35, 124-31	2.2	17
203	Kinematics and kinetics during stair ascent in individuals with Gluteal Tendinopathy. <i>Clinical Biomechanics</i> , 2016 , 40, 37-44	2.2	11
202	Early knee osteoarthritis is evident one year following anterior cruciate ligament reconstruction: a magnetic resonance imaging evaluation. <i>Arthritis and Rheumatology</i> , 2015 , 67, 946-55	9.5	109
201	Patellofemoral Pain in Adolescence and Adulthood: Same Same, but Different?. <i>Sports Medicine</i> , 2015 , 45, 1489-95	10.6	40

200	Exercise, education, manual-therapy and taping compared to education for patellofemoral osteoarthritis: a blinded, randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1457-64	6.2	45
199	Gluteal Tendinopathy: A Review of Mechanisms, Assessment and Management. <i>Sports Medicine</i> , 2015 , 45, 1107-19	10.6	75
198	Cold hyperalgesia associated with poorer prognosis in lateral epicondylalgia: a 1-year prognostic study of physical and psychological factors. <i>Clinical Journal of Pain</i> , 2015 , 31, 30-5	3.5	48
197	Novel adaptations in motor cortical maps: the relation to persistent elbow pain. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 681-90	1.2	57
196	Evidence of Nervous System Sensitization in Commonly Presenting and Persistent Painful Tendinopathies: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 864-75	4.2	78
195	Physiotherapy management of lateral epicondylalgia. <i>Journal of Physiotherapy</i> , 2015 , 61, 174-81	2.9	56
194	Management of Lateral Elbow Tendinopathy: One Size Does Not Fit All. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 938-49	4.2	64
193	Rearfoot Entities 2015 , 110-144		
192	Prevalence and factors associated with radiographic PFJ OA in young to middle-aged adults with chronic patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2015 , 19, e85	4.4	2
191	Movement Evoked Pain and Mechanical Hyperalgesia after Intramuscular Injection of Nerve Growth Factor: A Model of Sustained Elbow Pain. <i>Pain Medicine</i> , 2015 , 16, 2180-91	2.8	26
190	Reply: To PMID 25692959. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2551-2	9.5	
189	A study of the immediate effects of glycerine-filled insoles, contoured prefabricated orthoses and flat insoles on single-leg balance, gait patterns and perceived comfort in healthy adults. <i>Journal of Foot and Ankle Research</i> , 2015 , 8, 47	3.2	5
188	Reply: To PMID 25790454. <i>Pain</i> , 2015 , 156, 1827-1828	8	
187	An Investigation of the Asymptomatic Limb in Unilateral Lateral Epicondylalgia. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2268-72	1.2	1
186	Physiotherapists' Beliefs About Whiplash-associated Disorder: A Comparison Between Singapore and Queensland, Australia. <i>Physiotherapy Research International</i> , 2015 , 20, 77-86	1.8	9
185	Orthosis-Shaped Sandals Are as Efficacious as In-Shoe Orthoses and Better than Flat Sandals for Plantar Heel Pain: A Randomized Control Trial. <i>PLoS ONE</i> , 2015 , 10, e0142789	3.7	6
184	Dry-needling and exercise for chronic whiplash-associated disorders: a randomized single-blind placebo-controlled trial. <i>Pain</i> , 2015 , 156, 635-643	8	26
183	Effects of Adding an Internet-Based Pain Coping Skills Training Protocol to a Standardized Education and Exercise Program for People With Persistent Hip Pain (HOPE Trial): Randomized Controlled Trial Protocol. <i>Physical Therapy</i> , 2015 , 95, 1408-22	3.3	12

182	Functional impairments characterizing mild, moderate, and severe hallux valgus. <i>Arthritis Care and Research</i> , 2015 , 67, 80-8	4.7	29
181	Estimating the Monetary Value of Relief of Tennis Elbow: A Contingent Valuation Study of Willingness-To-Pay. <i>Value in Health</i> , 2015 , 18, A654	3.3	2
180	Take your shoes off to reduce patellofemoral joint stress during running. <i>British Journal of Sports Medicine</i> , 2014 , 48, 425-8	10.3	74
179	Outcome predictors for conservative patellofemoral pain management: a systematic review and meta-analysis. <i>Sports Medicine</i> , 2014 , 44, 1703-16	10.6	27
178	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1014-8	10.3	192
177	Is patellofemoral osteoarthritis common in middle-aged people with chronic patellofemoral pain?. <i>Arthritis Care and Research</i> , 2014 , 66, 1252-7	4.7	65
176	Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014 , 48, 435-9	10.3	69
175	Correlates of foot pain severity in adults with hallux valgus: a cross-sectional study. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 32	3.2	10
174	Sensory and motor deficits exist on the non-injured side of patients with unilateral tendon pain and disability--implications for central nervous system involvement: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1400-6	10.3	71
173	Dose optimization for spinal treatment effectiveness: a randomized controlled trial investigating the effects of high and low mobilization forces in patients with neck pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 141-52	4.2	38
172	Targeted physiotherapy treatment for patellofemoral osteoarthritis: a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, S431	6.2	4
171	A radiographic and anthropometric study of the effect of a contoured sandal and foot orthosis on supporting the medial longitudinal arch. <i>Journal of Foot and Ankle Research</i> , 2014 , 7, 38	3.2	9
170	Are knee biomechanics different in those with and without patellofemoral osteoarthritis after anterior cruciate ligament reconstruction?. <i>Arthritis Care and Research</i> , 2014 , 66, 1566-70	4.7	27
169	Diagnostic ultrasound imaging for lateral epicondylalgia: a case-control study. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2070-6	1.2	18
168	Less efficacious conditioned pain modulation and sensory hypersensitivity in chronic whiplash-associated disorders in Singapore. <i>Clinical Journal of Pain</i> , 2014 , 30, 436-42	3.5	21
167	66 Gluteal Tendinopathy [Clinical Diagnosis Vs. Mri Diagnosis?]. <i>British Journal of Sports Medicine</i> , 2014 , 48, A43.1-A43	10.3	1
166	Deloading tape reduces muscle stress at rest and during contraction. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2317-25	1.2	16
165	Bilateral cervical dysfunction in patients with unilateral lateral epicondylalgia without concomitant cervical or upper limb symptoms: a cross-sectional case-control study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 79-86	1.3	5

164	Does movement variability increase or decrease when a simple wrist task is performed during acute wrist extensor muscle pain?. <i>European Journal of Applied Physiology</i> , 2014 , 114, 385-93	3.4	9
163	Gait parameters associated with hallux valgus: a systematic review. <i>Journal of Foot and Ankle Research</i> , 2013 , 6, 9	3.2	55
162	One-week time course of the effects of Mulligan's Mobilisation with Movement and taping in painful shoulders. <i>Manual Therapy</i> , 2013 , 18, 372-7		24
161	Contoured in-shoe foot orthoses increase mid-foot plantar contact area when compared with a flat insert during cycling. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 60-4	4.4	15
160	Functional differences between anatomical regions of the anconeus muscle in humans. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1391-7	2.5	11
159	Running in a minimalist and lightweight shoe is not the same as running barefoot: a biomechanical study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 387-92	10.3	185
158	Measures of central hyperexcitability in chronic whiplash associated disorder--a systematic review and meta-analysis. <i>Manual Therapy</i> , 2013 , 18, 111-7		52
157	Rating of perceived exertion during cycling is associated with subsequent running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2013 , 16, 49-53	4.4	7
156	Baseline characteristics of patients with nerve-related neck and arm pain predict the likely response to neural tissue management. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 379-91	4.2	14
155	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 585-91	4.2	258
154	Effect of corticosteroid injection, physiotherapy, or both on clinical outcomes in patients with unilateral lateral epicondylalgia: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 461-9	27.4	208
153	Sports and exercise-related tendinopathies: a review of selected topical issues by participants of the second International Scientific Tendinopathy Symposium (ISTS) Vancouver 2012. <i>British Journal of Sports Medicine</i> , 2013 , 47, 536-44	10.3	123
152	Laypersons' expectations of recovery and beliefs about whiplash injury: a cross-cultural comparison between Australians and Singaporeans. <i>European Journal of Pain</i> , 2013 , 17, 1234-42	3.7	6
151	Mirror therapy, graded motor imagery and virtual illusion for the management of chronic pain 2013 , ,		3
150	Prognostic factors for patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2013 , 47, 227-33	10.3	129
149	The Elbow and Forearm Complex 2013 , 113-128		
148	Neural tissue management provides immediate clinically relevant benefits without harmful effects for patients with nerve-related neck and arm pain: a randomised trial. <i>Journal of Physiotherapy</i> , 2012 , 58, 23-31	2.9	70
147	Prevalence of radiographic patellofemoral and tibiofemoral osteoarthritis in individuals with chronic anterior knee pain: data from a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, S266-S267	6.2	2

146	Long-term effects of sport: preventing and managing OA in the athlete. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 747-52	8.1	28
145	The validity of upper-limb neurodynamic tests for detecting peripheral neuropathic pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 413-24	4.2	73
144	Elbow flexor and extensor muscle weakness in lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2012 , 46, 449-53	10.3	19
143	Training mode-dependent changes in motor performance in neck pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1225-33	2.8	28
142	Evidence of spinal cord hyperexcitability as measured with nociceptive flexion reflex (NFR) threshold in chronic lateral epicondylalgia with or without a positive neurodynamic test. <i>Journal of Pain</i> , 2012 , 13, 676-84	5.2	29
141	Comfort and midfoot mobility rather than orthosis hardness or contouring influence their immediate effects on lower limb function in patients with anterior knee pain. <i>Clinical Biomechanics</i> , 2012 , 27, 202-8	2.2	22
140	Foot pain and functional limitation in healthy adults with hallux valgus: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 197	2.8	50
139	Characteristics of foot structure and footwear associated with hallux valgus: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 1059-74	6.2	73
138	Efficacy of nonsurgical interventions for anterior knee pain: systematic review and meta-analysis of randomized trials. <i>Sports Medicine</i> , 2012 , 42, 31-49	10.6	74
137	Invited Commentary: The role of physiotherapists in implementing in-shoe foot orthoses in managing overuse musculoskeletal injuries: using patellofemoral pain as an example. <i>Physiotherapy Practice and Research</i> , 2012 , 33, 6-8	0.8	
136	A randomised control trial of short term efficacy of in-shoe foot orthoses compared with a wait and see policy for anterior knee pain and the role of foot mobility. <i>British Journal of Sports Medicine</i> , 2012 , 46, 247-52	10.3	52
135	Validity and reliability of hallux valgus angle measured on digital photographs. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 642-8	4.2	29
134	Thermal hyperalgesia distinguishes those with severe pain and disability in unilateral lateral epicondylalgia. <i>Clinical Journal of Pain</i> , 2012 , 28, 595-601	3.5	82
133	Elbow tendinopathy: lateral epicondylalgia 2011 , 312-318		0
132	A novel protocol to develop a prediction model that identifies patients with nerve-related neck and arm pain who benefit from the early introduction of neural tissue management. <i>Contemporary Clinical Trials</i> , 2011 , 32, 760-70	2.3	13
131	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. <i>Physical Therapy in Sport</i> , 2011 , 12, 15-21 ³		15
130	Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: a systematic review. <i>Pain</i> , 2011 , 152, 1811-1820	8	55
129	Neuromuscular control and running economy is preserved in elite international triathletes after cycling. <i>Sports Biomechanics</i> , 2011 , 10, 59-71	2.2	15

128	Effect of foot orthoses contour on pain perception in individuals with patellofemoral pain. <i>Journal of the American Podiatric Medical Association</i> , 2011 , 101, 7-16	1	15
127	Variations in foot posture and mobility between individuals with patellofemoral pain and those in a control group. <i>Journal of the American Podiatric Medical Association</i> , 2011 , 101, 289-96	1	18
126	Influence of contouring and hardness of foot orthoses on ratings of perceived comfort. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1507-12	1.2	31
125	Tennis elbow. <i>Clinical Evidence</i> , 2011 , 2011,		17
124	Initial Neuromotor and Postural Effects After Continual Use of Augmented Low-Dye Taping. <i>Athletic Training & Sports Health Care</i> , 2011 , 3, 21-28	0.6	1
123	Systematic review: Compared with usual care, supervised exercise in primary care for people with patellofemoral syndrome does not significantly increase self-reported recovery but improves pain and function in the short term and pain in the long term. <i>Evidence-Based Medicine</i> , 2010 , 15, 56-7		
122	A clinical prediction rule for identifying patients with patellofemoral pain who are likely to benefit from foot orthoses: a preliminary determination. <i>British Journal of Sports Medicine</i> , 2010 , 44, 862-6	10.3	74
121	Foot orthoses and gait: a systematic review and meta-analysis of literature pertaining to potential mechanisms. <i>British Journal of Sports Medicine</i> , 2010 , 44, 1035-46	10.3	122
120	A single botulinum toxin injection at a precise anatomic point on the forearm reduces pain at rest, compared to placebo injection in patients with chronic refractory lateral epicondylitis. <i>Evidence-Based Medicine</i> , 2010 , 15, 149-50		5
119	Altered movement patterns but not muscle recruitment in moderately trained triathletes during running after cycling. <i>Journal of Sports Sciences</i> , 2010 , 28, 1477-87	3.6	11
118	Neuromuscular control and exercise-related leg pain in triathletes. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 233-43	1.2	6
117	Altered neuromuscular control in individuals with exercise-related leg pain. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 546-55	1.2	15
116	Prevalence of hallux valgus in the general population: a systematic review and meta-analysis. <i>Journal of Foot and Ankle Research</i> , 2010 , 3, 21	3.2	365
115	Augmented low-Dye tape alters foot mobility and neuromotor control of gait in individuals with and without exercise related leg pain. <i>Journal of Foot and Ankle Research</i> , 2010 , 3, 5	3.2	19
114	Intramuscular fine-wire electromyography during cycling: repeatability, normalisation and a comparison to surface electromyography. <i>Journal of Electromyography and Kinesiology</i> , 2010 , 20, 108-17 ^{2.5}		48
113	Continual use of augmented low-Dye taping increases arch height in standing but does not influence neuromotor control of gait. <i>Gait and Posture</i> , 2010 , 31, 247-50	2.6	18
112	Efficacy and safety of corticosteroid injections and other injections for management of tendinopathy: a systematic review of randomised controlled trials. <i>Lancet, The</i> , 2010 , 376, 1751-67	40	560
111	Identifying clinically meaningful tools for measuring comfort perception of footwear. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1966-71	1.2	80

110	A comparison of craniocervical and cervicothoracic muscle strength in healthy individuals. <i>Journal of Applied Biomechanics</i> , 2010 , 26, 400-6	1.2	22
109	Conservative Management of Patellofemoral Pain: New Evidence From a Systematic Review and Meta-analysis. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 96	1.2	
108	Clinically relevant and stable tools to measure footwear comfort. <i>Journal of Science and Medicine in Sport</i> , 2010 , 12, e107-e108	4.4	2
107	Change in running kinematics after cycling are related to alterations in running economy in triathletes. <i>Journal of Science and Medicine in Sport</i> , 2010 , 13, 460-4	4.4	23
106	Cervical lateral glide increases nociceptive flexion reflex threshold but not pressure or thermal pain thresholds in chronic whiplash associated disorders: A pilot randomised controlled trial. <i>Manual Therapy</i> , 2010 , 15, 149-53		62
105	Predictors of short and long term outcome in patellofemoral pain syndrome: a prospective longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 11	2.8	55
104	Do differences in muscle recruitment between novice and elite cyclists reflect different movement patterns or less skilled muscle recruitment?. <i>Journal of Science and Medicine in Sport</i> , 2009 , 12, 31-4	4.4	36
103	Development of a clinical prediction rule to identify initial responders to mobilisation with movement and exercise for lateral epicondylalgia. <i>Manual Therapy</i> , 2009 , 14, 550-4		16
102	The effect of therapeutic exercise on activation of the deep cervical flexor muscles in people with chronic neck pain. <i>Manual Therapy</i> , 2009 , 14, 696-701		196
101	Dry needling and exercise for chronic whiplash - a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 160	2.8	15
100	Optimising corticosteroid injection for lateral epicondylalgia with the addition of physiotherapy: a protocol for a randomised control trial with placebo comparison. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 76	2.8	27
99	A new integrative model of lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2009 , 43, 252-8	10.3	102
98	Activity of deep abdominal muscles increases during submaximal flexion and extension efforts but antagonist co-contraction remains unchanged. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, 754-62	2.5	44
97	Sensorimotor deficits remain despite resolution of symptoms using conservative treatment in patients with tennis elbow: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1-8	2.8	30
96	Can foot anthropometric measurements predict dynamic plantar surface contact area?. <i>Journal of Foot and Ankle Research</i> , 2009 , 2, 28	3.2	9
95	Reliability and normative values for the foot mobility magnitude: a composite measure of vertical and medial-lateral mobility of the midfoot. <i>Journal of Foot and Ankle Research</i> , 2009 , 2, 6	3.2	89
94	Neuromuscular adaptations to training, injury and passive interventions: implications for running economy. <i>Sports Medicine</i> , 2009 , 39, 903-21	10.6	50
93	A protocol for measuring the direct effect of cycling on neuromuscular control of running in triathletes. <i>Journal of Sports Sciences</i> , 2009 , 27, 767-82	3.6	16

92	Exploration of the extent of somato-sensory impairment in patients with unilateral lateral epicondylalgia. <i>Journal of Pain</i> , 2009 , 10, 1179-85	5.2	48
91	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2008 , 337, a1735	10.3	117
90	Targeted physiotherapy for patellofemoral joint osteoarthritis: a protocol for a randomised, single-blind controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 122	2.8	33
89	Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 27	2.8	29
88	Effect of using truncated versus total foot length to calculate the arch height ratio. <i>Foot</i> , 2008 , 18, 220-71.3		62
87	Does cycling effect motor coordination of the leg during running in elite triathletes?. <i>Journal of Science and Medicine in Sport</i> , 2008 , 11, 371-80	4.4	34
86	The influence of body position on leg kinematics and muscle recruitment during cycling. <i>Journal of Science and Medicine in Sport</i> , 2008 , 11, 519-26	4.4	37
85	The initial effects of a Mulligan's mobilization with movement technique on range of movement and pressure pain threshold in pain-limited shoulders. <i>Manual Therapy</i> , 2008 , 13, 37-42		80
84	Arch height change during sit-to-stand: an alternative for the navicular drop test. <i>Journal of Foot and Ankle Research</i> , 2008 , 1, 3	3.2	42
83	A physiological and psychological basis for anti-pronation taping from a critical review of the literature. <i>Sports Medicine</i> , 2008 , 38, 617-31	10.6	39
82	Patterns of leg muscle recruitment vary between novice and highly trained cyclists. <i>Journal of Electromyography and Kinesiology</i> , 2008 , 18, 359-71	2.5	89
81	Rationale and design of the PRSM study: pulmonary rehabilitation or self management for chronic obstructive pulmonary disease (COPD), what is the best approach?. <i>Contemporary Clinical Trials</i> , 2008 , 29, 796-800	2.3	11
80	Tape that increases medial longitudinal arch height also reduces leg muscle activity: a preliminary study. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 593-600	1.2	34
79	Is running less skilled in triathletes than runners matched for running training history?. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 557-65	1.2	15
78	Diagnostic accuracy of power Doppler ultrasound in patients with chronic tennis elbow. <i>British Journal of Sports Medicine</i> , 2008 , 42, 872-6	10.3	67
77	Reliability of the modified Foot Posture Index. <i>Journal of the American Podiatric Medical Association</i> , 2008 , 98, 7-13	1	106
76	Foot orthoses in Patellofemoral Pain Syndrome: A Randomized Clinical Trial. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S61	1.2	4
75	Cycling Impairs Neuromuscular Coordination During Running In Triathletes, Which Reduces Performance And Is Likely Injury-related. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S87	1.2	1

74	Foot orthoses in lower limb overuse conditions: a systematic review and meta-analysis. <i>Foot and Ankle International</i> , 2007 , 28, 396-412	3.3	86
73	Effect of neck exercise on sitting posture in patients with chronic neck pain. <i>Physical Therapy</i> , 2007 , 87, 408-17	3.3	240
72	Specific therapeutic exercise of the neck induces immediate local hypoalgesia. <i>Journal of Pain</i> , 2007 , 8, 832-9	5.2	97
71	Retraining cervical joint position sense: the effect of two exercise regimes. <i>Journal of Orthopaedic Research</i> , 2007 , 25, 404-12	3.8	167
70	Cranio-cervical flexor muscle impairment at maximal, moderate, and low loads is a feature of neck pain. <i>Manual Therapy</i> , 2007 , 12, 34-9		87
69	Mulligan's mobilization-with-movement, positional faults and pain relief: current concepts from a critical review of literature. <i>Manual Therapy</i> , 2007 , 12, 98-108		95
68	Muscle specificity in tests of cervical flexor muscle performance. <i>Journal of Electromyography and Kinesiology</i> , 2007 , 17, 35-40	2.5	70
67	Leg muscle recruitment during cycling is less developed in triathletes than cyclists despite matched cycling training loads. <i>Experimental Brain Research</i> , 2007 , 181, 503-18	2.3	41
66	The ability to predict dynamic foot posture from static measurements. <i>Journal of the American Podiatric Medical Association</i> , 2007 , 97, 115-20	1	28
65	Joint manipulation in the management of lateral epicondylalgia: a clinical commentary. <i>Journal of Manual and Manipulative Therapy</i> , 2007 , 15, 50-6	1.6	33
64	Specificity in retraining craniocervical flexor muscle performance. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2007 , 37, 3-9	4.2	55
63	Physiotherapy for tennis elbow. <i>Evidence-Based Medicine</i> , 2007 , 12, 37-8		5
62	Conservative treatments for tennis elbow do subgroups of patients respond differently?. <i>Rheumatology</i> , 2007 , 46, 1601-5	3.9	46
61	Plantar foot pressures after the augmented low dye taping technique. <i>Journal of Athletic Training</i> , 2007 , 42, 374-80	4	17
60	Leg muscle recruitment in highly trained cyclists. <i>Journal of Sports Sciences</i> , 2006 , 24, 115-24	3.6	46
59	Anti-pronation tape changes foot posture but not plantar ground contact during gait. <i>Foot</i> , 2006 , 16, 91-97	1.3	4
58	An endurance-strength training regime is effective in reducing myoelectric manifestations of cervical flexor muscle fatigue in females with chronic neck pain. <i>Clinical Neurophysiology</i> , 2006 , 117, 828-37	4.3	114
57	Initial changes in posterior talar glide and dorsiflexion of the ankle after mobilization with movement in individuals with recurrent ankle sprain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006 , 36, 464-71	4.2	197

56	Mobilisation with movement and exercise, corticosteroid injection, or wait and see for tennis elbow: randomised trial. <i>BMJ, The</i> , 2006 , 333, 939	5.9	314
55	Bilateral sensorimotor abnormalities in unilateral lateral epicondylalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 490-5	2.8	67
54	A systematic review and meta-analysis of clinical trials on physical interventions for lateral epicondylalgia. <i>British Journal of Sports Medicine</i> , 2005 , 39, 411-22; discussion 411-22	10.3	258
53	Physical and psychological factors predict outcome following whiplash injury. <i>Pain</i> , 2005 , 114, 141-8	8	279
52	Do dorsal head contact forces have the potential to identify impairment during graded craniocervical flexor muscle contractions?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1763-6	2.8	7
51	A New Method of Isometric Dynamometry for the Craniocervical Flexor Muscles. <i>Physical Therapy</i> , 2005 , 85, 556-564	3.3	38
50	Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running. <i>British Journal of Sports Medicine</i> , 2005 , 39, 939-43; discussion 943	10.3	36
49	Differential diagnosis of a soft tissue mass in the calf. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2005 , 35, 88-94	4.2	6
48	A new method of isometric dynamometry for the craniocervical flexor muscles. <i>Physical Therapy</i> , 2005 , 85, 556-64	3.3	8
47	Foot orthotics in the treatment of lower limb conditions: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2004 , 9, 185-96		43
46	The initial effects of a Mulligan's mobilization with movement technique on dorsiflexion and pain in subacute ankle sprains. <i>Manual Therapy</i> , 2004 , 9, 77-82		171
45	Use of anti-pronation taping to assess suitability of orthotic prescription: case report. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 111-3		27
44	Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplification" <i>Pain</i> , 2004 , 107, 277-278	8	2
43	Response to Drs Greve and Bianchini. <i>Pain</i> , 2004 , 110, 501-502	8	1
42	Naloxone fails to antagonize initial hypoalgesic effect of a manual therapy treatment for lateral epicondylalgia. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004 , 27, 180-5	1.3	62
41	Characterization of acute whiplash-associated disorders. <i>Spine</i> , 2004 , 29, 182-8	3.3	129
40	Do Muscle Recruitment Patterns Differ Between Trained and Novice Cyclists?. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, S169	1.2	
39	Hypoalgesic and Sympathoexcitatory Effects of Mobilization With Movement for Lateral Epicondylalgia. <i>Physical Therapy</i> , 2003 , 83, 374-383	3.3	176

38	Lateral epicondylalgia: a musculoskeletal physiotherapy perspective. <i>Manual Therapy</i> , 2003 , 8, 66-79		80
37	Treatment of osteitis pubis via the pelvic muscles. <i>Manual Therapy</i> , 2003 , 8, 257-60		25
36	Letter to the editor Manual Therapy - Volume 8, Issue 4. <i>Manual Therapy</i> , 2003 , 8, 264-265		
35	Hypoalgesia induced by elbow manipulation in lateral epicondylalgia does not exhibit tolerance. <i>Journal of Pain</i> , 2003 , 4, 448-54	5.2	52
34	The development of psychological changes following whiplash injury. <i>Pain</i> , 2003 , 106, 481-489	8	167
33	Development of motor system dysfunction following whiplash injury. <i>Pain</i> , 2003 , 103, 65-73	8	241
32	Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. <i>Pain</i> , 2003 , 104, 509-517	8	365
31	Comment on Sterling, M., et al., Motor system dysfunction following whiplash injury, <i>Pain</i> 103 (2003) 65-73. <i>Pain</i> , 2003 , 105, 507	8	
30	Response to comment by Kwan and Friel. <i>Pain</i> , 2003 , 105, 508	8	
29	Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2003 , 33, 400-7	4.2	51
28	Hypoalgesic and sympathoexcitatory effects of mobilization with movement for lateral epicondylalgia. <i>Physical Therapy</i> , 2003 , 83, 374-83	3.3	36
27	Mulligan's mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. <i>Manual Therapy</i> , 2002 , 7, 44-9		35
26	The effect of soft tissue deloading tape on thoracic spine pressure pain thresholds in asymptomatic subjects. <i>Manual Therapy</i> , 2002 , 7, 150-3		8
25	A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. <i>Clinical Biomechanics</i> , 2002 , 17, 304-8	2.2	40
24	Characterisation of chronic lateral epicondylalgia using the McGill pain questionnaire, visual analog scales, and quantitative sensory tests. <i>The Pain Clinic</i> , 2001 , 13, 251-259		19
23	Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. <i>Manual Therapy</i> , 2001 , 6, 205-12		195
22	Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2000 , 30, 333-9	4.2	44
21	The Influence of Regional Sympathetic Blockade with Guanethidine on Hyperalgesia in Patients with Lateral Epicondylalgia. <i>Journal of Musculoskeletal Pain</i> , 1999 , 7, 55-71		10

20	Antipronation taping and temporary orthoses. Effects on tibial rotation position after exercise. <i>Journal of the American Podiatric Medical Association</i> , 1999 , 89, 118-23	1	18
19	An investigation of stress and pain perception during manual therapy in asymptomatic subjects. <i>European Journal of Pain</i> , 1999 , 3, 13-18	3.7	21
18	The displacement, velocity and frequency profile of the frontal plane motion produced by the cervical lateral glide treatment technique. <i>Clinical Biomechanics</i> , 1999 , 14, 515-21	2.2	37
17	Cardiovascular and respiratory changes produced by lateral glide mobilization of the cervical spine. <i>Manual Therapy</i> , 1998 , 3, 67-71		52
16	A study of the effects of mulligan's mobilization with movement treatment of lateral ankle pain using a case study design. <i>Manual Therapy</i> , 1998 , 3, 78-84		58
15	An investigation of the interrelationship between manipulative therapy-induced hypoalgesia and sympathoexcitation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1998 , 21, 448-53	1.3	178
14	Lateral epicondylalgia II: therapeutic management. <i>Physical Therapy Reviews</i> , 1997 , 2, 39-48	0.7	17
13	An investigation of the anti-pronation effect of two taping methods after application and exercise. <i>Gait and Posture</i> , 1997 , 5, 1-5	2.6	37
12	The influence of an anteroposterior accessory glide of the glenohumeral joint on measures of peripheral sympathetic nervous system function in the upper limb. <i>Manual Therapy</i> , 1997 , 2, 18-23		22
11	Influence of a cervical mobilization technique on respiratory and cardiovascular function. <i>Manual Therapy</i> , 1997 , 2, 216-220		63
10	The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia. <i>Pain</i> , 1996 , 68, 69-74	8	266
9	Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history. <i>Physical Therapy Reviews</i> , 1996 , 1, 23-34	0.7	53
8	Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. <i>Manual Therapy</i> , 1995 , 1, 30-5		73
7	Sudomotor Changes Induced by Neural Mobilisation Techniques in Asymptomatic Subjects. <i>Journal of Manual and Manipulative Therapy</i> , 1994 , 2, 66-74	1.6	46
6	Bympathetic Slump—The Effects of a Novel Manual Therapy Technique on Peripheral Sympathetic Nervous System Function. <i>Journal of Manual and Manipulative Therapy</i> , 1994 , 2, 156-162	1.6	40
5	Hyperalgesia in Tennis Elbow Patients. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 83-97		61
4	Leuko and Nessa Ankle braces: effectiveness before and after exercise. <i>Australian Journal of Science and Medicine in Sport</i> , 1994 , 26, 62-6		8
3	The effects of a cervical mobilisation technique on sympathetic outflow to the upper limb in normal subjects. <i>Physiotherapy Theory and Practice</i> , 1993 , 9, 149-156	1.5	50

2 Lateral epicondylalgia I: epidemiology, pathophysiology, aetiology and natural history

12

1 Core outcome set development for proximal hamstring tendinopathy (COS-PHT): a study protocol.
Physical Therapy Reviews,1-7

0.7