
Shintaro Makino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7304220/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Japanese Clinical Practice Guide for Critical Obstetrical Hemorrhage (2017 revision). Journal of Obstetrics and Gynaecology Research, 2017, 43, 1517-1521.	1.3	38
2	Double vertical compression sutures: A novel conservative approach to managing postâ€partum haemorrhage due to placenta praevia and atonic bleeding. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 290-292.	1.0	27
3	Spontaneous uterine rupture at 32 weeks of gestation after previous uterine artery embolization. Journal of Obstetrics and Gynaecology Research, 2014, 40, 243-246.	1.3	25
4	National survey of fibrinogen concentrate usage for postâ€partum hemorrhage in Japan: Investigated by the Perinatology Committee, Japan Society of Obstetrics and Gynecology. Journal of Obstetrics and Gynaecology Research, 2015, 41, 1155-1160.	1.3	24
5	The effect of progesterone on genes involved in preterm labor. Journal of Reproductive Immunology, 2014, 104-105, 80-91.	1.9	22
6	Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study. Modern Rheumatology, 2020, 30, 852-861.	1.8	20
7	Whole exome sequencing of fetal structural anomalies detected by ultrasonography. Journal of Human Genetics, 2021, 66, 499-507.	2.3	18
8	Two families with TET3-related disorder showing neurodevelopmental delay with craniofacial dysmorphisms. Journal of Human Genetics, 2022, 67, 157-164.	2.3	16
9	Fetal growth restriction as the initial finding of preeclampsia is a clinical predictor of maternal and neonatal prognoses: a single-center retrospective study. BMC Pregnancy and Childbirth, 2021, 21, 678.	2.4	15
10	Vertical compression sutures for control of postpartum hemorrhage from a placenta previa in cesarean section — To evaluate the usefulness of this technique. Hypertension Research in Pregnancy, 2014, 2, 21-25.	0.2	12
11	TRANSFUSION GUIDELINES FOR PATIENTS WITH MASSIVE BLEEDING. Japanese Journal of Transfusion and Cell Therapy, 2019, 65, 21-92.	0.2	12
12	Fetal station based on the trapezoidal plane and assessment of head descent during instrumental delivery. Hypertension Research in Pregnancy, 2014, 2, 65-71.	0.2	10
13	A Brief Review of the 2009 JSSHP Guidelines for the care and treatment of Pregnancy induced Hypertension. Hypertension Research in Pregnancy, 2013, 1, 5-7.	0.2	9
14	Embrittlement of uterus after uterine artery embolization: a case of uterine perforation. Hypertension Research in Pregnancy, 2016, 4, 42-44.	0.2	9
15	Laparoscopic removal of uterine vertical compression sutures. Gynecology and Minimally Invasive Therapy, 2017, 6, 73-75.	0.9	9
16	Antepartum eclampsia with reversible cerebral vasoconstriction and posterior reversible encephalopathy syndromes. Journal of Obstetrics and Gynaecology Research, 2020, 46, 2147-2152.	1.3	9
17	Uterine balloon tamponade as a test to assess further treatment. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 556-556.	2.8	8
18	Alteration of Delta-like ligand 1 and Notch 1 receptor in various placental disorders with special reference to early onset preeclampsia. Human Pathology, 2015, 46, 1129-1137.	2.0	8

SHINTARO MAKINO

#	Article	IF	CITATIONS
19	Cesarean Section for Placenta Previa and Placenta Previa Accreta Spectrum. The Surgery Journal, 2020, 06, S110-S121.	0.7	8
20	Hemostatic technique during cesarean section. Hypertension Research in Pregnancy, 2016, 4, 6-10.	0.2	7
21	A minimally invasive hemostatic strategy in obstetrics aiming to preserve uterine function and enhance the safety of subsequent pregnancies. Hypertension Research in Pregnancy, 2019, 7, 9-15.	0.2	7
22	Assessment of extravasation on ruptured uterine artery pseudoaneurysm using contrast-enhanced ultrasonography during uterine balloon tamponade. Journal of International Medical Research, 2020, 48, 030006051989316.	1.0	7
23	Comparison of the labor curves with and without combined spinal-epidural analgesia in nulliparous women- a retrospective study. BMC Pregnancy and Childbirth, 2020, 20, 467.	2.4	7
24	Effect of hypofibrinogenemia on obstetrical disseminated intravascular coagulation in Japan in 2018: a multicenter retrospective cohort study. International Journal of Hematology, 2021, 114, 18-34.	1.6	7
25	Up-regulation of cytosolic prostaglandin E synthase in fetal-membrane and amniotic prostaglandin E2 accumulation in labor. PLoS ONE, 2021, 16, e0250638.	2.5	7
26	The retrospective study for effectiveness of cervical cerclage in preventing recurrent preterm birth. Taiwanese Journal of Obstetrics and Gynecology, 2022, 61, 63-69.	1.3	7
27	Retrospective study of the recurrence risk of preterm birth in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 515-519.	1.5	6
28	Evaluation of the effectiveness of metreurynters for balloon tamponade. Hypertension Research in Pregnancy, 2018, 6, 26-29.	0.2	6
29	Effectiveness of delayed absorbable monofilament suture in emergency cerclage. Taiwanese Journal of Obstetrics and Gynecology, 2014, 53, 382-384.	1.3	5
30	Evaluation of uterine blood flow: a new method using contrast-enhanced ultrasound. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 191, 143-144.	1.1	5
31	The use of medial, wider vertical compression sutures to reduce uterine blood flow for effaced uterine isthmus: a case report. Journal of Obstetrics and Gynaecology, 2018, 38, 871-873.	0.9	5
32	Incidence and risk factors of severe lacerations during forceps delivery in a single teaching hospital where simulation training is held annually. Journal of Obstetrics and Gynaecology Research, 2018, 44, 708-716.	1.3	5
33	Probiotics including <i>Clostridium butyricum</i> , <i>Enterococcus faecium</i> , <i>and Bacillus subtilis</i> may prevent recurrent spontaneous preterm delivery. Journal of Obstetrics and Gynaecology Research, 2022, 48, 688-693.	1.3	5
34	Up-regulation of lymphocyte antigen 6 complex expression in side-population cells derived from a human trophoblast cell line HTR-8/SVneo. Human Cell, 2016, 29, 10-21.	2.7	4
35	Hemostasis for Massive Hemorrhage during Cesarean Section. , 2020, , .		4
36	Chronic active Epstein–Barr virus-associated secondary hemophagocytic lymphohistiocytosis in pregnancy: a case report. BMC Pregnancy and Childbirth, 2021, 21, 681.	2.4	3

SHINTARO MAKINO

#	ARTICLE	IF	CITATIONS
37	Expert consensus: Indication criteria and screening strategy for preeclampsia using the serum sFlt-1/PIGF ratio at 18–36 weeks of gestation in women at imminent/basal risk of preeclampsia under insurance coverage. Hypertension Research in Pregnancy, 2020, 8, 51-56.	0.2	3
38	Chymotrypsin Enhances Soluble Fms-Like Tyrosine Kinase 1 Production Through Protease-Activated Receptor 2 in Placenta-Derived Immortalized Human Trophoblast Cells. Reproductive Sciences, 2016, 23, 1542-1550.	2.5	2
39	Relationship between fetal heart rate patterns and a time course for evaluation of fetal well-being: "the 30 minutes rule―for decision of mechanical delivery. Taiwanese Journal of Obstetrics and Gynecology, 2017, 56, 788-792.	1.3	2
40	Successful management of obstetric disseminated intravascular coagulation using a portable fibrinogenâ€measuring device. Journal of Obstetrics and Gynaecology Research, 2018, 44, 788-791.	1.3	2
41	"Step-by-Step―Minimally Invasive Hemostatic Technique Using Intrauterine Double-Balloon Tamponade Combined with Uterine Isthmus Vertical Compression Suture for the Control of Placenta Accreta and Severe Atonic Hemorrhage during a Cesarean Section. The Surgery Journal, 2021, 07, e216-e221.	0.7	2
42	Maternal and perinatal outcomes according to blood pressure levels for prehypertension: A review and meta-analysis. Hypertension Research in Pregnancy, 2022, 10, 29-39.	0.2	2
43	Repair of old perineal laceration accompanied by rectovaginal fistula using levator ani muscle interposition. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 743-744.	1.3	1
44	Characteristics of laborâ€onset hypertension persist after neuraxial labor analgesia. Journal of Obstetrics and Gynaecology Research, 2020, 46, 104-109.	1.3	1
45	Uterine rupture and placenta accreta spectrum following laparoscopic myomectomy in Japan: A message from obstetricians to gynecologic laparoscopists. Hypertension Research in Pregnancy, 2019, 7, 42-49.	0.2	0
46	Usefulness of Fibrinogen Concentrate in Critical Obstetric Hemorrhage: Up to Date with a Systematic Review. Juntendo Medical Journal, 2021, 67, 140-146.	0.1	0
47	Double Vertical Compression Sutures. , 2020, , 17-18.		0
48	Uterine Compression Sutures for Atonic Bleeding. , 2020, , 11-16.		0
49	A case of unscarred uterine rupture complicated by bladder rupture after vacuum extraction delivery. Hypertension Research in Pregnancy, 2022, , .	0.2	Ο
50	Characteristics and hemostatic effects of a new Atom uterine hemostatic balloon for postpartum hemorrhage: initial experience with 17 cases. Hypertension Research in Pregnancy, 2022, , .	0.2	0
51	An infant of 26 weeks gestation with congenital miliary tuberculosis complicated by chronic lung disease requiring CPAP was diagnosed on Day 104 of life: congenital tuberculosis was confirmed by detection of calcified ovaries in his mother. Paediatrics and International Child Health, 2022, , 1-6.	1.0	0
52	"Should we perform cerclage as late as possible and wait until the cervix dilated >10Âmm as physical examination-indicated cerclage for subjects in the article?― Taiwanese Journal of Obstetrics and Gynecology, 2022, 61, 732.	1.3	0