

Arkusz Adaszek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7305585/publications.pdf>

Version: 2024-02-01

75
papers

910
citations

516561

16
h-index

526166

27
g-index

78
all docs

78
docs citations

78
times ranked

1171
citing authors

#	ARTICLE	IF	CITATIONS
1	Pro- and anti-inflammatory cytokine expression in carp blood and head kidney leukocytes exposed to cyanotoxin stress – An in vitro study. <i>Fish and Shellfish Immunology</i> , 2012, 33, 382-388.	1.6	80
2	Seroprevalence and risk factors associated with <i>Babesia caballi</i> and <i>Theileria equi</i> infection in equids. <i>Veterinary Journal</i> , 2013, 195, 172-178.	0.6	77
3	Molecular characterization of <i>Babesia canis canis</i> isolates from naturally infected dogs in Poland. <i>Veterinary Parasitology</i> , 2008, 152, 235-241.	0.7	73
4	Prevalence and antibiotic resistance of <i>Enterococcus</i> strains isolated from poultry. <i>Acta Veterinaria Hungarica</i> , 2016, 64, 148-163.	0.2	56
5	Equine granulocytic anaplasmosis. <i>Research in Veterinary Science</i> , 2013, 95, 316-320.	0.9	51
6	Properties of capsaicin and its utility in veterinary and human medicine. <i>Research in Veterinary Science</i> , 2019, 123, 14-19.	0.9	49
7	The factors affecting the distribution of babesiosis in dogs in Poland. <i>Veterinary Parasitology</i> , 2011, 181, 160-165.	0.7	37
8	Dog Tear Film Proteome In-Depth Analysis. <i>PLoS ONE</i> , 2015, 10, e0144242.	1.1	31
9	Tear film proteome in age-related macular degeneration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 1127-1139.	1.0	30
10	Cytotoxic effects and changes in cytokine gene expression induced by microcystin-containing extract in fish immune cells – An in vitro and in vivo study. <i>Fish and Shellfish Immunology</i> , 2013, 34, 1524-1532.	1.6	25
11	Three clinical cases of <i>Anaplasma phagocytophilum</i> infection in cats in Poland. <i>Journal of Feline Medicine and Surgery</i> , 2013, 15, 333-337.	0.6	24
12	Serological evidence of <i>Borrelia burgdorferi sensu lato</i> in horses and cattle from Poland and diagnostic problems of Lyme borreliosis. <i>Annals of Agricultural and Environmental Medicine</i> , 2008, 15, 37-43.	0.5	22
13	Seroprevalence and risk factors associated with <i>Brucella</i> seropositivity in dairy and mixed cattle herds from Ecuador. <i>Tropical Animal Health and Production</i> , 2018, 50, 197-203.	0.5	21
14	Application the mass spectrometry MALDI-TOF technique for detection of <i>Babesia canis canis</i> infection in dogs. <i>Parasitology Research</i> , 2014, 113, 4293-4295.	0.6	20
15	Characterization of Multidrug Resistant <i>E. faecalis</i> Strains from Pigs of Local Origin by ADSRRS-Fingerprinting and MALDI -TOF MS; Evaluation of the Compatibility of Methods Employed for Multidrug Resistance Analysis. <i>PLoS ONE</i> , 2017, 12, e0171160.	1.1	19
16	Application of the SYBR Green real-time HRM PCR technique in the differentiation of the <i>Babesia canis canis</i> protozoa isolated in the areas of eastern Poland. <i>Parasitology Research</i> , 2010, 106, 1253-1256.	0.6	16
17	Identification of <i>Anaplasma</i> spp. <i>Rickettsia</i> Isolated from Horses from Clinical Disease Cases in Poland. <i>Zoonoses and Public Health</i> , 2011, 58, 514-518.	0.9	15
18	Prevalence of <i>Babesia canis</i> , <i>Borrelia burgdorferi sensu lato</i> , and <i>Anaplasma phagocytophilum</i> in hard ticks collected from meadows of Lubelskie Voivodship (eastern Poland). <i>Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach</i> , 2014, 58, 29-33.	0.4	15

#	ARTICLE	IF	CITATIONS
19	Detection of canine vector-borne diseases in eastern Poland by ELISA and PCR. <i>Parasitology Research</i> , 2016, 115, 1039-1044.	0.6	13
20	Phase I/II Clinical Trial of Encapsulated, Cytochrome P450 Expressing Cells as Local Activators of Cyclophosphamide to Treat Spontaneous Canine Tumours. <i>PLoS ONE</i> , 2014, 9, e102061.	1.1	13
21	Functionalization of 3D Chitinous Skeletal Scaffolds of Sponge Origin Using Silver Nanoparticles and Their Antibacterial Properties. <i>Marine Drugs</i> , 2020, 18, 304.	2.2	12
22	Effects of cylindrospermopsin on the phagocytic cells of the common carp (<i>Cyprinus carpio</i> L.). <i>Journal of Applied Toxicology</i> , 2015, 35, 1406-1414.	1.4	11
23	Prevalence of selected tick-borne pathogens in wild ungulates and ticks in southern Spain. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 1084-1094.	1.3	11
24	Comparative analysis of 16S RNA nucleotide sequences of <i>Anaplasma phagocytophilum</i> detected in the blood of horses from various parts of Europe. <i>Journal of Medical Microbiology</i> , 2013, 62, 1891-1896.	0.7	9
25	The associations among the breeding performance of <i>Osmia bicornis</i> L. (Hymenoptera: Megachilidae), burden of pathogens and nest parasites along urbanisation gradient. <i>Science of the Total Environment</i> , 2020, 710, 135520.	3.9	9
26	Dysregulated Tear Film Proteins in Macular Edema Due to the Neovascular Age-Related Macular Degeneration Are Involved in the Regulation of Protein Clearance, Inflammation, and Neovascularization. <i>Journal of Clinical Medicine</i> , 2021, 10, 3060.	1.0	9
27	In vitro cultivation of <i>Babesia canis canis</i> parasites isolated from dogs in Poland. <i>Parasitology Research</i> , 2011, 108, 1303-1307.	0.6	8
28	Proteomic Analysis of Tear Film Obtained from Diabetic Dogs. <i>Animals</i> , 2020, 10, 2416.	1.0	8
29	MicroRNA and vascular endothelial growth factor (VEGF) as new useful markers in the diagnosis of benign prostatic hyperplasia in dogs. <i>Theriogenology</i> , 2021, 171, 113-118.	0.9	8
30	The loop-mediated isothermal amplification assay for rapid diagnosis of <i>Babesia canis canis</i> infections in dogs. <i>Polish Journal of Veterinary Sciences</i> , 2013, 16, 131-133.	0.2	7
31	Occurrence of different strains of <i>Babesia canis</i> in dogs in eastern Poland. <i>Journal of Veterinary Research (Poland)</i> , 2016, 60, 423-427.	0.3	7
32	Utility of urinary markers in the assessment of renal dysfunction in canine babesiosis. <i>Tierärztliche Praxis Ausgabe K: Kleintiere - Heimtiere</i> , 2017, 45, 84-88.	0.3	7
33	Naphthylisoquinoline alkaloids and their synthetic analogs as potent novel inhibitors against <i>Babesia canis</i> in vitro. <i>Veterinary Parasitology</i> , 2020, 283, 109177.	0.7	7
34	Myocarditis secondary to <i>Borrelia</i> infection in a dog: a case report. <i>Annals of Parasitology</i> , 2020, 66, 255-257.	0.1	7
35	The identification of <i>Anaplasma</i> spp. isolated from fallow deer (<i>Dama dama</i>) on a free-range farm in eastern Poland. <i>Polish Journal of Veterinary Sciences</i> , 2012, 15, 393-4.	0.2	6
36	Molecular analysis of the chromosomal 16S rRNA gene and vapA plasmid gene of Polish field strains of <i>R. equi</i> . <i>PLoS ONE</i> , 2018, 13, e0204024.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Antioxidant status, and blood zinc and copper concentrations in dogs with uncomplicated babesiosis due to <i>Babesia canis</i> infections. Journal of Veterinary Research (Poland), 2021, 65, 169-174.	0.3	6
38	Epizootic situation of feline <i>Bartonella</i> infection in eastern Poland. Journal of Veterinary Research (Poland), 2020, 64, 79-83.	0.3	6
39	Proteomic Differences in Feline Fibrosarcomas Grown Using Doxorubicin-Sensitive and -Resistant Cell Lines in the Chick Embryo Model. International Journal of Molecular Sciences, 2018, 19, 576.	1.8	5
40	Molecular detection of <i>Anaplasma phagocytophilum</i> in roe deer (<i>Capreolus capreolus</i>) in eastern Poland. Annals of Agricultural and Environmental Medicine, 2020, 27, 702-705.	0.5	5
41	Electrolyte level and blood pH in dogs infected by various 18S RNA strains of <i>Babesia canis canis</i> on the early stage of babesiosis. Berliner Und Munchener Tierarztliche Wochenschrift, 2012, 125, 45-51.	0.7	5
42	Comparative analysis of ORF5 nucleotide sequences and amino acid sequences of the GP5 protein of equine arteritis virus (EAV) detected in the semen of stallions from Eastern Poland. Research in Veterinary Science, 2013, 94, 361-367.	0.9	4
43	A Suspected Case of Lyme Borreliosis in a Dog from Belgium. Case Reports in Veterinary Medicine, 2019, 2019, 1-3.	0.2	4
44	Cytotoxic and immunological responses of fish leukocytes to nodularin exposure in vitro. Journal of Applied Toxicology, 2021, 41, 1660-1672.	1.4	4
45	Cats as a reservoir of <i>Bartonella henselae</i> for dogs. Annals of Agricultural and Environmental Medicine, 2019, 26, 669-671.	0.5	4
46	Preliminary Study on the Safety of a New Vaccine Against Canine Babesiosis Containing Soluble Parasitic Antigen (SPA). Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2012, 56, 145-148.	0.4	3
47	Changes in selected subpopulations of lymphocytes in dogs infected with <i>Babesia canis</i> treated with imidocarb. Tierarztliche Praxis Ausgabe K: Kleintiere - Heimtiere, 2015, 43, 94-100.	0.3	3
48	Clinical assessment of the anti-cancer activity of the capsaicin-containing habanero pepper extract in dogs: a preliminary study. Medycyna Weterynaryjna, 2017, 73, 404-411.	0.0	3
49	New intravital method for hemolymph collection from <i>Cornu aspersum</i> snails and the establishment of standards for selected biochemical parameters of their hemolymph. Medycyna Weterynaryjna, 2017, 73, 366-369.	0.0	3
50	A first case of ehrlichiosis in a horse in Poland. DTW Deutsche TierÄrztliche Wochenschrift, 2009, 116, 330-4.	0.2	3
51	Identification of the piroplasms isolated from horses with clinical piroplasmosis in Poland. Annals of Parasitology, 2011, 57, 21-6.	0.1	3
52	Identification of piroplasms isolated from asymptomatic equine species from southern Spain. Berliner Und Munchener Tierarztliche Wochenschrift, 2012, 125, 509-12.	0.7	3
53	Wild animals as reservoirs of <i>Anaplasma phagocytophilum</i> for humans. Przegląd Epidemiologiczny, 2016, 70, 428-435.	0.4	3
54	Urinary Proteome Differences in Canine Diabetes with and without the Presence of Microalbuminuria. Animals, 2022, 12, 748.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Detection of Babesia occultans protozoa in cattle from territory of eastern Poland. Tierärztliche Praxis Ausgabe G: Grosstiere - Nutztiere, 2018, 46, 257-259.	0.2	2
56	Comparison of the in vitro anticancer effect of habanero pepper extract containing capsaicin with that of pure capsaicin in selected dog neoplastic cell lines. Turkish Journal of Veterinary and Animal Sciences, 2018, 42, 243-250.	0.2	2
57	Encephalitozoon cuniculi infection in a guinea pig with granulomatous encephalitis. Journal of Exotic Pet Medicine, 2020, 35, 13-16.	0.2	2
58	Molecular surveillance of tick-borne diseases affecting horses in Poland – Own observations. Veterinary Medicine and Science, 2021, 7, 1159-1165.	0.6	2
59	Utility of urinary markers in the assessment of renal dysfunction in familial glomerulonephritis in Doberman dogs. Journal of Veterinary Research (Poland), 2020, 64, 181-186.	0.3	2
60	Effect of bathing in a 0.1% aqueous solution of ethacridine lactate on selected physiological parameters of <i>Cornu aspersum</i> Müller edible snails. Journal of Veterinary Research (Poland), 2020, 64, 313-318.	0.3	2
61	Specificity of mass spectrometry (MALDI-TOF) in the diagnosis of Babesia canis regarding to other canine vector-borne diseases. Annals of Parasitology, 2016, 62, 101-5.	0.1	2
62	The diagnose of Borrelia afzelii infections in dogs. Annales Universitatis Mariae Curie-Sklodowska Sectio DD Medicina Veterinaria, 2009, 64, .	0.0	1
63	Cat scratch disease as zoonosis: Pathogenesis, clinical symptoms, diagnosis.. Medycyna Weterynaryjna, 2018, 74, 5997-2018.	0.0	1
64	Effectiveness of capsaicin containing dried habanero pepper extract in the treatment of primary hepatic cancer in geriatric dogs. Medycyna Weterynaryjna, 2018, 74, 5976-2018.	0.0	1
65	Clinical problems in small mammals: Eleven-year retrospective study. Medycyna Weterynaryjna, 2021, 77, 6502-2021.	0.0	0
66	The clinical course of bartonellosis in 24 cats. Medycyna Weterynaryjna, 2021, 77, 65146-2021.	0.0	0
67	Granulocytic anaplasmosis in captive ring-tailed lemur (Lemur catta) in Poland. BMC Veterinary Research, 2021, 17, 118.	0.7	0
68	Elevated serum manganese concentration in dogs as a possible predisposing factor of cerebral babesiosis in dogs. Acta Veterinaria Hungarica, 2021, 68, 354-360.	0.2	0
69	Quantitative Changes in Selected Lymphocyte Subpopulations after Administration of a Soluble Parasitic Antigen of Babesia Canis to Dogs. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2013, 57, 35-39.	0.4	0
70	Observations of Bordetella bronchiseptica infections in dogs. Medycyna Weterynaryjna, 2016, 72, 520-525.	0.0	0
71	Molecular typing of Polish strains of Babesia canis protozoa isolated from dogs in the years 2013-2016. Medycyna Weterynaryjna, 2018, 74, 6021-2018.	0.0	0
72	Diagnosis and treatment of internal hydrocephalus in dogs in relation to our own observations. Medycyna Weterynaryjna, 2020, 76, 6361-2020.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Effect of combined application of Zylexis and a vaccine against FHV-1 and FCV on selected immune response parameters in cats. <i>Medycyna Weterynaryjna</i> , 2020, 76, 6443-2020.	0.0	0
74	Procoagulant and anticoagulant plasma indicators in diabetic dogs showing increased antithrombin III levels in canine diabetes mellitus. <i>BMC Veterinary Research</i> , 2022, 18, 108.	0.7	0
75	<i>Encephalitozoon</i> spp. as a potential human pathogen. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2022, 76, 54-61.	0.1	0