

# Zhen Xu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7306072/zhen-xu-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

3,347  
citations

32  
h-index

55  
g-index

125  
ext. papers

4,229  
ext. citations

3.2  
avg, IF

5.19  
L-index

#	Paper	IF	Citations
101	Transcranial Magnetic Resonance-Guided Histotripsy for Brain Surgery: Pre-clinical Investigation. <i>Ultrasound in Medicine and Biology</i> , <b>2022</b> , 48, 98-110	3.5	1
100	Impact of Histotripsy on Development of Intrahepatic Metastases in a Rodent Liver Tumor Model. <i>Cancers</i> , <b>2022</b> , 14,	6.6	3
99	Acoustic Measurements of Nucleus Size Distribution at the Cavitation Threshold. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 1024-1031	3.5	1
98	Stereotactic Transcranial Focused Ultrasound Targeting System for Murine Brain Models. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2021</b> , 68, 154-163	3.2	
97	Dual-Frequency Intravascular Sonothrombolysis: An In Vitro Study. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2021</b> , 68, 3599-3607	3.2	0
96	Histotripsy: the first noninvasive, non-ionizing, non-thermal ablation technique based on ultrasound. <i>International Journal of Hyperthermia</i> , <b>2021</b> , 38, 561-575	3.7	16
95	Nanodroplet-mediated catheter-directed sonothrombolysis of retracted blood clots. <i>Microsystems and Nanoengineering</i> , <b>2021</b> , 7, 3	7.7	14
94	Transcostal Histotripsy Ablation in an In Vivo Acute Hepatic Porcine Model. <i>CardioVascular and Interventional Radiology</i> , <b>2021</b> , 44, 1643-1650	2.7	0
93	Transcranial MR-Guided Histotripsy System. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2021</b> , 68, 2917-2929	3.2	5
92	Endocavity Histotripsy for Efficient Tissue Ablation-Transducer Design and Characterization. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2021</b> , 68, 2896-2905	3.2	1
91	In Vivo Porcine Aged Deep Vein Thrombosis Model for Testing Ultrasound-based Thrombolysis Techniques. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 3447-3457	3.5	0
90	Safety Evaluation of a Forward-Viewing Intravascular Transducer for Sonothrombolysis: An in Vitro and ex Vivo Study. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 3231-3239	3.5	4
89	Acoustic cavitation rheometry. <i>Soft Matter</i> , <b>2021</b> , 17, 2931-2941	3.6	6
88	A cost-effective, multi-flash, "ghost" imaging technique for high temporal and spatial resolution imaging of cavitation using "still-frame" cameras. <i>Journal of the Acoustical Society of America</i> , <b>2020</b> , 147, 1339	2.2	4
87	Examining the Influence of Low-Dose Tissue Plasminogen Activator on Microbubble-Mediated Forward-Viewing Intravascular Sonothrombolysis. <i>Ultrasound in Medicine and Biology</i> , <b>2020</b> , 46, 1698-1706	3.5	6
86	Real-Time Transcranial Histotripsy Treatment Localization and Mapping Using Acoustic Cavitation Emission Feedback. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2020</b> , 67, 1178-1191	3.2	6
85	Non-thermal histotripsy tumor ablation promotes abscopal immune responses that enhance cancer immunotherapy <b>2020</b> , 8,		34

84	Dual-Frequency Intravascular Thrombolysis with Miniaturized Forward-Looking Transducers <b>2020</b> ,		1
83	Effects of Histotripsy on Local Tumor Progression in an Orthotopic Rodent Liver Tumor Model. <i>BME Frontiers</i> , <b>2020</b> , 2020,	4.4	8
82	Single-bubble dynamics in histotripsy and high-amplitude ultrasound: Modeling and validation. <i>Physics in Medicine and Biology</i> , <b>2020</b> , 65, 225014	3.8	9
81	A Comparison of Sonothrombolysis in Aged Clots between Low-Boiling-Point Phase-Change Nanodroplets and Microbubbles of the Same Composition. <i>Ultrasound in Medicine and Biology</i> , <b>2020</b> , 46, 3059-3068	3.5	14
80	Histotripsy Ablations in a Porcine Liver Model: Feasibility of Respiratory Motion Compensation by Alteration of the Ablation Zone Prescription Shape. <i>CardioVascular and Interventional Radiology</i> , <b>2020</b> , 43, 1695-1701	2.7	2
79	Histotripsy Clot Liquefaction in a Porcine Intracerebral Hemorrhage Model. <i>Neurosurgery</i> , <b>2020</b> , 86, 429-436	4.36	13
78	Modeling tissue-selective cavitation damage. <i>Physics in Medicine and Biology</i> , <b>2019</b> , 64, 225001	3.8	19
77	Robotically-Assisted Sonic Therapy for Renal Ablation in a Live Porcine Model: Initial Preclinical Results. <i>Journal of Vascular and Interventional Radiology</i> , <b>2019</b> , 30, 1293-1302	2.4	7
76	Robotically Assisted Sonic Therapy (RAST) for Noninvasive Hepatic Ablation in a Porcine Model: Mitigation of Body Wall Damage with a Modified Pulse Sequence. <i>CardioVascular and Interventional Radiology</i> , <b>2019</b> , 42, 1016-1023	2.7	10
75	Comparative study of the dynamics of laser and acoustically generated bubbles in viscoelastic media. <i>Physical Review E</i> , <b>2019</b> , 99, 043103	2.4	17
74	Enhanced Shock Scattering Histotripsy With Pseudomonopolar Ultrasound Pulses. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> , 66, 1185-1197	3.2	3
73	Intravascular Sonothrombolysis, in vitro, Using a Small Aperture, Forward-Viewing, Sub-Megahertz Transducer to Enhance tPA Treatment <b>2019</b> ,		1
72	Bubble-Induced Color Doppler Feedback Correlates with Histotripsy-Induced Destruction of Structural Components in Liver Tissue. <i>Ultrasound in Medicine and Biology</i> , <b>2018</b> , 44, 602-612	3.5	9
71	Integrated Histotripsy and Bubble Coalescence Transducer for Rapid Tissue Ablation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2018</b> , 65, 1822-1831	3.2	7
70	In vivo histotripsy brain treatment. <i>Journal of Neurosurgery</i> , <b>2018</b> , 1-8	3.2	21
69	Focused ultrasound: tumour ablation and its potential to enhance immunological therapy to cancer. <i>British Journal of Radiology</i> , <b>2018</b> , 91, 20170641	3.4	42
68	Soft-Tissue Aberration Correction for Histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2018</b> , 65, 2073-2085	3.2	11
67	Coalescence of residual histotripsy cavitation nuclei using low-gain regions of the therapy beam during electronic focal steering. <i>Physics in Medicine and Biology</i> , <b>2018</b> , 63, 225010	3.8	2

66	Histotripsy for Non-Invasive Ablation of Hepatocellular Carcinoma (HCC) Tumor in a Subcutaneous Xenograft Murine Model. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2018, 2018, 6064-6067</i>	0.9	13
65	Integrated Histotripsy and Bubble Coalescence Transducer for Thrombolysis. <i>Ultrasound in Medicine and Biology, 2018, 44, 2697-2709</i>	3.5	11
64	Predicting Tissue Susceptibility to Mechanical Cavitation Damage in Therapeutic Ultrasound. <i>Ultrasound in Medicine and Biology, 2017, 43, 1421-1440</i>	3.5	28
63	Effects of f-number on the histotripsy intrinsic threshold and cavitation bubble cloud behavior. <i>Physics in Medicine and Biology, 2017, 62, 1269-1290</i>	3.8	21
62	Non-Invasive Thrombolysis Using Microtriopsy in a Porcine Deep Vein Thrombosis Model. <i>Ultrasound in Medicine and Biology, 2017, 43, 1378-1390</i>	3.5	29
61	Non-Invasive Liver Ablation Using Histotripsy: Preclinical Safety Study in an In Vivo Porcine Model. <i>Ultrasound in Medicine and Biology, 2017, 43, 1237-1251</i>	3.5	22
60	Non-invasive, Rapid Ablation of Tissue Volume Using Histotripsy. <i>Ultrasound in Medicine and Biology, 2017, 43, 2834-2847</i>	3.5	20
59	Effect of Frequency and Focal Spacing on Transcranial Histotripsy Clot Liquefaction, Using Electronic Focal Steering. <i>Ultrasound in Medicine and Biology, 2017, 43, 2302-2317</i>	3.5	15
58	Catheter Hydrophone Aberration Correction for Transcranial Histotripsy Treatment of Intracerebral Hemorrhage: Proof-of-Concept. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2017, 64, 1684-1697</i>	3.2	11
57	Histotripsy Thrombolysis on Retracted Clots. <i>Ultrasound in Medicine and Biology, 2016, 42, 1903-18</i>	3.5	34
56	Effects of Temperature on the Histotripsy Intrinsic Threshold for Cavitation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 1064-1077</i>	3.2	25
55	Non-Invasive Ultrasound Liver Ablation Using Histotripsy: Chronic Study in an In Vivo Rodent Model. <i>Ultrasound in Medicine and Biology, 2016, 42, 1890-902</i>	3.5	32
54	Effects of Droplet Composition on Nanodroplet-Mediated Histotripsy. <i>Ultrasound in Medicine and Biology, 2016, 42, 931-46</i>	3.5	16
53	Targeted Lesion Generation Through the Skull Without Aberration Correction Using Histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 671-682</i>	3.2	28
52	The role of positive and negative pressure on cavitation nucleation in nanodroplet-mediated histotripsy. <i>Physics in Medicine and Biology, 2016, 61, 663-82</i>	3.8	23
51	Visualizing the Histotripsy Process: Bubble Cloud-Cancer Cell Interactions in a Tissue-Mimicking Environment. <i>Ultrasound in Medicine and Biology, 2016, 42, 2466-77</i>	3.5	42
50	Polyvinyl chloride as a multimodal tissue-mimicking material with tuned mechanical and medical imaging properties. <i>Medical Physics, 2016, 43, 5577</i>	4.4	27
49	Noninvasive Ablation of Prostate Cancer Spheroids Using Acoustically-Activated Nanodroplets. <i>Molecular Pharmaceutics, 2016, 13, 4054-4065</i>	5.6	19

48	Histotripsy Lesion Formation Using an Ultrasound Imaging Probe Enabled by a Low-Frequency Pump Transducer. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2148-60	3.5	5
47	Effects of tissue stiffness, ultrasound frequency, and pressure on histotripsy-induced cavitation bubble behavior. <i>Physics in Medicine and Biology</i> , <b>2015</b> , 60, 2271-92	3.8	62
46	Effects of ultrasound frequency and tissue stiffness on the histotripsy intrinsic threshold for cavitation. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1651-67	3.5	80
45	Effects of Ultrasound Frequency on Nanodroplet-Mediated Histotripsy. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2135-47	3.5	30
44	Histotripsy methods in mechanical disintegration of tissue: towards clinical applications. <i>International Journal of Hyperthermia</i> , <b>2015</b> , 31, 145-62	3.7	140
43	Noninvasive thrombolysis using histotripsy beyond the intrinsic threshold (microtripsy). <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2015</b> , 62, 1342-55	3.2	42
42	Effects of Thermal Preconditioning on Tissue Susceptibility to Histotripsy. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2938-54	3.5	11
41	Hemodynamic and Hematologic Effects of Histotripsy of Free-Flowing Blood: Implications for Ultrasound-Mediated Thrombolysis. <i>Journal of Vascular and Interventional Radiology</i> , <b>2015</b> , 26, 1559-65	2.4	7
40	Noninvasive thrombolysis using microtripsy: a parameter study. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2015</b> , 62, 2092-105	3.2	21
39	Real-time feedback of histotripsy thrombolysis using bubble-induced color Doppler. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1386-401	3.5	24
38	Effects of tissue mechanical properties on susceptibility to histotripsy-induced tissue damage. <i>Physics in Medicine and Biology</i> , <b>2014</b> , 59, 253-70	3.8	74
37	. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2014</b> , 61, 582-593	3.2	29
36	Development of nanodroplets for histotripsy-mediated cell ablation. <i>Molecular Pharmaceutics</i> , <b>2014</b> , 11, 3684-95	5.6	15
35	Histotripsy-induced cavitation cloud initiation thresholds in tissues of different mechanical properties. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2014</b> , 61, 341-52	3.2	67
34	Histotripsy beyond the intrinsic cavitation threshold using very short ultrasound pulses: microtripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2014</b> , 61, 251-65	3.2	85
33	Rapid prototyping fabrication of focused ultrasound transducers. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2014</b> , 61, 1559-74	3.2	31
32	Dual-beam histotripsy: a low-frequency pump enabling a high-frequency probe for precise lesion formation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2014</b> , 61, 325-40	3.2	20
31	Probability of cavitation for single ultrasound pulses applied to tissues and tissue-mimicking materials. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 449-65	3.5	172

30	Image-guided non-invasive ultrasound liver ablation using histotripsy: feasibility study in an in vivo porcine model. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 1398-409	3.5	94
29	Investigation of the mechanism of ARFI-based Color Doppler feedback of histotripsy tissue fractionation <b>2013</b> ,		1
28	Nanodroplet-mediated histotripsy for image-guided targeted ultrasound cell ablation. <i>Theranostics</i> , <b>2013</b> , 3, 851-64	12.1	58
27	An efficient treatment strategy for histotripsy by removing cavitation memory. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 753-66	3.5	72
26	Real-time elastography-based monitoring of histotripsy tissue fractionation using color Doppler <b>2012</b> ,		3
25	Real-time motion tracking for non-invasive ultrasound cardiac therapy using histotripsy <b>2011</b> ,		1
24	The effect of histotripsy on tissues with different mechanical properties <b>2011</b> ,		3
23	Histotripsy fractionation of prostate tissue: local effects and systemic response in a canine model. <i>Journal of Urology</i> , <b>2011</b> , 185, 1484-9	2.5	50
22	Noninvasive treatment of deep venous thrombosis using pulsed ultrasound cavitation therapy (histotripsy) in a porcine model. <i>Journal of Vascular and Interventional Radiology</i> , <b>2011</b> , 22, 369-77	2.4	117
21	Therapeutic ultrasound to noninvasively create intracardiac communications in an intact animal model. <i>Catheterization and Cardiovascular Interventions</i> , <b>2011</b> , 77, 580-8	2.7	36
20	Why Are Short Pulses More Efficient in Tissue Erosion Using Pulsed Cavitational Ultrasound Therapy (Histotripsy)? <b>2010</b> ,		9
19	Noninvasive creation of an atrial septal defect by histotripsy in a canine model. <i>Circulation</i> , <b>2010</b> , 121, 742-9	16.7	85
18	Prostate histotripsy in an anticoagulated model. <i>Urology</i> , <b>2010</b> , 75, 207-11	1.6	26
17	A tissue phantom for visualization and measurement of ultrasound-induced cavitation damage. <i>Ultrasound in Medicine and Biology</i> , <b>2010</b> , 36, 2132-43	3.5	81
16	Noninvasive thrombolysis using pulsed ultrasound cavitation therapy - histotripsy. <i>Ultrasound in Medicine and Biology</i> , <b>2009</b> , 35, 1982-94	3.5	159
15	Size measurement of tissue debris particles generated from pulsed ultrasound cavitational therapy-histotripsy. <i>Ultrasound in Medicine and Biology</i> , <b>2009</b> , 35, 245-55	3.5	52
14	Histotripsy of the prostate: dose effects in a chronic canine model. <i>Urology</i> , <b>2009</b> , 74, 932-7	1.6	58
13	Quantitative ultrasound backscatter for pulsed cavitational ultrasound therapy- histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2009</b> , 56, 995-1005	3.2	57

12	In-vivo study of non-invasive thrombolysis by histotripsy in a porcine model <b>2009</b> ,		6
11	The role of compressional pressure in the formation of dense bubble clouds in histotripsy <b>2009</b> ,		13
10	Evolution of bubble clouds induced by pulsed cavitation ultrasound therapy - histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2008</b> , 55, 1122-32	3.2	58
9	Non-invasive thrombolysis induced by histotripsy pulsed cavitation ultrasound therapy <b>2008</b> ,		3
8	Effects of acoustic parameters on bubble cloud dynamics in ultrasound tissue erosion (histotripsy). <i>Journal of the Acoustical Society of America</i> , <b>2007</b> , 122, 229-36	2.2	90
7	Optical and acoustic monitoring of bubble cloud dynamics at a tissue-fluid interface in ultrasound tissue erosion. <i>Journal of the Acoustical Society of America</i> , <b>2007</b> , 121, 2421-30	2.2	50
6	High speed imaging of bubble clouds generated in pulsed ultrasound cavitation therapy--histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2007</b> , 54, 2091-101	3.2	84
5	Optical and Acoustic Monitoring of Bubble Dynamics at a Tissue-fluid Interface in Ultrasound Tissue Erosion. <i>AIP Conference Proceedings</i> , <b>2006</b> ,	0	2
4	A new strategy to enhance cavitation tissue erosion using a high-intensity, Initiating sequence. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2006</b> , 53, 1412-24	3.2	36
3	Investigation of intensity thresholds for ultrasound tissue erosion. <i>Ultrasound in Medicine and Biology</i> , <b>2005</b> , 31, 1673-82	3.5	74
2	Controlled ultrasound tissue erosion: the role of dynamic interaction between insonation and microbubble activity. <i>Journal of the Acoustical Society of America</i> , <b>2005</b> , 117, 424-35	2.2	139
1	Controlled ultrasound tissue erosion. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2004</b> , 51, 726-36	3.2	197