

# Zdzisław Kinart

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7306743/publications.pdf>

Version: 2024-02-01

23  
papers

159  
citations

1162367

8  
h-index

1199166

12  
g-index

23  
all docs

23  
docs citations

23  
times ranked

106  
citing authors

#	ARTICLE	IF	CITATIONS
1	Studies on intermolecular interactions in (nitrobenzene+alkoxyethanol) binary mixtures by relative permittivity measurements at T=(293.15, 298.15, 303.15, 308.15, and 313.15)K. Journal of Chemical Thermodynamics, 2012, 50, 37-42.	1.0	23
2	Studies on the intermolecular interactions in the binary mixtures of nitrobenzene with 2-methoxyethanol, 2-ethoxyethanol, 2-propoxyethanol and 2-butoxyethanol at T=298.15 K. Physics and Chemistry of Liquids, 2012, 50, 679-696.	2.3	18
3	Density, relative permittivity and refractive index for propylene glycol monon-butyl ether+2-methoxyethanol mixtures. Physics and Chemistry of Liquids, 2004, 42, 95-102.	0.4	13
4	Studies on intermolecular interactions in sulfolane+alkoxyethanol binary mixtures by speed of sound and <sup>1</sup> H NMR measurements at T=303.15K. Journal of Molecular Liquids, 2013, 186, 28-32.	2.3	12
5	Apparent molal volumes of sodium salts of some aliphatic carboxylic acids in water at 298.15 K. Physics and Chemistry of Liquids, 2011, 49, 366-378.	0.4	11
6	Conductance studies of sodium salts of some aliphatic carboxylic acids in water at different temperatures. Journal of Molecular Liquids, 2017, 248, 1059-1064.	2.3	10
7	Volumetric Properties of Some Aliphatic Mono- and Dicarboxylic Acids in Water at 298.15 K. Journal of Solution Chemistry, 2011, 40, 1-16.	0.6	9
8	Volumetric properties, conductivity and computation analysis of selected imidazolium chloride ionic liquids in ethylene glycol. Journal of Molecular Liquids, 2021, 345, 118178.	2.3	9
9	Volumetric properties of ternary mixtures of sulfolane with 2-alkoxyethanols and ethylene glycols at T=303.15K. Journal of Molecular Liquids, 2012, 169, 87-94.	2.3	8
10	Density and relative permittivity of (pyridine + 2-methoxyethanol, 2-ethoxyethanol, 2-propoxyethanol,) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.4	7
11	Conductivity Properties of Selected Aliphatic Monocarboxylic Acid Anions in Water at 298.15 K. International Journal of Electrochemical Science, 2020, 15, 10007-10027.	0.5	6
12	Conductance studies of NaCl, KCl, NaBr, KBr, Bu <sub>4</sub> NBr, and NaBPh <sub>4</sub> in water+2-methoxyethanol mixtures at 298.15K. Journal of Molecular Liquids, 2013, 182, 14-24.	2.3	5
13	Volumetric studies of aqueous solutions of monosodium salts of some aliphatic dicarboxylic acids at 298.15K. A new method of data analysis. Journal of Molecular Liquids, 2013, 178, 94-98.	2.3	4
14	Conductance studies of NaCl, KCl, NaBr, KBr, NaI, Bu <sub>4</sub> NI, and NaBPh <sub>4</sub> in water+2-propoxyethanol mixtures at 298.15 K. Ionics, 2015, 21, 2781-2787.	1.2	4
15	Conductometric studies of dissociation constants of selected monocarboxylic acids a wide range of temperatures. Journal of Molecular Liquids, 2019, 292, 111405.	2.3	4
16	Conductometric study of potassium chloride in ethylene glycol + water mixtures at different temperatures. International Journal of Electrochemical Science, 0, , 5560-5570.	0.5	4
17	Studies on the internal structure of the binary mixtures of N,N-dimethylacetamide with 2-methoxyethanol, 2-ethoxyethanol, 2-propoxyethanol and 2-butoxyethanol by means of measuring their densities and relative permittivities at 298.15 K. Physics and Chemistry of Liquids, 2019, 57, 779-787.	0.4	3
18	Viscosity coefficients of KCl, NaCl, NaI, NaBr, KNO <sub>3</sub> , LiNO <sub>3</sub> , AgNO <sub>3</sub> , NaClO <sub>4</sub> , NaBPh <sub>4</sub> , Bu <sub>4</sub> NI and Et <sub>4</sub> NI in rich of water binary mixtures containing propan-1-ol at 298.15 K. Physics and Chemistry of Liquids, 2016, 54, 14-26.	0.4	2

#	ARTICLE	IF	CITATIONS
19	Conductance studies of sodium salts of selected dicarboxylic acids in water at temperatures of 283.15 K to 313.15 K. <i>Journal of Molecular Liquids</i> , 2021, 337, 116262.	2.3	2
20	Studies of the Formation of Inclusion Complexes Derivatives of Cinnamon Acid with $\beta$ -Cyclodextrin in a Wide Range of Temperatures Using Conductometric Methods. <i>Molecules</i> , 2022, 27, 4420.	1.7	2
21	Excess molar volumes of binary mixtures containing Dipropylene Glycol Monomethyl Ether with Water and 2-Methoxyethanol. <i>Physics and Chemistry of Liquids</i> , 2004, 42, 291-295.	0.4	1
22	Viscosity coefficients of KCl, NaCl, NaI, $\text{KNO}_3$ , $\text{LiNO}_3$ , $\text{NaBPh}_4$ and $\text{Bu}_4\text{NI}$ in water-rich binary mixtures containing propan-2-ol at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2017, 55, 386-395.	0.4	1
23	Viscosity Coefficients of KCl, NaCl, NaI, $\text{KNO}_3$ , $\text{LiNO}_3$ , $\text{NaBPh}_4$ and $\text{Bu}_4\text{NI}$ in Water - Dimethyl Sulfoxide Binary Mixtures With a Low Organic Solvent Content. <i>Croatica Chemica Acta</i> , 2016, 89, .	0.1	1