

Gursel Alici

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/730714/publications.pdf>

Version: 2024-02-01

355
papers

11,427
citations

24978

57
h-index

46693

89
g-index

361
all docs

361
docs citations

361
times ranked

8491
citing authors

#	ARTICLE	IF	CITATIONS
1	Fundamentals and applications of inertial microfluidics: a review. Lab on A Chip, 2016, 16, 10-34.	3.1	737
2	Enhanced stiffness modeling, identification and characterization for robot manipulators. , 2005, 21, 554-564.		268
3	A Review of Localization Systems for Robotic Endoscopic Capsules. IEEE Transactions on Biomedical Engineering, 2012, 59, 2387-2399.	2.5	219
4	A review on performance enhancement techniques for ambient vibration energy harvesters. Renewable and Sustainable Energy Reviews, 2017, 71, 435-449.	8.2	188
5	Recent progress of particle migration in viscoelastic fluids. Lab on A Chip, 2018, 18, 551-567.	3.1	186
6	Development and dynamic modelling of a flexure-based Scott's Russell mechanism for nano-manipulation. Mechanical Systems and Signal Processing, 2009, 23, 957-978.	4.4	182
7	Fast trilayer polypyrrole bending actuators for high speed applications. Synthetic Metals, 2006, 156, 1017-1022.	2.1	178
8	A review of microfabrication techniques and dielectrophoretic microdevices for particle manipulation and separation. Journal Physics D: Applied Physics, 2014, 47, 063001.	1.3	174
9	Electroactive polymer actuators as artificial muscles: are they ready for bioinspired applications?. Bioinspiration and Biomimetics, 2011, 6, 045006.	1.5	173
10	A systematic technique to estimate positioning errors for robot accuracy improvement using laser interferometry based sensing. Mechanism and Machine Theory, 2005, 40, 879-906.	2.7	171
11	Size-dependent performance of microgyroscopes. International Journal of Engineering Science, 2016, 100, 99-111.	2.7	160
12	Inertial particle separation by differential equilibrium positions in a symmetrical serpentine micro-channel. Scientific Reports, 2014, 4, 4527.	1.6	152
13	A Review of Non-Invasive Sensory Feedback Methods for Transradial Prosthetic Hands. IEEE Access, 2018, 6, 6878-6899.	2.6	152
14	3D Printed Flexure Hinges for Soft Monolithic Prosthetic Fingers. Soft Robotics, 2016, 3, 120-133.	4.6	135
15	Modeling and Experimental Evaluation of Bending Behavior of Soft Pneumatic Actuators Made of Discrete Actuation Chambers. Soft Robotics, 2018, 5, 24-35.	4.6	128
16	Bending modeling and its experimental verification for conducting polymer actuators dedicated to manipulation applications. Sensors and Actuators A: Physical, 2006, 126, 396-404.	2.0	124
17	Bioinspired 3D Printable Soft Vacuum Actuators for Locomotion Robots, Grippers and Artificial Muscles. Soft Robotics, 2018, 5, 685-694.	4.6	121
18	Particle inertial focusing and its mechanism in a serpentine microchannel. Microfluidics and Nanofluidics, 2014, 17, 305-316.	1.0	114

#	ARTICLE	IF	CITATIONS
19	A review of drug delivery systems for capsule endoscopy. <i>Advanced Drug Delivery Reviews</i> , 2014, 71, 77-85.	6.6	112
20	Soft and smart modular structures actuated by shape memory alloy (SMA) wires as tentacles of soft robots. <i>Smart Materials and Structures</i> , 2016, 25, 085026.	1.8	107
21	A 3D-Printed Omni-Purpose Soft Gripper. <i>IEEE Transactions on Robotics</i> , 2019, 35, 1268-1275.	7.3	102
22	Predicting force output of trilayer polymer actuators. <i>Sensors and Actuators A: Physical</i> , 2006, 132, 616-625.	2.0	100
23	Microstructure and magnetorheology of graphite-based MR elastomers. <i>Rheologica Acta</i> , 2011, 50, 825-836.	1.1	96
24	Development of a novel multi-layer MRE isolator for suppression of building vibrations under seismic events. <i>Mechanical Systems and Signal Processing</i> , 2016, 70-71, 811-820.	4.4	96
25	Soft Mechanical Sensors Through Reverse Actuation in Polypyrrole. <i>Advanced Functional Materials</i> , 2007, 17, 3216-3222.	7.8	92
26	Topology optimisation and singularity analysis of a 3-SPS parallel manipulator with a passive constraining spherical joint. <i>Mechanism and Machine Theory</i> , 2004, 39, 215-235.	2.7	91
27	Bioinspired Three-Dimensional-Printed Helical Soft Pneumatic Actuators and Their Characterization. <i>Soft Robotics</i> , 2020, 7, 267-282.	4.6	91
28	Performance Quantification of Conducting Polymer Actuators for Real Applications: A Microgripping System. <i>IEEE/ASME Transactions on Mechatronics</i> , 2007, 12, 73-84.	3.7	89
29	3D printing Vegemite and Marmite: Redefining "breadboards". <i>Journal of Food Engineering</i> , 2018, 220, 83-88.	2.7	89
30	Kinematics and singularity analyses of a 4-dof parallel manipulator using screw theory. <i>Mechanism and Machine Theory</i> , 2006, 41, 1048-1061.	2.7	88
31	High throughput extraction of plasma using a secondary flow-aided inertial microfluidic device. <i>RSC Advances</i> , 2014, 4, 33149.	1.7	88
32	A novel magnetorheological elastomer isolator with negative changing stiffness for vibration reduction. <i>Smart Materials and Structures</i> , 2014, 23, 105023.	1.8	88
33	The measurement uncertainties in the laser interferometry-based sensing and tracking technique. <i>Measurement: Journal of the International Measurement Confederation</i> , 2002, 32, 135-150.	2.5	85
34	Trajectory generation for open-contoured structures in robotic fibre placement. <i>Robotics and Computer-Integrated Manufacturing</i> , 2007, 23, 380-394.	6.1	84
35	Conducting polymer microactuators operating in air. <i>Journal of Micromechanics and Microengineering</i> , 2009, 19, 025017.	1.5	84
36	Softer is Harder: What Differentiates Soft Robotics from Hard Robotics?. <i>MRS Advances</i> , 2018, 3, 1557-1568.	0.5	84

#	ARTICLE	IF	CITATIONS
37	Fabrication process of open surfaces by robotic fibre placement. <i>Robotics and Computer-Integrated Manufacturing</i> , 2004, 20, 17-28.	6.1	82
38	Ultra-stretchable MWCNTâ€Ecoflex piezoresistive sensors for human motion detection applications. <i>Composites Science and Technology</i> , 2019, 173, 118-124.	3.8	80
39	Gold-loaded nanoporous superparamagnetic nanocubes for catalytic signal amplification in detecting miRNA. <i>Chemical Communications</i> , 2017, 53, 8231-8234.	2.2	79
40	Robust Adaptive Control of Conjugated Polymer Actuators. <i>IEEE Transactions on Control Systems Technology</i> , 2008, 16, 600-612.	3.2	77
41	A Compact Variable Stiffness and Damping Shock Absorber for Vehicle Suspension. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015, 20, 2621-2629.	3.7	77
42	A Review of 3Dâ€Printable Soft Pneumatic Actuators and Sensors: Research Challenges and Opportunities. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000223.	3.3	75
43	Isolating plasma from blood using a dielectrophoresis-active hydrophoretic device. <i>Lab on A Chip</i> , 2014, 14, 2993.	3.1	73
44	Response Characterization of Electroactive Polymers as Mechanical Sensors. <i>IEEE/ASME Transactions on Mechatronics</i> , 2008, 13, 187-196.	3.7	70
45	Finding NEMO (novel electromaterial muscle oscillator): a polypyrrole powered robotic fish with real-time wireless speed and directional control. <i>Smart Materials and Structures</i> , 2009, 18, 095009.	1.8	70
46	3D Printable Linear Soft Vacuum Actuators: Their Modeling, Performance Quantification and Application in Soft Robotic Systems. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019, 24, 2118-2129.	3.7	70
47	A finite element model for bending behaviour of conducting polymer electromechanical actuators. <i>Sensors and Actuators A: Physical</i> , 2006, 130-131, 1-11.	2.0	65
48	Synthesis and performance evaluation of thin film PPy-PVDF multilayer electroactive polymer actuators. <i>Sensors and Actuators A: Physical</i> , 2011, 165, 321-328.	2.0	65
49	A Structural Optimisation Method for a Soft Pneumatic Actuator. <i>Robotics</i> , 2018, 7, 24.	2.1	65
50	The development of an adaptive tuned magnetorheological elastomer absorber working in squeeze mode. <i>Smart Materials and Structures</i> , 2014, 23, 075009.	1.8	64
51	Ionic electroactive polymer artificial muscles in space applications. <i>Scientific Reports</i> , 2014, 4, 6913.	1.6	64
52	An adaptive tuned vibration absorber based on multilayered MR elastomers. <i>Smart Materials and Structures</i> , 2015, 24, 045045.	1.8	64
53	A starfish robot based on soft and smart modular structure (SMS) actuated by SMA wires. <i>Bioinspiration and Biomimetics</i> , 2016, 11, 056012.	1.5	64
54	An effective modelling approach to estimate nonlinear bending behaviour of cantilever type conducting polymer actuators. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 284-292.	4.0	63

#	ARTICLE	IF	CITATIONS
55	Real-time control of inertial focusing in microfluidics using dielectrophoresis (DEP). RSC Advances, 2014, 4, 62076-62085.	1.7	62
56	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. PLoS ONE, 2020, 15, e0232766.	1.1	62
57	Electromechanical coupling in polypyrrole sensors and actuators. Sensors and Actuators A: Physical, 2010, 161, 127-133.	2.0	61
58	Experimental investigation of the vibration characteristics of a magnetorheological elastomer sandwich beam under non-homogeneous small magnetic fields. Smart Materials and Structures, 2011, 20, 127001.	1.8	60
59	Electrochemical biosensing strategies for DNA methylation analysis. Biosensors and Bioelectronics, 2017, 94, 63-73.	5.3	60
60	Prediction of geometric errors of robot manipulators with Particle Swarm Optimisation method. Robotics and Autonomous Systems, 2006, 54, 956-966.	3.0	59
61	Development of an isolator working with magnetorheological elastomers and fluids. Mechanical Systems and Signal Processing, 2017, 83, 371-384.	4.4	59
62	Optimum synthesis of planar parallel manipulators based on kinematic isotropy and force balancing. Robotica, 2004, 22, 97-108.	1.3	57
63	A scalable model for trilayer conjugated polymer actuators and its experimental validation. Materials Science and Engineering C, 2008, 28, 421-428.	3.8	57
64	Inertial focusing in a straight channel with asymmetrical expansion-contraction cavity arrays using two secondary flows. Journal of Micromechanics and Microengineering, 2013, 23, 085023.	1.5	57
65	Optimum dynamic balancing of planar parallel manipulators based on sensitivity analysis. Mechanism and Machine Theory, 2006, 41, 1520-1532.	2.7	55
66	Inversion-Based Feedforward Control of Polypyrrole Trilayer Bender Actuators. IEEE/ASME Transactions on Mechatronics, 2010, 15, 149-156.	3.7	55
67	Review on Design and Control Aspects of Robotic Shoulder Rehabilitation Orthoses. IEEE Transactions on Human-Machine Systems, 2017, 47, 1134-1145.	2.5	55
68	Environmentally Friendly and Biodegradable Ultrasensitive Piezoresistive Sensors for Wearable Electronics Applications. ACS Applied Materials & Interfaces, 2020, 12, 8761-8772.	4.0	55
69	Evaluation of length-scale effects for mechanical behaviour of micro- and nanocantilevers: I. Experimental determination of length-scale factors. Journal Physics D: Applied Physics, 2011, 44, 335501.	1.3	54
70	A methodology towards geometry optimization of high performance polypyrrole (PPy) actuators. Smart Materials and Structures, 2006, 15, 243-252.	1.8	53
71	Development of a novel variable stiffness and damping magnetorheological fluid damper. Smart Materials and Structures, 2015, 24, 085021.	1.8	53
72	Modeling and Experimental Characterization of Propulsion of a Spiral-Type Microrobot for Medical Use in Gastrointestinal Tract. IEEE Transactions on Biomedical Engineering, 2013, 60, 1751-1759.	2.5	52

#	ARTICLE	IF	CITATIONS
73	Finite Element Modeling in the Design Process of 3D Printed Pneumatic Soft Actuators and Sensors. <i>Robotics</i> , 2020, 9, 52.	2.1	52
74	Horizontal vibration reduction of a seat suspension using negative changing stiffness magnetorheological elastomer isolators. <i>International Journal of Vehicle Design</i> , 2015, 68, 104.	0.1	51
75	Feedback control of tri-layer polymer actuators to improve their positioning ability and speed of response. <i>Sensors and Actuators A: Physical</i> , 2008, 144, 176-184.	2.0	50
76	Continuous plasma extraction under viscoelastic fluid in a straight channel with asymmetrical expansion-contraction cavity arrays. <i>Lab on A Chip</i> , 2016, 16, 3919-3928.	3.1	50
77	Establishment of a biomimetic device based on tri-layer polymer actuators-propulsion fins. <i>Bioinspiration and Biomimetics</i> , 2007, 2, S18-S30.	1.5	49
78	Validation of Resonant Frequency Model for Polypyrrole Trilayer Actuators. <i>IEEE/ASME Transactions on Mechatronics</i> , 2008, 13, 401-409.	3.7	49
79	Dean-flow-coupled elasto-inertial three-dimensional particle focusing under viscoelastic flow in a straight channel with asymmetrical expansion-contraction cavity arrays. <i>Biomicrofluidics</i> , 2015, 9, 044108.	1.2	49
80	An inverse position analysis of five-bar planar parallel manipulators. <i>Robotica</i> , 2002, 20, 195-201.	1.3	48
81	Modelling and identifying the parameters of a magneto-rheological damper with a force-lag phenomenon. <i>Applied Mathematical Modelling</i> , 2014, 38, 3763-3773.	2.2	48
82	Subcritical parametric dynamics of microbeams. <i>International Journal of Engineering Science</i> , 2015, 95, 36-48.	2.7	48
83	A simple and cost-effective method for fabrication of integrated electronic-microfluidic devices using a laser-patterned PDMS layer. <i>Microfluidics and Nanofluidics</i> , 2012, 12, 751-760.	1.0	47
84	Evaluation of length-scale effects for mechanical behaviour of micro- and nanocantilevers: II. Experimental verification of deflection models using atomic force microscopy. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 335502.	1.3	46
85	On-chip high-throughput manipulation of particles in a dielectrophoresis-active hydrophoretic focuser. <i>Scientific Reports</i> , 2014, 4, 5060.	1.6	46
86	Development and performance evaluation of large-scale auxetic protective systems for localised impulsive loads. <i>International Journal of Protective Structures</i> , 2019, 10, 390-417.	1.4	46
87	Fabrication and characterisation of highly stretchable elastomeric strain sensors for prosthetic hand applications. <i>Sensors and Actuators A: Physical</i> , 2016, 247, 514-521.	2.0	44
88	Optimal area covering using genetic algorithms. , 2007, , .		43
89	Soft Pneumatic Sensing Chambers for Generic and Interactive Human-Machine Interfaces. <i>Advanced Intelligent Systems</i> , 2019, 1, 1900002.	3.3	43
90	Determination of singularity contours for five-bar planar parallel manipulators. <i>Robotica</i> , 2000, 18, 569-575.	1.3	41

#	ARTICLE	IF	CITATIONS
91	Patterning and electrical interfacing of individually controllable conducting polymer microactuators. <i>Sensors and Actuators B: Chemical</i> , 2013, 183, 283-289.	4.0	41
92	Improved concentration and separation of particles in a 3D dielectrophoretic chip integrating focusing, aligning and trapping. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 527-539.	1.0	41
93	Continuous manipulation and separation of particles using combined obstacle- and curvature-induced direct current dielectrophoresis. <i>Electrophoresis</i> , 2013, 34, 952-960.	1.3	40
94	Performance evaluation and comparison of magnetorheological elastomer absorbers working in shear and squeeze modes. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 1757-1763.	1.4	40
95	Study of shear-stiffened elastomers. <i>Smart Materials and Structures</i> , 2012, 21, 125009.	1.8	39
96	Continuous particle focusing in a waved microchannel using negative dc dielectrophoresis. <i>Journal of Micromechanics and Microengineering</i> , 2012, 22, 095001.	1.5	39
97	Analysis of Magnetic Interaction in Remotely Controlled Magnetic Devices and its Application to a Capsule Robot for Drug Delivery. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018, 23, 298-310.	3.7	38
98	A Novel Monolithic Soft Robotic Thumb for an Anthropomorphic Prosthetic Hand. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 602-609.	3.3	38
99	The kinematics of modular spatial hyper-redundant manipulators formed from RPS-type limbs. <i>Robotics and Autonomous Systems</i> , 2011, 59, 12-21.	3.0	36
100	Modelling trilayer conjugated polymer actuators for their sensorless position control. <i>Sensors and Actuators A: Physical</i> , 2012, 185, 82-91.	2.0	36
101	Modeling and Experimental Investigation of Rotational Resistance of a Spiral-Type Robotic Capsule Inside a Real Intestine. <i>IEEE/ASME Transactions on Mechatronics</i> , 2013, 18, 1555-1562.	3.7	36
102	Investigation of particle lateral migration in sample sheath flow of viscoelastic fluid and Newtonian fluid. <i>Electrophoresis</i> , 2016, 37, 2147-2155.	1.3	36
103	Large area and ultra-thin compliant strain sensors for prosthetic devices. <i>Sensors and Actuators A: Physical</i> , 2017, 266, 56-64.	2.0	36
104	Intelligent Control of Electroactive Polymer Actuators Based on Fuzzy and Neurofuzzy Methodologies. <i>IEEE/ASME Transactions on Mechatronics</i> , 2014, 19, 1951-1962.	3.7	34
105	Development of a linear damper working with magnetorheological shear thickening fluids. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 1811-1817.	1.4	34
106	A hybrid dielectrophoretic and hydrophoretic microchip for particle sorting using integrated prefocusing and sorting steps. <i>Electrophoresis</i> , 2015, 36, 284-291.	1.3	34
107	An Adaptive Neuro Fuzzy Hybrid Control Strategy for a Semiactive Suspension with Magneto Rheological Damper. <i>Advances in Mechanical Engineering</i> , 2014, 6, 487312.	0.8	33
108	Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing. <i>Smart Materials and Structures</i> , 2015, 24, 035015.	1.8	33

#	ARTICLE	IF	CITATIONS
109	A Novel Magnetic Anchoring System for Wireless Capsule Endoscopes Operating Within the Gastrointestinal Tract. IEEE/ASME Transactions on Mechatronics, 2019, 24, 1106-1116.	3.7	32
110	Design, Modeling, and Control of a 3D Printed Monolithic Soft Robotic Finger With Embedded Pneumatic Sensing Chambers. IEEE/ASME Transactions on Mechatronics, 2021, 26, 876-887.	3.7	32
111	A 3D printed monolithic soft gripper with adjustable stiffness. , 2017, , .		31
112	Enhancement of actuation ability of ionic-type conducting polymer actuators using metal ion implantation. Sensors and Actuators B: Chemical, 2011, 157, 72-84.	4.0	30
113	An Effective Localization Method for Robotic Endoscopic Capsules Using Multiple Positron Emission Markers. IEEE Transactions on Robotics, 2014, 30, 1174-1186.	7.3	30
114	Effect of flexure hinge type on a 3D printed fully compliant prosthetic finger. , 2015, , .		29
115	Effect of electrolyte storage layer on performance of PPy-PVDF-PPy microactuators. Sensors and Actuators B: Chemical, 2011, 155, 810-816.	4.0	27
116	Pushing the Limits for Microactuators Based on Electroactive Polymers. Journal of Microelectromechanical Systems, 2012, 21, 574-585.	1.7	27
117	An effective methodology to solve inverse kinematics of electroactive polymer actuators modelled as active and soft robotic structures. Mechanism and Machine Theory, 2013, 67, 94-110.	2.7	27
118	Bottom-up microfabrication process for individually controlled conjugated polymer actuators. Sensors and Actuators B: Chemical, 2016, 230, 818-824.	4.0	27
119	Controlled delivery of drugs adsorbed onto porous Fe ₃ O ₄ structures by application of AC/DC magnetic fields. Microporous and Mesoporous Materials, 2016, 226, 243-250.	2.2	27
120	High-throughput sheathless and three-dimensional microparticle focusing using a microchannel with arc-shaped groove arrays. Scientific Reports, 2017, 7, 41153.	1.6	27
121	Fully 3D Printed Monolithic Soft Gripper with High Conformal Grasping Capability. , 2019, , .		27
122	Engineering-Based Design Methodology for Embedding Ethics in Autonomous Robots. Proceedings of the IEEE, 2019, 107, 582-599.	16.4	27
123	Residual swing/vibration reduction using a hybrid input shaping method. Mechanism and Machine Theory, 2001, 36, 311-326.	2.7	26
124	Evaluation of thrust force generated for a robotic fish propelled with polypyrrole actuators. Polymer International, 2010, 59, 357-364.	1.6	26
125	An integrated dielectrophoresis-active hydrophoretic microchip for continuous particle filtration and separation. Journal of Micromechanics and Microengineering, 2015, 25, 084010.	1.5	26
126	Highly Sensitive Soft Foam Sensors to Empower Robotic Systems. Advanced Materials Technologies, 2019, 4, 1900423.	3.0	26

#	ARTICLE	IF	CITATIONS
127	Guest Editorial Introduction to the Focused Section on Electroactive Polymer Mechatronics. IEEE/ASME Transactions on Mechatronics, 2011, 16, 1-8.	3.7	25
128	Size-dependent electro-elasto-mechanics of MEMS with initially curved deformable electrodes. International Journal of Mechanical Sciences, 2015, 103, 247-264.	3.6	25
129	Experimental nonlinear dynamics of a geometrically imperfect magneto-rheological elastomer sandwich beam. Composite Structures, 2016, 138, 381-390.	3.1	25
130	3D printing of a thin-wall soft and monolithic gripper using fused filament fabrication. , 2017, , .		25
131	Kinematics and stiffness analyses of a flexure-jointed planar micromanipulation system for a decoupled compliant motion. , 0, , .		24
132	Normal stiffness calibration of microfabricated tri-layer conducting polymer actuators. Smart Materials and Structures, 2009, 18, 065013.	1.8	24
133	A Compliant Translational Mechanism Based on Dielectric Elastomer Actuators. Journal of Mechanical Design, Transactions of the ASME, 2014, 136, .	1.7	24
134	A Soft Mechatronic Microstage Mechanism Based on Electroactive Polymer Actuators. IEEE/ASME Transactions on Mechatronics, 2016, 21, 1467-1478.	3.7	24
135	A Cellular Neural Network Methodology for Deformable Object Simulation. IEEE Transactions on Information Technology in Biomedicine, 2006, 10, 749-762.	3.6	23
136	Creep and recovery behaviors of magnetorheological elastomers. Frontiers of Mechanical Engineering in China, 2010, 5, 341-346.	0.4	23
137	Wireless aquatic navigator for detection and analysis (WANDA). Sensors and Actuators B: Chemical, 2010, 150, 425-435.	4.0	23
138	A Multistable Linear Actuation Mechanism Based on Artificial Muscles. Journal of Mechanical Design, Transactions of the ASME, 2010, 132, .	1.7	23
139	Development of an MRE adaptive tuned vibration absorber with self-sensing capability. Smart Materials and Structures, 2015, 24, 095012.	1.8	23
140	Design and development of a parametrically excited nonlinear energy harvester. Energy Conversion and Management, 2016, 126, 247-255.	4.4	23
141	Reusable Flexible Concentric Electrodes Coated With a Conductive Graphene Ink for Electrotactile Stimulation. Frontiers in Bioengineering and Biotechnology, 2018, 6, 179.	2.0	23
142	Loci of singular configurations of a 3-DOF spherical parallel manipulator. Robotics and Autonomous Systems, 2004, 48, 77-91.	3.0	22
143	Artificial muscles with adjustable stiffness. Smart Materials and Structures, 2010, 19, 045004.	1.8	22
144	Study of PDMS based magnetorheological elastomers. Journal of Physics: Conference Series, 2013, 412, 012038.	0.3	22

#	ARTICLE	IF	CITATIONS
145	Electro-mechanical modelling and identification of electroactive polymer actuators as smart robotic manipulators. <i>Mechatronics</i> , 2014, 24, 241-251.	2.0	22
146	A magnetically actuated anchoring system for a wireless endoscopic capsule. <i>Biomedical Microdevices</i> , 2016, 18, 102.	1.4	22
147	Design of an enhanced wideband energy harvester using a parametrically excited array. <i>Journal of Sound and Vibration</i> , 2017, 410, 416-428.	2.1	22
148	A 3D Printed Modular Soft Gripper Integrated With Metamaterials for Conformal Grasping. <i>Frontiers in Robotics and AI</i> , 2021, 8, 799230.	2.0	22
149	Fast bender actuators for fish-like aquatic robots. , 2008, , .		21
150	Towards fully optimized conducting polymer bending sensors: the effect of geometry. <i>Smart Materials and Structures</i> , 2009, 18, 085007.	1.8	21
151	Three-dimensional nanofabrication of polystyrene by focused ion beam. <i>Journal of Microscopy</i> , 2012, 248, 129-139.	0.8	21
152	Nonlinear dynamics of a parametrically excited beam with a central magneto-rheological elastomer patch: An experimental investigation. <i>International Journal of Mechanical Sciences</i> , 2016, 106, 157-167.	3.6	21
153	Flow rate-insensitive microparticle separation and filtration using a microchannel with arc-shaped groove arrays. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	1.0	21
154	Redox level-dependent impedance model for conjugated polymer actuators. <i>Sensors and Actuators B: Chemical</i> , 2008, 132, 182-190.	4.0	20
155	Development of a nonlinear adaptive absorber based on magnetorheological elastomer. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 194-204.	1.4	20
156	A survey on what Australians with upper limb difference want in a prosthesis: justification for using soft robotics and additive manufacturing for customized prosthetic hands. <i>Disability and Rehabilitation: Assistive Technology</i> , 2020, 15, 342-349.	1.3	20
157	Force Control of a 3D Printed Soft Gripper with Built-In Pneumatic Touch Sensing Chambers. <i>Soft Robotics</i> , 2022, 9, 970-980.	4.6	20
158	Modeling and inverse feedforward control for conducting polymer actuators with hysteresis. <i>Smart Materials and Structures</i> , 2014, 23, 025015.	1.8	19
159	Tunable Particle Focusing in a Straight Channel with Symmetric Semicircle Obstacle Arrays Using Electrophoresis-Modified Inertial Effects. <i>Micromachines</i> , 2016, 7, 195.	1.4	19
160	An innovative MRE absorber with double natural frequencies for wide frequency bandwidth vibration absorption. <i>Smart Materials and Structures</i> , 2016, 25, 055035.	1.8	19
161	A 3D Printed Soft Robotic Hand With Embedded Soft Sensors for Direct Transition Between Hand Gestures and Improved Grasping Quality and Diversity. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022, 30, 550-558.	2.7	19
162	An autowave based methodology for deformable object simulation. <i>CAD Computer Aided Design</i> , 2006, 38, 740-754.	1.4	18

#	ARTICLE	IF	CITATIONS
163	Enhanced Localization of Robotic Capsule Endoscopes Using Positron Emission Markers and Rigid-Body Transformation. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2019, 49, 1270-1284.	5.9	18
164	On preshaped reference inputs to reduce swing of suspended objects transported with robot manipulators. Mechatronics, 2000, 10, 609-626.	2.0	17
165	Sliding Mode Control of a Piezoelectric Actuator with Neural Network Compensating Rate-Dependent Hysteresis. , 0, , .		17
166	Towards soft robotic devices for site-specific drug delivery. Expert Review of Medical Devices, 2015, 12, 703-715.	1.4	17
167	Size Optimization of a Magnetic System for Drug Delivery With Capsule Robots. IEEE Transactions on Magnetics, 2016, 52, 1-11.	1.2	17
168	3D Printed Helical Soft Pneumatic Actuators. , 2018, , .		17
169	Conjugated Polymer Actuators: Fundamentals. , 0, , 193-227.		16
170	An inverted micro-mixer based on a magnetically-actuated cilium made of Fe doped PDMS. Smart Materials and Structures, 2016, 25, 095049.	1.8	16
171	Development of a novel magnetophoresis-assisted hydrophoresis microdevice for rapid particle ordering. Biomedical Microdevices, 2016, 18, 54.	1.4	16
172	A Parametrically Broadband Nonlinear Energy Harvester. Journal of Energy Resources Technology, Transactions of the ASME, 2017, 139, .	1.4	16
173	System and process development for coaxial extrusion in fused deposition modelling. Rapid Prototyping Journal, 2017, 23, 543-550.	1.6	16
174	Multifunctional skin-compliant wearable sensors for monitoring human condition applications. Applied Materials Today, 2022, 26, 101361.	2.3	16
175	Soft tissue modelling through autowaves for surgery simulation. Medical and Biological Engineering and Computing, 2006, 44, 805-821.	1.6	15
176	Polypyrrole stretchable actuators. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 57-63.	2.4	15
177	Concept and simulation study of a novel localization method for robotic endoscopic capsules using multiple positron emission markers. Medical Physics, 2014, 41, 072501.	1.6	15
178	Tactile Feedback in Closed-Loop Control of Myoelectric Hand Grasping: Conveying Information of Multiple Sensors Simultaneously via a Single Feedback Channel. Frontiers in Neuroscience, 2020, 14, 348.	1.4	15
179	Non-Invasive Human-Machine Interface (HMI) Systems With Hybrid On-Body Sensors for Controlling Upper-Limb Prosthesis: A Review. IEEE Sensors Journal, 2022, 22, 10292-10307.	2.4	15
180	A systematic approach to develop a force control system for robotic drilling. Industrial Robot, 1999, 26, 389-397.	1.2	14

#	ARTICLE	IF	CITATIONS
181	Direct Kinematics and Analytical Solution to 3RRR Parallel Planar Mechanisms. , 2006, , .		14
182	Frequency response of polypyrrole trilayer actuator displacement. Proceedings of SPIE, 2008, , .	0.8	14
183	Electroactive polymers as soft robotic actuators: Electromechanical modeling and identification. , 2013, , .		14
184	An Advanced Mathematical Model and its Experimental Verification for Trilayer Conjugated Polymer Actuators. IEEE/ASME Transactions on Mechatronics, 2014, 19, 1279-1288.	3.7	14
185	Mechanical stiffness augmentation of a 3D printed soft prosthetic finger. , 2016, , .		14
186	Internal Energy Transfer in Dynamical Behavior of Slightly Curved Shear Deformable Microplates. Journal of Computational and Nonlinear Dynamics, 2016, 11, .	0.7	14
187	Swing-free transportation of suspended objects with robot manipulators. Robotica, 1999, 17, 513-521.	1.3	13
188	A mathematical model for a pneumatically actuated robotic fibre placement system. Robotica, 2002, 20, 545-551.	1.3	13
189	A Magnetically Actuated Drug Delivery System for Robotic Endoscopic Capsules. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.4	13
190	Laser interferometry based robot position error modelling for kinematic calibration. , 0, , .		12
191	Loci of singular configurations of a 3-DOF spherical parallel manipulator. Robotics and Autonomous Systems, 2004, 48, 77-91.	3.0	12
192	A mathematical model to describe bending mechanics of polypyrrole (PPy) actuators. , 0, , .		12
193	Locomotion analysis and optimization of actinomorphic robots with soft arms actuated by shape memory alloy wires. International Journal of Advanced Robotic Systems, 2018, 15, 172988141878794.	1.3	12
194	Adaptive sliding mode control of tri-layer conjugated polymer actuators. Smart Materials and Structures, 2013, 22, 025004.	1.8	11
195	3D Printable Vacuum-Powered Soft Linear Actuators. , 2019, , .		11
196	Effects of Wearable Devices with Biofeedback on Biomechanical Performance of Runningâ€”A Systematic Review. Sensors, 2020, 20, 6637.	2.1	11
197	Low-Hysteresis and Ultrasensitive Microcellular Structures for Wearable Electronic Applications. ACS Applied Materials & Interfaces, 2021, 13, 1632-1643.	4.0	11
198	Robotic drilling under force control: execution of a task. , 0, , .		10

#	ARTICLE	IF	CITATIONS
199	Singularity avoidance and aspect maintenance in redundant manipulators. , 0, , .		10
200	A new family of constrained redundant parallel manipulators. Multibody System Dynamics, 2010, 23, 57-75.	1.7	10
201	Kinematic modeling for artificial flagellum of a robotic bacterium based on electroactive polymer actuators. , 2011, , .		10
202	Study of magnetorheology and sensing capabilities of MR elastomers. Journal of Physics: Conference Series, 2013, 412, 012037.	0.3	10
203	Design, Fabrication, and Test of a Coupled Parametricâ€“Transverse Nonlinearly Broadband Energy Harvester. IEEE Transactions on Energy Conversion, 2018, 33, 457-464.	3.7	10
204	Position Control of a 3D Printed Soft Finger with Integrated Soft Pneumatic Sensing Chambers. , 2020, , .		10
205	Force control of electro-active polymer actuators using model-free intelligent control. Journal of Intelligent Material Systems and Structures, 2021, 32, 2054-2065.	1.4	10
206	Optimum force balancing of a planar parallel manipulator. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2003, 217, 515-524.	1.1	9
207	Intelligent robotic fettling using a visual feedback technique and force sensing. International Journal of Advanced Manufacturing Technology, 2004, 24, 607-614.	1.5	9
208	Towards Micro and Nano Manipulation Systems: Behaviour of a Laminated Polypyrrole (PPy) Actuator Driving a Rigid Link. , 0, , .		9
209	Robust motion tracking control of piezoelectric actuation systems. , 0, , .		9
210	Simulation of deformable models with the Poisson equation. Computer Methods in Biomechanics and Biomedical Engineering, 2006, 9, 289-304.	0.9	9
211	Micron-scale polymerâ€“metal cantilever actuators fabricated by focused ion beam. Sensors and Actuators A: Physical, 2011, 172, 462-470.	2.0	9
212	A novel three degrees of freedom partially decoupled robot with linear actuators. Robotica, 2012, 30, 467-475.	1.3	9
213	Making a hydrophoretic focuser tunable using a diaphragm. Biomicrofluidics, 2014, 8, 064115.	1.2	9
214	Modeling a soft robotic mechanism articulated with dielectric elastomer actuators. , 2014, , .		9
215	An active-compliant micro-stage based on EAP artificial muscles. , 2014, , .		9
216	A Nonlinearly Broadband Tuneable Energy Harvester. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2017, 139, .	0.9	9

#	ARTICLE	IF	CITATIONS
217	Special class of positive definite functions for formulating adaptive micro/nano manipulator control. , 0, , .		8
218	A bio-inspired robotic locomotion system based on conducting polymer actuators. , 2009, , .		8
219	Three-Dimensional Kinematic Modeling of Helix-Forming Lamina-Emergent Soft Smart Actuators Based on Electroactive Polymers. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2016, , 1-12.	5.9	8
220	Nanotechnology and its medical applications: revisiting public policies from a regulatory perspective in Australia. Nanotechnology Reviews, 2017, 6, 255-269.	2.6	8
221	Double-Mode Microparticle Manipulation by Tunable Secondary Flow in Microchannel With Arc-Shaped Groove Arrays. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1406-1412.	2.7	8
222	Towards Including End-Users in the Design of Prosthetic Hands: Ethical Analysis of a Survey of Australians with Upper-Limb Difference. Science and Engineering Ethics, 2020, 26, 981-1007.	1.7	8
223	A New Methodology for Deformable Object Simulation. , 0, , .		7
224	A robust motion design technique for flexible-jointed manipulation systems. Robotica, 2006, 24, 95-103.	1.3	7
225	Tri-layer conducting polymer actuators with variable dimensions. , 2007, , .		7
226	Towards the position control of conducting polymer trilayer bending actuators with integrated feedback sensor. , 2009, , .		7
227	Magnetic propulsion of a spiral-type endoscopic microrobot in a real small intestine. , 2012, , .		7
228	An experimental investigation into nonlinear dynamics of a magneto-rheological elastomer sandwich beam. Smart Materials and Structures, 2016, 25, 015018.	1.8	7
229	Hybrid force and position control of a conducting tri-layer electro-active polymer actuator. Transactions of the Institute of Measurement and Control, 2017, 39, 288-296.	1.1	7
230	Applying Mechanical Pressure and Skin Stretch Simultaneously for Sensory Feedback in Prosthetic Hands. , 2018, , .		7
231	Pattern Recognition for Prosthetic Hand Userâ€™s Intentions using EMG Data and Machine Learning Techniques. , 2019, , .		7
232	A Magnetically Actuated Novel Robotic Capsule for Site-Specific Drug Delivery Inside the Gastrointestinal Tract. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2022, 52, 4010-4020.	5.9	7
233	Room-temperature self-healing piezoresistive sensors. Composites Science and Technology, 2021, 211, 108856.	3.8	7
234	A 3D Printed Soft Prosthetic Hand with Embedded Actuation and Soft Sensing Capabilities for Directly and Seamlessly Switching Between Various Hand Gestures. , 2021, , .		7

#	ARTICLE	IF	CITATIONS
235	Implementation of Adaptive Neuro Fuzzy Inference System controller on magneto rheological damper suspension. , 2013, , .		6
236	Kinematic analyses of novel translational parallel manipulators. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2014, 228, 330-341.	1.1	6
237	Inertial Microfluidics: Mechanisms and Applications. Microsystems and Nanosystems, 2017, , 563-593.	0.1	6
238	Using Vibration Motors to Create Tactile Apparent Movement for Transradial Prosthetic Sensory Feedback. , 2018, , .		6
239	Bone Conduction as Sensory Feedback Interface: A Preliminary Study. , 2019, 2019, 5322-5325.		6
240	A 3D Printed Soft Robotic Monolithic Unit for Haptic Feedback Devices. , 2019, , .		6
241	Editorial: Soft Robotics Based on Electroactive Polymers. Frontiers in Robotics and AI, 2021, 8, 676406.	2.0	6
242	Feasibility Study of Robust Neural Network Motion Tracking Control of Piezoelectric Actuation Systems for Micro/Nano Manipulation. , 2007, , 5-19.		6
243	Optimum dynamic balancing of planar parallel manipulators. , 2004, , .		5
244	Force Analysis and Characterization of Polymer Actuators. , 2006, , .		5
245	Sensor response of polypyrrole trilayer benders as a function of geometry. Proceedings of SPIE, 2008, , .	0.8	5
246	Guest Editorial Introduction to the Focused Section on Mechatronics for MEMS and NEMS. IEEE/ASME Transactions on Mechatronics, 2009, 14, 397-404.	3.7	5
247	Experimental characterization of a robotic drug delivery system based on magnetic propulsion. , 2011, , .		5
248	Study of the temperature effect of shear thickening fluid. , 2013, , .		5
249	Experimental investigation into biomechanical and biotribological properties of a real intestine and their significance for design of a spiral-type robotic capsule. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2014, 228, 280-286.	1.0	5
250	Modelling of the human shoulder girdle as a 6-4 parallel mechanism with a moving scapulothoracic joint. Mechanism and Machine Theory, 2017, 118, 219-230.	2.7	5
251	Model-free control of an electro-active polymer actuator. Materials Research Express, 2019, 6, 055309.	0.8	5
252	A3D Printed Modular Soft Gripper for Conformal Grasping. , 2020, , .		5

#	ARTICLE	IF	CITATIONS
253	Kinematic Modeling and Analysis of a Novel Bio-Inspired and Cable-Driven Hybrid Shoulder Mechanism. Journal of Mechanisms and Robotics, 2021, 13, .	1.5	5
254	Development and experimental verification of a mathematical model for robot force control design. , 0, , .		4
255	Experimental comparison of model-based robot position control strategies. , 0, , .		4
256	Optimum force balancing with mass distribution and a single elastic element for a five-bar parallel manipulator. , 0, , .		4
257	Vibration analysis of piezo-actuated flexure-jointed mechanisms. , 2005, 5649, 445.		4
258	A reaction-diffusion methodology for soft object simulation. , 2006, , .		4
259	Kinematic analysis of electroactive polymer actuators as soft and smart structures with more DoF than inputs. , 2012, , .		4
260	Individually controlled conducting polymer tri-layer microactuators. , 2013, , .		4
261	Control of conducting polymer actuators without physical feedback: simulated feedback control approach with particle swarm optimization. Smart Materials and Structures, 2014, 23, 035014.	1.8	4
262	Design optimization of a magnetomechanical system for drug delivery in wireless capsule endoscopy. , 2014, , .		4
263	Modeling and experimental characterization of magnetic membranes as soft smart actuators for medical robotics. , 2017, , .		4
264	A Soft Stretchable Sensor: Towards Peripheral Nerve Signal Sensing. MRS Advances, 2018, 3, 1597-1602.	0.5	4
265	3D Printed Soft Pneumatic Bending Sensing Chambers for Bilateral and Remote Control of Soft Robotic Systems. , 2020, , .		4
266	A 3D Printed Soft Force Sensor for Soft Haptics. , 2020, , .		4
267	A Wearable Biofeedback Device to Increase Gait Swing Time Could Have Positive Effects on Gait among Older Adults. Sensors, 2022, 22, 102.	2.1	4
268	Contact type determination for cylindrical pair adjustment. , 0, , .		3
269	Towards improving positioning accuracy of conducting polymer actuators. , 0, , .		3
270	Cellular neural network based deformation simulation with haptic force feedback. , 0, , .		3

#	ARTICLE	IF	CITATIONS
271	Focused Ion Beam Fabricated Polystyrene-Platinum Thermal Microactuator. <i>Advanced Materials Research</i> , 0, 254, 86-89.	0.3	3
272	Continuous particle manipulation and separation in a hurdle-combined curved microchannel using DC dielectrophoresis. <i>AIP Conference Proceedings</i> , 2013, , .	0.3	3
273	Force control of a tri-layer conducting polymer actuator using optimized fuzzy logic control. <i>Smart Materials and Structures</i> , 2014, 23, 125024.	1.8	3
274	An accurate model for size optimization of an embedded permanent magnet for drug delivery with capsule robots. , 2015, , .		3
275	Performance quantification of strain sensors for flexible manipulators. , 2016, , .		3
276	Analysis of the magnetic torque on a tilted permanent magnet for drug delivery in capsule robots. , 2016, , .		3
277	Conducting Polymers as EAPs: Device Configurations. , 2016, , 257-291.		3
278	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Focusing and Membrane. <i>Journal of Heat Transfer</i> , 2017, 139, .	1.2	3
279	Design of a Multi-Stage Stiffness Enhancing Unit for a Soft Robotic Finger and its Robust Motion Control. , 2018, , .		3
280	Flexible Surface Electrodes Targeting Biopotential Signals from Forearm Muscles for Control of Prosthetic Hands: Part 1 â€œ Characterisation of sEMG Electrodes. , 2019, , .		3
281	A compact and cost-effective pattern recognition based myoelectric control system for robotic prosthetic hands. , 2020, , .		3
282	A Comparison of Recognition and Sensitivity in the Upper Arm and Lower Arm to Mechanotactile Stimulation. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2020, 2, 76-85.	2.1	3
283	A Comparison Between Separated Electrodes and Concentric Electrodes for Electrotactile Stimulation. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2021, 3, 241-252.	2.1	3
284	Constrained structural optimisation of a revolute-jointed planar parallel manipulator. , 0, , .		2
285	Investigation of Hole Quality on Drilling Carbon Composites with a â€œOne Shotâ€™™ Drill Bit. , 0, , .		2
286	Robust Control Framework for Piezoelectric Actuation Systems in Micro/Nano Manipulation. , 2005, , .		2
287	Size optimisation of polypyrrole (PPy) actuators for micro/nano manipulation systems. , 2005, , .		2
288	A robotic gripper based on conducting polymer actuators. , 0, , .		2

#	ARTICLE	IF	CITATIONS
289	Motion tracking control of piezo-driven flexure-based mechanism based on sliding mode strategy. , 2007, , .		2
290	Neuro-fuzzy control of electroactive polymer actuators. , 2013, , .		2
291	A magnetically actuated endoscopic capsule robot based on a rolling locomotion mechanism. , 2013, , .		2
292	Fuzzy control of a conjugated polymer actuator. , 2013, , .		2
293	How the type of input function affects the dynamic response of conducting polymer actuators. Smart Materials and Structures, 2014, 23, 105008.	1.8	2
294	Soft, flexible micromanipulators comprising polypyrrole trilayer microactuators. , 2015, , .		2
295	Optimization of multiple arc-shaped magnets for drug delivery in a capsule robot. , 2015, , .		2
296	Conducting Polymers as EAPs: Physical Description and Simulation. , 2016, , 353-383.		2
297	Experimental Nonlinear Model Identification of a Highly Nonlinear Resonator. Journal of Vibration and Acoustics, Transactions of the ASME, 2018, 140, .	1.0	2
298	Roboticsâ€™Soft Robotics. , 2019, , 652-659.		2
299	Control of an Electric Wheelchair Using Multimodal Biosignals and Machine Learning. , 2021, , .		2
300	Investigation of Vibrotactile Transducers for a Bone Conduction Sensory Feedback System. Biosystems and Biorobotics, 2022, , 587-592.	0.2	2
301	Modelling and Performance Enhancement of a Linear Actuation Mechanism Using Conducting Polymers. Lecture Notes in Electrical Engineering, 2011, , 63-78.	0.3	2
302	Kinematic identification of a closed-chain manipulator using a laser interferometry based sensing technique. , 0, , .		1
303	Description and kinematic analysis of a planar micromanipulation system based on flexure joints. , 0, , .		1
304	Model Development and System Identification of a Cartesian Manipulator Using a Laser-Interferometry Based Measurement System. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2004, 37, 401-406.	0.4	1
305	Characterisation and bending modeling of conducting polymer actuators for use in micro/nano manipulation. , 2005, , .		1
306	Contact state determination for robotic-based cylindrical pair height adjustment under dynamic conditions. , 0, , .		1

#	ARTICLE	IF	CITATIONS
307	A Poisson-Based Methodology for Deformable Object Simulation. International Journal of Modelling and Simulation, 2008, 28, 156-164.	2.3	1
308	Redox level-dependent impedance model for conjugated polymer actuators. Proceedings of SPIE, 2008, , .	0.8	1
309	Characterization and modeling of conjugated polymer sensors. , 2008, , .		1
310	Stiffness characterisation of microcantilevers based on conducting polymers. , 2008, , .		1
311	A methodology to establish a hysteresis model for trilayer conducting polymer actuators. , 2013, , .		1
312	An investigation into biomechanical and biotribological properties of a real intestine for design of a spiral-type robotic capsule. , 2013, , .		1
313	Investigation of trapping process in "Centrifuge-on-a-chip", 2013, , .		1
314	Quantifying the positioning resolution of cantilever-type electroactive polymer actuators. , 2013, , .		1
315	Study of shear-stiffened elastomers. , 2013, , .		1
316	Conducting Polymers as EAPs: Applications. , 2016, , 385-411.		1
317	The Suitability of 3-D Printed Eutectic Gallium-Indium Alloy as a Heating Element for Thermally Active Hydrogels. MRS Advances, 2017, 2, 335-340.	0.5	1
318	Position Control of a Soft Prosthetic Finger with Limited Feedback Information. , 2018, , .		1
319	A Hybrid Multi-Joint Robotic Shoulder Exoskeleton for Stroke Rehabilitation. , 2018, , .		1
320	Flexible Surface Electrodes Targeting Biopotential Signals from Forearm Muscles for Control of Prosthetic Hands: Part 2 - Characterization of Substrates for Strain Sensors. , 2019, , .		1
321	A POISSON-BASED METHODOLOGY FOR DEFORMABLE OBJECT SIMULATION. International Journal of Modelling and Simulation, 2008, 28, .	2.3	1
322	Forward Kinematics and Solution Methodologies for a Flexure-Based Micro-manipulator. Lecture Notes in Computer Science, 2008, , 250-259.	1.0	1
323	Conducting Polymers as EAPs: Physical Description and Simulation. , 2016, , 1-31.		1
324	Development of an elastomeric resin for digital light processing printing. Journal of Applied Polymer Science, 0, , 52123.	1.3	1

#	ARTICLE	IF	CITATIONS
325	3D printed linear soft multi-mode actuators expanding robotic applications. <i>Soft Matter</i> , 2022, 18, 1911-1919.	1.2	1
326	Deformable object simulation with Poisson equation. , 0, , .		0
327	Experimental Evaluation of Adaptive and Variable Structure Control of Piezoelectric Actuation Systems for Micro/Nano Manipulation. , 2006, , .		0
328	A scalable model for trilayer conjugated polymer actuators and its experimental validation. , 2007, , .		0
329	Robust adaptive control of conjugated polymer actuators. , 2007, , .		0
330	An investigation into behaviour of electroactive polymers as mechanical sensors. , 2007, , .		0
331	A continuously-stable linear actuation based on bending type artificial muscles. , 2010, , .		0
332	A stiffness enhancement methodology for artificial muscles. , 2010, , .		0
333	Methods developed for the fabrication of a thermally-induced polypyrrole bilayer micro/nanoactuator. , 2010, , .		0
334	Control of conducting polymer actuators without feedback: Simulated feedback control approach. , 2013, , .		0
335	Pulse Shaping of an Impulse Controller to Improve Precision of Machines with Friction. , 2013, , .		0
336	Establishment and experimental verification of a Prandtl-Ishlinskii hysteresis model for tri-layer conducting polymer actuators. , 2013, , .		0
337	Modeling and experimental investigation on the mechanical behavior of a spiral-type capsule in the small intestine. , 2013, , .		0
338	Dielectrophoretic manipulation and separation of particles in an S-shaped microchannel with hurdles. , 2013, , .		0
339	Robust control of a trilayer conducting polymer actuator. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
340	Conducting Polymers as EAPs: Applications. , 2016, , 1-27.		0
341	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Microfluidics and Membrane. , 2016, , .		0
342	Three-dimensional particle focusing under viscoelastic flow based on dean-flow-coupled elasto-inertial effects. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
343	Design of a Sensorised Object to Test Sensory Feedback for Prosthetic Hands. , 2019, , .		0
344	Psychometric Evaluation of Multi-Point Bone-Conducted Tactile Stimulation on the Three Bony Landmarks of the Elbow. , 2020, , .		0
345	Stepping down to step forward. Science, 2020, 367, 950-950.	6.0	0
346	Multi-frequency Stimulation: Spatial Differentiation of Bone-Conducted Tactile Stimulation on the Elbow Bony Landmarks. Biosystems and Biorobotics, 2022, , 593-597.	0.2	0
347	Conducting Polymers as EAPs: Device Configurations. , 2016, , 1-35.		0
348	Smart Approaches in Facilitating Engineering Students to Learn Health Technology. Smart Innovation, Systems and Technologies, 2019, , 175-182.	0.5	0
349	A Cellular Neural Network for Deformable Object Modelling. , 0, , 329-336.		0
350	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
351	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
352	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
353	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
354	Thermoelastic Strain-limiting Layers to Actively-control Soft Actuator Trajectories. , 2022, , .		0
355	4D-printed pneumatic soft actuators modeling, fabrication, and control. , 2022, , 103-140.		0