

# Gursel Alici

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/730714/publications.pdf>

Version: 2024-02-01

355  
papers

11,427  
citations

24978

57  
h-index

46693

89  
g-index

361  
all docs

361  
docs citations

361  
times ranked

8491  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Magnetically Actuated Novel Robotic Capsule for Site-Specific Drug Delivery Inside the Gastrointestinal Tract. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2022, 52, 4010-4020.	5.9	7
2	Multi-frequency Stimulation: Spatial Differentiation of Bone-Conducted Tactile Stimulation on the Elbow Bony Landmarks. Biosystems and Biorobotics, 2022, , 593-597.	0.2	0
3	Investigation of Vibrotactile Transducers for a Bone Conduction Sensory Feedback System. Biosystems and Biorobotics, 2022, , 587-592.	0.2	2
4	Force Control of a 3D Printed Soft Gripper with Built-In Pneumatic Touch Sensing Chambers. Soft Robotics, 2022, 9, 970-980.	4.6	20
5	Multifunctional skin-compliant wearable sensors for monitoring human condition applications. Applied Materials Today, 2022, 26, 101361.	2.3	16
6	A 3D Printed Soft Robotic Hand With Embedded Soft Sensors for Direct Transition Between Hand Gestures and Improved Grasping Quality and Diversity. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 550-558.	2.7	19
7	3D printed linear soft multi-mode actuators expanding robotic applications. Soft Matter, 2022, 18, 1911-1919.	1.2	1
8	A Wearable Biofeedback Device to Increase Gait Swing Time Could Have Positive Effects on Gait among Older Adults. Sensors, 2022, 22, 102.	2.1	4
9	Non-Invasive Human-Machine Interface (HMI) Systems With Hybrid On-Body Sensors for Controlling Upper-Limb Prosthesis: A Review. IEEE Sensors Journal, 2022, 22, 10292-10307.	2.4	15
10	Thermoelastic Strain-limiting Layers to Actively-control Soft Actuator Trajectories. , 2022, , .		0
11	4D-printed pneumatic soft actuators modeling, fabrication, and control. , 2022, , 103-140.		0
12	Design, Modeling, and Control of a 3D Printed Monolithic Soft Robotic Finger With Embedded Pneumatic Sensing Chambers. IEEE/ASME Transactions on Mechatronics, 2021, 26, 876-887.	3.7	32
13	Force control of electro-active polymer actuators using model-free intelligent control. Journal of Intelligent Material Systems and Structures, 2021, 32, 2054-2065.	1.4	10
14	A Comparison Between Separated Electrodes and Concentric Electrodes for Electrotactile Stimulation. IEEE Transactions on Medical Robotics and Bionics, 2021, 3, 241-252.	2.1	3
15	A Review of 3D-Printable Soft Pneumatic Actuators and Sensors: Research Challenges and Opportunities. Advanced Intelligent Systems, 2021, 3, 2000223.	3.3	75
16	Editorial: Soft Robotics Based on Electroactive Polymers. Frontiers in Robotics and AI, 2021, 8, 676406.	2.0	6
17	Room-temperature self-healing piezoresistive sensors. Composites Science and Technology, 2021, 211, 108856.	3.8	7
18	A 3D Printed Soft Prosthetic Hand with Embedded Actuation and Soft Sensing Capabilities for Directly and Seamlessly Switching Between Various Hand Gestures. , 2021, , .		7

#	ARTICLE	IF	CITATIONS
19	Control of an Electric Wheelchair Using Multimodal Biosignals and Machine Learning. , 2021, , .		2
20	Low-Hysteresis and Ultrasensitive Microcellular Structures for Wearable Electronic Applications. ACS Applied Materials & Interfaces, 2021, 13, 1632-1643.	4.0	11
21	Kinematic Modeling and Analysis of a Novel Bio-Inspired and Cable-Driven Hybrid Shoulder Mechanism. Journal of Mechanisms and Robotics, 2021, 13, .	1.5	5
22	A 3D Printed Modular Soft Gripper Integrated With Metamaterials for Conformal Grasping. Frontiers in Robotics and AI, 2021, 8, 799230.	2.0	22
23	A survey on what Australians with upper limb difference want in a prosthesis: justification for using soft robotics and additive manufacturing for customized prosthetic hands. Disability and Rehabilitation: Assistive Technology, 2020, 15, 342-349.	1.3	20
24	Bioinspired Three-Dimensional-Printed Helical Soft Pneumatic Actuators and Their Characterization. Soft Robotics, 2020, 7, 267-282.	4.6	91
25	Towards Including End-Users in the Design of Prosthetic Hands: Ethical Analysis of a Survey of Australians with Upper-Limb Difference. Science and Engineering Ethics, 2020, 26, 981-1007.	1.7	8
26	Effects of Wearable Devices with Biofeedback on Biomechanical Performance of Runningâ€”A Systematic Review. Sensors, 2020, 20, 6637.	2.1	11
27	A3D Printed Modular Soft Gripper for Conformal Grasping. , 2020, , .		5
28	3D Printed Soft Pneumatic Bending Sensing Chambers for Bilateral and Remote Control of Soft Robotic Systems. , 2020, , .		4
29	A compact and cost-effective pattern recognition based myoelectric control system for robotic prosthetic hands. , 2020, , .		3
30	Psychometric Evaluation of Multi-Point Bone-Conducted Tactile Stimulation on the Three Bony Landmarks of the Elbow. , 2020, , .		0
31	Tactile Feedback in Closed-Loop Control of Myoelectric Hand Grasping: Conveying Information of Multiple Sensors Simultaneously via a Single Feedback Channel. Frontiers in Neuroscience, 2020, 14, 348.	1.4	15
32	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. PLoS ONE, 2020, 15, e0232766.	1.1	62
33	Stepping down to step forward. Science, 2020, 367, 950-950.	6.0	0
34	A 3D Printed Soft Force Sensor for Soft Haptics. , 2020, , .		4
35	Position Control of a 3D Printed Soft Finger with Integrated Soft Pneumatic Sensing Chambers. , 2020, , .		10
36	Finite Element Modeling in the Design Process of 3D Printed Pneumatic Soft Actuators and Sensors. Robotics, 2020, 9, 52.	2.1	52

#	ARTICLE	IF	CITATIONS
37	Environmentally Friendly and Biodegradable Ultrasensitive Piezoresistive Sensors for Wearable Electronics Applications. ACS Applied Materials & Interfaces, 2020, 12, 8761-8772.	4.0	55
38	A Comparison of Recognition and Sensitivity in the Upper Arm and Lower Arm to Mechanotactile Stimulation. IEEE Transactions on Medical Robotics and Bionics, 2020, 2, 76-85.	2.1	3
39	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
40	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
41	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
42	A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities. , 2020, 15, e0232766.		0
43	Roboticsâ€™ Soft Robotics. , 2019, , 652-659.		2
44	Highly Sensitive Soft Foam Sensors to Empower Robotic Systems. Advanced Materials Technologies, 2019, 4, 1900423.	3.0	26
45	Pattern Recognition for Prosthetic Hand Userâ€™s Intentions using EMG Data and Machine Learning Techniques. , 2019, , .		7
46	3D Printable Vacuum-Powered Soft Linear Actuators. , 2019, , .		11
47	Flexible Surface Electrodes Targeting Biopotential Signals from Forearm Muscles for Control of Prosthetic Hands: Part 1 â€“ Characterisation of sEMG Electrodes. , 2019, , .		3
48	Fully 3D Printed Monolithic Soft Gripper with High Conformal Grasping Capability. , 2019, , .		27
49	3D Printable Linear Soft Vacuum Actuators: Their Modeling, Performance Quantification and Application in Soft Robotic Systems. IEEE/ASME Transactions on Mechatronics, 2019, 24, 2118-2129.	3.7	70
50	A 3D-Printed Omni-Purpose Soft Gripper. IEEE Transactions on Robotics, 2019, 35, 1268-1275.	7.3	102
51	Ultra-stretchable MWCNTâ€™Ecoflex piezoresistive sensors for human motion detection applications. Composites Science and Technology, 2019, 173, 118-124.	3.8	80
52	Model-free control of an electro-active polymer actuator. Materials Research Express, 2019, 6, 055309.	0.8	5
53	Development and performance evaluation of large-scale auxetic protective systems for localised impulsive loads. International Journal of Protective Structures, 2019, 10, 390-417.	1.4	46
54	Soft Pneumatic Sensing Chambers for Generic and Interactive Humanâ€“Machine Interfaces. Advanced Intelligent Systems, 2019, 1, 1900002.	3.3	43

#	ARTICLE	IF	CITATIONS
55	A Novel Magnetic Anchoring System for Wireless Capsule Endoscopes Operating Within the Gastrointestinal Tract. IEEE/ASME Transactions on Mechatronics, 2019, 24, 1106-1116.	3.7	32
56	Engineering-Based Design Methodology for Embedding Ethics in Autonomous Robots. Proceedings of the IEEE, 2019, 107, 582-599.	16.4	27
57	Bone Conduction as Sensory Feedback Interface: A Preliminary Study. , 2019, 2019, 5322-5325.		6
58	Flexible Surface Electrodes Targeting Biopotential Signals from Forearm Muscles for Control of Prosthetic Hands: Part 2 - Characterization of Substrates for Strain Sensors. , 2019, , .		1
59	A 3D Printed Soft Robotic Monolithic Unit for Haptic Feedback Devices. , 2019, , .		6
60	Design of a Sensorised Object to Test Sensory Feedback for Prosthetic Hands. , 2019, , .		0
61	A Novel Monolithic Soft Robotic Thumb for an Anthropomorphic Prosthetic Hand. IEEE Robotics and Automation Letters, 2019, 4, 602-609.	3.3	38
62	Enhanced Localization of Robotic Capsule Endoscopes Using Positron Emission Markers and Rigid-Body Transformation. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2019, 49, 1270-1284.	5.9	18
63	Smart Approaches in Facilitating Engineering Students to Learn Health Technology. Smart Innovation, Systems and Technologies, 2019, , 175-182.	0.5	0
64	A Soft Stretchable Sensor: Towards Peripheral Nerve Signal Sensing. MRS Advances, 2018, 3, 1597-1602.	0.5	4
65	A Review of Non-Invasive Sensory Feedback Methods for Transradial Prosthetic Hands. IEEE Access, 2018, 6, 6878-6899.	2.6	152
66	Design, Fabrication, and Test of a Coupled Parametricâ€“Transverse Nonlinearly Broadband Energy Harvester. IEEE Transactions on Energy Conversion, 2018, 33, 457-464.	3.7	10
67	Softer is Harder: What Differentiates Soft Robotics from Hard Robotics?. MRS Advances, 2018, 3, 1557-1568.	0.5	84
68	Experimental Nonlinear Model Identification of a Highly Nonlinear Resonator. Journal of Vibration and Acoustics, Transactions of the ASME, 2018, 140, .	1.0	2
69	Analysis of Magnetic Interaction in Remotely Controlled Magnetic Devices and its Application to a Capsule Robot for Drug Delivery. IEEE/ASME Transactions on Mechatronics, 2018, 23, 298-310.	3.7	38
70	Recent progress of particle migration in viscoelastic fluids. Lab on A Chip, 2018, 18, 551-567.	3.1	186
71	3D printing Vegemite and Marmite: Redefining â€œbreadboardsâ€œ. Journal of Food Engineering, 2018, 220, 83-88.	2.7	89
72	Modeling and Experimental Evaluation of Bending Behavior of Soft Pneumatic Actuators Made of Discrete Actuation Chambers. Soft Robotics, 2018, 5, 24-35.	4.6	128

#	ARTICLE	IF	CITATIONS
73	Development of a nonlinear adaptive absorber based on magnetorheological elastomer. Journal of Intelligent Material Systems and Structures, 2018, 29, 194-204.	1.4	20
74	Design of a Multi-Stage Stiffness Enhancing Unit for a Soft Robotic Finger and its Robust Motion Control. , 2018, , .		3
75	Reusable Flexible Concentric Electrodes Coated With a Conductive Graphene Ink for Electrotactile Stimulation. Frontiers in Bioengineering and Biotechnology, 2018, 6, 179.	2.0	23
76	A Structural Optimisation Method for a Soft Pneumatic Actuator. Robotics, 2018, 7, 24.	2.1	65
77	Applying Mechanical Pressure and Skin Stretch Simultaneously for Sensory Feedback in Prosthetic Hands. , 2018, , .		7
78	Using Vibration Motors to Create Tactile Apparent Movement for Transradial Prosthetic Sensory Feedback. , 2018, , .		6
79	3D Printed Helical Soft Pneumatic Actuators. , 2018, , .		17
80	Position Control of a Soft Prosthetic Finger with Limited Feedback Information. , 2018, , .		1
81	A Hybrid Multi-Joint Robotic Shoulder Exoskeleton for Stroke Rehabilitation. , 2018, , .		1
82	Bioinspired 3D Printable Soft Vacuum Actuators for Locomotion Robots, Grippers and Artificial Muscles. Soft Robotics, 2018, 5, 685-694.	4.6	121
83	Locomotion analysis and optimization of actinomorphic robots with soft arms actuated by shape memory alloy wires. International Journal of Advanced Robotic Systems, 2018, 15, 172988141878794.	1.3	12
84	A Parametrically Broadband Nonlinear Energy Harvester. Journal of Energy Resources Technology, Transactions of the ASME, 2017, 139, .	1.4	16
85	A Nonlinearly Broadband Tuneable Energy Harvester. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2017, 139, .	0.9	9
86	High-throughput sheathless and three-dimensional microparticle focusing using a microchannel with arc-shaped groove arrays. Scientific Reports, 2017, 7, 41153.	1.6	27
87	Nanotechnology and its medical applications: revisiting public policies from a regulatory perspective in Australia. Nanotechnology Reviews, 2017, 6, 255-269.	2.6	8
88	Electrochemical biosensing strategies for DNA methylation analysis. Biosensors and Bioelectronics, 2017, 94, 63-73.	5.3	60
89	Flow rate-insensitive microparticle separation and filtration using a microchannel with arc-shaped groove arrays. Microfluidics and Nanofluidics, 2017, 21, 1.	1.0	21
90	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Focusing and Membrane. Journal of Heat Transfer, 2017, 139, .	1.2	3

#	ARTICLE	IF	CITATIONS
91	Review on Design and Control Aspects of Robotic Shoulder Rehabilitation Orthoses. IEEE Transactions on Human-Machine Systems, 2017, 47, 1134-1145.	2.5	55
92	The Suitability of 3-D Printed Eutectic Gallium-Indium Alloy as a Heating Element for Thermally Active Hydrogels. MRS Advances, 2017, 2, 335-340.	0.5	1
93	System and process development for coaxial extrusion in fused deposition modelling. Rapid Prototyping Journal, 2017, 23, 543-550.	1.6	16
94	A review on performance enhancement techniques for ambient vibration energy harvesters. Renewable and Sustainable Energy Reviews, 2017, 71, 435-449.	8.2	188
95	Design of an enhanced wideband energy harvester using a parametrically excited array. Journal of Sound and Vibration, 2017, 410, 416-428.	2.1	22
96	Modelling of the human shoulder girdle as a 6-4 parallel mechanism with a moving scapulothoracic joint. Mechanism and Machine Theory, 2017, 118, 219-230.	2.7	5
97	Modeling and experimental characterization of magnetic membranes as soft smart actuators for medical robotics. , 2017, , .		4
98	Large area and ultra-thin compliant strain sensors for prosthetic devices. Sensors and Actuators A: Physical, 2017, 266, 56-64.	2.0	36
99	Gold-loaded nanoporous superparamagnetic nanocubes for catalytic signal amplification in detecting miRNA. Chemical Communications, 2017, 53, 8231-8234.	2.2	79
100	Inertial Microfluidics: Mechanisms and Applications. Microsystems and Nanosystems, 2017, , 563-593.	0.1	6
101	Hybrid force and position control of a conducting tri-layer electro-active polymer actuator. Transactions of the Institute of Measurement and Control, 2017, 39, 288-296.	1.1	7
102	Development of an isolator working with magnetorheological elastomers and fluids. Mechanical Systems and Signal Processing, 2017, 83, 371-384.	4.4	59
103	Double-Mode Microparticle Manipulation by Tunable Secondary Flow in Microchannel With Arc-Shaped Groove Arrays. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1406-1412.	2.7	8
104	3D printing of a thin-wall soft and monolithic gripper using fused filament fabrication. , 2017, , .		25
105	A 3D printed monolithic soft gripper with adjustable stiffness. , 2017, , .		31
106	Tunable Particle Focusing in a Straight Channel with Symmetric Semicircle Obstacle Arrays Using Electrophoresis-Modified Inertial Effects. Micromachines, 2016, 7, 195.	1.4	19
107	Conducting Polymers as EAPs: Applications. , 2016, , 1-27.		0
108	Fabrication and characterisation of highly stretchable elastomeric strain sensors for prosthetic hand applications. Sensors and Actuators A: Physical, 2016, 247, 514-521.	2.0	44

#	ARTICLE	IF	CITATIONS
109	Investigation of particle lateral migration in sample sheath flow of viscoelastic fluid and Newtonian fluid. <i>Electrophoresis</i> , 2016, 37, 2147-2155.	1.3	36
110	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Microfluidics and Membrane. , 2016, , .		0
111	An innovative MRE absorber with double natural frequencies for wide frequency bandwidth vibration absorption. <i>Smart Materials and Structures</i> , 2016, 25, 055035.	1.8	19
112	An inverted micro-mixer based on a magnetically-actuated cilium made of Fe doped PDMS. <i>Smart Materials and Structures</i> , 2016, 25, 095049.	1.8	16
113	Mechanical stiffness augmentation of a 3D printed soft prosthetic finger. , 2016, , .		14
114	Performance quantification of strain sensors for flexible manipulators. , 2016, , .		3
115	Analysis of the magnetic torque on a tilted permanent magnet for drug delivery in capsule robots. , 2016, , .		3
116	Design and development of a parametrically excited nonlinear energy harvester. <i>Energy Conversion and Management</i> , 2016, 126, 247-255.	4.4	23
117	Soft and smart modular structures actuated by shape memory alloy (SMA) wires as tentacles of soft robots. <i>Smart Materials and Structures</i> , 2016, 25, 085026.	1.8	107
118	Continuous plasma extraction under viscoelastic fluid in a straight channel with asymmetrical expansion contraction cavity arrays. <i>Lab on A Chip</i> , 2016, 16, 3919-3928.	3.1	50
119	A starfish robot based on soft and smart modular structure (SMS) actuated by SMA wires. <i>Bioinspiration and Biomimetics</i> , 2016, 11, 056012.	1.5	64
120	Conducting Polymers as EAPs: Device Configurations. , 2016, , 257-291.		3
121	Conducting Polymers as EAPs: Physical Description and Simulation. , 2016, , 353-383.		2
122	Conducting Polymers as EAPs: Applications. , 2016, , 385-411.		1
123	3D Printed Flexure Hinges for Soft Monolithic Prosthetic Fingers. <i>Soft Robotics</i> , 2016, 3, 120-133.	4.6	135
124	A magnetically actuated anchoring system for a wireless endoscopic capsule. <i>Biomedical Microdevices</i> , 2016, 18, 102.	1.4	22
125	Development of a novel magnetophoresis-assisted hydrophoresis microdevice for rapid particle ordering. <i>Biomedical Microdevices</i> , 2016, 18, 54.	1.4	16
126	A Magnetically Actuated Drug Delivery System for Robotic Endoscopic Capsules. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2016, 10, .	0.4	13

#	ARTICLE	IF	CITATIONS
127	Size Optimization of a Magnetic System for Drug Delivery With Capsule Robots. IEEE Transactions on Magnetics, 2016, 52, 1-11.	1.2	17
128	Internal Energy Transfer in Dynamical Behavior of Slightly Curved Shear Deformable Microplates. Journal of Computational and Nonlinear Dynamics, 2016, 11, .	0.7	14
129	Three-Dimensional Kinematic Modeling of Helix-Forming Lamina-Emergent Soft Smart Actuators Based on Electroactive Polymers. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2016, , 1-12.	5.9	8
130	A Soft Mechatronic Microstage Mechanism Based on Electroactive Polymer Actuators. IEEE/ASME Transactions on Mechatronics, 2016, 21, 1467-1478.	3.7	24
131	Three-dimensional particle focusing under viscoelastic flow based on dean-flow-coupled elasto-inertial effects. , 2016, , .		0
132	Bottom-up microfabrication process for individually controlled conjugated polymer actuators. Sensors and Actuators B: Chemical, 2016, 230, 818-824.	4.0	27
133	Size-dependent performance of microgyroscopes. International Journal of Engineering Science, 2016, 100, 99-111.	2.7	160
134	Experimental nonlinear dynamics of a geometrically imperfect magneto-rheological elastomer sandwich beam. Composite Structures, 2016, 138, 381-390.	3.1	25
135	Nonlinear dynamics of a parametrically excited beam with a central magneto-rheological elastomer patch: An experimental investigation. International Journal of Mechanical Sciences, 2016, 106, 157-167.	3.6	21
136	Controlled delivery of drugs adsorbed onto porous Fe <sub>3</sub> O <sub>4</sub> structures by application of AC/DC magnetic fields. Microporous and Mesoporous Materials, 2016, 226, 243-250.	2.2	27
137	An experimental investigation into nonlinear dynamics of a magneto-rheological elastomer sandwich beam. Smart Materials and Structures, 2016, 25, 015018.	1.8	7
138	Fundamentals and applications of inertial microfluidics: a review. Lab on A Chip, 2016, 16, 10-34.	3.1	737
139	Development of a novel multi-layer MRE isolator for suppression of building vibrations under seismic events. Mechanical Systems and Signal Processing, 2016, 70-71, 811-820.	4.4	96
140	Conducting Polymers as EAPs: Device Configurations. , 2016, , 1-35.		0
141	Conducting Polymers as EAPs: Physical Description and Simulation. , 2016, , 1-31.		1
142	Dean-flow-coupled elasto-inertial three-dimensional particle focusing under viscoelastic flow in a straight channel with asymmetrical expansionâ€“contraction cavity arrays. Biomicrofluidics, 2015, 9, 044108.	1.2	49
143	Development of a linear damper working with magnetorheological shear thickening fluids. Journal of Intelligent Material Systems and Structures, 2015, 26, 1811-1817.	1.4	34
144	Horizontal vibration reduction of a seat suspension using negative changing stiffness magnetorheological elastomer isolators. International Journal of Vehicle Design, 2015, 68, 104.	0.1	51

#	ARTICLE	IF	CITATIONS
145	A hybrid dielectrophoretic and hydrophoretic microchip for particle sorting using integrated prefocusing and sorting steps. <i>Electrophoresis</i> , 2015, 36, 284-291.	1.3	34
146	Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing. <i>Smart Materials and Structures</i> , 2015, 24, 035015.	1.8	33
147	Subcritical parametric dynamics of microbeams. <i>International Journal of Engineering Science</i> , 2015, 95, 36-48.	2.7	48
148	Development of a novel variable stiffness and damping magnetorheological fluid damper. <i>Smart Materials and Structures</i> , 2015, 24, 085021.	1.8	53
149	Soft, flexible micromanipulators comprising polypyrrole trilayer microactuators. , 2015, , .		2
150	An adaptive tuned vibration absorber based on multilayered MR elastomers. <i>Smart Materials and Structures</i> , 2015, 24, 045045.	1.8	64
151	Performance evaluation and comparison of magnetorheological elastomer absorbers working in shear and squeeze modes. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 1757-1763.	1.4	40
152	Size-dependent electro-elasto-mechanics of MEMS with initially curved deformable electrodes. <i>International Journal of Mechanical Sciences</i> , 2015, 103, 247-264.	3.6	25
153	An accurate model for size optimization of an embedded permanent magnet for drug delivery with capsule robots. , 2015, , .		3
154	Effect of flexure hinge type on a 3D printed fully compliant prosthetic finger. , 2015, , .		29
155	A Compact Variable Stiffness and Damping Shock Absorber for Vehicle Suspension. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015, 20, 2621-2629.	3.7	77
156	Towards soft robotic devices for site-specific drug delivery. <i>Expert Review of Medical Devices</i> , 2015, 12, 703-715.	1.4	17
157	Optimization of multiple arc-shaped magnets for drug delivery in a capsule robot. , 2015, , .		2
158	Development of an MRE adaptive tuned vibration absorber with self-sensing capability. <i>Smart Materials and Structures</i> , 2015, 24, 095012.	1.8	23
159	An integrated dielectrophoresis-active hydrophoretic microchip for continuous particle filtration and separation. <i>Journal of Micromechanics and Microengineering</i> , 2015, 25, 084010.	1.5	26
160	An Effective Localization Method for Robotic Endoscopic Capsules Using Multiple Positron Emission Markers. <i>IEEE Transactions on Robotics</i> , 2014, 30, 1174-1186.	7.3	30
161	A Compliant Translational Mechanism Based on Dielectric Elastomer Actuators. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2014, 136, .	1.7	24
162	Force control of a tri-layer conducting polymer actuator using optimized fuzzy logic control. <i>Smart Materials and Structures</i> , 2014, 23, 125024.	1.8	3

#	ARTICLE	IF	CITATIONS
163	Concept and simulation study of a novel localization method for robotic endoscopic capsules using multiple positron emission markers. <i>Medical Physics</i> , 2014, 41, 072501.	1.6	15
164	Robust control of a trilayer conducting polymer actuator. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
165	Making a hydrophoretic focuser tunable using a diaphragm. <i>Biomicrofluidics</i> , 2014, 8, 064115.	1.2	9
166	Experimental investigation into biomechanical and biotribological properties of a real intestine and their significance for design of a spiral-type robotic capsule. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2014, 228, 280-286.	1.0	5
167	How the type of input function affects the dynamic response of conducting polymer actuators. <i>Smart Materials and Structures</i> , 2014, 23, 105008.	1.8	2
168	Control of conducting polymer actuators without physical feedback: simulated feedback control approach with particle swarm optimization. <i>Smart Materials and Structures</i> , 2014, 23, 035014.	1.8	4
169	Particle inertial focusing and its mechanism in a serpentine microchannel. <i>Microfluidics and Nanofluidics</i> , 2014, 17, 305-316.	1.0	114
170	Electro-mechanical modelling and identification of electroactive polymer actuators as smart robotic manipulators. <i>Mechatronics</i> , 2014, 24, 241-251.	2.0	22
171	Modelling and identifying the parameters of a magneto-rheological damper with a force-lag phenomenon. <i>Applied Mathematical Modelling</i> , 2014, 38, 3763-3773.	2.2	48
172	A review of microfabrication techniques and dielectrophoretic microdevices for particle manipulation and separation. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 063001.	1.3	174
173	Real-time control of inertial focusing in microfluidics using dielectrophoresis (DEP). <i>RSC Advances</i> , 2014, 4, 62076-62085.	1.7	62
174	An Advanced Mathematical Model and its Experimental Verification for Trilayer Conjugated Polymer Actuators. <i>IEEE/ASME Transactions on Mechatronics</i> , 2014, 19, 1279-1288.	3.7	14
175	Kinematic analyses of novel translational parallel manipulators. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2014, 228, 330-341.	1.1	6
176	Design optimization of a magnetomechanical system for drug delivery in wireless capsule endoscopy. , 2014, , .		4
177	Modeling a soft robotic mechanism articulated with dielectric elastomer actuators. , 2014, , .		9
178	High throughput extraction of plasma using a secondary flow-aided inertial microfluidic device. <i>RSC Advances</i> , 2014, 4, 33149.	1.7	88
179	Isolating plasma from blood using a dielectrophoresis-active hydrophoretic device. <i>Lab on A Chip</i> , 2014, 14, 2993.	3.1	73
180	An active-compliant micro-stage based on EAP artificial muscles. , 2014, , .		9

#	ARTICLE	IF	CITATIONS
181	Intelligent Control of Electroactive Polymer Actuators Based on Fuzzy and Neurofuzzy Methodologies. IEEE/ASME Transactions on Mechatronics, 2014, 19, 1951-1962.	3.7	34
182	A novel magnetorheological elastomer isolator with negative changing stiffness for vibration reduction. Smart Materials and Structures, 2014, 23, 105023.	1.8	88
183	A review of drug delivery systems for capsule endoscopy. Advanced Drug Delivery Reviews, 2014, 71, 77-85.	6.6	112
184	Modeling and inverse feedforward control for conducting polymer actuators with hysteresis. Smart Materials and Structures, 2014, 23, 025015.	1.8	19
185	The development of an adaptive tuned magnetorheological elastomer absorber working in squeeze mode. Smart Materials and Structures, 2014, 23, 075009.	1.8	64
186	An Adaptive Neuro Fuzzy Hybrid Control Strategy for a Semiactive Suspension with Magneto Rheological Damper. Advances in Mechanical Engineering, 2014, 6, 487312.	0.8	33
187	Ionic electroactive polymer artificial muscles in space applications. Scientific Reports, 2014, 4, 6913.	1.6	64
188	On-chip high-throughput manipulation of particles in a dielectrophoresis-active hydrophoretic focuser. Scientific Reports, 2014, 4, 5060.	1.6	46
189	Inertial particle separation by differential equilibrium positions in a symmetrical serpentine micro-channel. Scientific Reports, 2014, 4, 4527.	1.6	152
190	An effective methodology to solve inverse kinematics of electroactive polymer actuators modelled as active and soft robotic structures. Mechanism and Machine Theory, 2013, 67, 94-110.	2.7	27
191	Patterning and electrical interfacing of individually controllable conducting polymer microactuators. Sensors and Actuators B: Chemical, 2013, 183, 283-289.	4.0	41
192	Modeling and Experimental Investigation of Rotational Resistance of a Spiral-Type Robotic Capsule Inside a Real Intestine. IEEE/ASME Transactions on Mechatronics, 2013, 18, 1555-1562.	3.7	36
193	Neuro-fuzzy control of electroactive polymer actuators. , 2013, , .		2
194	Control of conducting polymer actuators without feedback: Simulated feedback control approach. , 2013, , .		0
195	Pulse Shaping of an Impulse Controller to Improve Precision of Machines with Friction. , 2013, , .		0
196	Continuous manipulation and separation of particles using combined obstacleâ€and curvatureâ€induced direct current dielectrophoresis. Electrophoresis, 2013, 34, 952-960.	1.3	40
197	Inertial focusing in a straight channel with asymmetrical expansionâ€contraction cavity arrays using two secondary flows. Journal of Micromechanics and Microengineering, 2013, 23, 085023.	1.5	57
198	Establishment and experimental verification of a Prandtl-Ishlinskii hysteresis model for tri-layer conducting polymer actuators. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
199	A methodology to establish a hysteresis model for trilayer conducting polymer actuators. , 2013, , .		1
200	A magnetically actuated endoscopic capsule robot based on a rolling locomotion mechanism. , 2013, , .		2
201	Modeling and Experimental Characterization of Propulsion of a Spiral-Type Microrobot for Medical Use in Gastrointestinal Tract. IEEE Transactions on Biomedical Engineering, 2013, 60, 1751-1759.	2.5	52
202	Fuzzy control of a conjugated polymer actuator. , 2013, , .		2
203	An investigation into biomechanical and biotribological properties of a real intestine for design of a spiral-type robotic capsule. , 2013, , .		1
204	Polypyrrole stretchable actuators. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 57-63.	2.4	15
205	Implementation of Adaptive Neuro Fuzzy Inference System controller on magneto rheological damper suspension. , 2013, , .		6
206	Study of magnetorheology and sensing capabilities of MR elastomers. Journal of Physics: Conference Series, 2013, 412, 012037.	0.3	10
207	Improved concentration and separation of particles in a 3D dielectrophoretic chip integrating focusing, aligning and trapping. Microfluidics and Nanofluidics, 2013, 14, 527-539.	1.0	41
208	Investigation of trapping process in "Centrifuge-on-a-chip", 2013, , .		1
209	Adaptive sliding mode control of tri-layer conjugated polymer actuators. Smart Materials and Structures, 2013, 22, 025004.	1.8	11
210	Electroactive polymers as soft robotic actuators: Electromechanical modeling and identification. , 2013, , .		14
211	Quantifying the positioning resolution of cantilever-type electroactive polymer actuators. , 2013, , .		1
212	Study of the temperature effect of shear thickening fluid. , 2013, , .		5
213	Modeling and experimental investigation on the mechanical behavior of a spiral-type capsule in the small intestine. , 2013, , .		0
214	Individually controlled conducting polymer tri-layer microactuators. , 2013, , .		4
215	Dielectrophoretic manipulation and separation of particles in an S-shaped microchannel with hurdles. , 2013, , .		0
216	Study of shear-stiffened elastomers. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
217	Study of PDMS based magnetorheological elastomers. Journal of Physics: Conference Series, 2013, 412, 012038.	0.3	22
218	Continuous particle manipulation and separation in a hurdle-combined curved microchannel using DC dielectrophoresis. AIP Conference Proceedings, 2013, , .	0.3	3
219	A novel three degrees of freedom partially decoupled robot with linear actuators. Robotica, 2012, 30, 467-475.	1.3	9
220	Kinematic analysis of electroactive polymer actuators as soft and smart structures with more DoF than inputs. , 2012, , .		4
221	Magnetic propulsion of a spiral-type endoscopic microrobot in a real small intestine. , 2012, , .		7
222	A Review of Localization Systems for Robotic Endoscopic Capsules. IEEE Transactions on Biomedical Engineering, 2012, 59, 2387-2399.	2.5	219
223	Pushing the Limits for Microactuators Based on Electroactive Polymers. Journal of Microelectromechanical Systems, 2012, 21, 574-585.	1.7	27
224	Three-dimensional nanofabrication of polystyrene by focused ion beam. Journal of Microscopy, 2012, 248, 129-139.	0.8	21
225	Study of shear-stiffened elastomers. Smart Materials and Structures, 2012, 21, 125009.	1.8	39
226	Modelling trilayer conjugated polymer actuators for their sensorless position control. Sensors and Actuators A: Physical, 2012, 185, 82-91.	2.0	36
227	Continuous particle focusing in a waded microchannel using negative dc dielectrophoresis. Journal of Micromechanics and Microengineering, 2012, 22, 095001.	1.5	39
228	A simple and cost-effective method for fabrication of integrated electronic-microfluidic devices using a laser-patterned PDMS layer. Microfluidics and Nanofluidics, 2012, 12, 751-760.	1.0	47
229	Electroactive polymer actuators as artificial muscles: are they ready for bioinspired applications?. Bioinspiration and Biomimetics, 2011, 6, 045006.	1.5	173
230	Evaluation of length-scale effects for mechanical behaviour of micro- and nanocantilevers: I. Experimental determination of length-scale factors. Journal Physics D: Applied Physics, 2011, 44, 335501.	1.3	54
231	Evaluation of length-scale effects for mechanical behaviour of micro- and nanocantilevers: II. Experimental verification of deflection models using atomic force microscopy. Journal Physics D: Applied Physics, 2011, 44, 335502.	1.3	46
232	Experimental investigation of the vibration characteristics of a magnetorheological elastomer sandwich beam under non-homogeneous small magnetic fields. Smart Materials and Structures, 2011, 20, 127001.	1.8	60
233	Kinematic modeling for artificial flagellum of a robotic bacterium based on electroactive polymer actuators. , 2011, , .		10
234	Micron-scale polymer-metal cantilever actuators fabricated by focused ion beam. Sensors and Actuators A: Physical, 2011, 172, 462-470.	2.0	9

#	ARTICLE	IF	CITATIONS
235	Guest Editorial Introduction to the Focused Section on Electroactive Polymer Mechatronics. IEEE/ASME Transactions on Mechatronics, 2011, 16, 1-8.	3.7	25
236	Microstructure and magnetorheology of graphite-based MR elastomers. Rheologica Acta, 2011, 50, 825-836.	1.1	96
237	The kinematics of modular spatial hyper-redundant manipulators formed from RPS-type limbs. Robotics and Autonomous Systems, 2011, 59, 12-21.	3.0	36
238	Synthesis and performance evaluation of thin film PPy-PVDF multilayer electroactive polymer actuators. Sensors and Actuators A: Physical, 2011, 165, 321-328.	2.0	65
239	Effect of electrolyte storage layer on performance of PPy-PVDF-PPy microactuators. Sensors and Actuators B: Chemical, 2011, 155, 810-816.	4.0	27
240	Enhancement of actuation ability of ionic-type conducting polymer actuators using metal ion implantation. Sensors and Actuators B: Chemical, 2011, 157, 72-84.	4.0	30
241	Experimental characterization of a robotic drug delivery system based on magnetic propulsion. , 2011, , .		5
242	Modelling and Performance Enhancement of a Linear Actuation Mechanism Using Conducting Polymers. Lecture Notes in Electrical Engineering, 2011, , 63-78.	0.3	2
243	Creep and recovery behaviors of magnetorheological elastomers. Frontiers of Mechanical Engineering in China, 2010, 5, 341-346.	0.4	23
244	A new family of constrained redundant parallel manipulators. Multibody System Dynamics, 2010, 23, 57-75.	1.7	10
245	Electromechanical coupling in polypyrrole sensors and actuators. Sensors and Actuators A: Physical, 2010, 161, 127-133.	2.0	61
246	Wireless aquatic navigator for detection and analysis (WANDA). Sensors and Actuators B: Chemical, 2010, 150, 425-435.	4.0	23
247	Evaluation of thrust force generated for a robotic fish propelled with polypyrrole actuators. Polymer International, 2010, 59, 357-364.	1.6	26
248	A continuously-stable linear actuation based on bending type artificial muscles. , 2010, , .		0
249	A stiffness enhancement methodology for artificial muscles. , 2010, , .		0
250	A Multistable Linear Actuation Mechanism Based on Artificial Muscles. Journal of Mechanical Design, Transactions of the ASME, 2010, 132, .	1.7	23
251	Artificial muscles with adjustable stiffness. Smart Materials and Structures, 2010, 19, 045004.	1.8	22
252	Inversion-Based Feedforward Control of Polypyrrole Trilayer Bender Actuators. IEEE/ASME Transactions on Mechatronics, 2010, 15, 149-156.	3.7	55

#	ARTICLE	IF	CITATIONS
253	Methods developed for the fabrication of a thermally-induced polypyrrole bilayer micro/nanoactuator. , 2010, , .		0
254	Finding NEMO (novel electromaterial muscle oscillator): a polypyrrole powered robotic fish with real-time wireless speed and directional control. Smart Materials and Structures, 2009, 18, 095009.	1.8	70
255	A bio-inspired robotic locomotion system based on conducting polymer actuators. , 2009, , .		8
256	Normal stiffness calibration of microfabricated tri-layer conducting polymer actuators. Smart Materials and Structures, 2009, 18, 065013.	1.8	24
257	Towards fully optimized conducting polymer bending sensors: the effect of geometry. Smart Materials and Structures, 2009, 18, 085007.	1.8	21
258	An effective modelling approach to estimate nonlinear bending behaviour of cantilever type conducting polymer actuators. Sensors and Actuators B: Chemical, 2009, 141, 284-292.	4.0	63
259	Development and dynamic modelling of a flexure-based Scottâ€“Russell mechanism for nano-manipulation. Mechanical Systems and Signal Processing, 2009, 23, 957-978.	4.4	182
260	Conducting polymer microactuators operating in air. Journal of Micromechanics and Microengineering, 2009, 19, 025017.	1.5	84
261	Towards the position control of conducting polymer trilayer bending actuators with integrated feedback sensor. , 2009, , .		7
262	Guest Editorial Introduction to the Focused Section on Mechatronics for MEMS and NEMS. IEEE/ASME Transactions on Mechatronics, 2009, 14, 397-404.	3.7	5
263	A scalable model for trilayer conjugated polymer actuators and its experimental validation. Materials Science and Engineering C, 2008, 28, 421-428.	3.8	57
264	Feedback control of tri-layer polymer actuators to improve their positioning ability and speed of response. Sensors and Actuators A: Physical, 2008, 144, 176-184.	2.0	50
265	Redox level-dependent impedance model for conjugated polymer actuators. Sensors and Actuators B: Chemical, 2008, 132, 182-190.	4.0	20
266	Response Characterization of Electroactive Polymers as Mechanical Sensors. IEEE/ASME Transactions on Mechatronics, 2008, 13, 187-196.	3.7	70
267	Validation of Resonant Frequency Model for Polypyrrole Trilayer Actuators. IEEE/ASME Transactions on Mechatronics, 2008, 13, 401-409.	3.7	49
268	Robust Adaptive Control of Conjugated Polymer Actuators. IEEE Transactions on Control Systems Technology, 2008, 16, 600-612.	3.2	77
269	Fast bender actuators for fish-like aquatic robots. , 2008, , .		21
270	A Poisson-Based Methodology for Deformable Object Simulation. International Journal of Modelling and Simulation, 2008, 28, 156-164.	2.3	1

#	ARTICLE	IF	CITATIONS
271	Redox level-dependent impedance model for conjugated polymer actuators. Proceedings of SPIE, 2008, ,	0.8	1
272	Characterization and modeling of conjugated polymer sensors. , 2008, ,		1
273	Frequency response of polypyrrole trilayer actuator displacement. Proceedings of SPIE, 2008, ,	0.8	14
274	Sensor response of polypyrrole trilayer benders as a function of geometry. Proceedings of SPIE, 2008, ,	0.8	5
275	Stiffness characterisation of microcantilevers based on conducting polymers. , 2008, ,		1
276	A POISSON-BASED METHODOLOGY FOR DEFORMABLE OBJECT SIMULATION. International Journal of Modelling and Simulation, 2008, 28, .	2.3	1
277	Forward Kinematics and Solution Methodologies for a Flexure-Based Micro-manipulator. Lecture Notes in Computer Science, 2008, , 250-259.	1.0	1
278	A scalable model for trilayer conjugated polymer actuators and its experimental validation. , 2007, ,		0
279	Tri-layer conducting polymer actuators with variable dimensions. , 2007, ,		7
280	Robust adaptive control of conjugated polymer actuators. , 2007, ,		0
281	Performance Quantification of Conducting Polymer Actuators for Real Applications: A Microgripping System. IEEE/ASME Transactions on Mechatronics, 2007, 12, 73-84.	3.7	89
282	Motion tracking control of piezo-driven flexure-based mechanism based on sliding mode strategy. , 2007, ,		2
283	Establishment of a biomimetic device based on tri-layer polymer actuatorsâ€™ propulsion fins. Bioinspiration and Biomimetics, 2007, 2, S18-S30.	1.5	49
284	An investigation into behaviour of electroactive polymers as mechanical sensors. , 2007, ,		0
285	Optimal area covering using genetic algorithms. , 2007, ,		43
286	Soft Mechanical Sensors Through Reverse Actuation in Polypyrrole. Advanced Functional Materials, 2007, 17, 3216-3222.	7.8	92
287	Trajectory generation for open-contoured structures in robotic fibre placement. Robotics and Computer-Integrated Manufacturing, 2007, 23, 380-394.	6.1	84
288	Feasibility Study of Robust Neural Network Motion Tracking Control of Piezoelectric Actuation Systems for Micro/Nano Manipulation. , 2007, , 5-19.		6

#	ARTICLE	IF	CITATIONS
289	A methodology towards geometry optimization of high performance polypyrrole (PPy) actuators. Smart Materials and Structures, 2006, 15, 243-252.	1.8	53
290	Direct Kinematics and Analytical Solution to 3RRR Parallel Planar Mechanisms. , 2006, , .		14
291	Fast trilayer polypyrrole bending actuators for high speed applications. Synthetic Metals, 2006, 156, 1017-1022.	2.1	178
292	A robust motion design technique for flexible-jointed manipulation systems. Robotica, 2006, 24, 95-103.	1.3	7
293	An autowave based methodology for deformable object simulation. CAD Computer Aided Design, 2006, 38, 740-754.	1.4	18
294	Kinematics and singularity analyses of a 4-dof parallel manipulator using screw theory. Mechanism and Machine Theory, 2006, 41, 1048-1061.	2.7	88
295	Optimum dynamic balancing of planar parallel manipulators based on sensitivity analysis. Mechanism and Machine Theory, 2006, 41, 1520-1532.	2.7	55
296	Prediction of geometric errors of robot manipulators with Particle Swarm Optimisation method. Robotics and Autonomous Systems, 2006, 54, 956-966.	3.0	59
297	Bending modeling and its experimental verification for conducting polymer actuators dedicated to manipulation applications. Sensors and Actuators A: Physical, 2006, 126, 396-404.	2.0	124
298	A finite element model for bending behaviour of conducting polymer electromechanical actuators. Sensors and Actuators A: Physical, 2006, 130-131, 1-11.	2.0	65
299	Predicting force output of trilayer polymer actuators. Sensors and Actuators A: Physical, 2006, 132, 616-625.	2.0	100
300	Soft tissue modelling through autowaves for surgery simulation. Medical and Biological Engineering and Computing, 2006, 44, 805-821.	1.6	15
301	A Cellular Neural Network Methodology for Deformable Object Simulation. IEEE Transactions on Information Technology in Biomedicine, 2006, 10, 749-762.	3.6	23
302	A reaction-diffusion methodology for soft object simulation. , 2006, , .		4
303	Simulation of deformable models with the Poisson equation. Computer Methods in Biomechanics and Biomedical Engineering, 2006, 9, 289-304.	0.9	9
304	Experimental Evaluation of Adaptive and Variable Structure Control of Piezoelectric Actuation Systems for Micro/Nano Manipulation. , 2006, , .		0
305	Force Analysis and Characterization of Polymer Actuators. , 2006, , .		5
306	A systematic technique to estimate positioning errors for robot accuracy improvement using laser interferometry based sensing. Mechanism and Machine Theory, 2005, 40, 879-906.	2.7	171

#	ARTICLE	IF	CITATIONS
307	Vibration analysis of piezo-actuated flexure-jointed mechanisms. , 2005, 5649, 445.		4
308	Robust Control Framework for Piezoelectric Actuation Systems in Micro/Nano Manipulation. , 2005, , .		2
309	Characterisation and bending modeling of conducting polymer actuators for use in micro/nano manipulation. , 2005, , .		1
310	Size optimisation of polypyrrole (PPy) actuators for micro/nano manipulation systems. , 2005, , .		2
311	Enhanced stiffness modeling, identification and characterization for robot manipulators. , 2005, 21, 554-564.		268
312	Topology optimisation and singularity analysis of a 3-SPS parallel manipulator with a passive constraining spherical joint. Mechanism and Machine Theory, 2004, 39, 215-235.	2.7	91
313	Loci of singular configurations of a 3-DOF spherical parallel manipulator. Robotics and Autonomous Systems, 2004, 48, 77-91.	3.0	12
314	Intelligent robotic fettling using a visual feedback technique and force sensing. International Journal of Advanced Manufacturing Technology, 2004, 24, 607-614.	1.5	9
315	Fabrication process of open surfaces by robotic fibre placement. Robotics and Computer-Integrated Manufacturing, 2004, 20, 17-28.	6.1	82
316	Optimum synthesis of planar parallel manipulators based on kinematic isotropy and force balancing. Robotica, 2004, 22, 97-108.	1.3	57
317	Optimum dynamic balancing of planar parallel manipulators. , 2004, , .		5
318	Loci of singular configurations of a 3-DOF spherical parallel manipulator. Robotics and Autonomous Systems, 2004, 48, 77-91.	3.0	22
319	Model Development and System Identification of a Cartesian Manipulator Using a Laser-Interferometry Based Measurement System. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2004, 37, 401-406.	0.4	1
320	Optimum force balancing of a planar parallel manipulator. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2003, 217, 515-524.	1.1	9
321	An inverse position analysis of five-bar planar parallel manipulators. Robotica, 2002, 20, 195-201.	1.3	48
322	A mathematical model for a pneumatically actuated robotic fibre placement system. Robotica, 2002, 20, 545-551.	1.3	13
323	The measurement uncertainties in the laser interferometry-based sensing and tracking technique. Measurement: Journal of the International Measurement Confederation, 2002, 32, 135-150.	2.5	85
324	Residual swing/vibration reduction using a hybrid input shaping method. Mechanism and Machine Theory, 2001, 36, 311-326.	2.7	26

#	ARTICLE	IF	CITATIONS
325	Determination of singularity contours for five-bar planar parallel manipulators. Robotica, 2000, 18, 569-575.	1.3	41
326	On preshaped reference inputs to reduce swing of suspended objects transported with robot manipulators. Mechatronics, 2000, 10, 609-626.	2.0	17
327	A systematic approach to develop a force control system for robotic drilling. Industrial Robot, 1999, 26, 389-397.	1.2	14
328	Swing-free transportation of suspended objects with robot manipulators. Robotica, 1999, 17, 513-521.	1.3	13
329	Kinematic identification of a closed-chain manipulator using a laser interferometry based sensing technique. , 0, , .		1
330	Development and experimental verification of a mathematical model for robot force control design. , 0, , .		4
331	Experimental comparison of model-based robot position control strategies. , 0, , .		4
332	Robotic drilling under force control: execution of a task. , 0, , .		10
333	Singularity avoidance and aspect maintenance in redundant manipulators. , 0, , .		10
334	Optimum force balancing with mass distribution and a single elastic element for a five-bar parallel manipulator. , 0, , .		4
335	Description and kinematic analysis of a planar micromanipulation system based on flexure joints. , 0, , .		1
336	Kinematics and stiffness analyses of a flexure-jointed planar micromanipulation system for a decoupled compliant motion. , 0, , .		24
337	Laser interferometry based robot position error modelling for kinematic calibration. , 0, , .		12
338	Constrained structural optimisation of a revolute-jointed planar parallel manipulator. , 0, , .		2
339	Contact type determination for cylindrical pair adjustment. , 0, , .		3
340	Investigation of Hole Quality on Drilling Carbon Composites with a "One Shot"™ Drill Bit. , 0, , .		2
341	A New Methodology for Deformable Object Simulation. , 0, , .		7
342	Deformable object simulation with Poisson equation. , 0, , .		0

#	ARTICLE	IF	CITATIONS
343	A mathematical model to describe bending mechanics of polypyrrole (PPy) actuators. , 0, , .		12
344	Towards Micro and Nano Manipulation Systems: Behaviour of a Laminated Polypyrrole (PPy) Actuator Driving a Rigid Link. , 0, , .		9
345	Sliding Mode Control of a Piezoelectric Actuator with Neural Network Compensating Rate-Dependent Hysteresis. , 0, , .		17
346	Special class of positive definite functions for formulating adaptive micro/nano manipulator control. , 0, , .		8
347	Towards improving positioning accuracy of conducting polymer actuators. , 0, , .		3
348	Cellular neural network based deformation simulation with haptic force feedback. , 0, , .		3
349	A robotic gripper based on conducting polymer actuators. , 0, , .		2
350	Contact state determination for robotic-based cylindrical pair height adjustment under dynamic conditions. , 0, , .		1
351	Robust motion tracking control of piezoelectric actuation systems. , 0, , .		9
352	Conjugated Polymer Actuators: Fundamentals. , 0, , 193-227.		16
353	Focused Ion Beam Fabricated Polystyrene-Platinum Thermal Microactuator. Advanced Materials Research, 0, 254, 86-89.	0.3	3
354	A Cellular Neural Network for Deformable Object Modelling. , 0, , 329-336.		0
355	Development of an elastomeric resin for digital light processing printing. Journal of Applied Polymer Science, 0, , 52123.	1.3	1