

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7307207/regina-sordi-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33 papers	465 citations	14 h-index	20 g-index
39 ext. papers	564 ext. citations	4.9 avg, IF	3.2 L-index

#	Paper	IF	Citations
33	Role of beta-adrenergic receptors in the ventromedial prefrontal cortex during contextual fear extinction in rats. <i>Neurobiology of Learning and Memory</i> , 2010 , 94, 318-28	3.1	37
32	Dual role of lipoxin A4 in pneumosepsis pathogenesis. <i>International Immunopharmacology</i> , 2013 , 17, 283-92	5.8	36
31	Experimental periodontitis promotes transient vascular inflammation and endothelial dysfunction. <i>Archives of Oral Biology</i> , 2013 , 58, 1187-98	2.8	35
30	Late, but not early, inhibition of soluble guanylate cyclase decreases mortality in a rat sepsis model. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 991-9	4.7	35
29	Cannabinoid-induced conditioned place preference in the spontaneously hypertensive rat-an animal model of attention deficit hyperactivity disorder. <i>Psychopharmacology</i> , 2009 , 205, 319-26	4.7	35
28	Artesunate Protects Against the Organ Injury and Dysfunction Induced by Severe Hemorrhage and Resuscitation. <i>Annals of Surgery</i> , 2017 , 265, 408-417	7.8	27
27	Inhibition of IB Kinase Attenuates the Organ Injury and Dysfunction Associated with Hemorrhagic Shock. <i>Molecular Medicine</i> , 2015 , 21, 563-75	6.2	26
26	Kallikrein-kinin system activation by <i>Lonomia obliqua</i> caterpillar bristles: involvement in edema and hypotension responses to envenomation. <i>Toxicon</i> , 2007 , 49, 663-9	2.8	23
25	Exacerbation of DSS-induced colitis in mice lacking kinin B(1) receptors through compensatory up-regulation of kinin B(2) receptors: the role of tight junctions and intestinal homeostasis. <i>British Journal of Pharmacology</i> , 2013 , 168, 389-402	8.6	22
24	Early potassium channel blockade improves sepsis-induced organ damage and cardiovascular dysfunction. <i>British Journal of Pharmacology</i> , 2011 , 163, 1289-301	8.6	22
23	Inhibition of IB Kinase at 24 Hours After Acute Kidney Injury Improves Recovery of Renal Function and Attenuates Fibrosis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
22	Pneumonia-induced sepsis in mice: temporal study of inflammatory and cardiovascular parameters. <i>International Journal of Experimental Pathology</i> , 2013 , 94, 144-55	2.8	18
21	Inibit� seletiva da ciclo-oxigenase-2: riscos e benef�cios. <i>Revista Brasileira De Reumatologia</i> , 2012 , 52, 774-782		17
20	The effect of simvastatin on systemic inflammation and endothelial dysfunction induced by periodontitis. <i>Journal of Periodontal Research</i> , 2014 , 49, 634-41	4.3	15
19	Enhanced hypotensive effect of nimodipine solid dispersions produced by supercritical CO2 drying. <i>Powder Technology</i> , 2015 , 278, 204-210	5.2	14
18	Rapid NOS-1-derived nitric oxide and peroxynitrite formation act as signaling agents for inducible NOS-2 expression in vascular smooth muscle cells. <i>Pharmacological Research</i> , 2015 , 100, 73-84	10.2	11
17	Opioid analgesics in experimental sepsis: effects on physiological, biochemical, and haemodynamic parameters. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 347-53	3.1	10

16	FPR2/ALX activation reverses LPS-induced vascular hyporeactivity in aorta and increases survival in a pneumosepsis model. <i>European Journal of Pharmacology</i> , 2015 , 746, 267-73	5.3	9
15	Periodontitis increases vascular cyclooxygenase-2: potential effect on vascular tone. <i>Journal of Periodontal Research</i> , 2014 , 49, 85-92	4.3	8
14	Differential involvement of potassium channel subtypes in early and late sepsis-induced hyporesponsiveness to vasoconstrictors. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 56, 184-9	3.1	8
13	Neuronal Nitric Oxide Synthase is Involved in Vascular Hyporeactivity and Multiple Organ Dysfunction Associated with Hemorrhagic Shock. <i>Shock</i> , 2016 , 45, 525-33	3.4	8
12	Protective role of cGMP in early sepsis. <i>European Journal of Pharmacology</i> , 2017 , 807, 174-181	5.3	7
11	Resolvin D1 Attenuates the Organ Injury Associated With Experimental Hemorrhagic Shock. <i>Annals of Surgery</i> , 2021 , 273, 1012-1021	7.8	7
10	Preconditioning With low dose lipopolysaccharide aggravates the organ injury / dysfunction caused by hemorrhagic shock in rats. <i>PLoS ONE</i> , 2015 , 10, e0122096	3.7	6
9	The apoptosis clearance signal phosphatidylserine inhibits leukocyte migration and promotes inflammation resolution in vivo. <i>European Journal of Pharmacology</i> , 2020 , 877, 173095	5.3	3
8	Angiotensin II receptor type 1 blockade improves hyporesponsiveness to vasopressors in septic shock. <i>European Journal of Pharmacology</i> , 2021 , 897, 173953	5.3	2
7	Experimental periodontitis in rats potentiates inflammation at a distant site: Role of B kinin receptor. <i>Life Sciences</i> , 2018 , 194, 40-48	6.8	2
6	The effect of losartan on angiotensin II-induced cell proliferation in a rat aorta smooth muscle cell line. <i>Brazilian Archives of Biology and Technology</i> , 2012 , 55, 263-268	1.8	1
5	Neuraminidase inhibitors rewire neutrophil function in murine sepsis and in COVID-19 2021 ,		1
4	The role of potassium channels in the endothelial dysfunction induced by periodontitis. <i>Journal of Applied Oral Science</i> , 2018 , 26, e20180048	3.3	1
3	Pharmacological Inhibition of FAK-Pyk2 Pathway Protects Against Organ Damage and Prolongs the Survival of Septic Mice.. <i>Frontiers in Immunology</i> , 2022 , 13, 837180	8.4	0
2	Inhibition of Macrophage Migration Inhibitory Factor Activity Attenuates Haemorrhagic Shock-Induced Multiple Organ Dysfunction in Rats.. <i>Frontiers in Immunology</i> , 2022 , 13, 886421	8.4	0
1	SUMOylation in peripheral tissues under low perfusion-related pathological states. <i>Journal of Cellular Biochemistry</i> ,	4.7	